



400 Seventh Street, S.W.
Washington, D.C. 20590

U.S. Department
of Transportation

**National Highway
Traffic Safety
Administration**

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** **



AUTO SAFETY HOTLINE
(800) 424-9393
Wash. D.C. Area 366-0123

**CASE SUMMARY**PSU 02 CASE NO. 061A TYPE OF ACCIDENT Car vs. Car (head-on)**A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES**

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Injury mechanism and vehicle crashworthiness is the focus, not driver culpability. Do not include any personal identifiers.)

Vehicle #1 traveling north on two lane undivided roadway, drives over center line striking southbound Vehicle #2 head-on. Vehicle #1 ramps up Vehicle #2 causing same to rollover coming to rest on wheels on eastbound shoulder. Vehicle #3 traveling south strikes Vehicle #2 as it comes to rest on westbound shoulder.

B. VEHICLE PROFILE(S)

Vehicle No.	Class of Vehicle	Year/Make/Model	Most Severe Damage Based on Vehicle Inspection		Component Failure
			Damage Plane	Severity Description	
1	compact	92 Subaru Legacy Stationwagon	front	severe	unknown
2	intermediate	79 Chevrolet Monte Carlo	front	severe	poss door
3	intermediate	94 Ford Taurus	front	unknown	unknown

DO NOT SANITIZE THIS FORM

C. PERSON PROFILE(S)

Vehicle No.	Person Role	Seat Position	Restraint Use	Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)			
				Body Region	Injury Type	AIS	Injury Source
1	driver	1/front	2 point auto -sho manual lap	Neck	Fracture	2	Sun/Ultra Area
2	driver	1/front	none used				

Body Region

Abdomen
Ankle-foot
Arm (upper)
Back-thoracolumbar spine
Brain
Chest
Ears
Eye
Elbow
Face
Forearm
Head-skull
Heart
Kidneys
Knee
Leg (lower)
Liver
Lower limbs(s) (whole or unknown part)
Mouth
Neck-cervical spine
Nose

Pelvic-hip
Pulmonary-lungs
Shoulder
Spleen
Thigh
Thyroid, other endocrine gland
Upper limb(s) (whole or unknown part)
Vertebrae
Whole body
Wrist-hand

Injury Type

Abrasion
Amputation
Avulsion
Burn
Concussion
Contusion
Crush
Detachment, separation
Dislocation

Fracture
Fracture and dislocation
Laceration
Other
Perforation, puncture
Rupture
Sprain
Strain
Total severance, transection
Unknown

Abbreviated Injury Scale

- (1) Minor injury
- (2) Moderate injury
- (3) Serious injury
- (4) Severe injury
- (5) Critical injury
- (6) Maximum (untreatable)
- (7) Injured, unknown severity

DO NOT SANITIZE THIS FORM



ACCIDENT COLLISION MEASUREMENT TABLE

Primary Sampling Unit Number 02

Case Number—Stratum 061A

ACCIDENT COLLISION DIAGRAM		CRASH DATA		
LEVEL I PHYSICAL EVIDENCE ABSENT	LEVEL II (Cont'd) physical evidence is present:	VEH. #1	VEH. #2	VEH. #3
<p>To be accomplished when there is no physical evidence present at the scene:</p> <ul style="list-style-type: none"> * approximate vehicle orientation at impact and final rest * applicable road/roadway delineation (e.g., curbs/edge lines, lane markings, median markings, pavement markings, etc.) * applicable traffic controls (e.g., speed limit) * north arrow placed on diagram * sketch required 	<ul style="list-style-type: none"> * document reference point and reference line relative to physical features present at the scene * scaled documentation of all accident induced physical evidence * scaled documentation of all roadside objects contacted * roadway surface type and condition of applicable roadways * grade measurements for all applicable roadways and at location of rollover initiation * scaled representations of the vehicle(s) at pre-impact, impact, and final rest based upon either: <ul style="list-style-type: none"> a) physical evidence, or b) reconstructed accident dynamics 	<p>Heading Angle <u> </u> <u>180</u> <u>180</u></p> <p>Surface Type <u>BIT</u> <u>BIT</u> <u>BIT</u></p> <p>Surface Condition <u>WET</u> <u>WET</u> <u>WET</u></p> <p>Grade (v/h) Measurement (between impact and final rest) <u>0/48</u> <u>0/48</u> <u>0/48</u></p> <p>Grade (v/h) Measurement (at location of rollover initiation) <u>0/48</u> <u>NA</u> <u>NA</u></p>		
LEVEL II PHYSICAL EVIDENCE PRESENT				
<p>In addition to the level I tasks noted above, the following must be accomplished when</p>				

Reference Point: Pole # [redacted]

Reference line: west roadedge #1
east roadedge #2

Item	Distance and Direction from Reference Point	Distance and Direction from Reference Line
<u>①</u> scuff ends v ₁ (LR)	<u>7.25</u>	<u>2.1W</u>
<u>spill</u>	<u>7.55</u>	<u>1.9W</u>
<u>①</u> gauge begins	<u>7.55</u>	<u>2.5E</u>
<u>①</u> gauge ends	<u>7.75</u>	<u>2.2E</u>
<u>①</u> scuff ends v ₂ (LR)	<u>8.85</u>	<u>0</u>
<u>small gauge</u>	<u>9.15</u>	<u>0</u>
<u>②</u> scuff ends v ₂ (RR)	<u>8.55</u>	<u>2.5W</u>
<u>②</u> gauge begins	<u>8.25</u>	<u>2.1E</u>
<u>②</u> gauge ends	<u>8.35</u>	<u>1.9E</u>
<u>②</u> scuff begins v ₂ (RR)	<u>10.45</u>	<u>0</u>
<u>spill ends</u>	<u>10.45</u>	<u>2.3W</u>
<u>OVER ↓</u>		



U.S. Department of Transportation

National Highway Traffic Safety Administration


ACCIDENT COLLISION DIAGRAM

NATIONAL ACCIDENT SAMPLING SYSTEM
CRASHWORTHINESS DATA SYSTEM

PSU No. 02

Case Number—Stratum 061A

Indicate North



STATE ROUTE 9W
89 KPH
LEVEL/WET/BIT
SCALE: 1/250



ACCIDENT FORM

1. Primary Sampling Unit Number 02
2. Case Number - Stratum 061A

IDENTIFICATION

3. Number of General Vehicle Forms Submitted 03
4. Date of Accident (Month, Day, Year) [REDACTED] 19 4
5. Time of Accident 1345
Code reported military time of accident.
NOTE: Midnight = 2400
Unknown = 9999

SPECIAL STUDIES - INDICATORS

Check (✓) each special study (SS14-SS18 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

6. ___ SS15 Administrative Use 0
7. ___ SS16 Pedestrian Crash Data Study 0
8. ___ SS17 Impact Fires 0
9. ___ SS18 _____ 0
10. ___ SS19 _____ 0

NUMBER OF EVENTS

11. Number of Recorded Events in This Accident 03
Code the number of events which occurred in this accident.

ACCIDENT EVENTS

For each event that occurred in the accident, code the lowest numbered vehicle in the left columns and the other involved vehicle or object on the right.

Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage
12. <u>0 1</u>	13. <u>01</u>	14. <u>02</u>	15. <u>F</u>	16. <u>02</u>	17. <u>03</u>	18. <u>F</u>
19. <u>0 2</u>	20. <u>01</u>	21. <u>02</u>	22. <u>T</u>	23. <u>31</u>	24. <u>00</u>	25. <u>N</u>
26. <u>0 3</u>	27. <u>02</u>	28. <u>03</u>	29. <u>L</u>	30. <u>03</u>	31. <u>03</u>	32. <u>F</u>
33. <u>0 4</u>	34. _____	35. _____	36. _____	37. _____	38. _____	39. _____
40. <u>0 5</u>	41. _____	42. _____	43. _____	44. _____	45. _____	46. _____

IF GREATER THAN FIVE EVENTS, CONTINUE CODING ON THE ACCIDENT EVENT SUPPLEMENT

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type
- (20) School bus
- (21) Other bus
- (22) Truck (> 4,500 kgs GVWR)
- (23) Tractor without trailer
- (24) Tractor-trailer(s)
- (25) Motored cycle
- (28) Other vehicle
- (99) Unknown

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE AND OTHER VEHICLES

- (O) Not a motor vehicle
- (N) Noncollision
- (F) Front
- (R) Right side
- (L) Left side
- (B) Back
- (T) Top
- (U) Undercarriage
- (9) Unknown

TDC APPLICABLE VEHICLES

- (O) Not a motor vehicle
- (N) Noncollision
- (F) Front
- (R) Right side
- (L) Left side
- (B) Back of unit with cargo area (rear of trailer or straight truck)
- (D) Back (rear of tractor)
- (C) Rear of cab
- (V) Front of cargo area
- (T) Top
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

(01-30) — Vehicle Number

Noncollision

- (31) Overturn — rollover
- (32) Fire or explosion
- (33) Jackknife
- (34) Other intraunit damage (specify):

(35) Noncollision injury

(38) Other noncollision (specify):

(39) Noncollision — details unknown

Collision With Fixed Object

- (41) Tree (≤ 10 cm in diameter)
- (42) Tree (> 10 cm in diameter)
- (43) Shrubbery or bush
- (44) Embankment
- (45) Breakaway pole or post (any diameter)

Nonbreakaway Pole or Post

- (50) Pole or post (≤ 10 cm in diameter)
- (51) Pole or post (> 10 cm but ≤ 30 cm in diameter)
- (52) Pole or post (> 30 cm in diameter)
- (53) Pole or post (diameter unknown)

- (54) Concrete traffic barrier
- (55) Impact attenuator
- (56) Other traffic barrier (includes guardrail) (specify):

(57) Fence

(58) Wall

(59) Building

(60) Ditch or culvert

(61) Ground

(62) Fire hydrant

(63) Curb

(64) Bridge

(68) Other fixed object (specify):

(69) Unknown fixed object

Collision with Nonfixed Object

- (71) Motor vehicle not in-transport
- (72) Pedestrian
- (73) Cyclist or cycle
- (74) Other nonmotorist or conveyance

(75) Vehicle occupant

(76) Animal

(77) Train

(78) Trailer, disconnected in transport

(79) Object fell from vehicle in-transport

(88) Other nonfixed object (specify):

(89) Unknown nonfixed object

(98) Other event (specify):

(99) Unknown event or object

OCCUPANT RELATED

- 16. Driver Presence in Vehicle 1
 (0) Driver not present
 (1) Driver present
 (9) Unknown
- 17. Number of Occupants This Vehicle 01
 (00-96) Code actual number of occupants for this vehicle
 (97) 97 or more
 (99) Unknown
- 18. Number of Occupant Forms Submitted 01

- 24. Rollover 4
 (0) No rollover (no overturning)
Rollover (primarily about the longitudinal axis)
 (1) Rollover, 1 quarter turn only
 (2) Rollover, 2 quarter turns
 (3) Rollover, 3 quarter turns
 (4) Rollover, 4 or more quarter turns (specify):
4x's
 (5) Rollover--end-over-end (i.e., primarily about the lateral axis)
 (9) Rollover (overturn), details unknown

VEHICLE WEIGHT ITEMS

- 19. Vehicle Curb Weight 1,380
 Code weight to nearest 10 kilograms.
 (045) Less than 450 kilograms
 (610) 6,100 kilograms or more
 (999) Unknown
3,040 lbs X .4536 = 1,379 kgs
 Source: [REDACTED]
- 20. Vehicle Cargo Weight 0,060
 Code weight to nearest 10 kilograms.
 (000) Less than 5 kilograms
 (450) 4,500 kilograms or more
 (999) Unknown
125 lbs X .4536 = 56.7 kgs
5 tires?

OVERRIDE/UNDERRIDE (THIS VEHICLE)

- 25. Front Override/Underride (this Vehicle) 1
- 26. Rear Override/Underride (this Vehicle) 0
 (0) No override/underride, or not an end-to-end impact
Override (see specific CDC)
 (1) 1st CDC
 (2) 2nd CDC
 (3) Other not automated CDC (specify):

Underride (see specific CDC)
 (4) 1st CDC
 (5) 2nd CDC
 (6) Other not automated CDC (specify):

 (7) Medium/heavy truck or bus override
 (9) Unknown

RECONSTRUCTION DATA

- 21. Towed Trailing Unit 0
 (0) No towed unit
 (1) Yes--towed trailing unit
 (9) Unknown
- 22. Documentation of Trajectory Data for This Vehicle 0
 (0) No
 (1) Yes
- 23. Post Collision Condition of Tree or Pole (For Highest Delta V) 0
 (0) Not collision (for highest delta V) with tree or pole
 (1) Not damaged
 (2) Cracked/sheared
 (3) Tilted < 45 degrees
 (4) Tilted ≥ 45 degrees
 (5) Uprooted tree
 (6) Separated pole from base
 (7) Pole replaced
 (8) Other (specify):

 (9) Unknown

HEADING ANGLE AT IMPACT FOR HIGHEST DELTA V

- Values: (000)-(359) Code actual value
 (997) Noncollision
 (998) Impact with object
 (999) Unknown
- 27. Heading Angle For This Vehicle 345
 - 28. Heading Angle For Other Vehicle 180

Category	Configuration	ACCIDENT TYPES (Includes Intent)											
I Single Driver	A Right Roadside Departure	01 DRIVE OFF ROAD	02 CONTROL/ TRACTION LOSS	03 AVOID COLLISION WITH VEH., PED., ANIM.	04 SPECIFICS OTHER	05 SPECIFICS UNKNOWN							
	B Left Roadside Departure	06 DRIVE OFF ROAD	07 CONTROL/ TRACTION LOSS	08 AVOID COLLISION WITH VEH., PED., ANIM.	09 SPECIFICS OTHER	10 SPECIFICS UNKNOWN							
	C Forward Impact	11 PARKED VEH.	12 STA. OBJECT	13 PEDESTRIAN/ ANIMAL	14 END DEPARTURE	15 SPECIFICS OTHER	16 SPECIFICS UNKNOWN						
II Same Trafficway Same Direction	D Rear-End	20 STOPPED 21, 22, 23	22 SLOWER 24, 25, 27	24 DECEL. 26, 28, 31	25 AVOID COLLISION WITH VEH.	26 AVOID COLLISION WITH VEH.	27 AVOID COLLISION WITH VEH.	28 AVOID COLLISION WITH VEH.	29 AVOID COLLISION WITH VEH.	30 AVOID COLLISION WITH VEH.	31 AVOID COLLISION WITH VEH.	(EACH - 32) SPECIFICS OTHER	(EACH - 33) SPECIFICS UNKNOWN
	E Forward Impact	34 CONTROL/ TRACTION LOSS	35 CONTROL/ TRACTION LOSS	36 CONTROL/ TRACTION LOSS	37 CONTROL/ TRACTION LOSS	38 AVOID COLLISION WITH VEH.	39 AVOID COLLISION WITH VEH.	40 AVOID COLLISION WITH VEH.	41 AVOID COLLISION WITH VEH.	(EACH - 42) SPECIFICS OTHER	(EACH - 43) SPECIFICS UNKNOWN		
	F Sideswipe Angle	44	45	46	47	(EACH - 48) SPECIFICS OTHER	(EACH - 49) SPECIFICS UNKNOWN						
III Same Trafficway Opposite Direction	G Head-On	50 LATERAL MOVE	51 (EACH - 52) SPECIFICS OTHER	(EACH - 53) SPECIFICS UNKNOWN									
	H Forward Impact	54 CONTROL/ TRACTION LOSS	55 CONTROL/ TRACTION LOSS	56 CONTROL/ TRACTION LOSS	57 CONTROL/ TRACTION LOSS	58 AVOID COLLISION WITH VEH.	59 AVOID COLLISION WITH VEH.	60 AVOID COLLISION WITH VEH.	61 AVOID COLLISION WITH VEH.	(EACH - 62) SPECIFICS OTHER	(EACH - 63) SPECIFICS UNKNOWN		
	I Sideswipe Angle	64 LATERAL MOVE	65 (EACH - 66) SPECIFICS OTHER	(EACH - 67) SPECIFICS UNKNOWN									
IV Change Trafficway Vehicle Turning	J Turn Across Path	68 INITIAL OPPOSITE DIRECTIONS	69 INITIAL SAME DIRECTIONS	70 INITIAL SAME DIRECTIONS	71 INITIAL SAME DIRECTIONS	72 INITIAL SAME DIRECTIONS	73 INITIAL SAME DIRECTIONS	(EACH - 74) SPECIFICS OTHER	(EACH - 75) SPECIFICS UNKNOWN				
	K Turn Into Path	76 TURN INTO SAME DIRECTION	77 TURN INTO SAME DIRECTION	78 TURN INTO SAME DIRECTION	79 TURN INTO SAME DIRECTION	80 TURN INTO OPPOSITE DIRECTIONS	81 TURN INTO OPPOSITE DIRECTIONS	82 TURN INTO OPPOSITE DIRECTIONS	(EACH - 84) SPECIFICS OTHER	(EACH - 85) SPECIFICS UNKNOWN			
V Intersecting Paths (Vehicle Damage)	L Straight Paths	87	88	(EACH - 90) SPECIFICS OTHER	(EACH - 91) SPECIFICS UNKNOWN								
VI Miscellaneous	M Backing Etc.	82 BACKING VEH.	83 OTHER VEH. OR OBJECT	98 Other Accident Type 99 Unknown Accident Type 00 No Impact									

OTHER DATA

56. Driver's Zip Code

- (00000) Driver not present
- (00001) Driver not a resident of U.S. or territories
Code actual 5-digit zip code
- (99999) Unknown

57. Driver's Race/Ethnic Origin

- (0) Driver not present
- (1) White (non-Hispanic)
- (2) Black (non-Hispanic)
- (3) White (Hispanic)
- (4) Black (Hispanic)
- (5) American Indian, Eskimo or Aleut
- (6) Asian or Pacific Islander
- (8) Other (specify): _____
- (9) Unknown

58. Vehicle Special Use (This Trip)

- (0) No special use
- (1) Taxi
- (2) Vehicle used as school bus
- (3) Vehicle used as other bus
- (4) Military
- (5) Police
- (6) Ambulance
- (7) Fire truck or car
- (8) Other (specify): _____
- (9) Unknown

ROLLOVER DATA

If GV07 (Body Type) ≠ 1-49, leave GV59-GV63 blank.
If GV24 (Rollover) = 0, then GV59-GV63 must equal 0.
If GV24 = 9, then GV59-GV63 must equal 9.

59. Rollover Initiation Type

- (0) No rollover
- (1) Trip-over
- (2) Flip-over
- (3) Turn-over
- (4) Climb-over
- (5) Fall-over
- (6) Bounce-over
- (7) Collision with another vehicle
- (8) Other rollover initiation type specify): _____
- (9) Unknown rollover initiation type

60. Location of Rollover Initiation

- (0) No rollover
- (1) On roadway
- (2) On shoulder—paved
- (3) On shoulder—unpaved
- (4) On roadside or divided trafficway median
- (9) Unknown

61. Rollover Initiation Object Contacted

02

62. Location on Vehicle Where Initial Principal Tripping Force Is Applied

3

- (0) No rollover
- (1) Wheels/tires
- (2) Side plane
- (3) End plane
- (4) Undercarriage
- (5) Other location on vehicle (specify): _____
- (8) Non-contact rollover forces (specify): _____
- (9) Unknown

63. Direction of Initial Roll

1

- (0) No rollover
- (1) Roll right - primarily about the longitudinal axis
- (2) Roll left - primarily about the longitudinal axis
- (5) End-over-end (i.e., primarily about the lateral axis)
- (9) Unknown roll direction

PRECRASH DATA

64. Pre-Event Movement (Prior to Recognition of Critical Event)

01

- (01) Going straight
- (02) Slowing or stopping in traffic lane
- (03) Starting in traffic lane
- (04) Stopped in traffic lane
- (05) Passing or overtaking another vehicle
- (06) Disabled or parked in travel lane
- (07) Leaving a parking position
- (08) Entering a parking position
- (09) Turning right
- (10) Turning left
- (11) Making a U-turn
- (12) Backing up (other than for parking position)
- (13) Negotiating a curve
- (14) Changing lanes
- (15) Merging
- (16) Successful avoidance maneuver to a previous critical event
- (97) Other (specify): _____
- (98) No driver present
- (99) Unknown

CODES FOR ROLLOVER INITIATION OBJECT CONTACTED

- (00) No rollover
- (01-30) — Vehicle Number

Noncollision

- (31) Turn-over — fall-over
- (33) Jackknife

Collision With Fixed Object

- (41) Tree (≤ 10 cm in diameter)
- (42) Tree (> 10 cm in diameter)
- (43) Shrubbery or bush
- (44) Embankment

- (45) Breakaway pole or post (any diameter)

Nonbreakaway Pole or Post

- (50) Pole or post (≤ 10 cm in diameter)
- (51) Pole or post (> 10 cm but ≤ 30 cm in diameter)
- (52) Pole or post (> 30 cm in diameter)
- (53) Pole or post (diameter unknown)

- (54) Concrete traffic barrier
- (55) Impact attenuator
- (56) Other traffic barrier (includes guardrail)
(specify): _____

- (57) Fence
- (58) Wall
- (59) Building
- (60) Ditch or culvert
- (61) Ground
- (62) Fire hydrant
- (63) Curb
- (64) Bridge
- (68) Other fixed object (specify):

-
- (69) Unknown fixed object

Collision with Nonfixed Object

- (71) Motor vehicle not in-transport
- (76) Animal
- (77) Train
- (78) Trailer, disconnected in transport
- (79) Object fell from vehicle in-transport
- (88) Other nonfixed object (specify):

-
- (89) Unknown nonfixed object

- (98) Other event (specify):

-
- (99) Unknown event or object


ORIGINAL SPECIFICATIONS WORK SHEET

Wheelbase	<u>101.6</u>	inches x 2.54 =	<u>258</u> cm
Overall Length	<u>181.9</u>	inches x 2.54 =	<u>462</u> cm
Maximum Width	<u>66.5</u>	inches x 2.54 =	<u>169</u> cm
Curb Weight	<u>3,040</u>	pounds x .4536 =	<u>1,379</u> kg
Average Track	<u>57.4</u>	inches x 2.54 =	<u>146</u> cm
Front Overhang	<u>36.2</u>	inches x 2.54 =	<u>92</u> cm
Rear Overhang	<u>44.0</u>	inches x 2.54 =	<u>112</u> cm
Undeformed End Width	<u>57.0</u>	inches x 2.54 =	<u>146</u> cm
Engine Size: cyl./displ.	_ _ _ _	cc x .001 =	_ . _ L
	_ _ _ _	CID x .0164 =	<u>2.2</u> L

H-4

VEHICLE DAMAGE SKETCH

<p>TIRE—WHEEL DAMAGE</p> <p>a. Rotation physically restricted</p> <p>RF <u>2</u> LF <u>1</u> RR <u>2</u> LR <u>2</u></p> <p>b. Tire deflated</p> <p>RF <u>2</u> LF <u>1</u> RR <u>1</u> LR <u>2</u></p> <p>(1) Yes (2) No (8) NA (9) Unk.</p>	<p>ORIGINAL SPECIFICATIONS</p> <p>Wheelbase <u>258</u> cm Overall Length <u>462</u> cm Maximum Width <u>169</u> cm Curb Weight <u>1379</u> kg Average Track <u>146</u> cm Front Overhang <u>92</u> cm Rear Overhang <u>112</u> cm Undeformed End Width <u>146</u> cm Engine Size: cyl./displ. <u>H-4 / 2.2</u> L</p>	<p>WHEEL STEER ANGLES (For locked front wheels or displaced rear axles only)</p> <p>RF ± _____ ° LF ± _____ ° RR ± _____ ° LR ± _____ °</p> <p>Within ± 5 degrees</p> <hr/> <p>DRIVE WHEELS</p> <p><input type="checkbox"/> FWD <input type="checkbox"/> RWD <input checked="" type="checkbox"/> 4WD</p> <hr/> <p>Approximate <u>5</u> TIRES Cargo Weight <u>45</u> kg</p>
<p>TYPE OF TRANSMISSION</p> <p><input type="checkbox"/> Manual <input checked="" type="checkbox"/> Automatic</p>		



NOTES: Sketch new perimeter and cross hatch direct damage and single hatch induced damage on all views. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.). If pulling trailer, sketch type of trailer and damage received on the back of this page.

Annotate any damage caused by extrication such as component removal by torching, prying, or hydraulic shears.

COLLISION DEFORMATION CLASSIFICATION

HIGHEST DELTA "V"

Accident Event Sequence Number	Object Contacted	(1) (2) Direction of Force	(3) Deformation Location	(4) Longitudinal or Lateral Location	(5) Vertical or Lateral Location	(6) Type of Damage Distribution	(7) Deformation Extent
4. <u>01</u>	5. <u>02</u>	6. <u>12</u>	7. <u>F</u>	8. <u>Y</u>	9. <u>E</u>	10. <u>W</u>	11. <u>05</u>

Second Highest Delta "V"

12. <u>02</u>	13. <u>31</u>	14. <u>99</u>	15. <u>9</u>	16. <u>9</u>	17. <u>9</u>	18. <u>9</u>	19. <u>99</u>
---------------	---------------	---------------	--------------	--------------	--------------	--------------	---------------

CRUSH PROFILE IN CENTIMETERS

The crush profile for the damage described in the CDC(s) above should be documented in the appropriate space below. (ALL MEASUREMENTS ARE IN CENTIMETERS.)

HIGHEST DELTA "V"

20. L	21. C ₁	C ₂	C ₃	C ₄	C ₅	C ₆	22. ±D
<u>146</u>	<u>110</u>	<u>076</u>	<u>058</u>	<u>039</u>	<u>022</u>	<u>011</u>	<u>+040</u>

Second Highest Delta "V"

23. L	24. C ₁	C ₂	C ₃	C ₄	C ₅	C ₆	25. ±D
-----	-----	-----	-----	-----	-----	-----	-----

26. Are CDCs Documented but Not Coded on The Automated File?
 (0) No
 (1) Yes

0

27. Researcher's Assessment of Vehicle Disposition
 (0) Not towed due to vehicle damage
 (1) Towed due to vehicle damage
 (9) Unknown

1

28. Original Wheelbase Code to the nearest centimeter
 (999) Unknown

258

101.6 inches X 2.54 = 258 centimeters

<p>29. Is This A Multi-Stage Manufactured Vehicle And/Or A Certified Altered Vehicle? <u>0</u></p> <p>(0) No post manufacturer modifications (1) Yes - post manufacturer modifications (specify): _____ _____ (Include photograph of CERTIFICATION PLACARD in case report) (9) Unknown if vehicle is modified</p>	<p>34. Fuel Tank-1 Location <u>6</u></p> <p>35. Fuel Tank-2 Location <u>0</u></p> <p>(0) No fuel tank (1) Aft of center of the rear wheels (rear axle) centered (2) Aft of center of the rear wheels (rear axle) left side (3) Aft of center of the rear wheels (rear axle) right side (4) Forward of center of the rear wheels (rear axle) centered (5) Forward of center of the rear wheels (rear axle) left side (6) Forward of center of the rear wheels (rear axle) right side (7) Over center of the rear wheels (rear axle) (8) Other (specify): _____ (9) Unknown</p>
<p>30. Fire Occurrence <u>0</u></p> <p>(0) No fire</p> <p>Yes, fire occurred (1) Minor (2) Major (9) Unknown</p>	
<p>31. Origin of Fire <u>0</u></p> <p>(0) No fire (1) Vehicle exterior (front, side, back, top) (2) Exhaust system (3) Fuel tank (and other fuel retention system parts) (4) Engine compartment (5) Cargo/trunk compartment (6) Instrument panel (7) Passenger compartment area (8) Other location (specify): _____ (9) Unknown</p>	<p>36. Fuel Tank-1 Filler Cap Location <u>3</u></p> <p>37. Fuel Tank-2 Filler Cap Location <u>0</u></p> <p>(0) No fuel tank (1) On back plane (2) Aft of center of the rear wheels (rear axle) on left side plane (3) Aft of center of the rear wheels (rear axle) on right side plane (4) Forward of center of the rear wheels (rear axle) on left side plane (5) Forward of center of the rear wheels (rear axle) on right side plane (6) Over the center of the rear wheels (rear axle) on left side plane (7) Over the center of the rear wheels (rear axle) on right side plane (8) Other (specify): _____ (9) Unknown</p>
<p>32. Type of Fuel Tank-1 <u>1</u></p>	
<p>33. Type of Fuel Tank-2 <u>0</u></p> <p>(0) No fuel tank (electrical vehicle) (1) Metallic (2) Non-metallic (9) Unknown</p>	
	<p>38. Fuel Tank-1 Damage <u>1</u></p> <p>39. Fuel Tank-2 Damage <u>0</u></p> <p>(0) No fuel tank (1) No damage to fuel tank (2) Deformed, no seam failure (3) Deformed, with a seam failure (4) Punctured (5) Lacerated (ripped) (6) Abraded (scraped) (7) Filler neck separation from the fuel tank (8) Other damage (specify): _____ (9) Unknown</p>

40. Location of Fuel System-1 Leakage 9

41. Location of Fuel System-2 Leakage 0

(0) No fuel tank
(1) No fuel leakage

Primary Area Of Leakage

(2) Tank
(3) Filler neck
(4) Cap
(5) Lines/pump/filter
(6) Vent/emission recovery
(8) Other (specify): _____

(9) Unknown _____

42. Fuel Type-1 0 1

43. Fuel Type-2 0 0

Single Fuel Type

(00) No fuel tank
(01) Gasoline
(02) Diesel
(03) CNG (Compressed Natural Gas)
(04) LPG (Liquid Petroleum Gas) also known as Propane
(05) LNG (Liquid Natural Gas)
(06) Methanol (M100 or M85)
(07) Ethanol (E100 or E85)
(08) Other (Hydrogen or others) (specify): _____

Electric Powered or Electric/Solar Powered Vehicles

(10) Lead Acid Battery
(11) Nickel-Iron Battery
(12) Nickel-Cadmium Battery
(13) Sodium Metal Chloride Battery
(14) Sodium Sulfur Battery
(18) Other (Specify): _____

(98) Other Hybrid (specify): _____

(99) Unknown fuel type

44. Is This Vehicle Equipped With More Than Two Fuel Tanks? 0

(0) No (one or two tanks only)

Yes - More Than Two Tanks

(1) Yes -- no damage to any tank or filler cap and no fuel system leakage

(2) Yes -- no damage to any tank or filler cap but there is fuel system leakage (specify leakage location): _____

(3) Yes -- damage to an additional tank or filler cap and there is fuel system leakage (specify the following):
 Type of tank _____
 Tank location _____
 Filler cap location _____
 Tank damage _____
 Location of leakage _____
 Type of fuel _____

(9) Unknown if more than two tanks

COMMENTS

*** STOP: IF THE CDS APPLICABLE VEHICLE WAS NOT TOWED AND WAS NOT AN AOPS ***
 (I.E., GV09 = 0 OR 9 AND GV36 = 0), DO NOT COMPLETE THE INTERIOR VEHICLE FORM.



INTERIOR VEHICLE FORM

1. Primary Sampling Unit Number 02
 2. Case Number - Stratum 06 1 A
 3. Vehicle Number 01

INTEGRITY

4. Passenger Compartment Integrity 12
 (00) No integrity loss

Yes, Integrity Was Lost Through

(01) Windshield
 (02) Door (side)
 (03) Door/hatch (back door)
 (04) Roof
 (05) Roof glass
 (06) Side window
 (07) Rear window (backlight)
 (08) Roof and roof glass
 (09) Windshield and door (side)
 (10) Windshield and roof
 (11) Side and rear window (side window and backlight)
 (12) Windshield and side window
 (13) Door and side window
 (98) Other combination of above (specify):

 (99) Unknown

Door, Tailgate or Hatch Opening

5. LF 3 6. RF 1 7. LR 3 8. RR 3 9. TG/H 1

(0) No door/gate/hatch
 (1) Door/gate/hatch remained closed and operational
 (2) Door/gate/hatch came open during collision
 (3) Door/gate/hatch jammed shut
 (8) Other (specify):

 (9) Unknown

Damage/Failure Associated with Door, Tailgate or Hatch Opening in Collision. If IV05-IV09 ≠ 2, Then code 0

10. LF 0 11. RF 0 12. LR 0 13. RR 0 14. TG/H 0

(0) No door/gate/hatch or door not opened

Door, Tailgate or Hatch Came Open During Collision

(1) Door operational (no damage)
 (2) Latch/striker failure due to damage
 (3) Hinge failure due to damage
 (4) Door structure failure due to damage
 (5) Door support (i.e., pillar, sill, roof side rail, etc.) failure due to damage
 (6) Latch/striker and hinge failure due to damage
 (8) Other failure (specify):

 (9) Unknown

GLAZING

Glazing Damage from Impact Forces JAWS

15. WS 3 16. LF 6 17. RF 9 18. LR 9 19. RR 9
 20. BL 0 21. Roof 8 22. Other 0

- (0) No glazing damage from impact forces
- (2) Glazing in place and cracked from impact forces
- (3) Glazing in place and holed from impact forces
- (4) Glazing out-of-place (cracked or not) and not holed from impact forces
- (5) Glazing out-of-place and holed from impact forces
- (6) Glazing disintegrated from impact forces
- (7) Glazing removed prior to accident
- (8) No glazing
- (9) Unknown if damaged

Glazing Damage from Occupant Contact

23. WS 9 24. LF 0 25. RF 0 26. LR 0 27. RR 0
 28. BL 0 29. Roof 0 30. Other 0

- (0) No occupant contact to glazing or no glazing
- (1) Glazing contacted by occupant but no glazing damage
- (2) Glazing in place and cracked by occupant contact
- (3) Glazing in place and holed by occupant contact
- (4) Glazing out-of-place (cracked or not) by occupant contact and not holed by occupant contact
- (5) Glazing out-of-place by occupant contact and holed by occupant contact
- (6) Glazing disintegrated by occupant contact
- (9) Unknown if contacted by occupant

If No Glazing Damage *And* No Occupant Contact or No Glazing, Then Code IV31 Through IV46 As 0

Type of Window/Windshield Glazing

31. WS 1 32. LF 2 33. RF 2 34. LR 2 35. RR 2
 36. BL 0 37. Roof 0 38. Other 0

- (0) No glazing contact and no damage, or no glazing
- (1) AS-1 - Laminated
- (2) AS-2 - Tempered
- (3) AS-3 - Tempered-tinted
- (4) AS-14 - Glass/Plastic
- (8) Other (specify):

- (9) Unknown


Window Precrash Glazing Status

39. WS 1 40. LF 2 41. RF 2 42. LR 2 43. RR 2
 44. BL 0 45. Roof 0 46. Other 0

- (0) No glazing contact and no damage, or no glazing
- (1) Fixed
- (2) Closed
- (3) Partially opened
- (4) Fully opened
- (9) Unknown

INTRUSION WORKSHEET

Note: Sketch intruded areas



LOCATION OF INTRUSION	INTRUDED COMPONENT	(All Measurements Are In Centimeters)				DOMINANT CRUSH DIRECTION
		COMPARISON VALUE	INTRUDED VALUE	INTRUSION		
11	Ⓐ dash oz	158	108	40	long ③	
11	panel forward A	40	29	11	lat ⑥	
11	floor pan	198	153	45	long ①	
11	toe pan	203	161	42	long ②	
11	door panel	70	57	13	lat ⑤	
12	Ⓒ dash oz	158	118	40	long ④	
	windshield / Roof / Pillars cut - No meas (ALTERED)					
	DEBRIS THROWN IN CAR					

OCCUPANT AREA INTRUSION

Note: If no intrusions, leave variables IV47-IV86 blank.

	Location of Intrusion	Intruding Component	Magnitude of Intrusion	Dominant Crush Direction
1st	47. <u>11</u>	48. <u>17</u>	49. <u>4</u>	50. <u>2</u>
2nd	51. <u>11</u>	52. <u>05</u>	53. <u>4</u>	54. <u>2</u>
3rd	55. <u>11</u>	56. <u>02</u>	57. <u>4</u>	58. <u>2</u>
4th	59. <u>12</u>	60. <u>03</u>	61. <u>4</u>	62. <u>2</u>
5th	63. <u>11</u>	64. <u>10</u>	65. <u>2</u>	66. <u>3</u>
6th	67. <u>11</u>	68. <u>27</u>	69. <u>2</u>	70. <u>3</u>
7th	71. <u> </u>	72. <u> </u>	73. <u> </u>	74. <u> </u>
8th	75. <u> </u>	76. <u> </u>	77. <u> </u>	78. <u> </u>
9th	79. <u> </u>	80. <u> </u>	81. <u> </u>	82. <u> </u>
10th	83. <u> </u>	84. <u> </u>	85. <u> </u>	86. <u> </u>

INTRUDING COMPONENT

Interior Components

- (01) Steering assembly
- (02) Instrument panel left ✓
- (03) Instrument panel center ✓
- (04) Instrument panel right
- (05) Toe pan ✓
- (06) A (A1/A2)-pillar
- (07) B-pillar
- (08) C-pillar
- (09) D-pillar
- (10) Door panel (side) ✓
- (12) Roof (or convertible top)
- (13) Roof side rail
- (14) Windshield
- (15) Windshield header
- (16) Window frame
- (17) Floor pan (includes sill) ✓
- (18) Backlight header
- (19) Front seat back
- (20) Second seat back
- (21) Third seat back
- (22) Fourth seat back
- (23) Fifth seat back
- (24) Seat cushion
- (25) Back door/panel (e.g., tailgate)
- (26) Other interior component (specify): _____
- (27) Side panel - forward of the A (A2)-pillar ✓
- (28) Side panel - rear of the A (A2)-pillar

Exterior Components

- (30) Hood
- (31) Outside surface of this vehicle (specify): _____
- (32) Other exterior object in the environment (specify): _____
- (33) Unknown exterior object
- (97) Catastrophic
- (98) Intrusion of unlisted component(s) (specify): _____
- (99) Unknown

LOCATION OF INTRUSION

- Front Seat
 (11) Left
 (12) Middle
 (13) Right

- Second Seat
 (21) Left
 (22) Middle
 (23) Right

- Third Seat
 (31) Left
 (32) Middle
 (33) Right

- Fourth Seat
 (41) Left
 (42) Middle
 (43) Right

- (97) Catastrophic
 (98) Other enclosed area (specify) _____

- (99) Unknown

MAGNITUDE OF INTRUSION

- (1) ≥ 3 centimeters but < 8 centimeters
- (2) ≥ 8 centimeters but < 15 centimeters
- (3) ≥ 15 centimeters but < 30 centimeters
- (4) ≥ 30 centimeters but < 46 centimeters
- (5) ≥ 46 centimeters but < 61 centimeters
- (6) ≥ 61 centimeters
- (7) Catastrophic
- (9) Unknown

DOMINANT CRUSH DIRECTION

- (1) Vertical
- (2) Longitudinal
- (3) Lateral
- (7) Catastrophic
- (9) Unknown

STEERING RIM/SPOKE DEFORMATION

(All Measurements Are in Centimeters)

COMPARISON VALUE — DAMAGE VALUE = DEFORMATION

0

—

8

=

8 ↓

—

=

—

=

—

=

STEERING COLUMN

87. Steering Column Type 2
 (1) Fixed column
 (2) Tilt column
 (3) Telescoping column
 (4) Tilt and telescoping column
 (8) Other column type (specify): _____
 (9) Unknown

88. Blank X X
 (This variable is left blank so that numbering consistency can be maintained with the 1988-94 CDS.)


89. Blank X X X
 (This variable is left blank so that numbering consistency can be maintained with the 1988-94 CDS.)

90. Blank X X X
 (This variable is left blank so that numbering consistency can be maintained with the 1988-94 CDS.)

91. Blank X X X
 (This variable is left blank so that numbering consistency can be maintained with the 1988-94 CDS.)

92. Steering Rim/Spoke Deformation 08
 Code actual measured deformation to the nearest centimeter
 (00) No steering rim deformation
 (01-14) Actual measured value in centimeters
 (15) 15 centimeters or more
 (98) Observed deformation cannot be measured
 (99) Unknown

93. Location of Steering Rim/Spoke Deformation 09
 (00) No steering rim deformation
 Quarter Sections
 (01) Section A
 (02) Section B
 (03) Section C
 (04) Section D
 Half Sections
 (05) Upper half of rim/spoke
 (06) Lower half of rim/spoke
 (07) Left half of rim/spoke
 (08) Right half of rim/spoke
 (09) Complete steering wheel collapse
 (10) Undetermined location
 (99) Unknown



INSTRUMENT PANEL

94. Odometer Reading 056,000
 _____ kilometers—Code to the nearest 1,000 kilometers
 (000) No odometer
 (001) Less than 1,500 kilometers
 (500) 499,500 kilometers or more
 (999) Unknown
34,912 miles X 1.6093 = 56,184 kilometers
 Source: inspection


95. Instrument Panel Damage from Occupant Contact? 1
 (0) No
 (1) Yes
 (9) Unknown

96. Knee Bolsters Deformed from Occupant Contact? 1
 (0) No
 (1) Yes
 (8) Not present
 (9) Unknown

97. Did Glove Compartment Door Open During Collision(s)? 1
 (0) No
 (1) Yes
 (8) Not present
 (9) Unknown

VEHICLE INTERIOR SKETCHES

Note area of ejection/entrapment



Sketch windshield contact(s) and the damaged area(s) on the instrument panel outline (e.g., radio, glove compartment, damage to instrument panel structure).
 Cross hatch contact points, draw spider webs or use other annotation as may be appropriate.
 Annotate the contacted area with a letter (begin with A) and list on the Points of Occupant Contact page.

POINTS OF OCCUPANT CONTACT

Contact	Interior Component Contacted	Occupant No. If Known	Body Region If Known	Supporting Physical Evidence	Confidence Level of Contact Point
A	06	01	face/chest	bent	1
B	07	01	leg/knee	twisted to (L) / tray	1
C	09/13	01	knee/leg	dentured / tray	1
D	20/21	01	arm/torso	dentured outboard / tray	1
E	03	01	head/face	blood	2
F	54	01	head/face	blood / rebounded?	2
G	56	01	feet	tray / intrusion	1
H	59	01	foot	belt / intrusion	1
I	40	01	back/head	rebounded / shifted to (R)	1
J					
K					
L					
M					
N					

CODES FOR INTERIOR COMPONENTS

FRONT

- (01) Windshield
- (02) Mirror
- (03) Sunvisor
- (04) Steering wheel rim
- (05) Steering wheel hub/spoke
- (06) Steering wheel (combination of codes 04 and 05)
- (07) Steering column, transmission selector lever, other attachment
- (08) Add on equipment (e.g., CB, tape deck, air conditioner)
- (09) Left instrument panel and below
- (10) Center instrument panel and below
- (11) Right instrument panel and below
- (12) Glove compartment door
- (13) Knee bolster
- (14) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, mirror, or steering assembly (driver side only)
- (15) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, or mirror (passenger side only)
- (16) Driver side air bag compartment cover
- (17) Passenger side air bag compartment cover
- (18) Windshield reinforced by exterior object (specify): _____
- (19) Other front object (specify): _____

LEFT SIDE

- (20) Left side interior surface, excluding hardware or armrests
- (21) Left side hardware or armrest
- (22) Left A (A1/A2)-pillar

- (23) Left B-pillar
- (24) Other left pillar (specify): _____

- (25) Left side window glass or frame
- (26) Left side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail.
- (27) Other left side object (specify): _____

- (28) Left side window sill

RIGHT SIDE

- (30) Right side interior surface, excluding hardware or armrests
- (31) Right side hardware or armrest
- (32) Right A (A1/A2)-pillar
- (33) Right B-pillar
- (34) Other right pillar (specify): _____

- (35) Right side window glass or frame
- (36) Right side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B pillar, or roof side rail.
- (37) Other right side object (specify): _____

- (38) Right side window sill

INTERIOR

- (40) Seat, back support
- (41) Belt restraint webbing/buckle
- (42) Belt restraint B-pillar attachment point
- (43) Other restraint system component (specify): _____
- (44) Head restraint system
- (45) Air bag (use codes "16" and "17" for injuries sustained from air bag compartment covers)

- (46) Other occupants (specify): _____

- (47) Interior loose objects

- (48) Child safety seat (specify): _____

- (49) Other interior object (specify): _____

ROOF

- (50) Front header
- (51) Rear header
- (52) Roof left side rail
- (53) Roof right side rail
- (54) Roof or convertible top

FLOOR

- (56) Floor (including toe pan)
- (57) Floor or console mounted transmission lever, including console
- (58) Parking brake handle
- (59) Foot controls including parking brake

REAR

- (60) Backlight (rear window)
- (61) Backlight storage rack, door, etc.
- (62) Other rear object (specify): _____

CONFIDENCE LEVEL OF CONTACT POINT

- (1) Certain
- (2) Probable
- (3) Possible
- (9) Unknown

AUTOMATIC RESTRAINTS

NOTES: Encode the data for each applicable front seat position. The attribute for the variables may be found below. Restraint systems should be assessed during the vehicle inspection then coded on the Occupant Assessment Form.

AIR BAGS

		Left	Right
F I R S T	Availability/Function	○	○
	Deployment	○	○
	Failure	○	○

Air Bag System Availability/Function

- (0) Not equipped/not available
- (1) Air bag

Non-functional

- (2) Air bag disconnected (specify): _____
- (3) Air bag not reinstalled
- (9) Unknown

Air Bag System Deployment

- (0) Not equipped/not available
- (1) Air bag deployed during accident (as a result of impact)
- (2) Air bag deployed inadvertently just prior to accident
- (3) Air bag deployed, accident sequence undetermined
- (4) Nondeployed
- (5) Unknown if deployed
- (6) Air bag deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical)
- (9) Unknown

Are There Indications of Air Bag System Failure?

- (0) Not equipped/not available
- (1) No
- (2) Yes (specify): _____
- (9) Unknown

AUTOMATIC BELTS

		Left	Right
F I R S T	Availability/Function	1	1
	Use	1 ← CUT	1
	Type	2	2
	Proper Use	9	0
	Failure Modes	1	0

Automatic (Passive) Belt System Availability/Function

- (0) Not equipped/not available
- (1) 2 point automatic belts
- (2) 3 point automatic belts
- (3) Automatic belts - type unknown

Non-functional

- (4) Automatic belts destroyed or rendered inoperative
- (9) Unknown

Automatic (Passive) Belt System Use

- (0) Not equipped/not available/destroyed or rendered inoperative
- (1) Automatic belt in use
- (2) Automatic belt not in use (manually disconnected, motorized track inoperative)
- (3) Automatic belt use unknown
- (9) Unknown

Automatic (Passive) Belt System Type

- (0) Not equipped/not available
- (1) Non-motorized system
- (2) Motorized system
- (9) Unknown

Proper Use of Automatic (Passive) Belt System

- (0) Not equipped/not available/not used
- (1) Automatic belt used properly
- (2) Automatic belt used properly with child safety seat

Automatic Belt Used Improperly

- (3) Automatic shoulder belt worn under arm
- (4) Automatic shoulder belt worn behind back
- (5) Automatic belt worn around more than one person
- (6) Lap portion of automatic belt worn on abdomen
- (7) Automatic lap and shoulder belt or automatic shoulder belt used improperly with child safety seat (specify): _____
- (8) Other improper use of automatic belt system (specify): _____
- (9) Unknown

Automatic (Passive) Belt Failure Modes During Accident

- (0) Not equipped/not available/not in use
- (1) No automatic belt failure(s)
- (2) Torn webbing (stretched webbing not included)
- (3) Broken buckle or latchplate
- (4) Upper anchorage separated
- (5) Other anchorage separated (specify): _____
- (6) Broken retractor
- (7) Combination of above (specify): _____
- (8) Other automatic belt failure (specify): _____
- (9) Unknown

MANUAL RESTRAINTS

NOTES: Encode the applicable data for each seat position in the vehicle. The attribute for the variable may be found below. Restraint systems should be assessed during the vehicle inspection then coded on the Occupant Assessment Form.

If a Child safety seat is present, encode the data on the back of this page.

If the vehicle has automatic restraints available, encode the appropriate data on the back of the previous page.

		Left	Center	Right
FIRST	Availability	3	0	3
	Evidence of usage	03	00	03
	Used in this crash?	03 ←	00	00
	Proper Use	9 CUT	0	0
	Failure Modes	1	0	0
SECOND	Availability	4	9	4
	Evidence of usage	00	99	00
	Used in this crash?	00	99	0
	Proper Use	0	0	0
	Failure Modes	0	0	0
OTHER	Availability			
	Evidence of usage			
	Used in this crash?			
	Proper Use			
	Failure Modes			

Manual (Active) Belt System Availability

- (0) None available
- (1) Belt removed/destroyed
- (2) Shoulder belt
- (3) Lap belt
- (4) Lap and shoulder belt
- (5) Belt available - type unknown

Integral Belt Partially Destroyed

- (6) Shoulder belt (lap belt destroyed/removed)
- (7) Lap belt (shoulder belt destroyed/removed)

(8) Other belt (specify): _____

(9) Unknown _____

Proper Use of Manual (Active) Belts

- (0) None used or not available
- (1) Belt used properly
- (2) Belt used properly with child safety seat

Belt Used Improperly

- (3) Shoulder belt worn under arm
- (4) Shoulder belt worn behind back or seat
- (5) Belt worn around more than one person
- (6) Lap belt worn on abdomen
- (7) Lap belt or lap and shoulder belt used improperly with child safety seat (specify): _____

(8) Other improper use of manual belt system (specify): _____

(9) Unknown _____

Manual (Active) Belt System Use

- (00) None used, not available, or belt removed/destroyed
- (01) Inoperable (specify): _____

- (02) Shoulder belt
- (03) Lap belt
- (04) Lap and shoulder belt
- (05) Belt used - type unknown
- (08) Other belt used (specify): _____

(12) Shoulder belt used with child safety seat

(13) Lap belt used with child safety seat

(14) Lap and shoulder belt used with child safety seat

(15) Belt used with child safety seat - type unknown

(18) Other belt used with child safety seat (specify): _____

(99) Unknown if belt used _____

Manual (Active) Belt Failure Modes During Accident

- (0) No manual belt used or not available
- (1) No manual belt failure(s)
- (2) Torn webbing (stretched webbing not included)
- (3) Broken buckle or latchplate
- (4) Upper anchorage separated
- (5) Other anchorage separated (specify): _____

(6) Broken retractor _____

(7) Combination of above (specify): _____

(8) Other manual belt failure (specify): _____

(9) Unknown _____

CHILD SAFETY SEAT FIELD ASSESSMENT

When a child safety seat is present enter the occupant's number in the first row and complete the column below the occupant's number using the codes listed below. Complete a column for each child safety seat present.

Occupant Number						
1. Type of Child Safety Seat						
2. Child Safety Seat Orientation						
3. Child Safety Seat Harness Usage						
4. Child Safety Seat Shield Usage						
5. Child Safety Seat Tether Usage						
6. Child Safety Seat Make/Model	Specify Below for Each Child Safety Seat					

1. Type of Child Safety Seat
- (0) No child safety seat
 - (1) Infant seat
 - (2) Toddler seat
 - (3) Convertible seat
 - (4) Booster seat
 - (7) Other type child safety seat (specify):

 - (8) Unknown child safety seat type
 - (9) Unknown if child safety seat used
2. Child Safety Seat Orientation
- (00) No child safety seat
 - Designed for Rear Facing for This Age/Weight
 - (01) Rear facing
 - (02) Forward facing
 - (08) Other orientation (specify):

 - (09) Unknown orientation
 - Designed for Forward Facing for This Age/Weight
 - (11) Rear facing
 - (12) Forward facing
 - (18) Other orientation (specify):

 - (19) Unknown orientation
 - Unknown Design or Orientation For This Age/Weight, or Unknown Age/Weight
 - (21) Rear facing
 - (22) Forward facing
 - (28) Other orientation (specify):

 - (29) Unknown orientation
 - (99) Unknown if child safety seat used

3. Child Safety Seat Harness Usage
4. Child Safety Seat Shield Usage
5. Child Safety Seat Tether Usage
- Note: Options Below Are Used for Variables 3-5.
- (00) No child safety seat
 - Not Designed with Harness/Shield/Tether
 - (01) After market harness/shield/tether added, not used
 - (02) After market harness/shield/tether used
 - (03) Child safety seat used, but no after market harness/shield/tether added
 - (09) Unknown if harness/shield/tether added or used
 - Designed With Harness/Shield/Tether
 - (11) Harness/shield/tether not used
 - (12) Harness/shield/tether used
 - (19) Unknown if harness/shield/tether used
 - Unknown If Designed With Harness/Shield/Tether
 - (21) Harness/shield/tether not used
 - (22) Harness/shield/tether used
 - (29) Unknown if harness/shield/tether used
 - (99) Unknown if child safety seat used
6. Child Safety Seat Make/Model
(Specify make/model and occupant number)
- _____
- _____
- _____
- _____

HEAD RESTRAINTS/SEAT EVALUATION

NOTES: Encode the applicable data for each seat position in the vehicle. The attribute for these variables may be found at the bottom of the page. Head restraint type/damage and seat type/performance should be assessed during the vehicle inspection then coded on the Occupant Assessment Form.

		Left	Center	Right
FIRST	Head Restraint Type/Damage	3	0	3
	Seat Type	01	00	01
	Seat Performance	5	0	1
	Seat Orientation	1	0	1
SECOND	Head Restraint Type/Damage	0	0	0
	Seat Type	05	05	05
	Seat Performance	1	1	1
	Seat Orientation	1	1	1
THIRD	Head Restraint Type/Damage			
	Seat Type			
	Seat Performance			
	Seat Orientation			
OTHER	Head Restraint Type/Damage			
	Seat Type			
	Seat Performance			
	Seat Orientation			

Head Restraint Type/Damage by Occupant at This Occupant Position

- (0) No head restraints
- (1) Integral — no damage
- (2) Integral — damaged during accident
- (3) Adjustable — no damage
- (4) Adjustable — damaged during accident
- (5) Add-on — no damage
- (6) Add-on — damaged during accident
- (8) Other Specify: _____

(9) Unknown _____

Seat Type (this Occupant Position)

- (00) Occupant not seated or no seat
- (01) Bucket
- (02) Bucket with folding back
- (03) Bench
- (04) Bench with separate back cushions
- (05) Bench with folding back(s)
- (06) Split bench with separate back cushions
- (07) Split bench with folding back(s)
- (08) Pedestal (i.e., column supported)
- (09) Other seat type (specify): _____

(10) Box mounted seat (i.e., van type)
 (99) Unknown

Seat Performance (this Occupant Position)

- (0) Occupant not seated or no seat
- (1) No seat performance failure(s)
- (2) Seat adjusters failed
- (3) Seat back folding locks or "seat back" failed specify: _____
- (4) Seat tracks/anchors failed
- (5) Deformed by impact of occupant
- (6) Deformed by passenger compartment intrusion (specify): _____

(7) Combination of above (specify): _____

(8) Other (specify): _____

(9) Unknown _____

Seat Orientation (this Occupant Position)

- (0) Occupant not seated or no seat
- (1) Forward facing seat
- (2) Rear facing seat
- (3) Side facing seat (inward)
- (4) Side facing seat (outward)
- (8) Other (specify): _____

(9) Unknown _____

DESCRIBE ANY INDICATION OF ABNORMAL OCCUPANT POSTURE (I.E., UNUSUAL OCCUPANT CONTACT PATTERN)

EJECTION/ENTRAPMENT DATA

Complete the following if the researcher has any indication that an occupant was either ejected from or entrapped in the vehicle. Code the appropriate data on the Occupant Assessment Form.

EJECTION No [] Yes []

Describe indications of ejection and body parts involved in partial ejection(s):

it would be possible for occ # 1's head to go thru side window with spinning motion of car after impact however I could not determine this for sure

Occupant Number	01					
Ejection	2					
(Note on Vehicle Interior Sketch) Ejection Area	2					
Ejection Medium	4					
Medium Status	2*					

- Ejection**
- (1) Complete ejection
 - (2) Partial ejection
 - (3) Ejection, Unknown degree
 - (9) Unknown

- Ejection Area**
- (1) Windshield
 - (2) Left front
 - (3) Right front
 - (4) Left rear
 - (5) Right rear
 - (6) Rear

- (7) Roof
- (8) Other area (e.g., back of pickup, etc.) (specify):
- (9) Unknown

- Ejection Medium**
- (1) Door/hatch/tailgate
 - (2) Nonfixed roof structure
 - (3) Fixed glazing
 - (4) Nonfixed glazing (specify):
Side window
blown out prior

- (5) Integral structure
- (8) Other medium (specify):
- (9) Unknown

- Medium Status (Immediately Prior to Impact)**
- (1) Open
 - (2) Closed
 - (3) Integral structure
 - (9) Unknown
- * blown out at initial impact

ENTRAPMENT No [] Yes []

Describe entrapment mechanism: unknown / Pillow cut / Roof peeled back

Component(s):

(Note in vehicle interior diagram)



U.S. Department of Transportation
National Highway Traffic Safety
Administration

OCCUPANT ASSESSMENT FORM

Form Approved
O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM
CRASHWORTHINESS DATA SYSTEM

1. Primary Sampling Unit Number 02
 2. Case Number - Stratum 061A
 3. Vehicle Number 01
 4. Occupant Number 01

OCCUPANT'S CHARACTERISTICS

5. Occupant's Age 70
 Code actual age at time of accident.
 (00) Less than one year old (specify by month): _____
 (97) 97 years and older _____
 (99) Unknown _____

6. Occupant's Sex 2
 (1) Male
 (2) Female
 (9) Unknown

7. Occupant's Height 999
 Code actual height to the nearest centimeter.
 (999) Unknown
65 inches X 2.54 = 165 centimeters

8. Occupant's Weight 999
 Code actual weight to the nearest kilogram.
 (999) Unknown
135 pounds X .4536 = 61 kilograms

9. Occupant's Role 1
 (1) Driver
 (2) Passenger
 (9) Unknown

OCCUPANT'S SEATING

10. Occupant's Seat Position 11
Front Seat
 (11) Left side
 (12) Middle
 (13) Right side
 (14) Other (specify): _____
 (15) On or in the lap of another occupant

Second Seat
 (21) Left side
 (22) Middle
 (23) Right side
 (24) Other (specify): _____
 (25) On or in the lap of another occupant

Third Seat
 (31) Left side
 (32) Middle
 (33) Right side
 (34) Other (specify): _____
 (35) On or in the lap of another occupant

Fourth Seat
 (41) Left side
 (42) Middle
 (43) Right side
 (44) Other (specify): _____
 (45) On or in the lap of another occupant

(97) In or on unenclosed area
 (98) Other seat (specify): _____
 (99) Unknown

11. Occupant's Posture 9
 (0) Normal posture

Abnormal posture
 (1) Kneeling or standing on seat
 (2) Lying on or across seat
 (3) Kneeling, standing or sitting in front of seat
 (4) Sitting sideways or turned to talk with another occupant or to look out a rear window
 (5) Sitting on a console
 (6) Lying back in a reclined seat position
 (7) Bracing with feet or hands on a surface in front of seat
 (8) Other abnormal posture (specify): _____
 (9) Unknown

EJECTION/ENTRAPMENT

<p>12. Ejection <u>9</u></p> <ul style="list-style-type: none"> (0) No ejection (1) Complete ejection (2) Partial ejection (3) Ejection, unknown degree (9) Unknown 	<p>15. Medium Status (Immediately Prior To Impact) <u>9</u></p> <ul style="list-style-type: none"> (0) No ejection (1) Open (2) Closed (3) Integral structure (9) Unknown
<p>13. Ejection Area <u>9</u></p> <ul style="list-style-type: none"> (0) No ejection (1) Windshield (2) Left front (3) Right front (4) Left rear (5) Right rear (6) Rear (7) Roof (8) Other area (e.g., back of pickup, etc.) (specify): _____ (9) Unknown 	<p>16. Entrapment <u>9</u></p> <p>(NOTE: Entrapped means that part of the person was in the vehicle and mechanically restrained; jammed doors and immobilizing injuries by themselves are not sufficient to constitute entrapment.)</p> <ul style="list-style-type: none"> (0) Not entrapped (1) Entrapped (9) Unknown
<p>14. Ejection Medium <u>9</u></p> <ul style="list-style-type: none"> (0) No ejection (1) Door/hatch/tailgate (2) Nonfixed roof structure (3) Fixed glazing (4) Nonfixed glazing (specify): _____ (5) Integral structure (8) Other medium (specify): _____ (9) Unknown 	

RESTRAINT SYSTEM EVALUATION

<p>17. Manual (Active) Belt System Availability <u>3</u></p> <p>(0) None available (1) Belt removed/destroyed (2) Shoulder belt (3) Lap belt (4) Lap and shoulder belt (5) Belt available—type unknown</p> <p><i>Integral Belt Partially Destroyed</i> (6) Shoulder belt (lap belt destroyed/removed) (7) Lap belt (shoulder belt destroyed/removed)</p> <p>(8) Other belt (specify): _____ (9) Unknown _____</p>	<p>21. Air Bag System Availability/Function <u>0</u></p> <p>(0) Not equipped/not available (1) Air bag</p> <p><i>Non-functional</i> (2) Air bag disconnected (specify): _____ (3) Air bag not reinstalled (9) Unknown</p>
<p>18. Manual (Active) Belt System Use <u>03</u></p> <p>(00) None used, not available, or belt removed/destroyed (01) Inoperative (specify): _____ (02) Shoulder belt (03) Lap belt (04) Lap and shoulder belt (05) Belt used—type unknown (08) Other belt used (specify): _____</p> <p>(12) Shoulder belt used with child safety seat (13) Lap belt used with child safety seat (14) Lap and shoulder belt used with child safety seat (15) Belt used with child safety seat—type unknown (18) Other belt used with child safety seat (specify): _____ (99) Unknown if belt used</p>	<p>22. Air Bag System Deployment <u>0</u></p> <p>(0) Not equipped/not available (1) Air bag deployed during accident (as a result of impact) (2) Air bag deployed inadvertently just prior to accident (3) Air bag deployed, accident sequence undetermined (4) Nondeployed (5) Unknown if deployed (6) Air bag deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical) (9) Unknown</p>
<p>19. Proper Use of Manual (Active) Belts <u>9</u></p> <p>(0) None used or not available (1) Belt used properly (2) Belt used properly with child safety seat</p> <p><i>Belt Used Improperly</i> (3) Shoulder belt worn under arm (4) Shoulder belt worn behind back or seat (5) Belt worn around more than one person (6) Lap belt worn on abdomen (7) Lap belt or lap and shoulder belt used improperly with child safety seat (specify): _____</p> <p>(8) Other improper use of manual belt system (specify): _____ (9) Unknown _____</p>	<p>23. Are There Indications of Air Bag System Failure? <u>0</u></p> <p>(0) Not equipped/not available (1) No (2) Yes (specify): _____ (9) Unknown _____</p> <p>Note: See Variables 44 through 48 (Page 5) for Information on Automatic Belts</p>
<p>20. Manual (Active) Belt Failure Modes During Accident <u>1</u></p> <p>(0) No manual belt used (1) No manual belt failure(s) (2) Torn webbing (stretched webbing not included) (3) Broken buckle or latchplate (4) Upper anchorage separated (5) Other anchorage separated (specify): _____</p> <p>(6) Broken retractor (7) Combination of above (specify): _____ (8) Other manual belt failure (specify): _____ (9) Unknown _____</p>	<p>24. Police Reported Restraint Use <u>4</u></p> <p>(0) None used (1) Police did not indicate restraint use (2) Shoulder belt (3) Lap belt (4) Lap and shoulder belt (5) Belt used, type not specified (6) Child safety seat (7) Other or automatic restraint (specify): _____</p> <p>(8) Restrained, type unknown (9) Police indicated "unknown"</p>

HEAD RESTRAINT AND SEAT EVALUATION

25. Head Restraint Type/Damage by Occupant
at This Occupant Position

3

- (0) No head restraints
- (1) Integral—no damage
- (2) Integral—damaged during accident
- (3) Adjustable—no damage
- (4) Adjustable—damaged during accident
- (5) Add-on—no damage
- (6) Add-on—damaged during accident
- (8) Other (specify): _____
- (9) Unknown

26. Seat Type (this Occupant Position)

01

- (00) Occupant not seated or no seat
- (01) Bucket
- (02) Bucket with folding back
- (03) Bench
- (04) Bench with separate back cushions
- (05) Bench with folding back(s)
- (06) Split bench with separate back cushions
- (07) Split bench with folding back(s)
- (08) Pedestal (i.e., column supported)
- (09) Other seat type (specify): _____
- (10) Box mounted seat (i.e., van type)
- (99) Unknown

27. Seat Performance (this Occupant Position)

5

- (0) Occupant not seated or no seat
- (1) No seat performance failure(s)
- (2) Seat adjusters failed
- (3) Seat back folding locks or "seat back" failed
(specify): _____
- (4) Seat track/anchors failed
- (5) Deformed by impact of occupant
- (6) Deformed by passenger compartment intrusion
(specify): _____
- _____
- (7) Combination of above (specify): _____
- (8) Other (specify): _____
- (9) Unknown

CHILD SAFETY SEAT

28. Child Safety Seat Make/Model ○ ○ ○
 (000) No child safety seat
 Applicable codes are found in your NASS CDS
 Data Collection, Coding and Editing
 (950) Built-in child safety seat
 (997) Other make/model (specify):

 (998) Unknown make/model
 (999) Unknown if child safety seat used

29. Type of Child Safety Seat ○
 (0) No child safety seat
 (1) Infant seat
 (2) Toddler seat
 (3) Convertible seat
 (4) Booster seat
 (7) Other type child safety seat (specify):

 (8) Unknown child safety seat type
 (9) Unknown if child safety seat used

30. Child Safety Seat Orientation ○ ○
 (00) No child safety seat

Designed for Rear Facing for This Age/Weight

(01) Rear facing
 (02) Forward facing
 (08) Other orientation (specify):

 (09) Unknown orientation

Designed For Forward Facing for This Age/Weight

(11) Rear facing
 (12) Forward facing
 (18) Other orientation (specify):

 (19) Unknown orientation

Unknown Design or Orientation For This Age/Weight, or Unknown Age/Weight

(21) Rear facing
 (22) Forward facing
 (28) Other orientation (specify):

 (29) Unknown orientation

(99) Unknown if child safety seat used

31. Child Safety Seat Harness Usage ○ ○

32. Child Safety Seat Shield Usage ○ ○

33. Child Safety Seat Tether Usage ○ ○

Note: Options below applicable to
 Variables OA31-OA33.

(00) No child safety seat

Not Designed With Harness/Shield/Tether

(01) After market harness/shield/tether
 added, not used
 (02) After market harness/shield/tether used
 (03) Child safety seat used, but no after market
 harness/shield/tether added
 (09) Unknown if harness/shield/tether
 added or used

Designed With Harness/Shield/Tether

(11) Harness/shield/tether not used
 (12) Harness/shield/tether used
 (19) Unknown if harness/shield/tether used

Unknown If Designed With Harness/Shield/Tether

(21) Harness/shield/tether not used
 (22) Harness/shield/tether used
 (29) Unknown if harness/shield/tether used

(99) Unknown if child safety seat used

INJURY CONSEQUENCES

34. Injury Severity (Police Rating) 4

- (0) O - No injury
- (1) C - Possible injury
- (2) B - Nonincapacitating injury
- (3) A - Incapacitating injury
- (4) K - Killed
- (5) U - Injury, severity unknown
- (6) Died prior to accident
- (9) Unknown

35. Treatment - Mortality 1

- (0) No treatment
- (1) Fatal
- (2) Fatal - ruled disease (specify):

Nonfatal

- (3) Hospitalization
- (4) Transported and released
- (5) Treatment at scene - nontransported
- (6) Treatment later
- (8) Treatment - other (specify):
- (9) Unknown

36. Type Of Medical Facility (for Initial Treatment) 0

- (0) Not treated at a medical facility
- (1) Trauma center
- (2) Hospital
- (3) Medical clinic
- (4) Physician's office
- (5) Treatment later at medical facility
- (8) Other (specify):
- (9) Unknown

37. Hospital Stay 00

- (00) Not Hospitalized
- Code the number of days (up through 60) that the occupant stayed in hospital.
- (61) 61 days or more
- (99) Unknown

38. Working Days Lost 62

- Code the number of days (up through 60) that the occupant lost from work due to the accident
- (00) No working days lost
- (61) 61 days or more
- (62) Fatally injured
- (97) Not working prior to accident
- (99) Unknown

STOP - GO TO VARIABLE 44 ON PAGE 7

VARIABLES 39 THROUGH 43 ARE COMPLETED BY THE ZONE CENTER

39. Time to Death 01

- Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, ... n days = 30 + n up through 30 days = 60)
- (00) Not fatal
- (96) Fatal - ruled disease
- (99) Unknown

40. 1st Medically Reported Cause of Death 99

41. 2nd Medically Reported Cause of Death 00

42. 3rd Medically Reported Cause of Death 00

- Code the Occupant Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this occupant's death
- (00) Not fatal or no additional causes
- (96) Mode of death given but specific injuries are not linked to cause of death. (specify):
- (97) Other result (includes fatal ruled disease) (specify):
- (99) Unknown

43. Number of Recorded Injuries for This Occupant 07

- Code the actual number of injuries recorded for this occupant.
- (00) No recorded injuries
- (97) Injured, details unknown
- (99) Unknown if injured

AUTOMATIC BELT SYSTEM

44. Automatic (Passive) Belt System Availability/Function 1

- (0) Not equipped/not available
- (1) 2 point automatic belts
- (2) 3 point automatic belts
- (3) Automatic belts - type unknown

Non-functional

- (4) Automatic belts destroyed or rendered inoperative
- (9) Unknown

45. Automatic (Passive) Belt System Use 1

- (0) Not equipped/not available/destroyed or rendered inoperative
- (1) Automatic belt in use
- (2) Automatic belt not in use (manually disconnected, motorized track inoperative) (specify):
- (3) Automatic belt use unknown
- (9) Unknown

46. Automatic (Passive) Belt System Type 2

- (0) Not equipped/not available
- (1) Non-motorized system
- (2) Motorized system
- (9) Unknown

47. Proper Use of Automatic (Passive) Belt System 9

- (0) Not equipped/not available/not used
- (1) Automatic belt used properly
- (2) Automatic belt used properly with child safety seat

Automatic Belt Used Improperly

- (3) Automatic shoulder belt worn under arm
- (4) Automatic shoulder belt worn behind back
- (5) Automatic belt worn around more than one person
- (6) Lap portion of automatic belt worn on abdomen
- (7) Automatic lap and shoulder belt or automatic shoulder belt used improperly with child safety seat (specify):

- (8) Other improper use of automatic belt system (specify):
- (9) Unknown

48. Automatic (Passive) Belt Failure Modes During Accident 1

- (0) Not equipped/not available/not in use
- (1) No automatic belt failure(s)
- (2) Torn webbing (stretched webbing not included)
- (3) Broken buckle or latchplate
- (4) Upper anchorage separated
- (5) Other anchorage separated (specify):
- (6) Broken retractor
- (7) Combination of above (specify):
- (8) Other automatic belt failure (specify):
- (9) Unknown

49. Seat Orientation (this Occupant Position) 1

- (0) Occupant not seated or no seat
- (1) Forward facing seat
- (2) Rear facing seat
- (3) Side facing seat (inward)
- (4) Side facing seat (outward)
- (8) Other (specify):
- (9) Unknown

Check the Primary Source Used In Determining Belt Use.

- Not equipped/not available/destroyed or rendered inoperative
- Vehicle inspection
- Official injury data
- Driver/occupant interview
- Other (specify):

Unknown if belt used

ARE ALL APPLICABLE MEDICAL RECORDS INCLUDED WITH INITIAL SUBMISSION?

NO YES

UPDATE CANDIDATE?

NO YES

STOP - VARIABLES 50 THROUGH 53 ARE COMPLETED BY THE ZONE CENTER

BELT USE DETERMINATION

TRAUMA DATA

50. Glasgow Coma Scale (GCS) Score 01
 (at Medical Facility)
 (00) Not injured
 (01) Injured - not treated at medical facility
 (02) No GCS Score at medical facility
 (03-15) Code the actual value of the initial GCS Score recorded at medical facility.
 (97) Injured, details unknown
 (99) Unknown if injured
51. Was the Occupant Given Blood? 1
 (1) No - blood not given
 (2) Yes - blood given
 (specify units): _____
 (9) Unknown if blood given
52. Arterial Blood Gases (ABG) - HCO₃ 01
 (00) Not injured
 (01) Injured, ABGs not measured or reported
 (02-50) Code the actual value of the HCO₃
 (96) ABGs reported, HCO₃ unknown
 (97) Injured, details unknown
 (99) Unknown if injured

53. Primary Source of Belt Use Determination 1
 (0) Not equipped/not available/destroyed or rendered inoperative
 (1) Vehicle inspection
 (2) Official injury data
 (3) Driver/occupant interview
 (8) Other (specify): _____
 (9) Unknown if belt used



OCCUPANT INJURY FORM

1. Primary Sampling Unit Number

02

3. Vehicle Number

01

2. Case Number - Stratum

061A

4. Occupant Number

01

INJURY DATA


Record below the actual injuries sustained by this occupant that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than ten injuries have been documented, encode the balance on the Occupant Injury Supplement.

chest
Ⓟ foot
neck
Ⓟ jaw
Ⓟ ankle

Source of Injury Data	A.I.S. - 90						Injury Source	Injury Confidence Level	Direct/Indirect Injury	Occupant Area Intrusion Number	
	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect					
<i>chest</i> 1st	<u>3</u>	<u>4</u>	<u>9</u>	<u>04</u>	<u>02</u>	<u>1</u>	<u>9</u>	<u>04</u>	<u>1</u>	<u>1</u>	<u>00</u>
<i>Ⓟ foot</i> 2nd	<u>3</u>	<u>8</u>	<u>9</u>	<u>04</u>	<u>02</u>	<u>1</u>	<u>1</u>	<u>56</u>	<u>2</u>	<u>1</u>	<u>02</u>
<i>neck</i> 3rd	<u>3</u>	<u>6</u>	<u>5</u>	<u>02</u>	<u>16</u>	<u>2</u>	<u>6</u>	<u>03</u>	<u>2</u>	<u>1</u>	<u>00</u>
<i>Ⓟ jaw</i> 4th	<u>3</u>	<u>2</u>	<u>5</u>	<u>16</u>	<u>04</u>	<u>2</u>	<u>2</u>	<u>03</u>	<u>2</u>	<u>1</u>	<u>00</u>
<i>Ⓟ ankle</i> 5th	<u>3</u>	<u>8</u>	<u>5</u>	<u>20</u>	<u>40</u>	<u>2</u>	<u>1</u>	<u>56</u>	<u>1</u>	<u>1</u>	<u>01</u>
<i>chest</i> 6th	<u>6</u>	<u>4</u>	<u>1</u>	<u>50</u>	<u>99</u>	<u>7</u>	<u>2</u>	<u>06</u>	<u>1</u>	<u>1</u>	<u>00</u>
<i>face</i> 7th	<u>6</u>	<u>2</u>	<u>9</u>	<u>00</u>	<u>99</u>	<u>1</u>	<u>9</u>	<u>97</u>	<u>9</u>	<u>7</u>	<u>99</u>
8th	82. ___	83. ___	84. ___	85. ___	86. ___	87. ___	88. ___	89. ___	90. ___	91. ___	92. ___
9th	93. ___	94. ___	95. ___	96. ___	97. ___	98. ___	99. ___	100. ___	101. ___	102. ___	103. ___
10th	104. ___	105. ___	106. ___	107. ___	108. ___	109. ___	110. ___	111. ___	112. ___	113. ___	114. ___


OFFICIAL INJURY DATA — SOFT TISSUE INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



ER
CHEST ECCHYMOSIS

ER
Ⓜ FOOT ECCHYMOSIS



SOURCE OF INJURY DATA

OFFICIAL

- (1) Autopsy records with or without hospital/medical records
- (2) Hospital/medical records other than emergency room (e.g., discharge summary)
- (3) Emergency room records only (including associated X-rays or other lab reports)
- (4) Private physician, walk-in or emergency clinic

UNOFFICIAL

- (5) Lay coroner report
- (6) E.M.S. personnel
- (7) Interviewee
- (8) Other source (specify): _____
- (9) Police

INJURY SOURCE

FRONT

- (01) Windshield
- (02) Mirror
- (03) Sunvisor
- (04) Steering wheel rim
- (05) Steering wheel hub/spoke
- (06) Steering wheel (combination of codes 04 and 05)
- (07) Steering column, transmission selector lever, other attachment
- (08) Add on equipment (e.g., CB, tape deck, air conditioner)
- (09) Left instrument panel and below
- (10) Center instrument panel and below
- (11) Right instrument panel and below
- (12) Glove compartment door
- (13) Knee bolster
- (14) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, mirror, or steering assembly (driver side only)
- (15) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, or mirror (passenger side only)
- (16) Driver side air bag compartment cover
- (17) Passenger side air bag compartment cover
- (18) Windshield reinforced by exterior object (specify): _____
- (19) Other front object (specify): _____

LEFT SIDE

- (20) Left side interior surface, excluding hardware or armrests
- (21) Left side hardware or armrest
- (22) Left A (A1/A2)-pillar
- (23) Left B-pillar
- (24) Other left pillar (specify): _____

- (25) Left side window glass or frame
- (26) Left side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail.
- (27) Other left side object (specify): _____
- (28) Left side window sill

RIGHT SIDE

- (30) Right side interior surface, excluding hardware or armrests
- (31) Right side hardware or armrest
- (32) Right A (A1/A2)-pillar
- (33) Right B-pillar
- (34) Other right pillar (specify): _____
- (35) Right side window glass or frame
- (36) Right side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail.
- (37) Other right side object (specify): _____
- (38) Right side window sill

INTERIOR

- (40) Seat, back support
- (41) Belt restraint webbing/buckle
- (42) Belt restraint B-pillar or door frame attachment point
- (43) Other restraint system component (specify): _____
- (44) Head restraint system
- (45) Air bag (use codes "16" and "17" for injuries sustained from air bag compartment covers)
- (46) Other occupants (specify): _____
- (47) Interior loose objects
- (48) Child safety seat (specify): _____
- (49) Other interior object (specify): _____

ROOF

- (50) Front header
- (51) Rear header
- (52) Roof left side rail
- (53) Roof right side rail
- (54) Roof or convertible top

FLOOR

- (56) Floor (including toe pan)
- (57) Floor or console mounted transmission lever, including console
- (58) Parking brake handle
- (59) Foot controls including parking brake

REAR

- (60) Backlight (rear window)

- (61) Backlight storage rack, door, etc.
- (62) Other rear object (specify): _____

EXTERIOR of OCCUPANT'S VEHICLE

- (65) Hood
- (66) Outside hardware (e.g., outside mirror, antenna)
- (67) Other exterior surface or tires (specify): _____
- (68) Unknown exterior objects

EXTERIOR OF OTHER MOTOR VEHICLE

- (70) Front bumper
- (71) Hood edge
- (72) Other front of vehicle (specify): _____
- (73) Hood
- (74) Hood ornament
- (75) Windshield, roof rail, A-pillar
- (76) Side surface
- (77) Side mirrors
- (78) Other side protrusions (specify): _____

REAR surface

- (79) Rear surface
- (80) Undercarriage
- (81) Tires and wheels
- (82) Other exterior of other motor vehicle (specify): _____

Unknown exterior of other motor vehicle

OTHER VEHICLE OR OBJECT IN THE ENVIRONMENT

- (84) Ground
- (85) Other vehicle or object (specify): _____
- (86) Unknown vehicle or object

NONCONTACT INJURY

- (90) Fire in vehicle
- (91) Flying glass
- (92) Other noncontact injury source (specify): _____
- (93) Air bag exhaust gases
- (97) Injured, unknown source

INJURY SOURCE CONFIDENCE LEVEL

- (1) Certain
- (2) Probable
- (3) Possible
- (9) Unknown

DIRECT/INDIRECT INJURY

- (1) Direct contact injury
- (2) Indirect contact injury
- (3) Noncontact injury
- (7) Injured, unknown source

OCCUPANT INJURY CLASSIFICATION

Body Region

- (1) Head
- (2) Face
- (3) Neck
- (4) Thorax
- (5) Abdomen
- (6) Spine
- (7) Upper Extremity
- (8) Lower Extremity
- (9) Unspecified

Type of Anatomic Structure

- (1) Whole Area
- (2) Vessels
- (3) Nerves
- (4) Organs (includes muscles/ligaments)
- (5) Skeletal (includes joints)
- (6) Head - LOC
- (9) Skin

Specific Anatomic Structure

- Whole Area**
- (02) Skin - Abrasion
 - (04) Skin - Contusion
 - (06) Skin - Laceration
 - (08) Skin - Avulsion
 - (10) Amputation
 - (20) Burn
 - (30) Crush
 - (40) Degloving
 - (50) Injury - NFS
 - (90) Trauma, other than mechanical

- Head - LOC**
- (02) Length of LOC
 - (04, 06, 08) Level of Consciousness
 - (10) Concussion

Spine

- (02) Cervical
- (04) Thoracic
- (06) Lumbar

Vessels, Nerves, Organs, Bones

 Joints are assigned consecutive two digit numbers beginning with 02

Level of Injury

Specific injuries are assigned consecutive two-digit numbers beginning with 02.

To the extent possible, within the organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity.

Abbreviated Injury Scale

- (1) Minor injury
- (2) Moderate injury
- (3) Serious injury
- (4) Severe injury
- (5) Critical injury
- (6) Maximum (untreatable)
- (7) Injured, unknown severity

Aspect

- (1) Right
- (2) Left
- (3) Bilateral
- (4) Central
- (5) Anterior
- (6) Posterior
- (7) Superior
- (8) Inferior
- (9) Unknown
- (0) Whole region

OFFICIAL INJURY DATA — SKELETAL INJURIES

Restrained?

No

Yes

Blood Alcohol Level (mg/dl)

BAL = _____

Glasgow Coma Scale Score

GCSS = _____

Units of Blood Given

Units = _____

Arterial Blood Gases



pH = _____

PO₂ = _____

PCO₂ _____



HCO₃ _____

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



OFFICIAL INJURY DATA – INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



OCCUPANT RELATED

- 16. Driver Presence in Vehicle 1
 (0) Driver not present
 (1) Driver present
 (9) Unknown
- 17. Number of Occupants This Vehicle 01
 (00-96) Code actual number of occupants for this vehicle
 (97) 97 or more
 (99) Unknown
- 18. Number of Occupant Forms Submitted 01

- 24. Rollover 0
 (0) No rollover (no overturning)

Rollover (primarily about the longitudinal axis)
 (1) Rollover, 1 quarter turn only
 (2) Rollover, 2 quarter turns
 (3) Rollover, 3 quarter turns
 (4) Rollover, 4 or more quarter turns (specify):

 (5) Rollover--end-over-end (i.e., primarily about the lateral axis)
 (9) Rollover (overturn), details unknown

VEHICLE WEIGHT ITEMS

- 19. Vehicle Curb Weight 1,470
 _____ Code weight to nearest 10 kilograms.
 (045) Less than 450 kilograms
 (610) 6,100 kilograms or more
 (999) Unknown

3,249 lbs X .4536 = 1,474 kgs
 Source: 
- 20. Vehicle Cargo Weight 0,010
 _____ Code weight to nearest 10 kilograms.
 (000) Less than 5 kilograms
 (450) 4,500 kilograms or more
 (999) Unknown
passat

 _____ 15 lbs X .4536 = _____ 7 kgs

OVERRIDE/UNDERRIDE (THIS VEHICLE)

- 25. Front Override/Underride (this Vehicle) 4
- 26. Rear Override/Underride (this Vehicle) 0

 (0) No override/underride, or not an end-to-end impact

Override (see specific CDC)
 (1) 1st CDC
 (2) 2nd CDC
 (3) Other not automated CDC (specify):

Underride (see specific CDC)
 (4) 1st CDC
 (5) 2nd CDC
 (6) Other not automated CDC (specify):

 (7) Medium/heavy truck or bus override
 (9) Unknown

RECONSTRUCTION DATA

- 21. Towed Trailing Unit 0
 (0) No towed unit
 (1) Yes--towed trailing unit
 (9) Unknown
- 22. Documentation of Trajectory Data for This Vehicle 0
 (0) No
 (1) Yes
- 23. Post Collision Condition of Tree or Pole (For Highest Delta V) 0
 (0) Not collision (for highest delta V) with tree or pole
 (1) Not damaged
 (2) Cracked/sheared
 (3) Tilted < 45 degrees
 (4) Tilted ≥ 45 degrees
 (5) Uprooted tree
 (6) Separated pole from base
 (7) Pole replaced
 (8) Other (specify):

 (9) Unknown

HEADING ANGLE AT IMPACT FOR HIGHEST DELTA V

- Values: (000)-(359) Code actual value
 (997) Noncollision
 (998) Impact with object
 (999) Unknown
- 27. Heading Angle For This Vehicle 180
 - 28. Heading Angle For Other Vehicle 345

Category	Configuration	ACCIDENT TYPES (Includes Intent)						
I Single Driver	A Right Roadside Departure	01 DRIVE OFF ROAD	02 CONTROL/ TRACTION LOSS	03 AVOID COLLISION WITH VEH., PED., ANIM.	04 SPECIFICS OTHER	05 SPECIFICS UNKNOWN		
	B Left Roadside Departure	06 DRIVE OFF ROAD	07 CONTROL/ TRACTION LOSS	08 AVOID COLLISION WITH VEH., PED., ANIM.	09 SPECIFICS OTHER	10 SPECIFICS UNKNOWN		
	C Forward Impact	11 PARKED VEH.	12 STA. OBJECT	13 PEDESTRIAN/ ANIMAL	14 END DEPARTURE	15 SPECIFICS OTHER	16 SPECIFICS UNKNOWN	
II Same Trafficway Same Direction	D Rear-End	20 STOPPED 21, 22, 23	22 SLOWER 24, 25, 27	24 DECEL. 26, 28, 31	26 AVOID COLLISION WITH VEH.	28 AVOID COLLISION WITH OBJECT	(EACH - 32) SPECIFICS OTHER	(EACH - 33) SPECIFICS UNKNOWN
	E Forward Impact	34 CONTROL/ TRACTION LOSS	35 CONTROL/ TRACTION LOSS	36 AVOID COLLISION WITH VEH.	38 AVOID COLLISION WITH OBJECT	40 AVOID COLLISION WITH OBJECT	(EACH - 42) SPECIFICS OTHER	(EACH - 43) SPECIFICS UNKNOWN
	F Sideswipe Angle	44 LATERAL MOVE	45 LATERAL MOVE	46 LATERAL MOVE	47 LATERAL MOVE	(EACH - 48) SPECIFICS OTHER	(EACH - 49) SPECIFICS UNKNOWN	
III Same Trafficway Opposite Direction	G Head-On	50 LATERAL MOVE	51 LATERAL MOVE	(EACH - 52) SPECIFICS OTHER	(EACH - 53) SPECIFICS UNKNOWN			
	H Forward Impact	54 CONTROL/ TRACTION LOSS	55 CONTROL/ TRACTION LOSS	56 AVOID COLLISION WITH VEH.	58 AVOID COLLISION WITH OBJECT	60 AVOID COLLISION WITH OBJECT	(EACH - 62) SPECIFICS OTHER	(EACH - 63) SPECIFICS UNKNOWN
	I Sideswipe Angle	64 LATERAL MOVE	65 LATERAL MOVE	(EACH - 66) SPECIFICS OTHER	(EACH - 67) SPECIFICS UNKNOWN			
IV Change Trafficway Vehicle Turning	J Turn Across Path	69 INITIAL OPPOSITE DIRECTIONS	71 INITIAL SAME DIRECTIONS	73 INITIAL SAME DIRECTIONS	74 INITIAL SAME DIRECTIONS	75 INITIAL SAME DIRECTIONS	(EACH - 74) SPECIFICS OTHER	(EACH - 75) SPECIFICS UNKNOWN
	K Turn Into Path	76 TURN INTO SAME DIRECTION	77 TURN INTO SAME DIRECTION	78 TURN INTO OPPOSITE DIRECTIONS	80 TURN INTO OPPOSITE DIRECTIONS	81 TURN INTO OPPOSITE DIRECTIONS	82 TURN INTO OPPOSITE DIRECTIONS	(EACH - 84) SPECIFICS OTHER
V Intersecting Paths (Vehicle Damage)	L Straight Paths	87 STRAIGHT PATHS	88 STRAIGHT PATHS	(EACH - 89) SPECIFICS OTHER	(EACH - 90) SPECIFICS UNKNOWN	(EACH - 91) SPECIFICS UNKNOWN		
VI Miscellaneous	M Backing Etc.	92 BACKING VEH.	93 OTHER VEH. OR OBJECT	98 Other Accident Type	99 Unknown Accident Type	00 No Impact		

CODES FOR ROLLOVER INITIATION OBJECT CONTACTED

- (00) No rollover
- (01-30) – Vehicle Number

Noncollision

- (31) Turn-over – fall-over
- (33) Jackknife

Collision With Fixed Object

- (41) Tree (≤ 10 cm in diameter)
- (42) Tree (> 10 cm in diameter)
- (43) Shrubbery or bush
- (44) Embankment

- (45) Breakaway pole or post (any diameter)

Nonbreakaway Pole or Post

- (50) Pole or post (≤ 10 cm in diameter)
- (51) Pole or post (> 10 cm but ≤ 30 cm in diameter)
- (52) Pole or post (> 30 cm in diameter)
- (53) Pole or post (diameter unknown)

- (54) Concrete traffic barrier
- (55) Impact attenuator
- (56) Other traffic barrier (includes guardrail)
(specify): _____

- (57) Fence
- (58) Wall
- (59) Building
- (60) Ditch or culvert
- (61) Ground
- (62) Fire hydrant
- (63) Curb
- (64) Bridge
- (68) Other fixed object (specify): _____

- (69) Unknown fixed object

Collision with Nonfixed Object

- (71) Motor vehicle not in-transport
- (76) Animal
- (77) Train
- (78) Trailer, disconnected in transport
- (79) Object fell from vehicle in-transport
- (88) Other nonfixed object (specify): _____

- (89) Unknown nonfixed object

- (98) Other event (specify): _____

- (99) Unknown event or object

ORIGINAL SPECIFICATIONS WORK SHEET


Wheelbase	<u>108.1</u>	inches	x 2.54	=	<u>275</u>	cm
Overall Length	<u>200.4</u>	inches	x 2.54	=	<u>509</u>	cm
Maximum Width	<u>71.5</u>	inches	x 2.54	=	<u>182</u>	cm
Curb Weight	<u>3,249</u>	pounds	x .4536	=	<u>1,474</u>	kg
Average Track	<u>58.0</u>	inches	x 2.54	=	<u>147</u>	cm
Front Overhang	<u>43.3</u>	inches	x 2.54	=	<u>110</u>	cm
Rear Overhang	<u>49.0</u>	inches	x 2.54	=	<u>124</u>	cm
Undeformed End Width	<u>66.0</u>	inches	x 2.54	=	<u>168</u>	cm
Engine Size: cyl./displ.	— — —	cc	x .001	=	— . —	L
	<u>267</u>	CID	x .0164	=	<u>4.4</u>	L

V8

VEHICLE DAMAGE SKETCH

<p>TIRE—WHEEL DAMAGE</p> <p>a. Rotation physically restricted b. Tire deflated</p> <table style="width:100%;"> <tr> <td>RF <u>2</u></td> <td>RF <u>2</u></td> </tr> <tr> <td>LF <u>2</u></td> <td>LF <u>1</u></td> </tr> <tr> <td>RR <u>2</u></td> <td>RR <u>1</u></td> </tr> <tr> <td>LR <u>2</u></td> <td>LR <u>2</u></td> </tr> </table> <p>(1) Yes (2) No (8) NA (9) Unk.</p>	RF <u>2</u>	RF <u>2</u>	LF <u>2</u>	LF <u>1</u>	RR <u>2</u>	RR <u>1</u>	LR <u>2</u>	LR <u>2</u>	<p>ORIGINAL SPECIFICATIONS</p> <p>Wheelbase <u>275</u> cm</p> <p>Overall Length <u>509</u> cm</p> <p>Maximum Width <u>182</u> cm</p> <p>Curb Weight <u>1474</u> kg</p> <p>Average Track <u>147</u> cm</p> <p>Front Overhang <u>110</u> cm</p> <p>Rear Overhang <u>124</u> cm</p> <p>Undeformed End Width <u>168</u> cm</p> <p>Engine Size: cyl./displ. <u>8 cyl / 4.4 L</u></p>	<p>WHEEL STEER ANGLES (For locked front wheels or displaced rear axles only)</p> <p>RF ± _____ °</p> <p>LF ± _____ °</p> <p>RR ± _____ °</p> <p>LR ± _____ °</p> <p>Within ± 5 degrees</p> <hr/> <p>DRIVE WHEELS</p> <p><input type="checkbox"/> FWD <input checked="" type="checkbox"/> RWD <input type="checkbox"/> 4WD</p> <hr/> <p>Approximate Cur seat Cargo Weight <u>7</u> kg</p>
RF <u>2</u>	RF <u>2</u>									
LF <u>2</u>	LF <u>1</u>									
RR <u>2</u>	RR <u>1</u>									
LR <u>2</u>	LR <u>2</u>									
<p>TYPE OF TRANSMISSION</p> <p><input type="checkbox"/> Manual <input checked="" type="checkbox"/> Automatic</p>										

MEASUREMENTS IN CENTIMETERS



NOTES: Sketch new perimeter and cross hatch direct damage and single hatch induced damage on all views. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.). If pulling trailer, sketch type of trailer and damage received on the back of this page.

Annotate any damage caused by extrication such as component removal by torching, prying, or hydraulic shears.

COLLISION DEFORMATION CLASSIFICATION

HIGHEST DELTA "V"

Accident Event Sequence Number	Object Contacted	(1) (2) Direction of Force	(3) Deformation Location	(4) Longitudinal or Lateral Location	(5) Vertical or Lateral Location	(6) Type of Damage Distribution	(7) Deformation Extent
4. <u>01</u>	5. <u>01</u>	6. <u>LL</u>	7. <u>F</u>	8. <u>Y</u>	9. <u>E</u>	10. <u>W</u>	11. <u>04</u>

Second Highest Delta "V"

12. <u>03</u>	13. <u>03</u>	14. <u>99</u>	15. <u>9</u>	16. <u>9</u>	17. <u>9</u>	18. <u>9</u>	19. <u>99</u>
---------------	---------------	---------------	--------------	--------------	--------------	--------------	---------------

CRUSH PROFILE IN CENTIMETERS

The crush profile for the damage described in the CDC(s) above should be documented in the appropriate space below. (ALL MEASUREMENTS ARE IN CENTIMETERS.)

HIGHEST DELTA "V"

20. <u>L</u>	21. <u>C₁</u>	<u>C₂</u>	<u>C₃</u>	<u>C₄</u>	<u>C₆</u>	<u>C₆</u>	22. <u>±D</u>
<u>168</u>	<u>106</u>	<u>091</u>	<u>082</u>	<u>049</u>	<u>026</u>	<u>009</u>	<u>+0045</u>

Second Highest Delta "V"

23. <u>L</u>	24. <u>C₁</u>	<u>C₂</u>	<u>C₃</u>	<u>C₄</u>	<u>C₆</u>	<u>C₆</u>	25. <u>±D</u>
-----	-----	-----	-----	-----	-----	-----	<u>+</u> <u>-</u>

26. Are CDCs Documented but Not Coded on The Automated File?
 (0) No
 (1) Yes

0

27. Researcher's Assessment of Vehicle Disposition
 (0) Not towed due to vehicle damage
 (1) Towed due to vehicle damage
 (9) Unknown

1

28. Original Wheelbase Code to the nearest centimeter (999) Unknown

275

108 . 1 inches X 2.54 = 275 centimeters

<p>29. Is This A Multi-Stage Manufactured Vehicle And/Or A Certified Altered Vehicle? <u>0</u></p> <p>(0) No post manufacturer modifications (1) Yes - post manufacturer modifications (specify): _____ _____ _____ (Include photograph of CERTIFICATION PLACARD in case report) (9) Unknown if vehicle is modified</p>	<p>34. Fuel Tank-1 Location <u>1</u></p> <p>35. Fuel Tank-2 Location <u>0</u></p> <p>(0) No fuel tank (1) Aft of center of the rear wheels (rear axle) centered (2) Aft of center of the rear wheels (rear axle) left side (3) Aft of center of the rear wheels (rear axle) right side (4) Forward of center of the rear wheels (rear axle) centered (5) Forward of center of the rear wheels (rear axle) left side (6) Forward of center of the rear wheels (rear axle) right side (7) Over center of the rear wheels (rear axle) (8) Other (specify): _____ (9) Unknown</p>
<p>30. Fire Occurrence <u>0</u></p> <p>(0) No fire</p> <p>Yes, fire occurred (1) Minor (2) Major (9) Unknown</p>	<p>36. Fuel Tank-1 Filler Cap Location <u>1</u></p> <p>37. Fuel Tank-2 Filler Cap Location <u>0</u></p> <p>(0) No fuel tank (1) On back plane (2) Aft of center of the rear wheels (rear axle) on left side plane (3) Aft of center of the rear wheels (rear axle) on right side plane (4) Forward of center of the rear wheels (rear axle) on left side plane (5) Forward of center of the rear wheels (rear axle) on right side plane (6) Over the center of the rear wheels (rear axle) on left side plane (7) Over the center of the rear wheels (rear axle) on right side plane (8) Other (specify): _____ (9) Unknown</p>
<p>31. Origin of Fire <u>0</u></p> <p>(0) No fire (1) Vehicle exterior (front, side, back, top) (2) Exhaust system (3) Fuel tank (and other fuel retention system parts) (4) Engine compartment (5) Cargo/trunk compartment (6) Instrument panel (7) Passenger compartment area (8) Other location (specify): _____ (9) Unknown</p>	<p>38. Fuel Tank-1 Damage <u>6</u></p> <p>39. Fuel Tank-2 Damage <u>0</u></p> <p>(0) No fuel tank (1) No damage to fuel tank (2) Deformed, no seam failure (3) Deformed, with a seam failure (4) Punctured (5) Lacerated (ripped) (6) Abraded (scraped) (7) Filler neck separation from the fuel tank (8) Other damage (specify): _____ (9) Unknown</p>
<p>32. Type of Fuel Tank-1 <u>1</u></p> <p>33. Type of Fuel Tank-2 <u>0</u></p> <p>(0) No fuel tank (electrical vehicle) (1) Metallic (2) Non-metallic (9) Unknown</p>	

40. Location of Fuel System-1 Leakage 9

41. Location of Fuel System-2 Leakage 0

(0) No fuel tank
(1) No fuel leakage

Primary Area Of Leakage

(2) Tank
(3) Filler neck
(4) Cap
(5) Lines/pump/filter
(6) Vent/emission recovery
(8) Other (specify): _____

(9) Unknown _____

42. Fuel Type-1 01

43. Fuel Type-2 00

Single Fuel Type

(00) No fuel tank
(01) Gasoline
(02) Diesel
(03) CNG (Compressed Natural Gas)
(04) LPG (Liquid Petroleum Gas) also known as Propane
(05) LNG (Liquid Natural Gas)
(06) Methanol (M100 or M85)
(07) Ethanol (E100 or E85)
(08) Other (Hydrogen or others) (specify): _____

Electric Powered or Electric/Solar Powered Vehicles

(10) Lead Acid Battery
(11) Nickel-Iron Battery
(12) Nickel-Cadmium Battery
(13) Sodium Metal Chloride Battery
(14) Sodium Sulfur Battery
(18) Other (Specify): _____

(98) Other Hybrid (specify): _____

(99) Unknown fuel type

44. Is This Vehicle Equipped With More Than Two Fuel Tanks? 0

(0) No (one or two tanks only)

Yes - More Than Two Tanks

(1) Yes -- no damage to any tank or filler cap and no fuel system leakage

(2) Yes -- no damage to any tank or filler cap but there is fuel system leakage (specify leakage location): _____

(3) Yes -- damage to an additional tank or filler cap and there is fuel system leakage (specify the following):
 Type of tank _____
 Tank location _____
 Filler cap location _____
 Tank damage _____
 Location of leakage _____
 Type of fuel _____

(9) Unknown if more than two tanks

COMMENTS

*** STOP: IF THE CDS APPLICABLE VEHICLE WAS NOT TOWED AND WAS NOT AN AOPS ***
 (I.E., GV09 = 0 OR 9 AND GV36 = 0), DO NOT COMPLETE THE INTERIOR VEHICLE FORM.



INTERIOR VEHICLE FORM

1. Primary Sampling Unit Number 02
 2. Case Number - Stratum 061A
 3. Vehicle Number 02

INTEGRITY

4. Passenger Compartment Integrity 98
 (00) No integrity loss

Yes, Integrity Was Lost Through

- (01) Windshield
- (02) Door (side)
- (03) Door/hatch (back door)
- (04) Roof
- (05) Roof glass
- (06) Side window
- (07) Rear window (backlight)
- (08) Roof and roof glass
- (09) Windshield and door (side)
- (10) Windshield and roof
- (11) Side and rear window (side window and backlight)
- (12) Windshield and side window
- (13) Door and side window
- (98) Other combination of above (specify):
SX X 0204 06
- (99) Unknown

Door, Tailgate or Hatch Opening

5. LF 2 6. RF 3 7. LR 0 8. RR 0 9. TG/H 0

- (0) No door/gate/hatch
- (1) Door/gate/hatch remained closed and operational
- (2) Door/gate/hatch came open during collision
- (3) Door/gate/hatch jammed shut
- (8) Other (specify):

- (9) Unknown

Damage/Failure Associated with Door, Tailgate or Hatch Opening in Collision. If IV05-IV09 ≠ 2, Then code 0

10. LF 2 11. RF 0 12. LR 0 13. RR 0 14. TG/H 0

- (0) No door/gate/hatch or door not opened
- Door, Tailgate or Hatch Came Open During Collision
- (1) Door operational (no damage)
- (2) Latch/striker failure due to damage
- (3) Hinge failure due to damage
- (4) Door structure failure due to damage
- (5) Door support (i.e., pillar, sill, roof side rail, etc.) failure due to damage
- (8) Latch/striker and hinge failure due to damage
- (8) Other failure (specify):

- (9) Unknown

GLAZING

Glazing Damage from Impact Forces

15. WS 3 16. LF 6 17. RF 0 18. LR 0 19. RR 0
 20. BL 0 21. Roof 8 22. Other 8

- (0) No glazing damage from impact forces
- (2) Glazing in place and cracked from impact forces
- (3) Glazing in place and holed from impact forces
- (4) Glazing out-of-place (cracked or not) and not holed from impact forces
- (5) Glazing out-of-place and holed from impact forces
- (6) Glazing disintegrated from impact forces
- (7) Glazing removed prior to accident
- (8) No glazing
- (9) Unknown if damaged

Glazing Damage from Occupant Contact

23. WS 2 24. LF 0 25. RF 0 26. LR 0 27. RR 0
 28. BL 0 29. Roof 0 30. Other 0

- (0) No occupant contact to glazing or no glazing
- (1) Glazing contacted by occupant but no glazing damage
- (2) Glazing in place and cracked by occupant contact
- (3) Glazing in place and holed by occupant contact
- (4) Glazing out-of-place (cracked or not) by occupant contact and not holed by occupant contact
- (5) Glazing out-of-place by occupant contact and holed by occupant contact
- (6) Glazing disintegrated by occupant contact
- (9) Unknown if contacted by occupant

If No Glazing Damage *And* No Occupant Contact or No Glazing, Then Code IV31 Through IV46 As 0

Type of Window/Windshield Glazing

31. WS 1 32. LF 2 33. RF 0 34. LR 0 35. RR 0
 36. BL 0 37. Roof 0 38. Other 0

- (0) No glazing contact and no damage, or no glazing
- (1) AS-1 - Laminated
- (2) AS-2 - Tempered
- (3) AS-3 - Tempered-tinted
- (4) AS-14 - Glass/Plastic
- (8) Other (specify):

- (9) Unknown


Window Pre-crash Glazing Status

39. WS 1 40. LF 3 41. RF 0 42. LR 0 43. RR 0
 44. BL 0 45. Roof 0 46. Other 0

- (0) No glazing contact and no damage, or no glazing
- (1) Fixed
- (2) Closed
- (3) Partially opened
- (4) Fully opened
- (9) Unknown

INTRUSION WORKSHEET

Note: Sketch intruded areas



LOCATION OF INTRUSION	INTRUDED COMPONENT	(All Measurements Are In Centimeters)			DOMINANT CRUSH DIRECTION
		COMPARISON VALUE	INTRUDED VALUE	INTRUSION	
11	steering assembly	41	to base of front seat 4	37	long ⑦
11	panel ④	159	81	78	" ①
12	panel ③	152	131	21	" ⑨
11	toe pan	197	157	40	" ⑥
11	A Pillar	167	95	72	" ②
11	door panel	159	90	69	" ③
11	Roof	100	96	4	vert
11	Roof Rail	95	103 ↑	NO	"
21	Roof Rail	95	103 ↑	NO	"
11	windshield	175	108	67	long ④
12	windshield	179	176.5	2.5	long
13	windshield	175	171	4	long
21	Seat back	87	50	37	long ⑤
11	Panel forward A	68	25	43	lat ⑤
11	floor pan	190	170	20	long ⑩

OCCUPANT AREA INTRUSION

Note: If no intrusions, leave variables IV47-IV86 blank.

	Location of Intrusion	Intruding Component	Magnitude of Intrusion	Dominant Crush Direction
1st	47. <u>11</u>	48. <u>02</u>	49. <u>6</u>	50. <u>2</u>
2nd 4th	51. <u>11</u>	52. <u>06</u>	53. <u>6</u> ⁴	54. <u>2</u> ³
3rd	55. <u>11</u>	56. <u>10</u>	57. <u>6</u>	58. <u>2</u>
4th 2nd	59. <u>11</u>	60. <u>14</u>	61. <u>6</u>	62. <u>2</u>
5th	63. <u>11</u>	64. <u>27</u>	65. <u>4</u>	66. <u>3</u>
6th	67. <u>11</u>	68. <u>05</u>	69. <u>4</u>	70. <u>2</u>
7th	71. <u>11</u>	72. <u>01</u>	73. <u>4</u>	74. <u>2</u>
8th	75. <u>21</u>	76. <u>19</u>	77. <u>4</u>	78. <u>2</u>
9th	79. <u>12</u>	80. <u>03</u>	81. <u>3</u>	82. <u>2</u>
10th	83. <u>11</u>	84. <u>17</u>	85. <u>3</u>	86. <u>2</u>

INTRUDING COMPONENT

Interior Components

- (01) Steering assembly ✓
- (02) Instrument panel left ✓
- (03) Instrument panel center ✓
- (04) Instrument panel right
- (05) Toe pan ✓
- (06) A (A1/A2)-pillar ✓
- (07) B-pillar
- (08) C-pillar
- (09) D-pillar
- (10) Door panel (side) ✓
- (12) Roof (or convertible top)
- (13) Roof side rail
- (14) Windshield ✓
- (15) Windshield header
- (16) Window frame
- (17) Floor pan (includes sill) ✓
- (18) Backlight header
- (19) Front seat back ✓
- (20) Second seat back
- (21) Third seat back
- (22) Fourth seat back
- (23) Fifth seat back
- (24) Seat cushion
- (25) Back door/panel (e.g., tailgate)
- (26) Other interior component (specify): _____
- (27) Side panel - forward of the A (A2)-pillar ✓
- (28) Side panel - rear of the A (A2)-pillar

Exterior Components

- (30) Hood
- (31) Outside surface of this vehicle (specify): _____
- (32) Other exterior object in the environment (specify): _____
- (33) Unknown exterior object
- (97) Catastrophic
- (98) Intrusion of unlisted component(s) (specify): _____
- (99) Unknown

LOCATION OF INTRUSION

- Front Seat
- (11) Left
 - (12) Middle
 - (13) Right

- Fourth Seat
- (41) Left
 - (42) Middle
 - (43) Right

- Second Seat
- (21) Left
 - (22) Middle
 - (23) Right

- (97) Catastrophic
- (98) Other enclosed area (specify) _____

- Third Seat
- (31) Left
 - (32) Middle
 - (33) Right

- (99) Unknown

MAGNITUDE OF INTRUSION

- (1) ≥ 3 centimeters but < 8 centimeters
- (2) ≥ 8 centimeters but < 15 centimeters
- (3) ≥ 15 centimeters but < 30 centimeters
- (4) ≥ 30 centimeters but < 46 centimeters
- (5) ≥ 46 centimeters but < 61 centimeters
- (6) ≥ 61 centimeters
- (7) Catastrophic
- (9) Unknown

DOMINANT CRUSH DIRECTION

- (1) Vertical
- (2) Longitudinal
- (3) Lateral
- (7) Catastrophic
- (9) Unknown

STEERING RIM/SPOKE DEFORMATION

(All Measurements Are in Centimeters)

COMPARISON VALUE	-	DAMAGE VALUE	=	DEFORMATION
0	-	15 ↓	=	15
	-		=	
	-		=	
	-		=	

Large empty rectangular area for additional notes or data.

STEERING COLUMN

87. Steering Column Type 1
 (1) Fixed column
 (2) Tilt column
 (3) Telescoping column
 (4) Tilt and telescoping column
 (8) Other column type (specify): _____
 (9) Unknown

88. Blank X X
 (This variable is left blank so that numbering consistency can be maintained with the 1988-94 CDS.)

89. Blank X X X
 (This variable is left blank so that numbering consistency can be maintained with the 1988-94 CDS.)

90. Blank X X X
 (This variable is left blank so that numbering consistency can be maintained with the 1988-94 CDS.)

91. Blank X X X
 (This variable is left blank so that numbering consistency can be maintained with the 1988-94 CDS.)

92. Steering Rim/Spoke Deformation 15
15 Code actual measured deformation to the nearest centimeter
 (00) No steering rim deformation
 (01-14) Actual measured value in centimeters
 (15) 15 centimeters or more
 (98) Observed deformation cannot be measured
 (99) Unknown

93. Location of Steering Rim/Spoke Deformation 09
 (00) No steering rim deformation


Quarter Sections

- (01) Section A
- (02) Section B
- (03) Section C
- (04) Section D



Half Sections

- (05) Upper half of rim/spoke
- (06) Lower half of rim/spoke
- (07) Left half of rim/spoke
- (08) Right half of rim/spoke



- (09) Complete steering wheel collapse
- (10) Undetermined location
- (99) Unknown

INSTRUMENT PANEL

94. Odometer Reading 132,000

_____ kilometers—Code to the nearest 1,000 kilometers

- (000) No odometer
- (001) Less than 1,500 kilometers
- (500) 499,500 kilometers or more
- (999) Unknown

81,780 miles X 1.6093 = 131,609 kilometers

Source: suspicion


95. Instrument Panel Damage from Occupant Contact? 1
 (0) No
 (1) Yes
 (9) Unknown

96. Knee Bolsters Deformed from Occupant Contact? 8
 (0) No
 (1) Yes
 (8) Not present
 (9) Unknown

97. Did Glove Compartment Door Open During Collision(s)? 1
 (0) No
 (1) Yes
 (8) Not present
 (9) Unknown

VEHICLE INTERIOR SKETCHES

Note area of ejection/entrapment



Sketch windshield contact(s) and the damaged area(s) on the instrument panel outline (e.g., radio, glove compartment, damage to instrument panel structure).
Cross hatch contact points, draw spider webs or use other annotation as may be appropriate.
Annotate the contacted area with a letter (begin with A) and list on the Points of Occupant Contact page.

POINTS OF OCCUPANT CONTACT

Contact	Interior Component Contacted	Occupant No. If Known	Body Region If Known	Supporting Physical Evidence	Confidence Level of Contact Point
A	01	01	head/face	cracked/ intrusion	1
B	06	01	chest	bent/ intrusion	1
C	07	01	knee/leg	shuff / cloth / cover broken off	1
D	40	01	back	bent	1
E	30/33	01	arm/torso	blood / dents	1
F	37	01	head/neck	tray / rebound	1
G	42	01	head	hair / blood	1
H	56	01	feet	intrusion	1
I	34	01	head	tray	2
J	36	01	head/face	blood / tray	2
K	09/10	01	legs/feet	broken/ intrusion	
L					
M					
N					

CODES FOR INTERIOR COMPONENTS

FRONT

- (01) Windshield
- (02) Mirror
- (03) Sunvisor
- (04) Steering wheel rim
- (05) Steering wheel hub/spoke
- (06) Steering wheel (combination of codes 04 and 05)
- (07) Steering column, transmission selector lever, other attachment
- (08) Add on equipment (e.g., CB, tape deck, air conditioner)
- (09) Left instrument panel and below
- (10) Center instrument panel and below
- (11) Right instrument panel and below
- (12) Glove compartment door
- (13) Knee bolster
- (14) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, mirror, or steering assembly (driver side only)
- (15) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, or mirror (passenger side only)
- (16) Driver side air bag compartment cover
- (17) Passenger side air bag compartment cover
- (18) Windshield reinforced by exterior object (specify): _____
- (19) Other front object (specify): _____

LEFT SIDE

- (20) Left side interior surface, excluding hardware or armrests
- (21) Left side hardware or armrest
- (22) Left A (A1/A2)-pillar

(23) Left B-pillar

- (24) Other left pillar (specify): _____
- (25) Left side window glass or frame
- (26) Left side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail.
- (27) Other left side object (specify): _____
- (28) Left side window sill

RIGHT SIDE

- (30) Right side interior surface, excluding hardware or armrests
- (31) Right side hardware or armrest
- (32) Right A (A1/A2)-pillar
- (33) Right B-pillar
- (34) Other right pillar (specify): C - Pillar
- (35) Right side window glass or frame
- (36) Right side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B pillar, or roof side rail.
- (37) Other right side object (specify): Roof side rail
- (38) Right side window sill

INTERIOR

- (40) Seat, back support
- (41) Belt restraint webbing/buckle
- (42) Belt restraint B-pillar attachment point
- (43) Other restraint system component (specify): _____
- (44) Head restraint system
- (45) Air bag (use codes "16" and "17" for injuries sustained from air bag compartment covers)

(46) Other occupants (specify): _____

- (47) Interior loose objects
- (48) Child safety seat (specify): _____
- (49) Other interior object (specify): _____

ROOF

- (50) Front header
- (51) Rear header
- (52) Roof left side rail
- (53) Roof right side rail
- (54) Roof or convertible top

FLOOR

- (56) Floor (including toe pan)
- (57) Floor or console mounted transmission lever, including console
- (58) Parking brake handle
- (59) Foot controls including parking brake

REAR

- (60) Backlight (rear window)
- (61) Backlight storage rack, door, etc.
- (62) Other rear object (specify): _____

CONFIDENCE LEVEL OF CONTACT POINT

- (1) Certain
- (2) Probable
- (3) Possible
- (9) Unknown

AUTOMATIC RESTRAINTS

NOTES: Encode the data for each applicable front seat position. The attribute for the variables may be found below. Restraint systems should be assessed during the vehicle inspection then coded on the Occupant Assessment Form.

AIR BAGS

		Left	Right
F I R S T	Availability/Function		
	Deployment		
	Failure		

Air Bag System Availability/Function

- (0) Not equipped/not available
- (1) Air bag

Non-functional

- (2) Air-bag disconnected (specify): _____
- (3) Air bag not reinstalled
- (9) Unknown

Air Bag System Deployment

- (0) Not equipped/not available
- (1) Air bag deployed during accident (as a result of impact)
- (2) Air bag deployed inadvertently just prior to accident
- (3) Air bag deployed, accident sequence undetermined
- (4) Nondeployed
- (5) Unknown if deployed
- (6) Air bag deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical)
- (9) Unknown

Are There Indications of Air Bag System Failure?

- (0) Not equipped/not available
- (1) No
- (2) Yes (specify): _____
- (9) Unknown

AUTOMATIC BELTS

		Left	Right
F I R S T	Availability/Function		
	Use		
	Type		
	Proper Use		
	Failure Modes		

Automatic (Passive) Belt System Availability/Function

- (0) Not equipped/not available
- (1) 2 point automatic belts
- (2) 3 point automatic belts
- (3) Automatic belts - type unknown

Non-functional

- (4) Automatic belts destroyed or rendered inoperative
- (9) Unknown

Automatic (Passive) Belt System Use

- (0) Not equipped/not available/destroyed or rendered inoperative
- (1) Automatic belt in use
- (2) Automatic belt not in use (manually disconnected, motorized track inoperative)
- (3) Automatic belt use unknown
- (9) Unknown

Automatic (Passive) Belt System Type

- (0) Not equipped/not available
- (1) Non-motorized system
- (2) Motorized system
- (9) Unknown

Proper Use of Automatic (Passive) Belt System

- (0) Not equipped/not available/not used
- (1) Automatic belt used properly
- (2) Automatic belt used properly with child safety seat

Automatic Belt Used Improperly

- (3) Automatic shoulder belt worn under arm
- (4) Automatic shoulder belt worn behind back
- (5) Automatic belt worn around more than one person
- (6) Lap portion of automatic belt worn on abdomen
- (7) Automatic lap and shoulder belt or automatic shoulder belt used improperly with child safety seat (specify): _____
- (8) Other improper use of automatic belt system (specify): _____
- (9) Unknown

Automatic (Passive) Belt Failure Modes During Accident

- (0) Not equipped/not available/not in use
- (1) No automatic belt failure(s)
- (2) Torn webbing (stretched webbing not included)
- (3) Broken buckle or latchplate
- (4) Upper anchorage separated
- (5) Other anchorage separated (specify): _____
- (6) Broken retractor
- (7) Combination of above (specify): _____
- (8) Other automatic belt failure (specify): _____
- (9) Unknown

MANUAL RESTRAINTS

NOTES: Encode the applicable data for each seat position in the vehicle. The attribute for the variable may be found below. Restraint systems should be assessed during the vehicle inspection then coded on the Occupant Assessment Form.

If a Child safety seat is present, encode the data on the back of this page.

If the vehicle has automatic restraints available, encode the appropriate data on the back of the previous page.

		Left	Center	Right
FIRST	Availability	4	3	4
	Evidence of usage	04	00	04
	Used in this crash?	00	00	00
	Proper Use	0	0	0
	Failure Modes	0	0	0
SECOND	Availability	3	0	3
	Evidence of usage	00	00	13
	Used in this crash?	00	00	13
	Proper Use	0	00	0
	Failure Modes	0	0	0
OTHER	Availability			
	Evidence of usage			
	Used in this crash?			
	Proper Use			
	Failure Modes			

still in car
NOT IN USE

Manual (Active) Belt System Availability

- (0) None available
- (1) Belt removed/destroyed
- (2) Shoulder belt
- (3) Lap belt
- (4) Lap and shoulder belt
- (5) Belt available - type unknown

Integral Belt Partially Destroyed

- (6) Shoulder belt (lap belt destroyed/removed)
- (7) Lap belt (shoulder belt destroyed/removed)
- (8) Other belt (specify): _____
- (9) Unknown

Proper Use of Manual (Active) Belts

- (0) None used or not available
- (1) Belt used properly
- (2) Belt used properly with child safety seat

Belt Used Improperly

- (3) Shoulder belt worn under arm
- (4) Shoulder belt worn behind back or seat
- (5) Belt worn around more than one person
- (6) Lap belt worn on abdomen
- (7) Lap belt or lap and shoulder belt used improperly with child safety seat (specify): _____
- (8) Other improper use of manual belt system (specify): _____
- (9) Unknown

Manual (Active) Belt System Use

- (00) None used, not available, or belt removed/destroyed
- (01) Inoperable (specify): _____
- (02) Shoulder belt
- (03) Lap belt
- (04) Lap and shoulder belt
- (05) Belt used - type unknown
- (08) Other belt used (specify): _____
- (12) Shoulder belt used with child safety seat
- (13) Lap belt used with child safety seat
- (14) Lap and shoulder belt used with child safety seat
- (15) Belt used with child safety seat - type unknown
- (18) Other belt used with child safety seat (specify): _____
- (99) Unknown if belt used

Manual (Active) Belt Failure Modes During Accident

- (0) No manual belt used or not available
- (1) No manual belt failure(s)
- (2) Torn webbing (stretched webbing not included)
- (3) Broken buckle or latchplate
- (4) Upper anchorage separated
- (5) Other anchorage separated (specify): _____
- (6) Broken retractor
- (7) Combination of above (specify): _____
- (8) Other manual belt failure (specify): _____
- (9) Unknown

CHILD SAFETY SEAT FIELD ASSESSMENT

When a child safety seat is present enter the occupant's number in the first row and complete the column below the occupant's number using the codes listed below. Complete a column for each child safety seat present.

Occupant Number						
1. Type of Child Safety Seat						
2. Child Safety Seat Orientation	NO OCCUPANT					
3. Child Safety Seat Harness Usage	IN CHILD SEAT					
4. Child Safety Seat Shield Usage						
5. Child Safety Seat Tether Usage						
6. Child Safety Seat Make/Model	Specify Below for Each Child Safety Seat					

<p>1. Type of Child Safety Seat</p> <p>(0) No child safety seat (1) Infant seat (2) Toddler seat (3) Convertible seat (4) Booster seat (7) Other type child safety seat (specify): _____ (8) Unknown child safety seat type (9) Unknown if child safety seat used</p> <p>2. Child Safety Seat Orientation</p> <p>(00) No child safety seat</p> <p>Designed for Rear Facing for This Age/Weight (01) Rear facing (02) Forward facing (08) Other orientation (specify): _____ (09) Unknown orientation</p> <p>Designed for Forward Facing for This Age/Weight (11) Rear facing (12) Forward facing (18) Other orientation (specify): _____ (19) Unknown orientation</p> <p>Unknown Design or Orientation For This Age/Weight, or Unknown Age/Weight (21) Rear facing (22) Forward facing (28) Other orientation (specify): _____ (29) Unknown orientation</p> <p>(99) Unknown if child safety seat used</p>	<p>3. Child Safety Seat Harness Usage</p> <p>4. Child Safety Seat Shield Usage</p> <p>5. Child Safety Seat Tether Usage Note: Options Below Are Used for Variables 3-5. (00) No child safety seat</p> <p>Not Designed with Harness/Shield/Tether (01) After market harness/shield/tether added, not used (02) After market harness/shield/tether used (03) Child safety seat used, but no after market harness/shield/tether added (09) Unknown if harness/shield/tether added or used</p> <p>Designed With Harness/Shield/Tether (11) Harness/shield/tether not used (12) Harness/shield/tether used (19) Unknown if harness/shield/tether used</p> <p>Unknown If Designed With Harness/Shield/Tether (21) Harness/shield/tether not used (22) Harness/shield/tether used (29) Unknown if harness/shield/tether used</p> <p>(99) Unknown if child safety seat used</p> <p>6. Child Safety Seat Make/Model (Specify make/model and occupant number)</p> <p>_____</p> <p>_____</p> <p>_____</p> <p>_____</p>
--	--

HEAD RESTRAINTS/SEAT EVALUATION

NOTES: Encode the applicable data for **each seat position** in the vehicle. The attribute for these variables may be found at the bottom of the page. Head restraint type/damage and seat type/performance should be assessed during the vehicle inspection then coded on the Occupant Assessment Form.

		Left	Center	Right
F I R S T	Head Restraint Type/Damage	3	0	3
	Seat Type	05	05	05
	Seat Performance	5	5	5
	Seat Orientation	1	1	1
S E C O N D	Head Restraint Type/Damage	0	0	0
	Seat Type	03	03	03
	Seat Performance	1	1	1
	Seat Orientation	1	1	1
T H I R D	Head Restraint Type/Damage			
	Seat Type			
	Seat Performance			
	Seat Orientation			
O T H E R	Head Restraint Type/Damage			
	Seat Type			
	Seat Performance			
	Seat Orientation			

Head Restraint Type/Damage by Occupant at This Occupant Position

- (0) No head restraints
- (1) Integral – no damage
- (2) Integral – damaged during accident
- (3) Adjustable – no damage
- (4) Adjustable – damaged during accident
- (5) Add-on – no damage
- (6) Add-on – damaged during accident
- (8) Other Specify: _____

(9) Unknown _____

Seat Type (this Occupant Position)

- (00) Occupant not seated or no seat
- (01) Bucket
- (02) Bucket with folding back
- (03) Bench
- (04) Bench with separate back cushions
- (05) Bench with folding back(s)
- (06) Split bench with separate back cushions
- (07) Split bench with folding back(s)
- (08) Pedestal (i.e., column supported)
- (09) Other seat type (specify): _____

(10) Box mounted seat (i.e., van type)
 (99) Unknown

Seat Performance (this Occupant Position)

- (0) Occupant not seated or no seat
- (1) No seat performance failure(s)
- (2) Seat adjusters failed
- (3) Seat back folding locks or "seat back" failed specify: _____

- (4) Seat tracks/anchors failed
- (5) Deformed by impact of occupant
- (6) Deformed by passenger compartment intrusion (specify): _____

(7) Combination of above (specify): _____

(8) Other (specify): _____

(9) Unknown _____

Seat Orientation (this Occupant Position)

- (0) Occupant not seated or no seat
- (1) Forward facing seat
- (2) Rear facing seat
- (3) Side facing seat (inward)
- (4) Side facing seat (outward)
- (8) Other (specify): _____

(9) Unknown _____

DESCRIBE ANY INDICATION OF ABNORMAL OCCUPANT POSTURE (I.E., UNUSUAL OCCUPANT CONTACT PATTERN)

EJECTION/ENTRAPMENT DATA

Complete the following if the researcher has any indication that an occupant was either ejected from or entrapped in the vehicle. Code the appropriate data on the Occupant Assessment Form.

EJECTION No [] Yes []

Describe indications of ejection and body parts involved in partial ejection(s):

Occupant Number						
Ejection						
(Note on Vehicle Interior Sketch) Ejection Area						
Ejection Medium						
Medium Status						

Ejection

- (1) Complete ejection
- (2) Partial ejection
- (3) Ejection, Unknown degree
- (9) Unknown

Ejection Area

- (1) Windshield
- (2) Left front
- (3) Right front
- (4) Left rear
- (5) Right rear
- (6) Rear

(7) Roof

- (8) Other area (e.g., back of pickup, etc.) (specify): _____

(9) Unknown

Ejection Medium

- (1) Door/hatch/tailgate
- (2) Nonfixed roof structure
- (3) Fixed glazing
- (4) Nonfixed glazing (specify): _____

(5) Integral structure

- (8) Other medium (specify): _____

(9) Unknown

Medium Status (Immediately Prior to Impact)

- (1) Open
- (2) Closed
- (3) Integral structure
- (9) Unknown

ENTRAPMENT No [] Yes []

Describe entrapment mechanism: _____

Component(s): _____

(Note in vehicle interior diagram)



OCCUPANT ASSESSMENT FORM

1. Primary Sampling Unit Number 02
 2. Case Number - Stratum 061A
 3. Vehicle Number 02
 4. Occupant Number 01

OCCUPANT'S SEATING

10. Occupant's Seat Position 11
Front Seat
 (11) Left side
 (12) Middle
 (13) Right side
 (14) Other (specify): _____
 (15) On or in the lap of another occupant

OCCUPANT'S CHARACTERISTICS

5. Occupant's Age 37
 Code actual age at time of accident.
 (00) Less than one year old (specify by month): _____
 (97) 97 years and older
 (99) Unknown

Second Seat
 (21) Left side
 (22) Middle
 (23) Right side
 (24) Other (specify): _____
 (25) On or in the lap of another occupant

6. Occupant's Sex 1
 (1) Male
 (2) Female
 (9) Unknown

Third Seat
 (31) Left side
 (32) Middle
 (33) Right side
 (34) Other (specify): _____
 (35) On or in the lap of another occupant

7. Occupant's Height 999
 Code actual height to the nearest centimeter.
 (999) Unknown

Fourth Seat
 (41) Left side
 (42) Middle
 (43) Right side
 (44) Other (specify): _____
 (45) On or in the lap of another occupant

_____ inches X 2.54 = _____ centimeters

(97) In or on unenclosed area
 (98) Other seat (specify): _____
 (99) Unknown

8. Occupant's Weight 999
 Code actual weight to the nearest kilogram.
 (999) Unknown

11. Occupant's Posture 9
 (0) Normal posture

_____ pounds X .4536 = _____ kilograms

9. Occupant's Role 1
 (1) Driver
 (2) Passenger
 (9) Unknown

Abnormal posture
 (1) Kneeling or standing on seat
 (2) Lying on or across seat
 (3) Kneeling, standing or sitting in front of seat
 (4) Sitting sideways or turned to talk with another occupant or to look out a rear window
 (5) Sitting on a console
 (6) Lying back in a reclined seat position
 (7) Bracing with feet or hands on a surface in front of seat
 (8) Other abnormal posture (specify): _____

(9) Unknown

EJECTION/ENTRAPMENT

12. Ejection 0

- (0) No ejection
- (1) Complete ejection
- (2) Partial ejection
- (3) Ejection, unknown degree
- (9) Unknown

13. Ejection Area 0

- (0) No ejection
- (1) Windshield
- (2) Left front
- (3) Right front
- (4) Left rear
- (5) Right rear
- (6) Rear
- (7) Roof
- (8) Other area (e.g., back of pickup, etc.)
(specify): _____
- (9) Unknown

14. Ejection Medium 0

- (0) No ejection
- (1) Door/hatch/tailgate
- (2) Nonfixed roof structure
- (3) Fixed glazing
- (4) Nonfixed glazing (specify):

- (5) Integral structure
- (8) Other medium (specify):

- (9) Unknown

15. Medium Status (Immediately Prior To Impact) 0

- (0) No ejection
- (1) Open
- (2) Closed
- (3) Integral structure
- (9) Unknown

16. Entrapment 0

- (NOTE: Entrapped means that part of the person was in the vehicle and mechanically restrained; jammed doors and immobilizing injuries by themselves are not sufficient to constitute entrapment.)
- (0) Not entrapped
 - (1) Entrapped
 - (9) Unknown

RESTRAINT SYSTEM EVALUATION

<p>17. Manual (Active) Belt System Availability <u>4</u></p> <p>(0) None available (1) Belt removed/destroyed (2) Shoulder belt (3) Lap belt (4) Lap and shoulder belt (5) Belt available—type unknown</p> <p><i>Integral Belt Partially Destroyed</i> (6) Shoulder belt (lap belt destroyed/removed) (7) Lap belt (shoulder belt destroyed/removed)</p> <p>(8) Other belt (specify): _____ (9) Unknown _____</p>	<p>21. Air Bag System Availability/Function <u>○</u></p> <p>(0) Not equipped/not available (1) Air bag</p> <p><i>Non-functional</i> (2) Air bag disconnected (specify): _____ (3) Air bag not reinstalled _____ (9) Unknown _____</p>
<p>18. Manual (Active) Belt System Use <u>○ ○</u></p> <p>(00) None used, not available, or belt removed/destroyed (01) Inoperative (specify): _____ (02) Shoulder belt _____ (03) Lap belt _____ (04) Lap and shoulder belt _____ (05) Belt used—type unknown _____ (08) Other belt used (specify): _____</p> <p>(12) Shoulder belt used with child safety seat (13) Lap belt used with child safety seat (14) Lap and shoulder belt used with child safety seat (15) Belt used with child safety seat—type unknown _____ (18) Other belt used with child safety seat (specify): _____ (99) Unknown if belt used _____</p>	<p>22. Air Bag System Deployment <u>○</u></p> <p>(0) Not equipped/not available (1) Air bag deployed during accident (as a result of impact) (2) Air bag deployed inadvertently just prior to accident (3) Air bag deployed, accident sequence undetermined (4) Nondeployed (5) Unknown if deployed (6) Air bag deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical) (9) Unknown _____</p>
<p>19. Proper Use of Manual (Active) Belts <u>○</u></p> <p>(0) None used or not available (1) Belt used properly (2) Belt used properly with child safety seat</p> <p><i>Belt Used Improperly</i> (3) Shoulder belt worn under arm (4) Shoulder belt worn behind back or seat (5) Belt worn around more than one person (6) Lap belt worn on abdomen (7) Lap belt or lap and shoulder belt used improperly with child safety seat (specify): _____</p> <p>(8) Other improper use of manual belt system (specify): _____ (9) Unknown _____</p>	<p>23. Are There Indications of Air Bag System Failure? <u>○</u></p> <p>(0) Not equipped/not available (1) No (2) Yes (specify): _____ (9) Unknown _____</p> <p>Note: See Variables 44 through 48 (Page 5) for Information on Automatic Belts</p>
<p>20. Manual (Active) Belt Failure Modes During Accident <u>○</u></p> <p>(0) No manual belt used (1) No manual belt failure(s) (2) Torn webbing (stretched webbing not included) (3) Broken buckle or latchplate (4) Upper anchorage separated (5) Other anchorage separated (specify): _____</p> <p>(6) Broken retractor _____ (7) Combination of above (specify): _____ (8) Other manual belt failure (specify): _____ (9) Unknown _____</p>	<p>24. Police Reported Restraint Use <u>○</u></p> <p>(0) None used (1) Police did not indicate restraint use (2) Shoulder belt (3) Lap belt (4) Lap and shoulder belt (5) Belt used, type not specified (6) Child safety seat (7) Other or automatic restraint (specify): _____</p> <p>(8) Restrained, type unknown _____ (9) Police indicated "unknown" _____</p>

HEAD RESTRAINT AND SEAT EVALUATION

25. Head Restraint Type/Damage by Occupant
at This Occupant Position3

- (0) No head restraints
- (1) Integral—no damage
- (2) Integral—damaged during accident
- (3) Adjustable—no damage
- (4) Adjustable—damaged during accident
- (5) Add-on—no damage
- (6) Add-on—damaged during accident
- (8) Other (specify): _____
- (9) Unknown

26. Seat Type (this Occupant Position)

05

- (00) Occupant not seated or no seat
- (01) Bucket
- (02) Bucket with folding back
- (03) Bench
- (04) Bench with separate back cushions
- (05) Bench with folding back(s)
- (06) Split bench with separate back cushions
- (07) Split bench with folding back(s)
- (08) Pedestal (i.e., column supported)
- (09) Other seat type (specify): _____
- (10) Box mounted seat (i.e., van type)
- (99) Unknown

27. Seat Performance (this Occupant Position)

5

- (0) Occupant not seated or no seat
- (1) No seat performance failure(s)
- (2) Seat adjusters failed
- (3) Seat back folding locks or "seat back" failed (specify): _____
- (4) Seat track/anchors failed
- (5) Deformed by impact of occupant
- (6) Deformed by passenger compartment intrusion (specify): _____
- (7) Combination of above (specify): _____
- (8) Other (specify): _____
- (9) Unknown

CHILD SAFETY SEAT

28. Child Safety Seat Make/Model 000
 (000) No child safety seat
 Applicable codes are found in your NASS CDS
 Data Collection, Coding and Editing
 (950) Built-in child safety seat
 (997) Other make/model (specify):

 (998) Unknown make/model
 (999) Unknown if child safety seat used

29. Type of Child Safety Seat 0
 (0) No child safety seat
 (1) Infant seat
 (2) Toddler seat
 (3) Convertible seat
 (4) Booster seat
 (7) Other type child safety seat (specify):

 (8) Unknown child safety seat type
 (9) Unknown if child safety seat used

30. Child Safety Seat Orientation 00
 (00) No child safety seat

Designed for Rear Facing for This Age/Weight
 (01) Rear facing
 (02) Forward facing
 (08) Other orientation (specify):

 (09) Unknown orientation

Designed For Forward Facing for This Age/Weight
 (11) Rear facing
 (12) Forward facing
 (18) Other orientation (specify):

 (19) Unknown orientation

Unknown Design or Orientation For This Age/Weight, or Unknown Age/Weight
 (21) Rear facing
 (22) Forward facing
 (28) Other orientation (specify):

 (29) Unknown orientation

 (99) Unknown if child safety seat used

31. Child Safety Seat Harness Usage 00

32. Child Safety Seat Shield Usage 00

33. Child Safety Seat Tether Usage 00

Note: Options below applicable to
 Variables OA31-OA33.
 (00) No child safety seat

Not Designed With Harness/Shield/Tether
 (01) After market harness/shield/tether
 added, not used
 (02) After market harness/shield/tether used
 (03) Child safety seat used, but no after market
 harness/shield/tether added
 (09) Unknown if harness/shield/tether
 added or used

Designed With Harness/Shield/Tether
 (11) Harness/shield/tether not used
 (12) Harness/shield/tether used
 (19) Unknown if harness/shield/tether used

Unknown If Designed With Harness/Shield/Tether
 (21) Harness/shield/tether not used
 (22) Harness/shield/tether used
 (29) Unknown if harness/shield/tether used

(99) Unknown if child safety seat used

INJURY CONSEQUENCES

34. Injury Severity (Police Rating)

4

- (0) O - No injury
- (1) C - Possible injury
- (2) B - Nonincapacitating injury
- (3) A - Incapacitating injury
- (4) K - Killed
- (5) U - Injury, severity unknown
- (6) Died prior to accident
- (9) Unknown

35. Treatment - Mortality

1

- (0) No treatment
- (1) Fatal
- (2) Fatal - ruled disease (specify):

Nonfatal

- (3) Hospitalization
- (4) Transported and released
- (5) Treatment at scene - nontransported
- (6) Treatment later
- (8) Treatment - other (specify):

- (9) Unknown

36. Type Of Medical Facility (for Initial Treatment)

0

- (0) Not treated at a medical facility
- (1) Trauma center
- (2) Hospital
- (3) Medical clinic
- (4) Physician's office
- (5) Treatment later at medical facility
- (8) Other (specify):

- (9) Unknown

37. Hospital Stay

00

- (00) Not Hospitalized
- _____ Code the number of days (up through 60) that the occupant stayed in hospital.
- (61) 61 days or more
- (99) Unknown

38. Working Days Lost

62

- _____ Code the number of days (up through 60) that the occupant lost from work due to the accident
- (00) No working days lost
- (61) 61 days or more
- (62) Fatally injured
- (97) Not working prior to accident
- (99) Unknown

STOP - GO TO VARIABLE 44 ON PAGE 7**VARIABLES 39 THROUGH 43 ARE COMPLETED BY THE ZONE CENTER**

39. Time to Death

01 99

- _____ Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, ... n days = 30 + n up through 30 days = 60)
- (00) Not fatal
- (96) Fatal - ruled disease
- (99) Unknown

40. 1st Medically Reported Cause of Death

99

41. 2nd Medically Reported Cause of Death

00

42. 3rd Medically Reported Cause of Death

00

- _____ Code the Occupant Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this occupant's death
- (00) Not fatal or no additional causes
- (96) Mode of death given but specific injuries are not linked to cause of death. (specify):

(97) Other result (includes fatal ruled disease) (specify):

(99) Unknown

43. Number of Recorded Injuries for This Occupant

06
97

- _____ Code the actual number of injuries recorded for this occupant.
- (00) No recorded injuries
- (97) Injured, details unknown
- (99) Unknown if injured

AUTOMATIC BELT SYSTEM

44. Automatic (Passive) Belt System Availability/Function 0

- (0) Not equipped/not available
- (1) 2 point automatic belts
- (2) 3 point automatic belts
- (3) Automatic belts - type unknown

Non-functional

- (4) Automatic belts destroyed or rendered inoperative
- (9) Unknown

45. Automatic (Passive) Belt System Use 0

- (0) Not equipped/not available/destroyed or rendered inoperative
- (1) Automatic belt in use
- (2) Automatic belt not in use (manually disconnected, motorized track inoperative) (specify):

- (3) Automatic belt use unknown
- (9) Unknown

46. Automatic (Passive) Belt System Type 0

- (0) Not equipped/not available
- (1) Non-motorized system
- (2) Motorized system
- (9) Unknown

47. Proper Use of Automatic (Passive) Belt System 0

- (0) Not equipped/not available/not used
- (1) Automatic belt used properly
- (2) Automatic belt used properly with child safety seat

Automatic Belt Used Improperly

- (3) Automatic shoulder belt worn under arm
- (4) Automatic shoulder belt worn behind back
- (5) Automatic belt worn around more than one person
- (6) Lap portion of automatic belt worn on abdomen
- (7) Automatic lap and shoulder belt or automatic shoulder belt used improperly with child safety seat (specify):
- (8) Other improper use of automatic belt system (specify):
- (9) Unknown

48. Automatic (Passive) Belt Failure Modes During Accident 0

- (0) Not equipped/not available/not in use
- (1) No automatic belt failure(s)
- (2) Torn webbing (stretched webbing not included)
- (3) Broken buckle or latchplate
- (4) Upper anchorage separated
- (5) Other anchorage separated (specify):
- (6) Broken retractor
- (7) Combination of above (specify):
- (8) Other automatic belt failure (specify):
- (9) Unknown

49. Seat Orientation (this Occupant Position) 1

- (0) Occupant not seated or no seat
- (1) Forward facing seat
- (2) Rear facing seat
- (3) Side facing seat (inward)
- (4) Side facing seat (outward)
- (8) Other (specify):
- (9) Unknown

Check the Primary Source Used In Determining Belt Use.

- Not equipped/not available/destroyed or rendered inoperative
- Vehicle inspection
- Official injury data
- Driver/occupant interview
- Other (specify):

Unknown if belt used

ARE ALL APPLICABLE MEDICAL RECORDS INCLUDED WITH INITIAL SUBMISSION?

NO YES

UPDATE CANDIDATE?

NO YES

STOP - VARIABLES 50 THROUGH 53 ARE COMPLETED BY THE ZONE CENTER

BELT USE DETERMINATION

TRAUMA DATA

- 50. Glasgow Coma Scale (GCS) Score 97
 (at Medical Facility) 02
 (00) Not injured
 (01) Injured - not treated at medical facility
 (02) No GCS Score at medical facility
 (03-15) Code the actual value of the initial GCS Score recorded at medical facility.
 (97) Injured, details unknown
 (99) Unknown if injured

- 51. Was the Occupant Given Blood? 9
 (1) No - blood not given
 (2) Yes - blood given
 (specify units): oi
 (9) Unknown if blood given

- 52. Arterial Blood Gases (ABG) - HCO₃ 97
 (00) Not injured
 (01) Injured, ABGs not measured or reported
 (02-50) Code the actual value of the HCO₃
 (96) ABGs reported, HCO₃ unknown
 (97) Injured, details unknown
 (99) Unknown if injured

- 53. Primary Source of Belt Use Determination 1
 (0) Not equipped/not available/destroyed or rendered inoperative
 (1) Vehicle inspection
 (2) Official injury data
 (3) Driver/occupant interview
 (8) Other (specify): _____
 (9) Unknown if belt used



OCCUPANT INJURY FORM

1. Primary Sampling Unit Number <u>02</u>	3. Vehicle Number <u>02</u>
2. Case Number - Stratum <u>041A</u>	4. Occupant Number <u>01</u>

INJURY DATA


Record below the actual injuries sustained by this occupant that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than ten injuries have been documented, encode the balance on the Occupant Injury Supplement.

Source of Injury Data	A.I.S. - 90						Injury Source	Injury Confidence Level	Direct/ Indirect Injury	Occupant Area Intrusion Number	
	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect					
<i>① check laceration</i>											
1st	5. <u>3</u>	6. <u>2</u>	7. <u>9</u>	8. <u>06</u>	9. <u>00</u>	10. <u>1</u>	11. <u>2</u>	12. <u>01</u>	13. <u>2</u>	14. <u>1</u>	15. <u>02</u>
<i>check abrasion</i>											
2nd	16. <u>3</u>	17. <u>2</u>	18. <u>9</u>	19. <u>08</u>	20. <u>02</u>	21. <u>1</u>	22. <u>7</u>	23. <u>01</u>	24. <u>2</u>	25. <u>1</u>	26. <u>02</u>
<i>neck abrasion</i>											
3rd	27. <u>3</u>	28. <u>3</u>	29. <u>9</u>	30. <u>02</u>	31. <u>02</u>	32. <u>1</u>	33. <u>9</u>	34. <u>97</u>	35. <u>9</u>	36. <u>7</u>	37. <u>99</u>
<i>② lower extremities contusions</i>											
4th	38. <u>3</u>	39. <u>8</u>	40. <u>9</u>	41. <u>04</u>	42. <u>02</u>	43. <u>1</u>	44. <u>3</u>	45. <u>09</u>	46. <u>2</u>	47. <u>1</u>	48. <u>01</u>
<i>nose "deformed"</i>											
5th	49. <u>3</u>	50. <u>2</u>	51. <u>5</u>	52. <u>10</u>	53. <u>99</u>	54. <u>1</u>	55. <u>4</u>	56. <u>01</u>	57. <u>2</u>	58. <u>1</u>	59. <u>02</u>
<i>chest "crepitus"</i>											
6th	60. <u>3</u>	61. <u>4</u>	62. <u>5</u>	63. <u>02</u>	64. <u>99</u>	65. <u>1</u>	66. <u>3</u>	67. <u>06</u>	68. <u>2</u>	69. <u>1</u>	70. <u>07</u>
7th	71. ___	72. ___	73. ___	74. ___	75. ___	76. ___	77. ___	78. ___	79. ___	80. ___	81. ___
8th	82. ___	83. ___	84. ___	85. ___	86. ___	87. ___	88. ___	89. ___	90. ___	91. ___	92. ___
9th	93. ___	94. ___	95. ___	96. ___	97. ___	98. ___	99. ___	100. ___	101. ___	102. ___	103. ___
10th	104. ___	105. ___	106. ___	107. ___	108. ___	109. ___	110. ___	111. ___	112. ___	113. ___	114. ___

OFFICIAL INJURY DATA — SOFT TISSUE INJURIES


Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)

ER



DEFORMITY OF NOSE
ⓐ CHEEK LACERATION
AVULSION OF CHEEKSKIN 2" x 1"
FRICTION BURNS ON NECK

MULTIPLE ECCHYMOSES
BOTH LOWER EXTREMITIES



PROFUSE BLEEDING
FROM ⓐ EAR

SOURCE OF INJURY DATA

OFFICIAL

- (1) Autopsy records with or without hospital/medical records
- (2) Hospital/medical records other than emergency room (e.g., discharge summary)
- (3) Emergency room records only (including associated X-rays or other lab reports)
- (4) Private physician, walk-in or emergency clinic

UNOFFICIAL

- (5) Lay coroner report
- (6) E.M.S. personnel
- (7) Interviewee
- (8) Other source (specify): _____
- (9) Police

INJURY SOURCE

FRONT

- (01) Windshield
- (02) Mirror
- (03) Sunvisor
- (04) Steering wheel rim
- (05) Steering wheel hub/spoke
- (06) Steering wheel (combination of codes 04 and 05)
- (07) Steering column, transmission selector lever, other attachment
- (08) Add on equipment (e.g., CB, tape deck, air conditioner)
- (09) Left instrument panel and below
- (10) Center instrument panel and below
- (11) Right instrument panel and below
- (12) Glove compartment door
- (13) Knee bolster
- (14) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, mirror, or steering assembly (driver side only)
- (15) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, or mirror (passenger side only)
- (16) Driver side air bag compartment cover
- (17) Passenger side air bag compartment cover
- (18) Windshield reinforced by exterior object (specify): _____
- (19) Other front object (specify): _____

LEFT SIDE

- (20) Left side interior surface, excluding hardware or armrests
- (21) Left side hardware or armrest
- (22) Left A (A1/A2)-pillar
- (23) Left B-pillar
- (24) Other left pillar (specify): _____

- (25) Left side window glass or frame
- (26) Left side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail.
- (27) Other left side object (specify): _____

- (28) Left side window sill

RIGHT SIDE

- (30) Right side interior surface, excluding hardware or armrests
- (31) Right side hardware or armrest
- (32) Right A (A1/A2)-pillar
- (33) Right B-pillar
- (34) Other right pillar (specify): _____

- (35) Right side window glass or frame
- (36) Right side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail.
- (37) Other right side object (specify): _____

- (38) Right side window sill

INTERIOR

- (40) Seat, back support
- (41) Belt restraint webbing/buckle
- (42) Belt restraint B-pillar or door frame attachment point
- (43) Other restraint system component (specify): _____
- (44) Head restraint system
- (45) Air bag (use codes "16" and "17" for injuries sustained from air bag compartment covers)
- (46) Other occupants (specify): _____
- (47) Interior loose objects
- (48) Child safety seat (specify): _____
- (49) Other interior object (specify): _____

ROOF

- (50) Front header
- (51) Rear header
- (52) Roof left side rail
- (53) Roof right side rail
- (54) Roof or convertible top

FLOOR

- (56) Floor (including toe pan)
- (57) Floor or console mounted transmission lever, including console
- (58) Parking brake handle
- (59) Foot controls including parking brake

REAR

- (60) Backlight (rear window)

- (61) Backlight storage rack, door, etc.
- (62) Other rear object (specify): _____

EXTERIOR of OCCUPANT'S VEHICLE

- (65) Hood
- (66) Outside hardware (e.g., outside mirror, antenna)
- (67) Other exterior surface or tires (specify): _____
- (68) Unknown exterior objects

EXTERIOR OF OTHER MOTOR VEHICLE

- (70) Front bumper
- (71) Hood edge
- (72) Other front of vehicle (specify): _____

- (73) Hood
- (74) Hood ornament
- (75) Windshield, roof rail, A-pillar
- (76) Side surface
- (77) Side mirrors
- (78) Other side protrusions (specify): _____

- (79) Rear surface
- (80) Undercarriage
- (81) Tires and wheels
- (82) Other exterior of other motor vehicle (specify): _____
- (83) Unknown exterior of other motor vehicle

OTHER VEHICLE OR OBJECT IN THE ENVIRONMENT

- (84) Ground
- (85) Other vehicle or object (specify): _____
- (86) Unknown vehicle or object

NONCONTACT INJURY

- (90) Fire in vehicle
- (91) Flying glass
- (92) Other noncontact injury source (specify): _____
- (93) Air bag exhaust gases
- (97) Injured, unknown source

INJURY SOURCE CONFIDENCE LEVEL

- (1) Certain
- (2) Probable
- (3) Possible
- (9) Unknown

DIRECT/INDIRECT INJURY

- (1) Direct contact injury
- (2) Indirect contact injury
- (3) Noncontact injury
- (7) Injured, unknown source

OCCUPANT INJURY CLASSIFICATION

Body Region

- (1) Head
- (2) Face
- (3) Neck
- (4) Thorax
- (5) Abdomen
- (6) Spine
- (7) Upper Extremity
- (8) Lower Extremity
- (9) Unspecified

Type of Anatomic Structure

- (1) Whole Area
- (2) Vessels
- (3) Nerves
- (4) Organs (includes muscles/ligaments)
- (5) Skeletal (includes joints)
- (6) Head - LOC
- (9) Skin

Specific Anatomic Structure

- Whole Area
- (02) Skin - Abrasion
- (04) Skin - Contusion
- (08) Skin - Laceration
- (08) Skin - Avulsion
- (10) Amputation
- (20) Burn
- (30) Crush
- (40) Degloving
- (50) Injury - NFS
- (90) Trauma, other than mechanical

- Head - LOC
- (02) Length of LOC
- (04, 06, 08) Level of Consciousness
- (10) Concussion

Spine

- (02) Cervical
- (04) Thoracic
- (06) Lumbar

Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit numbers beginning with 02

Level of Injury

Specific injuries are assigned consecutive two-digit numbers beginning with 02.

To the extent possible, within the organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity.

Abbreviated Injury Scale

- (1) Minor injury
- (2) Moderate injury
- (3) Serious injury
- (4) Severe injury
- (5) Critical injury
- (6) Maximum (untreatable) injured, unknown severity
- (7) Injured, unknown severity

Aspect

- (1) Right
- (2) Left
- (3) Bilateral
- (4) Central
- (5) Anterior
- (6) Posterior
- (7) Superior
- (8) Inferior
- (9) Unknown
- (0) Whole region

OFFICIAL INJURY DATA — SKELETAL INJURIES

Restrained?

No *NR*
 Yes

Blood Alcohol Level (mg/dl)

BAL = *NR*

Glasgow Coma Scale Score

GCSS = *00A*

Units of Blood Given

Units = *0*


Arterial Blood Gases

pH = */*
 PO₂ = */*
 PCO₂ = */*
 HCO₃ = */*

00A


Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)

*PT. FOUND IN BACKSEAT
 WITH NECK BENT*





*MULTIPLE CREPITATION
 (R) + (L) CHEST*

*MULTIPLE
 DEFORMITY
 (R) (L) UPPER
 EXTREMITY*



OFFICIAL INJURY DATA – INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



UPDATE FORM

- 1. Primary Sampling Unit Number 02
- 2. Case Number - Stratum 061A
- 3. Vehicle Number 02
- 4. Occupant Number 01

Driver or Occupant Name: _____

Address: _____

Other Information: _____

RECEIVED [REDACTED] 1995

(Sanitize this section prior to Update submission.)

STATUS OF LOG INJURY INFORMATION

- | | INITIAL
SUBMISSION | UPDATED
INFORMATION |
|---|-----------------------|------------------------|
| OAL08. Date Official Medical Data Requested | [REDACTED] | <u>194</u> |
| OAL09. Date Official Medical Data Obtained | [REDACTED] | <u>95 ER</u> |
| OAL16. Injury Treatment Status | <u>02</u> | <u>02</u> |

OAL18. Medical Facility Code 02 _____

GV12. Alcohol Test Results For Driver 96 _____

GV39. Other Drug Specimen Test Type For Driver 0 _____

OAL17. Injury Information

Official

- a. Autopsy (invasive examination) B _____
- b. Post-ER medical record which includes information about death based on non-invasive examination B 08
- c. Admission record/summary or admission/discharge face sheet B _____
- d. Discharge summary B 08 _____
- e. Operative report B _____
- f. Radiographic record(s) (X-ray, CT scan) B _____
- g. History and physical examination and/or consultation records B _____
- h. Emergency room records (includes nurses' notes) B 08 11
- j. Private physician B _____

Unofficial

- k. Lay coroner B _____
- l. EMS record B _____
- m. Interviewee B _____
- n. Other source (specify): B _____ B _____
- o. Police report B 11 B _____

OCCUPANT RELATED

- 16. Driver Presence in Vehicle 1
 (0) Driver not present
 (1) Driver present
 (9) Unknown
- 17. Number of Occupants This Vehicle 01
 (00-96) Code actual number of occupants for this vehicle
 (97) 97 or more
 (99) Unknown
- 18. Number of Occupant Forms Submitted 00

- 24. Rollover 0
 (0) No rollover (no overturning)

Rollover (primarily about the longitudinal axis)
 (1) Rollover, 1 quarter turn only
 (2) Rollover, 2 quarter turns
 (3) Rollover, 3 quarter turns
 (4) Rollover, 4 or more quarter turns (specify):

 (5) Rollover--end-over-end (i.e., primarily about the lateral axis)
 (9) Rollover (overturn), details unknown

VEHICLE WEIGHT ITEMS

- 19. Vehicle Curb Weight 9,990
 _____ Code weight to nearest 10 kilograms.
 (045) Less than 450 kilograms
 (610) 6,100 kilograms or more
 (999) Unknown

 _____ lbs X .4536 = _____ kgs
 Source: _____
- 20. Vehicle Cargo Weight 9,990
 _____ Code weight to nearest 10 kilograms.
 (000) Less than 5 kilograms
 (450) 4,500 kilograms or more
 (999) Unknown

 _____ lbs X .4536 = _____ kgs

OVERRIDE/UNDERRIDE (THIS VEHICLE)

- 25. Front Override/Underride (this Vehicle) 0
- 26. Rear Override/Underride (this Vehicle) 0

 (0) No override/underride, or not an end-to-end impact

Override (see specific CDC)
 (1) 1st CDC
 (2) 2nd CDC
 (3) Other not automated CDC (specify):

Underride (see specific CDC)
 (4) 1st CDC
 (5) 2nd CDC
 (6) Other not automated CDC (specify):

 (7) Medium/heavy truck or bus override
 (9) Unknown

RECONSTRUCTION DATA

- 21. Towed Trailing Unit 0
 (0) No towed unit
 (1) Yes--towed trailing unit
 (9) Unknown
- 22. Documentation of Trajectory Data for This Vehicle 0
 (0) No
 (1) Yes
- 23. Post Collision Condition of Tree or Pole (For Highest Delta V) 0
 (0) Not collision (for highest delta V) with tree or pole
 (1) Not damaged
 (2) Cracked/sheared
 (3) Tilted < 45 degrees
 (4) Tilted ≥ 45 degrees
 (5) Uprooted tree
 (6) Separated pole from base
 (7) Pole replaced
 (8) Other (specify):

 (9) Unknown

HEADING ANGLE AT IMPACT FOR HIGHEST DELTA V

- Values: (000)-(359) Code actual value
 (997) Noncollision
 (998) Impact with object
 (999) Unknown
- 27. Heading Angle For This Vehicle 180
 - 28. Heading Angle For Other Vehicle 130

Category	Configuration	ACCIDENT TYPES (Includes Intent)							
I Single Driver	A Right Roadside Departure	01 DRIVE OFF ROAD	02 CONTROL/ TRACTION LOSS	03 AVOID COLLISION WITH VEH., PED., ANIM.	04 SPECIFICS OTHER	05 SPECIFICS UNKNOWN			
	B Left Roadside Departure	06 DRIVE OFF ROAD	07 CONTROL/ TRACTION LOSS	08 AVOID COLLISION WITH VEH., PED., ANIM.	09 SPECIFICS OTHER	10 SPECIFICS UNKNOWN			
	C Forward Impact	11 PARKED VEH.	12 STA. OBJECT	13 PEDESTRIAN/ ANIMAL	14 END DEPARTURE	15 SPECIFICS OTHER	16 SPECIFICS UNKNOWN		
II Same Trafficway Same Direction	D Rear-End	20 STOPPED 21, 22, 23	22 SLOWER 24, 25, 27	24 DECEL. 26, 28, 31	25 AVOID COLLISION WITH VEH.	26 AVOID COLLISION WITH OBJECT	(EACH - 32) SPECIFICS OTHER	(EACH - 33) SPECIFICS UNKNOWN	
	E Forward Impact	34 CONTROL/ TRACTION LOSS	35 CONTROL/ TRACTION LOSS	36 AVOID COLLISION WITH VEH.	37 AVOID COLLISION WITH OBJECT	38 AVOID COLLISION WITH VEH.	39 AVOID COLLISION WITH OBJECT	(EACH - 42) SPECIFICS OTHER	(EACH - 43) SPECIFICS UNKNOWN
	F Sideswipe Angle	44	45	46	47	(EACH - 48) SPECIFICS OTHER	(EACH - 49) SPECIFICS UNKNOWN		
III Same Trafficway Opposite Direction	G Head-On	50 LATERAL MOVE	51 LATERAL MOVE	(EACH - 52) SPECIFICS OTHER	(EACH - 53) SPECIFICS UNKNOWN				
	H Forward Impact	54 CONTROL/ TRACTION LOSS	55 CONTROL/ TRACTION LOSS	56 AVOID COLLISION WITH VEH.	57 AVOID COLLISION WITH OBJECT	58 AVOID COLLISION WITH VEH.	59 AVOID COLLISION WITH OBJECT	(EACH - 62) SPECIFICS OTHER	(EACH - 63) SPECIFICS UNKNOWN
	I Sideswipe Angle	64 LATERAL MOVE	65 LATERAL MOVE	(EACH - 66) SPECIFICS OTHER	(EACH - 67) SPECIFICS UNKNOWN				
IV Change Trafficway Vehicle Turning	J Turn Across Path	68 INITIAL OPPOSITE DIRECTIONS	69 INITIAL SAME DIRECTIONS	70	71	72	73	(EACH - 74) SPECIFICS OTHER	(EACH - 75) SPECIFICS UNKNOWN
	K Turn Into Path	77 TURN INTO SAME DIRECTION	78 TURN INTO SAME DIRECTION	79 TURN INTO OPPOSITE DIRECTIONS	80 TURN INTO OPPOSITE DIRECTIONS	81 TURN INTO OPPOSITE DIRECTIONS	82 TURN INTO OPPOSITE DIRECTIONS	(EACH - 84) SPECIFICS OTHER	(EACH - 85) SPECIFICS UNKNOWN
V Intersecting Paths (Vehicle Damage)	L Straight Paths	87	88	(EACH - 89) SPECIFICS OTHER	(EACH - 90) SPECIFICS UNKNOWN				
VI Miscellaneous	M Backing Etc.	82 BACKING VEH.	83 OTHER VEH. OR OBJECT	98 Other Accident Type	99 Unknown Accident Type	00 No Impact			

OTHER DATA

56. Driver's Zip Code

- (00000) Driver not present
- (00001) Driver not a resident of U.S. or territories
Code actual 5-digit zip code
- (99999) Unknown

57. Driver's Race/Ethnic Origin

- (0) Driver not present
- (1) White (non-Hispanic)
- (2) Black (non-Hispanic)
- (3) White (Hispanic)
- (4) Black (Hispanic)
- (5) American Indian, Eskimo or Aleut
- (6) Asian or Pacific Islander
- (8) Other (specify): _____
- (9) Unknown

58. Vehicle Special Use (This Trip)

- (0) No special use
- (1) Taxi
- (2) Vehicle used as school bus
- (3) Vehicle used as other bus
- (4) Military
- (5) Police
- (6) Ambulance
- (7) Fire truck or car
- (8) Other (specify): _____
- (9) Unknown

ROLLOVER DATA

If GV07 (Body Type) ≠ 1-49, leave GV59-GV63 blank.
If GV24 (Rollover) = 0, then GV59-GV63 must equal 0.
If GV24 = 9, then GV59-GV63 must equal 9.

59. Rollover Initiation Type

- (0) No rollover
- (1) Trip-over
- (2) Flip-over
- (3) Turn-over
- (4) Climb-over
- (5) Fall-over
- (6) Bounce-over
- (7) Collision with another vehicle
- (8) Other rollover initiation type specify): _____
- (9) Unknown rollover initiation type

60. Location of Rollover Initiation

- (0) No rollover
- (1) On roadway
- (2) On shoulder—paved
- (3) On shoulder—unpaved
- (4) On roadside or divided trafficway median
- (9) Unknown

61. Rollover Initiation Object Contacted

00

62. Location on Vehicle Where Initial Principal Tripping Force Is Applied

0

- (0) No rollover
- (1) Wheels/tires
- (2) Side plane
- (3) End plane
- (4) Undercarriage
- (5) Other location on vehicle (specify): _____
- (8) Non-contact rollover forces (specify): _____
- (9) Unknown

63. Direction of Initial Roll

0

- (0) No rollover
- (1) Roll right - primarily about the longitudinal axis
- (2) Roll left - primarily about the longitudinal axis
- (5) End-over-end (i.e., primarily about the lateral axis)
- (9) Unknown roll direction

PRECRASH DATA

64. Pre-Event Movement (Prior to Recognition of Critical Event)

01

- (01) Going straight
- (02) Slowing or stopping in traffic lane
- (03) Starting in traffic lane
- (04) Stopped in traffic lane
- (05) Passing or overtaking another vehicle
- (06) Disabled or parked in travel lane
- (07) Leaving a parking position
- (08) Entering a parking position
- (09) Turning right
- (10) Turning left
- (11) Making a U-turn
- (12) Backing up (other than for parking position)
- (13) Negotiating a curve
- (14) Changing lanes
- (15) Merging
- (16) Successful avoidance maneuver to a previous critical event
- (97) Other (specify): _____
- (98) No driver present
- (99) Unknown

CODES FOR ROLLOVER INITIATION OBJECT CONTACTED

- (00) No rollover
- (01-30) — Vehicle Number

Noncollision

- (31) Turn-over — fall-over
- (33) Jackknife

Collision With Fixed Object

- (41) Tree (≤ 10 cm in diameter)
- (42) Tree (> 10 cm in diameter)
- (43) Shrubbery or bush
- (44) Embankment

- (45) Breakaway pole or post (any diameter)

Nonbreakaway Pole or Post

- (50) Pole or post (≤ 10 cm in diameter)
- (51) Pole or post (> 10 cm but ≤ 30 cm in diameter)
- (52) Pole or post (> 30 cm in diameter)
- (53) Pole or post (diameter unknown)

- (54) Concrete traffic barrier
- (55) Impact attenuator
- (56) Other traffic barrier (includes guardrail)
(specify): _____

- (57) Fence
- (58) Wall
- (59) Building
- (60) Ditch or culvert
- (61) Ground
- (62) Fire hydrant
- (63) Curb
- (64) Bridge
- (68) Other fixed object (specify):

-
- (69) Unknown fixed object

Collision with Nonfixed Object

- (71) Motor vehicle not in-transport
- (76) Animal
- (77) Train
- (78) Trailer, disconnected in transport
- (79) Object fell from vehicle in-transport
- (88) Other nonfixed object (specify):

-
- (89) Unknown nonfixed object

- (98) Other event (specify):

-
- (99) Unknown event or object

PSU NUMBER
CASE NUMBER
VEHICLE NUMBER

02

061A

03

EXTERIOR VEHICLE FORM

THE FOLLOWING DATA IS NOT INCLUDED IN THIS CASE:

ENTIRE FORM

PAGE NUMBER (S) _____

PSU NUMBER

02

CASE NUMBER

061A

VEHICLE NUMBER

03

INTERIOR VEHICLE FORM

THE FOLLOWING DATA IS NOT INCLUDED IN THIS CASE:

ENTIRE FORM

PAGE NUMBER (S) _____

PSU NUMBER	<u>02</u>
CASE NUMBER	<u>061A</u>
VEHICLE NUMBER	<u>03</u>
OCCUPANT NUMBER	<u>01</u>

OCCUPANT ASSESSMENT FORM

THE FOLLOWING DATA IS NOT INCLUDED IN THIS CASE:

ENTIRE FORM

PAGE NUMBER (S) _____

PSU NUMBER	<u>02</u>
CASE NUMBER	<u>061A</u>
VEHICLE NUMBER	<u>03</u>
OCCUPANT NUMBER	<u>01</u>

OCCUPANT INJURY FORM

THE FOLLOWING DATA IS NOT INCLUDED IN THIS CASE:

- ENTIRE FORM
- PAGE NUMBER (S) _____



CRASHPC PROGRAM SUMMARY

(All Measurements in Metric)

Identifying Title

02 Primary Sampling Unit
 061A Case No.-Stratum
 01 Accident Event Sequence No.
 [REDACTED] 94 Date (Month, day, year) of Run

CRASHPC Vehicle Identification

Vehicle 1	<u>1992</u>	<u>Subaru</u>	<u>LEGACY WAGON</u>	<u>1</u>
Vehicle 2	<u>1979</u>	<u>CHEVROLET</u>	<u>MONTE CARLO</u>	<u>2</u>
	Year	Make	Model	NASS Veh. No.

GENERAL INFORMATION

	VEHICLE 1	VEHICLE 2
Size	<u>2</u>	<u>3</u>
Weight	$\frac{1379}{\text{Curb}} + \frac{65}{\text{Occupant(s)}} + \frac{60}{\text{Cargo}} = \frac{1504}{\text{kg}}$	$\frac{1474}{\text{Curb}} + \frac{80}{\text{Occupant(s)}} + \frac{7}{\text{Cargo}} = \frac{1561}{\text{kg}}$
CDC	<u>12 F Y E W 5</u>	<u>11 F Y E W 4</u>
PDOF (-180 to +180)	$\pm \frac{360}{\text{°}}$	$\pm \frac{330}{\text{°}}$
Stiffness	<u>2</u>	<u>3</u>

SCENE INFORMATION

Rest and Impact Positions No, Go To Damage Information Yes

	VEHICLE 1	VEHICLE 2
Rest Position	X _____ m Y _____ m PSI _____ °	X _____ m Y _____ m PSI _____ °
Impact Position	X _____ m Y _____ m PSI _____ °	X _____ m Y _____ m PSI _____ °
Slip Angle (-180 to +180)	_____ °	_____ °

VEHICLE MOTION

Sustained Contact No Yes

	VEHICLE 1	VEHICLE 2
Vehicle Rotation	<input type="checkbox"/> No <input type="checkbox"/> Yes	<input type="checkbox"/> No <input type="checkbox"/> Yes
Rotation Stop Before Rest	<input type="checkbox"/> No <input type="checkbox"/> Yes	<input type="checkbox"/> No <input type="checkbox"/> Yes
End of Rotation Position	X _____ m Y _____ m PSI _____ °	X _____ m Y _____ m PSI _____ °
Curved Path	<input type="checkbox"/> No <input type="checkbox"/> Yes	<input type="checkbox"/> No <input type="checkbox"/> Yes
Point on Path	X _____ m Y _____ m	X _____ m Y _____ m
Rotation Direction	<input type="checkbox"/> None <input type="checkbox"/> CW <input type="checkbox"/> CCW	<input type="checkbox"/> None <input type="checkbox"/> CW <input type="checkbox"/> CCW
Rotation >360°	<input type="checkbox"/> No <input type="checkbox"/> Yes	<input type="checkbox"/> No <input type="checkbox"/> Yes

FRICITION INFORMATION

Coefficient of Friction . _____

Rolling Resistance Option _____

Vehicle 1 Rolling Resistance

LF _____ RF _____

LR _____ RR _____

Vehicle 2 Rolling Resistance

LF _____ RF _____

LR _____ RR _____

TRAJECTORY INFORMATION

Trajectory Data [] No [] Yes

If No, Go To Damage Information

Vehicle 1 Steer Angles

LF _____ ° RF _____ °

LR _____ ° RR _____ °

Vehicle 2 Steer Angles

LF _____ ° RF _____ °

LR _____ ° RR _____ °

Terrain Boundary [] No [] Yes

First Point

X _____ m Y _____ m

Second Point

X _____ m Y _____ m

Secondary Coefficient of Friction _____

DAMAGE INFORMATION

VEHICLE 1

Damage Length L 146 cm

Crush Depths C₁ 109.6 cm

C₂ 76 cm

C₃ 58.4 cm

C₄ 39 cm

C₆ 22.2 cm

C₆ 11.3 cm

Damage Offset D \oplus 40 cm

VEHICLE 2

Damage Length L 168 cm

Crush Depths C₁ 106.4 cm

C₂ 91 cm

C₃ 81.7 cm

C₄ 49.1 cm

C₆ 26.3 cm

C₆ 9.4 cm

Damage Offset D \oplus 44.5 cm

IF THIS COMMON IMPACT WAS WITH A MOTOR VEHICLE *NOT IN TRANSPORT*, FILL IN THE INFORMATION BELOW.

Model Year: _____

Make: _____

Model: _____

VIN: _____

The Weight, CDC, Scene Data and Damage Information for this vehicle should be recorded above.

Complete and ATTACH the appropriate vehicle damage sketch and dimensions to the Form.

SUMMARY OF CRASHPC RESULTS USING DAMAGE

P02 CASE 061A BUCHNER

SPEED CHANGE
(DAMAGE)

VEHICLE #1

TOTAL 56 KPH (35 MPH)
LONGITUDINAL -56 KPH (-35 MPH)
LATITUDINAL 0 KPH (0 MPH)
PDOF ANGLE 0 DEGREES
ENERGY DISSIPATED = 112530 JOULES (82987 FT-LB)

VEHICLE #2

TOTAL 54 KPH (33 MPH)
LONGITUDINAL -46 KPH (-29 MPH)
LATITUDINAL 27 KPH (17 MPH)
PDOF ANGLE -30 DEGREES
ENERGY DISSIPATED = 287218 JOULES (211813 FT-LB)

DAMAGE DATA

VEHICLE #1

VEHICLE #2

SIZE CATEGORY	2	3
STIFFNESS CATEGORY	2	3
VEHICLE WEIGHT	1504 KGS (3316 LBS)	1561 KGS (3441 LBS)
CDC	12FYEW5	11FYEW4
PDOF ANGLE	0 DEGREES	-30 DEGREES
CRUSH LENGTH	146 CM. (57 IN.)	168 CM. (66 IN.)
C1	110 CM. (43 IN.)	106 CM. (42 IN.)
C2	76 CM. (30 IN.)	91 CM. (36 IN.)
C3	58 CM. (23 IN.)	82 CM. (32 IN.)
C4	39 CM. (15 IN.)	49 CM. (19 IN.)
C5	22 CM. (9 IN.)	26 CM. (10 IN.)
C6	11 CM. (4 IN.)	9 CM. (4 IN.)
D	-40 CM. (-16 IN.)	-45 CM. (-18 IN.)
D'	-62 CM. (-25 IN.)	-68 CM. (-27 IN.)


(* INDICATES DEFAULT VALUE)

DIMENSIONS AND INERTIAL PROPERTIES

	VEHICLE #1	VEHICLE #2
CG TO FRONT AXLE	118 CM. (46 IN.)	130 CM. (51 IN.)
CG TO REAR AXLE	127 CM. (50 IN.)	141 CM. (56 IN.)
TRACK	139 CM. (55 IN.)	150 CM. (59 IN.)
CG TO FRONT OF VEH	212 CM. (83 IN.)	228 CM. (90 IN.)
CG TO REAR OF VEH	-233 CM. (-92 IN.)	-270 CM. (-106 IN.)
CG TO SIDE OF VEH	85 CM. (34 IN.)	92 CM. (36 IN.)
MOMENT OF INERTIA	11540 KGS (25441 LBS)	13491 KGS (29743 LBS)
VEHICLE MASS	4 KGS (9 LBS)	4 KGS (9 LBS)

Printing Picture:

CRASH



DAMAGE DESCRIPTION

GENERAL VEHICLE Vehicle: 1

11

INTRA ERRORS

BEST AVAILABLE

then BASIS FOR DELTA V GV29 should

OGG0421 2 If ROLLOVER GV24 equals 1-9,
GG0422 equal 4 or 5.

0

INTERIOR VEHICLE Vehicle: 1

11

INTRA ERRORS

A POSSIBLE HOLED WINDSHIELD. *****
IF CORRECT, NOTIFY YOUR ZONE *****
uals 3 or 5 or CONTACT COMPONENT IV23

OCC0541 2 ***** THIS CASE SHOWS
CC0542 ***** CHECK YOUR DATA AND
CC0543 GLAZING WINDSHIELD IV15 eq
CC0544 equals 3 or 5.

0

INTERIOR VEHICLE Vehicle: 2

11

INTRA ERRORS

DOOR OR HATCH OR GATE OPENING *****
IF CORRECT, NOTIFY YOUR ZONE *****
s 2 or IV06 equals 2 or IV07 equals 2
quals 2.

OCC0531 2 ***** THIS CASE SHOWS A D
CC0532 ***** CHECK YOUR DATA AND
CC0533 DOOR LEFT FRONT IV05 equal
CC0534 or IV08 equals 2 or IV09 e

CC0541 2 ***** THIS CASE SHOWS A POSSIBLE HOLED WINDSHIELD. *****
CC0542 ***** CHECK YOUR DATA AND IF CORRECT, NOTIFY YOUR ZONE *****
CC0543 GLAZING WINDSHIELD IV15 equals 3 or 5 or CONTACT COMPONENT IV23
CC0544 equals 3 or 5.

PSU02
CASE 061A
CURRENT VERSION: 7.00

ERROR SUMMARY SCREEN

/94

FORM NAME	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Accident	0	0	0	Y
General Vehicle	0	0	1	Y
Vehicle Exterior	0	0	0	Y
Vehicle Interior	0	0	3	Y
Occupant Assessment	0	0	0	Y
Occupant Interior	0	0	0	Y
Total Inter Errors		0	0	
Total Case Errors	0	0	4	

GENERAL VEHICLE Vehicle: 1

INTRA ERRORS

GG0421 2 If ROLLOVER GV24 equals 1-9, then BASIS FOR DELTA V GV29 should
GG0422 equal 4 or 5.

INTERIOR VEHICLE Vehicle: 1

INTRA ERRORS

CC0541 2 ***** THIS CASE SHOWS A POSSIBLE HOLED WINDSHIELD. *****
CC0542 ***** CHECK YOUR DATA AND IF CORRECT, NOTIFY YOUR ZONE *****
CC0543 GLAZING WINDSHIELD IV15 equals 3 or 5 or CONTACT COMPONENT IV23
CC0544 equals 3 or 5.

INTERIOR VEHICLE Vehicle: 2

INTRA ERRORS

CC0531 2 ***** THIS CASE SHOWS A DOOR OR HATCH OR GATE OPENING *****
CC0532 ***** CHECK YOUR DATA AND IF CORRECT, NOTIFY YOUR ZONE *****
CC0533 DOOR LEFT FRONT IV05 equals 2 or IV06 equals 2 or IV07 equals 2
CC0534 or IV08 equals 2 or IV09 equals 2.

CC0541 2 ***** THIS CASE SHOWS A POSSIBLE HOLED WINDSHIELD. *****
CC0542 ***** CHECK YOUR DATA AND IF CORRECT, NOTIFY YOUR ZONE *****
CC0543 GLAZING WINDSHIELD IV15 equals 3 or 5 or CONTACT COMPONENT IV23
CC0544 equals 3 or 5.

INTER ERRORS

GT0011 2 If TOTAL DELTA V GV30 is greater than or equal to 050, and less
GT0012 than 999, then at least one A.I.S. SEVERITY QI10(n) should be
GT0013 greater than or equal to 2. GV=02

PSU02
CASE 061A
CURRENT VERSION: 7.04

ERROR SUMMARY SCREEN

BEST AVAILABLE

██████/95

FORM NAME	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Accident	0	0	0	N
General Vehicle	0	0	1	N
Vehicle Exterior	0	0	0	N
Vehicle Interior	0	0	3	N
Occupant Assesment	0	0	0	N
Occupant Interior	0	0	0	N
Total Inter Errors		0	1	

GENERAL VEHICLE Vehicle: 1

11

INTRA ERRORS

then BASIS FOR DELTA V GV29 should OGG0421 2 If ROLLOVER GV24 equals 1-9,
GG0422 equal 4 or 5.

0

INTERIOR VEHICLE Vehicle: 1

11

INTRA ERRORS

A POSSIBLE HOLED WINDSHIELD. ***** OCC0541 2 ***** THIS CASE SHOWS
IF CORRECT, NOTIFY YOUR ZONE ***** CC0542 ***** CHECK YOUR DATA AND
uals 3 or 5 or CONTACT COMPONENT IV23 CC0543 GLAZING WINDSHIELD IV15 eq
CC0544 equals 3 or 5.

0

INTERIOR VEHICLE Vehicle: 2

11

INTRA ERRORS

DOOR OR HATCH OR GATE OPENING ***** OCC0531 2 ***** THIS CASE SHOWS A D
IF CORRECT, NOTIFY YOUR ZONE ***** CC0532 ***** CHECK YOUR DATA AND
s 2 or IV06 equals 2 or IV07 equals 2 CC0533 DOOR LEFT FRONT IV05 equal
CC0534 or IV08 equals 2 or IV09 e
quals 2.

CC0541 2 ***** THIS CASE SHOWS A POSSIBLE HOLED WINDSHIELD. *****
CC0542 ***** CHECK YOUR DATA AND IF CORRECT, NOTIFY YOUR ZONE *****
CC0543 GLAZING WINDSHIELD IV15 equals 3 or 5 or CONTACT COMPONENT IV23
CC0544 equals 3 or 5.

01

INTER ERRORS

and less OGT0011 2 If TOTAL DELTA V GV30 is greater than or equal to 050,
ould be GT0012 than 999, then at least one A.I.S. SEVERITY OI10(n) sh
GT0013 greater than or equal to 2. GV=02

PSU02
CASE 061A
CURRENT VERSION: 7.03

ERROR SUMMARY SCREEN

07/95

FORM NAME	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Accident	0	0	0	Y
General Vehicle	0	0	1	Y
Vehicle Exterior	0	0	0	Y
Vehicle Interior	0	0	3	Y
Occupant Assesment	0	0	0	Y
Occupant Interior	0	0	0	Y
Total Inter Errors		0	1	
Total Case Errors	0	0	5	



PSU 02-061A (1994) #1



PSU 02-061A (1994) #2



PSU 02-061A (1994) #3



PSU 02-061A (1994) #4



PSU 02-081A (1994) #5



PSU 02-061A (1994) #8



PSU 02-061A (1994) #7



PSU 02-061A (1994) #8



PSU 02-061A (1994) #9



PSU 02-061A (1994) #10



PSU02-061A(1994)#11



PSU 02-061A (1994) #12



PSU 02-061A (1994) #13



PSU 02-061A (1994) #14



PSU 02-081A (1994) #15



PSU 02-061A (1994) #16



PSU 02-061A (1994) #17



PSU 02-051A (1994) #18



PSU 02-061A (1994) #19



PSU 02-061A (1994) #20



PSU 02-061A (1994) #21



PSU 02-061A (1994) #22



PSU 02-061A (1994) #23



PSU 02-061A (1994) #24



PSU 02-061A (1994) #25



PSU 02-061A (1994) #26



PSU 02-061A (1984) #27



PSU 02-081A (1994) #28



PSU 02-061A (1994) #29



PSU 02-061A (1994) #30



PSU 02-061A (1994) #31


Best Available




PSU 02-061A (1994) #32
Best Available




PSU 02-061A (1994) # 33
Best Available



PSU 02-061A (1994) # 34



PSU 02-061A (1994) # 35
Best Available



PSU 02-061A (1994) # 36



PSU 02-061A (1994) #37



PSU 02-061A (1994) # 38
Best Available



PSU 02-061A (1994) #39



PSU 02-061A (1994) # 40



PSU 02-061A (1994) #41



PSU 02-061A (1994) # 42

Best Available



PSU 02-061A (1994) # 43



PSU 02-061A (1994) # 44



PSU 02-061A (1994) # 45



PSU 02-061A (1994) # 46



PSU 02-061A (1994) # 47



PSU 02-061A (1994) # 48



PSU 02-061A (1994) # 49



PSU 02-061A (1994) # 50



PSU 02-061A (1994) # 51



PSU 02-061A (1994) # 52



PSU 02-061A (1994) # 53



PSU 02-061A (1994) #54



PSU 02-061A (1994) # 55




PSU 02-061A (1994) # 56



PSU 02-061A (1994) # 57



PSU 02-061A (1994) # 58



PSU 02-061A (1994) # 59



PSU 02-061A (1994) # 60



PSU 02-061A (1994) # 61



PSU 02-061A (1994) # 62




PSU 02-061A (1994) # 63




PSU 02-061A (1994) # 64




PSU 02-061A (1994) # 65



PSU 02-061A (1994) # 68




PSU 02-061A (1994) #67



PSU 02-061A (1994) # 68




PSU 02-061A (1994) # 69



PSU 02-061A (1994) # 70




PSU 02-061A(1994) # 71



PSU 02-061A (1994) # 72



PSU 02-061A (1994) # 73



PSU 02-081A (1994) # 74



PSU 02-061A (1994) # 75

Best Available



PSU 02-061A (1994) # 76

Best Available



PSU 02-061A (1994) # 77



PSU 02-061A (1994) # 78




PSU 02-061A (1994) # 79



PSU 02-061A(1994)#80



PSU 02-061A (1994) # 81
Best Available



PSU 02-061A (1994) # 82

Best Available



PSU 02-061A (1994) # 83

Best Available



PSU 02-061A (1994) # 84
Best Available



PSU 02-061A (1994) # 85



PSU 02-061A (1994) # 86



PSU 02-061A (1994) # 87



PSU 02-081A (1994) # 88



PSU 02-061A (1994) # 89



PSU 02-061A (1994) # 90



PSU 02-061A (1994) # 91



PSU 02-061A (1994) # 92



PSU 02-061A (1994) # 93



PSU 02-061A (1994) #94



PSU 02-061A (1994) # 95



PSU 02-061A (1994) #96



PSU 02-061A (1994) #97



PSU 02-081A (1994) # 98



PSU 02-061A (1994) # 99



PSU 02-061A(1994) # 100



PSU 02-061A (1994) # 101



PSU 02-061A (1994) # 102

Best Available



PSU 02-061A (1994) # 103

Best Available



PSU 02-061A (1994) # 105

Best Available



PSU02-061A(1994)#105



PSU 02-061A (1994) # 106

Best Available



PSU 02-061A (1994) # 107



PSU 02-061A (1994) # 108



PSU 02-061A (1994) # 109



PSU 02-061A (1994) # 110
Best Available



PSU 02-061A (1994) # 111
Best Available



PSU02-061A (1994) # 112
Best Available



PSU 02-061A (1994) # 113



PSU 02-061A (1994) # 114

Best Available



PSU 02-061A (1994) # 115

Best Available



PSU 02-061A (1994) # 116

Best Available



PSU 02-081A (1994) # 117
Best Available



PSU 02-061A (1994) # 118
Best Available



PSU 02-061A (1994) # 119
Best Available



PSU 02-061A (1994) # 120
Best Available



PSU 02-061A (1994) # 121
Best Available