



400 Seventh Street, S.W.
Washington, D.C. 20590

U.S. Department
of Transportation

**National Highway
Traffic Safety
Administration**

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** **



AUTO SAFETY HOTLINE
(800) 424-9393
Wash. D.C. Area 366-0123



CASE SUMMARY

PSU 45 CASE NO. 100A TYPE OF ACCIDENT LT TRK (x3) - LT UTILITY / HEAD-ON

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Injury mechanism and vehicle crashworthiness is the focus, not driver culpability. Do not include any personal identifiers.)

SEE ATTACHED...

B. VEHICLE PROFILE(S)

Vehicle No.	Class of Vehicle	Year/Make/Model	Most Severe Damage Based on Vehicle Inspection		Component Failure
			Damage Plane	Severity Description	

DO NOT SANITIZE THIS FORM

C. PERSON PROFILE(S)

Vehicle No.	Person Role	Seat Position	Restraint Use	Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)			
				Body Region	Injury Type	AIS	Injury Source

Body Region

Abdomen
 Ankle—foot
 Arm (upper)
 Back-thoracolumbar spine
 Brain
 Chest
 Ears
 Eye
 Elbow
 Face
 Forearm
 Head—skull
 Heart
 Kidneys
 Knee
 Leg (lower)
 Liver
 Lower limbs(s) (whole or unknown part)
 Mouth
 Neck—cervical spine
 Nose

Pelvic—hip
 Pulmonary—lungs
 Shoulder
 Spleen
 Thigh
 Thyroid, other endocrine gland
 Upper limb(s) (whole or unknown part)
 Vertebrae
 Whole body
 Wrist—hand

Injury Type

Abrasion
 Amputation
 Avulsion
 Burn
 Concussion
 Contusion
 Crush
 Detachment, separation
 Dislocation

Fracture
 Fracture and dislocation
 Laceration
 Other
 Perforation, puncture
 Rupture
 Sprain
 Strain
 Total severance, transection
 Unknown

Abbreviated Injury Scale

- (1) Minor injury
- (2) Moderate injury
- (3) Serious injury
- (4) Severe injury
- (5) Critical injury
- (6) Maximum (untreatable)
- (7) Injured, unknown severity

DO NOT SANITIZE THIS FORM

CASE 100A

TYPE OF ACCIDENT: LT TRK(X3)-LTUTLTY/HEAD ON

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

Vehicles one and two were southbound on a four lane urban trafficway, in dry daylight condition. Vehicles three and four were northbound on same. V1 slowed to turn left, and V2 front struck V1 back, knocking V1 into the inside northbound lane. V1 front struck V3 front. V4 front struck V3 back, and V4 continued forward and V4 front struck V1 front. V1 came to rest facing east, near the point of impact. V2 continued forward, and came to rest facing south, several meters south of the point of 1st impact. V3 came to rest facing NE, at the point impact. V4 came to rest facing ne, at the point of its 2nd impact.

01

CASE 100A

TYPE OF ACCIDENT: LT TRK(X3)-LTUTLTY/HEAD ON

B. VEHICLE PROFILE(S)

V e h. No	Class of Vehicle	Year/Make/ Model	Damage Plane	Severity Descr.	Component Failure
01	lt trk	1988 Ford F 250	Front	Severe	None
02	Cmp Trk	1988 Ford Ranger	Front	Unknown	Unknown
13	Lt Trk	1994 Ford F 150	Front	Severe	None
04	Lt. Utlty	1991 Ford Explr	Front	Unknown	Unknown

01


C. PERSON PROFILE(S)

Vehicle No	Person Role	Seat Position	Restraint Use	Body Region	Injury Type	AIS	Injury Source
01	Driver	Fr. Lft.	None	leg	fracture	3	① instrument panel
01	Pass	Fr. Rht.	None	back	fracture	2	② front seat back
02	Driver	Fr. Lft.	None	arm	contusion	1	④ interior surface (door)
02	Pass.	Fr. Rht.	None	face	contusion	1	windshield
03	Driver	Fr. Lft.	Lap & Sho w/Air Bag	leg	fracture	3	① instrument panel
04	Driver	Fr. Lft.	Unknown	neck	contusion	1	seatbelt restraint
04	Pass.	Fr. Rht.	Unknown	mouth	laceration	1	unknown
04	Pass.	2nd Rht.	Unknown	face	abrasion	1	unknown

INDEX/FORMS REV.

ID # 2

1 1995

PSU:45
 CASE: 100A
 SCALE: 1/250
 POSTED: 50 MPH (all way)





U.S. Department of Transportation
National Highway Traffic Safety
Administration

ACCIDENT COLLISION DIAGRAM

NATIONAL ACCIDENT SAMPLING SYSTEM
CRASHWORTHINESS DATA SYSTEM


PSU No. 45

Case Number - Stratum 100A

Indicate
North



no evidence





ACCIDENT COLLISION MEASUREMENT TABLE

Primary Sampling Unit Number 45 Case Number - Stratum 100A

ACCIDENT COLLISION DIAGRAM

Document the physical plant:

- * all road/roadway delineation (e.g., curbs/edge lines, lane markings, median markings, pavement markings, parked vehicles, poles, signs, etc.)
- * all traffic controls (e.g., speed limit)
- * north arrow placed on diagram
- * roadway surface type and condition of applicable roadways
- * grade measurements for all applicable roadways and at location of rollover initiation
- * roadway curvature

Document vehicle dynamics including:

- * reference point and reference line relative to physical features present at the scene
- * scaled documentation of all accident induced physical evidence
- * scaled documentation of all roadside objects contacted
- * scaled representations of the vehicle(s) at pre-impact, impact, and final rest based upon either:
 - a) physical evidence, or
 - b) reconstructed accident dynamics

CRASH DATA

	VEH. #1	VEH. #2	VEH. #3	
Heading Angle	<u>180</u>	<u>140</u>	<u>360</u>	<u>64</u> <u>360</u>
Surface Type	<u>ASPHALT</u>			—
Surface Condition	<u>DRY</u> <u>TRAVEL</u>			—
Coefficient of Friction	<u>.75</u>	<u>.60</u>	<u>.60</u>	<u>.60</u>
Grade (v/h) Measurement (between impact and final rest)	<u>LEVEL</u>			—
Grade (v/h) Measurement (at location of rollover initiation)	<u>N/A</u>			—
Pre-crash	<u>LEVEL</u>			—

Reference Point: utility pole #
[redacted]

Reference line: W Fog Line
of Primary Roadway

Item	Distance and Direction from Reference Point	Distance and Direction from Reference Line
<u>RP</u>	<u>N/A</u>	<u>2.7</u>
<u>[redacted] Rd N Cooper</u>	<u>6.0 S</u>	<u>N/A</u>
<u>[redacted] N Cooper</u>	<u>9.6 S</u>	<u>[redacted] rd,</u>
<u>no evidence.</u>		



ACCIDENT FORM

1. Primary Sampling Unit Number 45
2. Case Number - Stratum 100A

IDENTIFICATION

3. Number of General Vehicle Forms Submitted 04
4. Date of Accident (Month, Day, Year) 10/19/95
5. Time of Accident 0935
Code reported military time of accident.
NOTE: Midnight = 2400
Unknown = 9999

SPECIAL STUDIES - INDICATORS

Check (✓) each special study (SS15-SS18 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

6. SS15 Administrative Use 0
7. SS16 Pedestrian Crash Data Study 0
(Data for this special study available in a separate file.)
8. SS17 Impact Fires 0
9. SS18 Unsafe Driver Actions 0
10. SS19 0

NUMBER OF EVENTS

11. Number of Recorded Events in This Accident 04
Code the number of events which occurred in this accident.

ACCIDENT EVENTS

For each event that occurred in the accident, code the lowest numbered vehicle in the left columns and the other involved vehicle or object in the right columns.

Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage
12. <u>01</u>	13. <u>01</u>	14. <u>45</u>	15. <u>B</u>	16. <u>02</u>	17. <u>39</u>	18. <u>F</u>
19. <u>02</u>	20. <u>01</u>	21. <u>45</u>	22. <u>F</u>	23. <u>03</u>	24. <u>31</u>	25. <u>F</u>
26. <u>03</u>	27. <u>03</u>	28. <u>31</u>	29. <u>B</u>	30. <u>04</u>	31. <u>14</u>	32. <u>F</u>
33. <u>04</u>	34. <u>07</u>	35. <u>45</u>	36. <u>F</u>	37. <u>04</u>	38. <u>14</u>	39. <u>F</u>
40. <u>05</u>	41. <u> </u>	42. <u> </u>	43. <u> </u>	44. <u> </u>	45. <u> </u>	46. <u> </u>

IF GREATER THAN FIVE EVENTS, CONTINUE CODING ON THE ACCIDENT EVENT SUPPLEMENT

CODES FOR CLASS OF VEHICLE

- | | |
|--|---|
| (00) Not a motor vehicle
(01) Subcompact/mini (wheelbase < 254 cm)
(02) Compact (wheelbase ≥ 254 but < 265 cm)
(03) Intermediate (wheelbase ≥ 265 but < 278 cm)
(04) Full size (wheelbase ≥ 278 but < 291 cm)
(05) Largest (wheelbase ≥ 291 cm)
(09) Unknown passenger car size
(14) Compact utility vehicle
(15) Large utility vehicle (≤ 4,500 kgs GVWR)
(16) Utility station wagon (≤ 4,500 kgs GVWR)
(19) Unknown utility type
(20) Minivan (≤ 4,500 kgs GVWR)
(21) Large van (≤ 4,500 kgs GVWR)
(24) Van Based school bus (≤ 4,500 kgs GVWR)
(28) Other van type (≤ 4,500 kgs GVWR)
(29) Unknown van type (≤ 4,500 kgs GVWR)
(30) Compact pickup truck (≤ 4,500 kgs GVWR) | (31) Large pickup truck (≤ 4,500 kgs GVWR)
(38) Other pickup truck (≤ 4,500 kgs GVWR)
(39) Unknown pickup truck type (≤ 4,500 kgs GVWR)
(45) Other light truck (≤ 4,500 kgs GVWR)
(48) Unknown light truck type (≤ 4,500 kgs GVWR)
(49) Unknown light vehicle type
(50) School bus (excludes van based)(> 4,500 kgs GVWR)
(58) Other bus (> 4,500 kgs GVWR)
(59) Unknown bus type
(60) Truck (> 4,500 kgs GVWR)
(67) Tractor without trailer
(68) Tractor-trailer(s)
(78) Unknown medium/heavy truck type
(79) Unknown light/medium/heavy truck type
(80) Motored cycle
(90) Other vehicle
(99) Unknown |
|--|---|

CODES FOR GENERAL AREA OF DAMAGE (GAD)

- | | | | |
|---|--|---|---|
| CDS APPLICABLE
AND OTHER
VEHICLES | (O) Not a motor vehicle
(N) Noncollision
(F) Front | (R) Right side
(L) Left side
(B) Back | (T) Top
(U) Undercarriage
(9) Unknown |
|---|--|---|---|

- | | | | |
|-------------------------------|--|--|---|
| TDC
APPLICABLE
VEHICLES | (O) Not a motor vehicle
(N) Noncollision
(F) Front
(R) Right side | (L) Left side
(B) Back of unit with cargo area
(rear of trailer or straight truck)
(D) Back (rear of tractor) | (C) Rear of cab
(V) Front of cargo area
(T) Top
(U) Undercarriage
(9) Unknown |
|-------------------------------|--|--|---|

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

- | | |
|---|---|
| (01-30) — Vehicle Number

Noncollision
(31) Overturn — rollover (excludes end-over-end)
(32) Rollover — end-over-end
(33) Fire or explosion
(34) Jackknife
(35) Other intraunit damage (specify):

(36) Noncollision injury
(38) Other noncollision (specify):

(39) Noncollision — details unknown

Collision With Fixed Object
(41) Tree (≤ 10 cm in diameter)
(42) Tree (> 10 cm in diameter)
(43) Shrubbery or bush
(44) Embankment
(45) Breakaway pole or post (any diameter)

Nonbreakaway Pole or Post
(50) Pole or post (≤ 10 cm in diameter)
(51) Pole or post (> 10 cm but ≤ 30 cm in diameter)
(52) Pole or post (> 30 cm in diameter)
(53) Pole or post (diameter unknown)

(54) Concrete traffic barrier
(55) Impact attenuator
(56) Other traffic barrier (includes guardrail)
(specify): _____ | (57) Fence
(58) Wall
(59) Building
(60) Ditch or culvert
(61) Ground
(62) Fire hydrant
(63) Curb
(64) Bridge
(68) Other fixed object (specify):

(69) Unknown fixed object

Collision with Nonfixed Object
(70) Passenger car, light truck, van, or other vehicle
not in-transport
(71) Medium/heavy truck or bus not in-transport
(72) Pedestrian
(73) Cyclist or cycle
(74) Other nonmotorist or conveyance

(75) Vehicle occupant
(76) Animal
(77) Train
(78) Trailer, disconnected in transport
(79) Object fell from vehicle in-transport
(88) Other nonfixed object (specify):

(89) Unknown nonfixed object
(98) Other event (specify):

(99) Unknown event or object |
|---|---|

VI

PRECRASH ENVIRONMENTAL DATA

19. Relation To Interchange Or Junction 2
 (0) Non-interchange area and non-junction
 (1) Interchange area related

Non-Interchange junctions

(2) Intersection related
 (3) Driveway, alley access related
 (4) Other junction (specify) _____

(5) Unknown type of junction

(9) Unknown

20. Trafficway Flow 0
 (0) Not physically divided (two way traffic)

(1) Divided trafficway-median strip without positive barrier
 (2) Divided trafficway-median strip with positive barrier
 (3) One way traffic
 (9) Unknown

21. Number Of Travel Lanes 4

(1) One
 (2) Two
 (3) Three
 (4) Four
 (5) Five
 (6) Six
 (7) Seven or more
 (9) Unknown

22. Roadway Alignment 1

(1) Straight
 (2) Curve right
 (3) Curve left
 (9) Unknown

23. Roadway Profile 1

(1) Level
 (2) Uphill grade (> 2%)
 (3) Hill crest
 (4) Downhill grade (> 2%)
 (5) Sag
 (9) Unknown

24. Roadway Surface Type 2

(1) Concrete
 (2) Bituminous (asphalt)
 (3) Brick or block
 (4) Slag, gravel, or stone
 (5) Dirt
 (8) Other (specify): _____
 (9) Unknown

25. Roadway Surface Condition 1

(1) Dry
 (2) Wet
 (3) Snow or slush
 (4) Ice
 (5) Sand, dirt, or oil
 (8) Other (specify): _____
 (9) Unknown

26. Light Conditions 1

(1) Daylight
 (2) Dark
 (3) Dark, but lighted
 (4) Dawn
 (5) Dusk
 (9) Unknown

27. Atmospheric Conditions 0

(0) No adverse atmospheric-related driving conditions
 (1) Rain
 (2) Sleet/hail
 (3) Snow
 (4) Fog
 (5) Rain and fog
 (6) Sleet and fog
 (7) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): _____
 (9) Unknown

28. Traffic Control Device 0

(0) No traffic control(s)
 (1) Traffic control signal (not RR crossing)

Regulatory

(2) Stop sign
 (3) Yield sign
 (4) School zone sign
 (5) Other regulatory sign (specify): _____

(6) Warning sign (not RR crossing)
 (7) Unknown sign
 (8) Miscellaneous/other controls including RR controls (specify): _____

(9) Unknown

29. Traffic Control Device Functioning 0

(0) No traffic control device
 (1) Traffic control device not functioning (specify): _____
 (2) Traffic control device functioning properly
 (9) Unknown

National Accident Sampling System-Crashworthiness Data System: General Vehicle Form

OCCUPANT RELATED

- 37. Driver Presence in Vehicle 1
 (0) Driver not present
 (1) Driver present
 (9) Unknown
- 38. Number of Occupants This Vehicle 02
 (00-96) Code actual number of occupants for this vehicle
 (97) 97 or more
 (99) Unknown
- 39. Number of Occupant Forms Submitted 02

AIR BAG RELATED

- 40. Is this an AOPS Vehicle? 0
 (0) No (includes unknown)
 (1) Yes - researcher determined
 (2) VIN determined air bag system
 (3) VIN determined automatic (passive) belts
 (4) VIN determined air bag and automatic (passive) belts
- 41. Air Bag(s) Deployment, First Seat Frontal 0
 (0) Not equipped or not available
 (1) No air bags deployed
Single Air Bag Vehicle
 (2) Driver air bag deployed
 (3) Driver air bag, unknown if deployed
Multiple Air Bag Vehicle
 (4) Driver side only deployed
 (5) Passenger side only deployed
 (6) Driver and passenger side deployed
 (7) Driver and passenger side unknown if deployed
 (8) Air bag(s) deployed, details unknown
 (9) Unknown
- 42. Air Bag(s) Deployment, Other Than First Seat Frontal 0
 (0) Not equipped with an "other" air bag
 (1) Deployed during accident (as a result of impact)
 (2) Deployed inadvertently just prior to accident
 (3) Deployed, details unknown
 (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical)
 (5) Unknown if deployed
 (7) Nondeployed
 (9) Unknown

Specify type of "other" air bag present: _____

VEHICLE WEIGHT ITEMS

- 43. Vehicle Curb Weight 1,990
 Code weight to nearest 10 kilograms. 999
 (045) Less than 450 kilograms
 (610) 6,100 kilograms or more
 (999) Unknown
 _____ lbs X .4536 = 1,994 kgs

Source: _____

- 44. Vehicle Cargo Weight 0,180
 Code weight to nearest 10 kilograms.
 (000) Less than 5 kilograms
 (450) 4,500 kilograms or more
 (999) Unknown
 _____ lbs X .4536 = 181 kgs

Source: _____

ROLLOVER DATA

- 45. Rollover 00
 (00) No rollover (no overturning)
Rollover (primarily about the longitudinal axis)
 (01-16) Code the number of quarter turns
 (17) Rollover, 17 or more quarter turns (specify): _____
 (98) Rollover--end-over-end (i.e., primarily about the lateral axis)
 (99) Rollover (overturn), details unknown
- 46. Rollover Initiation Type 00
 (00) No rollover
 (01) Trip-over
 (02) Flip-over
 (03) Turn-over
 (04) Climb-over
 (05) Fall-over
 (06) Bounce-over
 (07) Collision with another vehicle
 (08) Other rollover initiation type specify): _____
 (98) Rollover--end-over-end
 (99) Unknown rollover initiation type
- 47. Location of Rollover Initiation 0
 (0) No rollover
 (1) On roadway
 (2) On shoulder--paved
 (3) On shoulder--unpaved
 (4) On roadside or divided trafficway median
 (8) Rollover--end-over-end
 (9) Unknown
- 48. Rollover Initiation Object Contacted 00
 (Note: Applicable codes on back of page)
- 49. Location on Vehicle Where Initial Principal Tripping Force Is Applied 0
 (0) No rollover
 (1) Wheels/tires
 (2) Side plane
 (3) End plane
 (4) Undercarriage
 (5) Other location on vehicle (specify): _____
 (6) Non-contact rollover forces (specify): _____
 (8) Rollover--end-over-end
 (9) Unknown

- 50. Direction of Initial Roll 0
 (0) No rollover
 (1) Roll right - primarily about the longitudinal axis
 (2) Roll left - primarily about the longitudinal axis
 (8) Rollover--end-over-end
 (9) Unknown roll direction

CODES FOR ROLLOVER INITIATION OBJECT CONTACTED

(00) No rollover
(01-30) — Vehicle Number

Noncollision

(31) Turn-over — fall-over
(32) No rollover impact initiation (end-over-end)
(34) Jackknife

Collision With Fixed Object

(41) Tree (≤ 10 cm in diameter)
(42) Tree (> 10 cm in diameter)
(43) Shrubbery or bush
(44) Embankment

(45) Breakaway pole or post (any diameter)

Nonbreakaway Pole or Post

(50) Pole or post (≤ 10 cm in diameter)
(51) Pole or post (> 10 cm but ≤ 30 cm in diameter)
(52) Pole or post (> 30 cm in diameter)
(53) Pole or post (diameter unknown)

(54) Concrete traffic barrier
(55) Impact attenuator
(56) Other traffic barrier (includes guardrail)
(specify): _____

(57) Fence
(58) Wall
(59) Building
(60) Ditch or culvert
(61) Ground
(62) Fire hydrant
(63) Curb
(64) Bridge
(68) Other fixed object (specify): _____

(69) Unknown fixed object _____

Collision with Nonfixed Object

(70) Passenger car, light truck, van, or other vehicle not in-transport
(71) Medium/heavy truck or bus not in-transport
(76) Animal
(77) Train
(78) Trailer, disconnected in transport
(79) Object fell from vehicle in-transport
(88) Other nonfixed object (specify): _____

(89) Unknown nonfixed object _____

(98) Other event (specify): _____

(99) Unknown event or object _____



EXTERIOR VEHICLE FORM

1. Primary Sampling Unit Number <u>45</u>	3. Vehicle Number <u>01</u>
2. Case Number - Stratum <u>100A</u>	

VEHICLE IDENTIFICATION

VIN 1FTHF25E8JN XXXXXXXXXX Model Year 88
 Vehicle Make (specify): Ford Vehicle Model (specify): F-250

LOCATOR

Locate the end of the damage with respect to the vehicle longitudinal center line or bumper corner for end impacts or an undamaged axle for side impacts.

Specific Impact No.	Location of Direct Damage	Location of Field L	Location of Max Crush
<u>01</u>	<u>0, center to left</u>	<u>rear plane</u>	<u>e-3</u>
<u>02</u>	<u>entire front</u>	<u>entire front</u>	

CRUSH PROFILE IN CENTIMETERS

NOTES: Identify the plane at which the C-measurements are taken (e.g., at bumper, above bumper, at sill, above sill, etc.) and label adjustments (e.g., free space).

- 01. STANDS @ 140 AFT of REAR AXELS, BACK BUMPER IS 18cm Thick.
- 02 STANDS @ 420 FORWARD of REAR AXELS.

Measure C1 to C6 from driver to passenger side in front or rear impacts and rear to front in side impacts.

Free space value is defined as the distance between the baseline and the original body contour taken at the individual C locations. This may include the following: bumper lead, bumper taper, side protrusion, side taper, etc. Record the value for each C-measurement and maximum crush.

Use as many lines/columns as necessary to describe each damage profile.


Specific Impact Number	Plane of Impact C-Measurements	Direct Damage		Field L	C ₁	C ₂	C ₃	C ₄	C ₅	C ₆	±D
		Width (CDC)	Max Crush								
<u>01</u>	<u>Back Bumper</u>	<u>52</u>	<u>28</u>	<u>191</u>	<u>14</u>	<u>20</u>	<u>28</u>	<u>19</u>	<u>14</u>	<u>7</u>	<u>-52</u>
	<u>adjust.</u>		<u>+1</u>		<u>+1</u>	<u>+1</u>	<u>+1</u>	<u>+1</u>	<u>+1</u>	<u>+1</u>	
<u>01</u>	<u>RESULTANT</u>	<u>52</u>	<u>29</u>	<u>191</u>	<u>15</u>	<u>21</u>	<u>29</u>	<u>20</u>	<u>15</u>	<u>8</u>	<u>-52</u>
<u>02</u>	<u>Front Bumper</u>	<u>168</u>	<u>84</u>	<u>153</u>	<u>84</u>	<u>67</u>	<u>80</u>	<u>78</u>	<u>43</u>	<u>22</u>	<u>∅</u>
	<u>adjust</u>		<u>+47</u>		<u>+47</u>	<u>+47</u>	<u>+47</u>	<u>+47</u>	<u>+47</u>	<u>+47</u>	
	<u>Free space</u>		<u>-04</u>		<u>04</u>	<u>-0</u>	<u>-0</u>	<u>-0</u>	<u>-0</u>	<u>-04</u>	
<u>02</u>	<u>RESULTANT</u>	<u>168</u>	<u>127</u>	<u>153</u>	<u>127</u>	<u>114</u>	<u>127</u>	<u>125</u>	<u>90</u>	<u>65</u>	<u>∅</u>

ORIGINAL SPECIFICATIONS WORK SHEET


Wheelbase	$\begin{array}{r} 133 \\ 155 \\ \hline \end{array}$	inches	x	2.54	=	$\begin{array}{r} 338 \\ 394 \\ \hline \end{array}$	cm
Overall Length	$\begin{array}{r} 210.2 \\ 232.2 \\ \hline \end{array}$	inches	x	2.54	=	$\begin{array}{r} 534 \\ 590 \\ \hline \end{array}$	cm
Maximum Width	$\begin{array}{r} 79.0 \\ \hline \end{array}$	inches	x	2.54	=	$\begin{array}{r} 201 \\ \hline \end{array}$	cm
Curb Weight	$\begin{array}{r} 4,396 \\ \hline \end{array}$	pounds	x	.4536	=	$\begin{array}{r} \\ \hline \end{array}$	kg
Average Track	$\begin{array}{r} \\ \hline \end{array}$	inches	x	2.54	=	$\begin{array}{r} \\ \hline \end{array}$	cm
Front Overhang	$\begin{array}{r} 28.7 \\ \hline \end{array}$	inches	x	2.54	=	$\begin{array}{r} \\ \hline \end{array}$	cm
Rear Overhang	$\begin{array}{r} \\ \hline \end{array}$	inches	x	2.54	=	$\begin{array}{r} \\ \hline \end{array}$	cm
Undeformed End Width	$\begin{array}{r} \\ \hline \end{array}$	inches	x	2.54	=	$\begin{array}{r} \\ \hline \end{array}$	cm
Engine Size: cyl./displ.	$\begin{array}{r} \\ \hline \end{array}$	cc	x	.001	=	$\begin{array}{r} \\ \hline \end{array}$	L
	$\begin{array}{r} \\ \hline \end{array}$	CID	x	.0164	=	$\begin{array}{r} \\ \hline \end{array}$	L

VEHICLE DAMAGE SKETCH




<p>TIRE—WHEEL DAMAGE</p> <p>a. Rotation physically restricted</p> <p>RF <u>2</u> LF <u>1</u> RR <u>2</u> LR <u>2</u></p> <p>b. Tire deflated</p> <p>RF <u>2</u> LF <u>1</u> RR <u>2</u> LR <u>2</u></p> <p>(1) Yes (2) No (8) NA (9) Unk.</p>	<p>ORIGINAL SPECIFICATIONS</p> <p>Wheelbase <u>394</u> cm</p> <p>Overall Length <u>590</u> cm</p> <p>Maximum Width <u>201</u> cm</p> <p>Curb Weight <u>1994</u> kg</p> <p>Average Track <u>164</u> cm</p> <p>Front Overhang <u>73</u> cm</p> <p>Rear Overhang <u>123</u> cm</p> <p>Undeformed End Width <u>168</u> cm</p> <p>Engine Size: cyl./displ. <u>V8</u> L</p>	<p>WHEEL STEER ANGLES (For locked front wheels or displaced rear axles only)</p> <p>RF ± _____ ° LF ± _____ ° RR ± _____ ° LR ± _____ °</p> <p>Within ± 5 degrees</p> <hr/> <p>DRIVE WHEELS</p> <p><input type="checkbox"/> FWD <input checked="" type="checkbox"/> RWD <input type="checkbox"/> 4WD</p> <hr/> <p>Approximate Cargo Weight <u>181</u> kg <i>400 LBS.</i></p>
<p>TYPE OF TRANSMISSION</p> <p><input checked="" type="checkbox"/> Manual <input type="checkbox"/> Automatic</p> <p>END SHIFT ≥ 10-CM</p> <p><input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p>		



MEASUREMENTS IN CENTIMETERS



Back add on bumper is 9"



NOTES: Sketch new perimeter and cross hatch direct damage and single hatch induced damage on all views. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.). If pulling trailer, sketch type of trailer and damage received on the back of this page.

Annotate any damage caused by extrication such as component removal by torching, prying, or hydraulic shears.

COLLISION DEFORMATION CLASSIFICATION

HIGHEST DELTA "V"

Accident Event Sequence Number	Object Contacted	(1) (2) Direction of Force	(3) Deformation Location	(4) Longitudinal or Lateral Location	(5) Vertical or Lateral Location	(6) Type of Damage Distribution	(7) Deformation Extent
4. <u>02</u>	5. <u>03</u>	6. <u>01</u> 02	7. <u>F</u>	8. <u>D</u>	9. <u>E</u>	10. <u>W</u>	11. <u>04</u>

Second Highest Delta "V"

12. <u>01</u>	13. <u>02</u>	14. <u>06</u>	15. <u>B</u>	16. <u>Z</u>	17. <u>L</u>	18. <u>W</u>	19. <u>01</u>
---------------	---------------	---------------	--------------	--------------	--------------	--------------	---------------

CRUSH PROFILE IN CENTIMETERS

The crush profile for the damage described in the CDC(s) above should be documented in the appropriate space below. (ALL MEASUREMENTS ARE IN CENTIMETERS.)

HIGHEST DELTA "V"

20. L	21. C ₁	C ₂	C ₃	C ₄	C ₅	C ₆	22. ±D
<u>168</u>	<u>127</u>	<u>114</u>	<u>127</u>	<u>125</u>	<u>090</u>	<u>065</u>	<u>+ 000</u>

Second Highest Delta "V"

23. L	24. C ₁	C ₂	C ₃	C ₄	C ₅	C ₆	25. ±D
<u>168</u>	<u>015</u>	<u>021</u>	<u>029</u>	<u>020</u>	<u>015</u>	<u>008</u>	<u>⊕ 052</u>

26. Undeformed End Width
(Coded when highest severity impact is an end plane impact.) 168
 _____ Code to the nearest centimeter
 (250) 250 centimeters or more
 (998) No highest severity end plane impact
 (999) Unknown

27. Direct Damage Width
(For highest severity impact) 168
 _____ Code to the nearest centimeter
 (250) 250 centimeters or more
 (999) Unknown

28. Original Wheelbase 394
 _____ Code to the nearest centimeter
 (650) 650 centimeters or more
 (999) Unknown
 _____ inches X 2.54 = _____ centimeters

29. Original Average Track Width 999
 _____ Code to the nearest centimeter
 (185) 185 centimeters or more
 (999) Unknown
 _____ inches X 2.54 = _____ centimeters

FUEL SYSTEM

- 30. Are CDCs Documented but Not Coded on The Automated File? 0
 (0) No
 (1) Yes

- 31. Researcher's Assessment of Vehicle Disposition 1
 (0) Not towed due to vehicle damage
 (1) Towed due to vehicle damage
 (9) Unknown

- 32. Is This A Multi-Stage Manufactured Vehicle And/Or A Certified Altered Vehicle? 1
 (0) No post manufacturer modifications
 (1) Yes - post manufacturer modifications
 (specify): Post mfg. Bed on Truck -
Length is still 8' Bed,
No placard located
 (Include photograph of CERTIFICATION PLACARD in case report)
 (9) Unknown if vehicle is modified

- 35. Location of Fuel Tank-1 Filler Cap 4
- 36. Location of Fuel Tank-2 Filler Cap 2
 (0) No fuel tank
 (1) On back plane
 (2) Aft of center of the rear wheels (rear axle) on left side plane
 (3) Aft of center of the rear wheels (rear axle) on right side plane
 (4) Forward of center of the rear wheels (rear axle) on left side plane
 (5) Forward of center of the rear wheels (rear axle) on right side plane
 (6) Over the center of the rear wheels (rear axle) on left side plane
 (7) Over the center of the rear wheels (rear axle) on right side plane
 (8) Other (specify): _____
 (9) Unknown

- 37. Type of Fuel Tank-1 1
- 38. Type of Fuel Tank-2 1
 (0) No fuel tank (electrical vehicle)
 (1) Metallic
 (2) Non-metallic
 (9) Unknown

FIRE OCCURRENCE

- 33. Fire Occurrence 0
 (0) No fire

 Yes, fire occurred
 (1) Minor
 (2) Major
 (9) Unknown

- 34. Origin of Fire 0
 (0) No fire
 (1) Vehicle exterior (front, side, back, top)
 (2) Exhaust system
 (3) Fuel tank (and other fuel retention system parts)
 (4) Engine compartment
 (5) Cargo/trunk compartment
 (6) Instrument panel
 (7) Passenger compartment area
 (8) Other location (specify): _____

 (9) Unknown

- 39. Location of Fuel Tank-1 5
- 40. Location of Fuel Tank-2 1
 (0) No fuel tank
 (1) Aft of center of the rear wheels (rear axle) centered
 (2) Aft of center of the rear wheels (rear axle) left side
 (3) Aft of center of the rear wheels (rear axle) right side
 (4) Forward of center of the rear wheels (rear axle) centered
 (5) Forward of center of the rear wheels (rear axle) left side
 (6) Forward of center of the rear wheels (rear axle) right side
 (7) Over center of the rear wheels (rear axle)
 (8) Other (specify): _____
 (9) Unknown

- 41. Damage to Fuel Tank-1 1
- 42. Damage to Fuel Tank-2 1
 (0) No fuel tank
 (1) No damage to fuel tank
 (2) Deformed, no seam failure
 (3) Deformed, with a seam failure
 (4) Punctured
 (5) Lacerated (ripped)
 (6) Abraded (scraped)
 (7) Filler neck separation from the fuel tank
 (8) Other damage (specify): _____
 (9) Unknown

<p>43. Leakage Location of Fuel System-1 1</p> <p>44. Leakage Location of Fuel System-2 —</p> <p>(0) No fuel tank (1) No fuel leakage</p> <p><i>Primary Area Of Leakage</i></p> <p>(2) Tank (3) Filler neck (4) Cap (5) Lines/pump/filter (6) Vent/emission recovery (8) Other (specify): _____ (9) Unknown</p> <p>45. Fuel Type-1 0 / 1</p> <p>46. Fuel Type-2 0 / 1</p> <p><i>Single Fuel Type</i></p> <p>(00) No fuel tank (01) Gasoline (02) Diesel (03) CNG (Compressed Natural Gas) (04) LPG (Liquid Petroleum Gas) also known as Propane (05) LNG (Liquid Natural Gas) (06) Methanol (M100 or M85) (07) Ethanol (E100 or E85) (08) Other (Hydrogen or others) (specify): _____</p> <p>_____</p> <p><i>Electric Powered or Electric/Solar Powered Vehicles</i></p> <p>(10) Lead Acid Battery (11) Nickel-Iron Battery (12) Nickel-Cadmium Battery (13) Sodium Metal Chloride Battery (14) Sodium Sulfur Battery (18) Other (Specify): _____</p> <p>(98) Other Hybrid (specify): _____</p> <p>_____</p> <p>(99) Unknown fuel type</p>	<p style="text-align: right;">0</p> <p>47. Is This Vehicle Equipped With More Than Two Fuel Tanks?</p> <p>(0) No (one or two tanks only)</p> <p><i>Yes - More Than Two Tanks</i></p> <p>(1) Yes -- <u>no damage</u> to any tank or filler cap and <u>no fuel system leakage</u></p> <p>(2) Yes -- <u>no damage</u> to any tank or filler cap but <u>there is fuel system leakage</u> (specify leakage location): _____</p> <p>(3) Yes -- <u>damage</u> to an additional tank or filler cap and <u>there is fuel system leakage</u> (specify the following): Type of tank _____ Tank location _____ Filler cap location _____ Tank damage _____ Location of leakage _____ Type of fuel _____</p> <p>(9) Unknown if more than two tanks</p>
<p>COMMENTS</p> <p>_____</p>	

*** STOP: IF THE CDS APPLICABLE VEHICLE WAS NOT TOWED ***

(GV10=0)

DO NOT COMPLETE THE INTERIOR VEHICLE FORM.



INTERIOR VEHICLE FORM

1. Primary Sampling Unit Number 45
 2. Case Number - Stratum 100A
 3. Vehicle Number 01

INTEGRITY

4. Passenger Compartment Integrity 98
 (00) No integrity loss

Yes, Integrity Was Lost Through

- (01) Windshield
- (02) Door (side)
- (03) Door/hatch (back door)
- (04) Roof
- (05) Roof glass
- (06) Side window
- (07) Rear window (backlight)
- (08) Roof and roof glass
- (09) Windshield and door (side)
- (10) Windshield and roof
- (11) Side and rear window (side window and backlight)
- (12) Windshield and side window
- (13) Door and side window
- (98) Other combination of above (specify): 01-02-06-07
- (99) Unknown

Door, Tailgate or Hatch Opening

5. LF 2 6. RF 1 7. LR 0 8. RR 0 9. TG/H 0

- (0) No door/gate/hatch
- (1) Door/gate/hatch remained closed and operational
- (2) Door/gate/hatch came open during collision
- (3) Door/gate/hatch jammed shut
- (8) Other (specify): _____
- (9) Unknown

Damage/Failure Associated with Door, Tailgate or Hatch Opening in Collision. If IV05-IV09 ≠ 2, Then code 0

10. LF 4 11. RF 0 12. LR 0 13. RR 0 14. TG/H 0

- (0) No door/gate/hatch or door not opened

Door, Tailgate or Hatch Came Open During Collision

- (1) Door operational (no damage)
- (2) Latch/striker failure due to damage
- (3) Hinge failure due to damage
- (4) Door structure failure due to damage
- (5) Door support (i.e., pillar, sill, roof side rail, etc.) failure due to damage
- (6) Latch/striker and hinge failure due to damage
- (8) Other failure (specify): _____
- (9) Unknown

GLAZING

Type of Window/Windshield Glazing

15. WS 1 16. LF 2 17. RF 2 18. LR 0 19. RR 0
 20. BL 2 21. Roof 0 22. Other 2

- (0) No glazing
- (1) AS-1 - Laminated
- (2) AS-2 - Tempered
- (3) AS-3 - Tempered-tinted (original)
- (4) AS-2 - Tempered-with after market tint
- (5) AS-3 - Tempered-tinted (with additional after market tint)
- (6) AS-14 - Glass/Plastic
- (7) Glazing removed prior to accident
- (8) Other (specify): _____
- (9) Unknown

Window Precrash Glazing Status

23. WS 1 24. LF 2 25. RF 2 26. LR 0 27. RR 0
 28. BL 1 29. Roof 0 30. Other 2

- (0) No glazing
- (1) Fixed
- (2) Closed
- (3) Partially opened
- (4) Fully opened
- (7) Glazing removed prior to accident
- (9) Unknown

Glazing Damage from Impact Forces

31. WS 3 32. LF 6 33. RF 1 34. LR 0 35. RR 0
 36. BL 6 37. Roof 0 38. Other 1

- (0) No glazing
- (1) No glazing damage from impact forces
- (2) Glazing in place and cracked from impact forces
- (3) Glazing in place and holed from impact forces
- (4) Glazing out-of-place (cracked or not) and not holed from impact forces
- (5) Glazing out-of-place and holed from impact forces
- (6) Glazing disintegrated from impact forces
- (7) Glazing removed prior to accident
- (9) Unknown if damaged


Glazing Damage from Occupant Contact

39. WS 4 40. LF 1 41. RF 1 42. LR 0 43. RR 0
 44. BL 1 45. Roof 0 46. Other 1

- (0) No glazing
- (1) No occupant contact to glazing
- (2) Glazing contacted by occupant but no glazing damage
- (3) Glazing in place and cracked by occupant contact
- (4) Glazing in place and holed by occupant contact
- (5) Glazing out-of-place (cracked or not) by occupant contact and not holed by occupant contact
- (6) Glazing out-of-place by occupant contact and holed by occupant contact
- (7) Glazing removed prior to accident
- (8) Glazing disintegrated by occupant contact
- (9) Unknown if contacted by occupant

INTRUSION WORKSHEET

Note: Sketch intruded areas



LOCATION OF INTRUSION	INTRUDED COMPONENT	(All Measurements Are In Centimeters)			DOMINANT CRUSH DIRECTION
		COMPARISON VALUE	INTRUDED VALUE	INTRUSION	
11	TOE PAD	110	83	27	Long
12	TOE PAD	96	82	14	"
11	L. INST PANEL	80	45	35	"
12	C. INST PANEL	80	68	12	"
11	L. W.S.	104	69	35	"
12	C. W.S.	108	96	12	"

OCCUPANT AREA INTRUSION

Note: If no intrusions, leave variables IV47-IV86 blank.

	Location of Intrusion	Intruding Component	Magnitude of Intrusion	Dominant Crush Direction
1st	47. <u>11</u>	48. <u>02</u>	49. <u>4</u>	50. <u>2</u>
2nd	51. <u>11</u>	52. <u>15</u>	53. <u>4</u>	54. <u>2</u>
3rd	55. <u>11</u>	56. <u>05</u>	57. <u>3</u>	58. <u>2</u>
4th	59. <u>12</u>	60. <u>05</u>	61. <u>2</u>	62. <u>2</u>
5th	63. <u>12</u>	64. <u>03</u>	65. <u>2</u>	66. <u>2</u>
6th	67. <u>12</u>	68. <u>15</u>	69. <u>2</u>	70. <u>2</u>
7th	71. _____	72. _____	73. _____	74. _____
8th	75. _____	76. _____	77. _____	78. _____
9th	79. _____	80. _____	81. _____	82. _____
10th	83. _____	84. _____	85. _____	86. _____

INTRUDING COMPONENT

Interior Components

- (01) Steering assembly
- (02) Instrument panel left
- (03) Instrument panel center
- (04) Instrument panel right
- (05) Toe pan
- (06) A (A1/A2)-pillar
- (07) B-pillar
- (08) C-pillar
- (09) D-pillar
- (10) Side panel - forward of the A1/A2-pillar
- (11) Door panel (side)
- (12) Side panel - rear of the B-pillar
- (13) Roof (or convertible top)
- (14) Roof side rail
- (15) Windshield
- (16) Windshield header
- (17) Window frame
- (18) Floor pan (includes sill)
- (19) Backlight header
- (20) Front seat back
- (21) Second seat back
- (22) Third seat back
- (23) Fourth seat back
- (24) Fifth seat back
- (25) Seat cushion
- (26) Back door/panel (e.g., tailgate)
- (27) Other interior component (specify): _____

Exterior Components

- (30) Hood
- (31) Outside surface of this vehicle (specify): _____
- (32) Other exterior object in the environment (specify): _____
- (33) Unknown exterior object
- (97) Catastrophic
- (98) Intrusion of unlisted component(s) (specify): _____
- (99) Unknown

LOCATION OF INTRUSION

- | | |
|---|--|
| <p>Front Seat</p> <ul style="list-style-type: none"> (11) Left (12) Middle (13) Right <p>Second Seat</p> <ul style="list-style-type: none"> (21) Left (22) Middle (23) Right <p>Third Seat</p> <ul style="list-style-type: none"> (31) Left (32) Middle (33) Right | <p>Fourth Seat</p> <ul style="list-style-type: none"> (41) Left (42) Middle (43) Right <p>(97) Catastrophic</p> <p>(98) Other enclosed area (specify) _____</p> <p>(99) Unknown</p> |
|---|--|

MAGNITUDE OF INTRUSION

- (1) ≥ 3 centimeters but < 8 centimeters
- (2) ≥ 8 centimeters but < 15 centimeters
- (3) ≥ 15 centimeters but < 30 centimeters
- (4) ≥ 30 centimeters but < 46 centimeters
- (5) ≥ 46 centimeters but < 61 centimeters
- (6) ≥ 61 centimeters
- (7) Catastrophic
- (9) Unknown

DOMINANT CRUSH DIRECTION

- (1) Vertical
- (2) Longitudinal
- (3) Lateral
- (7) Catastrophic
- (9) Unknown

STEERING RIM/SPOKE DEFORMATION

(All Measurements Are in Centimeters)

COMPARISON VALUE	-	DAMAGE VALUE	=	DEFORMATION
------------------	---	--------------	---	-------------

	-		=	
--	---	--	---	--

	-		=	
--	---	--	---	--

	-		=	
--	---	--	---	--

	-		=	
--	---	--	---	--

STEERING COLUMN

INSTRUMENT PANEL

87. Steering Column Type 1
 (1) Fixed column
 (2) Tilt column
 (3) Telescoping column
 (4) Tilt and telescoping column
 (8) Other column type (specify): _____
 (9) Unknown

88. Tilt Steering Column Adjustment 0
 (0) No tilt steering column
 (1) Full up
 (2) Between full up and center
 (3) Center
 (4) Between center and full down
 (5) Full down
 (9) Unknown

89. Telescoping Steering Column Adjustment 0
 (0) No telescoping steering column
 (1) Full back
 (2) Between full back and midpoint
 (3) Midpoint
 (4) Between midpoint and full forward
 (5) Full forward
 (9) Unknown

90. Steering Rim/Spoke Deformation 0 0
 Code actual measured
 deformation to the nearest centimeter
 (00) No steering rim deformation
 (01-14) Actual measured value in centimeters
 (15) 15 centimeters or more
 (98) Observed deformation cannot be measured
 (99) Unknown

91. Location of Steering Rim/Spoke Deformation 0 0
 (00) No steering rim deformation


Quarter Sections

- (01) Section A
- (02) Section B
- (03) Section C
- (04) Section D



Half Sections

- (05) Upper half of rim/spoke
- (06) Lower half of rim/spoke
- (07) Left half of rim/spoke
- (08) Right half of rim/spoke



- (09) Complete steering wheel collapse
- (10) Undetermined location
- (99) Unknown

92. Odometer Reading 037,000
 _____ kilometers
 Code to the nearest 1,000 kilometers
 (000) No odometer
 (001) Less than 1,500 kilometers
 (500) 499,500 kilometers or more
 (999) Unknown
23,177 miles X 1.6093 = 37,331 kilometers

Source: _____

93. Instrument Panel Damage from Occupant Contact? 0
 (0) No
 (1) Yes
 (9) Unknown

94. Type of Knee Bolster Covering 0
 (0) No knee bolster
 (1) Padded
 (2) Rigid plastic
 (8) Other (specify): _____
 (9) Unknown

95. Knee Bolsters Deformed from Occupant Contact? 0
 (0) No knee bolster
 (1) No deformation
 (2) Yes - deformation
 (9) Unknown


96. Did Glove Compartment Door Open During Collision(s)? 2
 (0) No glove compartment door
 (1) No - door did not open
 (2) Yes - door opened
 (9) Unknown

97. Adaptive (Assistive) Driving Equipment 0
 (0) No adaptive driving equipment
 (1) Adaptive driving equipment installed (Check all that apply.)
 Hand controls for braking/acceleration
 Steering control devices (attached to OEM steering wheel)
 Steering knob attached to steering wheel
 Low effort power steering (unit or device)
 Replacement steering wheel (i.e., reduced diameter)
 Joy-stick steering controls
 Wheelchair tie-downs
 Modification to seat belts (specify): _____
 Additional or relocated switches (specify): _____
 Raised roof
 Wall-mounted head rest (used behind wheelchair)
 Other adaptive device (specify): _____

(9) Unknown

VEHICLE INTERIOR SKETCHES

Note area of ejection/entrapment



Sketch windshield contact(s) and the damaged area(s) on the instrument panel outline (e.g., radio, glove compartment, damage to instrument panel structure). Cross hatch contact points, draw spider webs or use other annotation as may be appropriate. Annotate the contacted area with a letter (begin with A) and list on the Points of Occupant Contact page.

POINTS OF OCCUPANT CONTACT

Contact	Interior Component Contacted	Occupant No. If Known	Body Region If Known	Supporting Physical Evidence	Confidence Level of Contact Point
A	001	02	UNKNOWN	SMUDGE, & SKIN IN GLASS	1
B	011	UNKNOWN	UNKNOWN	SMUDGE & BLOOD	1
C	011	01	R KNEE	SMUDGE & DEFORMATION	1
D	012	02	R KNEE	SMUDGE	1
E					
F					
G					
H					
I					
J					
K					
L					
M					
N					

FRONT

- (001) Windshield
- (002) Mirror
- (003) Sunvisor
- (004) Steering wheel rim
- (005) Steering wheel hub/spoke
- (006) Steering wheel (combination of codes 004 and 005)
- (007) Steering column, transmission selector lever, other attachment
- (008) Cellular telephone or CB radio
- (009) Add on equipment (e.g., tape deck, air conditioner)
- (010) Left instrument panel and below
- (011) Center instrument panel and below
- (012) Right instrument panel and below
- (013) Glove compartment door
- (014) Knee bolster
- (015) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, mirror, or steering assembly (driver side only)
- (016) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, or mirror (passenger side only)
- (017) Windshield reinforced by exterior object, (specify): _____
- (019) Other front object (specify): _____

CODES FOR INTERIOR COMPONENTS

LEFT SIDE

- (051) Left side interior surface, excluding hardware or armrests
- (052) Left side hardware or armrest
- (053) Left A (A1/A2)-pillar
- (054) Left B-pillar
- (055) Other left pillar (specify): _____
- (056) Left side window glass
- (057) Left side window frame
- (058) Left side window sill
- (059) Left side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail.
- (060) Other left side object (specify): _____

RIGHT SIDE

- (101) Right side interior surface, excluding hardware or armrests
- (102) Right side hardware or armrest
- (103) Right A (A1/A2)-pillar
- (104) Right B-pillar
- (105) Other right pillar (specify): _____
- (106) Right side window glass
- (107) Right side window frame
- (108) Right side window sill
- (109) Right side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail.
- (110) Other right side object (specify): _____

INTERIOR

- (151) Seat, back support
- (152) Belt restraint webbing/buckle
- (153) Belt restraint B-pillar or door frame attachment point
- (154) Other restraint system component (specify): _____
- (155) Head restraint system
- (160) Other occupants (specify): _____
- (161) Interior loose objects
- (162) Child safety seat (specify): _____
- (163) Other interior object (specify): _____

AIR BAG

- (170) Air bag-driver side
- (175) Air bag compartment cover-driver side
- (180) Air bag-passenger side
- (185) Air bag compartment cover-passenger side
- (190) Other air bag (specify) _____
- (195) Other air bag compartment cover (specify) _____

ROOF

- (201) Front header
- (202) Rear header
- (203) Roof left side rail
- (204) Roof right side rail
- (205) Roof or convertible top

FLOOR

- (251) Floor (including toe pan)
- (252) Floor or console mounted transmission lever, including console
- (253) Parking brake handle
- (254) Foot controls including parking brake

REAR

- (301) Backlight (rear window)
- (302) Backlight storage rack, door, etc.
- (303) Other rear object (specify): _____

ADAPTIVE (ASSISTIVE) DRIVING EQUIPMENT

- (401) Hand controls for braking/acceleration
- (402) Steering control devices (attached to OEM steering wheel)
- (403) Steering knob attached to steering wheel
- (405) Replacement steering wheel (i.e., reduced diameter)
- (406) Joy stick steering controls
- (407) Wheelchair tie-downs
- (408) Modification to seat belts, (specify): _____
- (409) Additional or relocated switches, (specify): _____
- (410) Raised roof
- (411) Wall mounted head rest (used behind wheel chair)
- (412) Other adaptive device (specify): _____

CONFIDENCE LEVEL OF CONTACT POINT

- (1) Certain
- (2) Probable
- (3) Possible
- (9) Unknown

MANUAL RESTRAINTS

NOTES: Encode the applicable data for each seat position in the vehicle. The attribute for the variable may be found below. Restraint systems should be assessed during the vehicle inspection then coded on the Occupant Assessment Form.

If a Child safety seat is present, encode the data on the back of this page.

If the vehicle has automatic restraints available, encode the appropriate data on the back of the previous page.

		Left	Center	Right
F I R S T	Availability	4	3	4
	Evidence of usage	04	03	04
	Used in this crash?	00	00	00
	Proper Use	0	00	00
	Failure Modes	0	0	0
	Anchorage Adjustment	1	0	1
S E C O N D	Availability	/	/	/
	Evidence of usage	/	/	/
	Used in this crash?	/	/	/
	Proper Use	/	/	/
	Failure Modes	/	/	/
	Anchorage Adjustment	/	/	/
O T H E R	Availability	/	/	/
	Evidence of usage	/	/	/
	Used in this crash?	/	/	/
	Proper Use	/	/	/
	Failure Modes	/	/	/
	Anchorage Adjustment	/	/	/

Manual (Active) Belt System Availability

- (0) None available
- (1) Belt removed/destroyed
- (2) Shoulder belt
- (3) Lap belt
- (4) Lap and shoulder belt
- (5) Belt available - type unknown

Integral Belt Partially Destroyed

- (6) Shoulder belt (lap belt destroyed/removed)
- (7) Lap belt (shoulder belt destroyed/removed)
- (8) Other belt (specify): _____

- (9) Unknown

Manual (Active) Belt System Use

- (00) None used, not available, or belt removed/destroyed
- (01) Inoperable (specify): _____

- (02) Shoulder belt
- (03) Lap belt
- (04) Lap and shoulder belt
- (05) Belt used - type unknown
- (08) Other belt used (specify): _____
- (12) Shoulder belt used with child safety seat
- (13) Lap belt used with child safety seat
- (14) Lap and shoulder belt used with child safety seat
- (15) Belt used with child safety seat - type unknown
- (18) Other belt used with child safety seat (specify): _____
- (99) Unknown if belt used

Proper Use of Manual (Active) Belts

- (0) None used or not available
- (1) Belt used properly
- (2) Belt used properly with child safety seat

Belt Used Improperly

- (3) Shoulder belt worn under arm
- (4) Shoulder belt worn behind back or seat
- (5) Belt worn around more than one person
- (6) Lap belt worn on abdomen
- (7) Lap belt or lap and shoulder belt used improperly with child safety seat (specify): _____
- (8) Other improper use of manual belt system (specify): _____
- (9) Unknown

Manual (Active) Belt Failure Modes During Accident

- (0) No manual belt used or not available
- (1) No manual belt failure(s)
- (2) Torn webbing (stretched webbing not included)
- (3) Broken buckle or latchplate
- (4) Upper anchorage separated
- (5) Other anchorage separated (specify): _____
- (6) Broken retractor
- (7) Combination of above (specify): _____
- (8) Other manual belt failure (specify): _____
- (9) Unknown

Shoulder Belt Upper Anchorage Adjustment

- (0) No shoulder belt
- (1) No upper anchorage adjustment for shoulder belt

Adjustable shoulder Belt Upper Anchorage

- (2) In full up position
- (3) In mid position
- (4) In full down position
- (5) Position unknown
- (9) Unknown if position has adjustable upper anchorage adjustment

AUTOMATIC RESTRAINTS

NOTES: Encode the data for each applicable front seat position. The attribute for the variables may be found below. Restraint systems should be assessed during the vehicle inspection then coded on the Occupant Assessment Form.

AIR BAGS

		Left Front	Right Front	Other
F I R S T	Availability/Function	 	 	
	Deployment	 	 	
	Failure	 	 	

- Air Bag System Availability/Function**
 (0) Not equipped/not available
 (1) Air bag
- Non-functional*
 (2) Air bag disconnected (specify): _____
 (3) Air bag not reinstalled
 (9) Unknown
- Are There Indications of Air Bag System Failure? (This Occupant Position)**
 (0) Not equipped/not available
 (1) No
 (2) Yes (specify): _____
 (9) Unknown

- Frontal Air Bag System Deployment (This Occupant Position)**
 (0) Not equipped/not available
 (1) Deployed during accident (as a result of impact)
 (2) Deployed inadvertently just prior to accident
 (3) Deployed, accident sequence undetermined
 (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical)
 (5) Unknown if deployed
 (7) Nondeployed
 (9) Unknown

- Air Bag(s) Deployment, Other Than First Seat Frontal (This Occupant Position)**
 (0) Not equipped with an "other" air bag
 (1) Deployed during accident (as a result of impact)
 (2) Deployed inadvertently just prior to accident
 (3) Deployed, details unknown
 (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical)
 (5) Unknown if deployed
 (7) Nondeployed
 (9) Unknown

AUTOMATIC BELTS

		Left	Right
F I R S T	Availability/Function	 	
	Use	 	
	Type	 	
	Proper Use	 	
	Failure Modes	 	

- Automatic (Passive) Belt System Availability/Function**
 (0) Not equipped/not available
 (1) 2 point automatic belts
 (2) 3 point automatic belts
 (3) Automatic belts - type unknown
- Non-functional*
 (4) Automatic belts destroyed or rendered inoperative
 (9) Unknown
- Automatic (Passive) Belt System Use**
 (0) Not equipped/not available/destroyed or rendered inoperative
 (1) Automatic belt in use
 (2) Automatic belt not in use (manually disconnected, motorized track inoperative)
 (3) Automatic belt use unknown
 (9) Unknown
- Automatic (Passive) Belt System Type**
 (0) Not equipped/not available
 (1) Non-motorized system
 (2) Motorized system
 (9) Unknown

- Proper Use of Automatic (Passive) Belt System**
 (0) Not equipped/not available/not used
 (1) Automatic belt used properly
 (2) Automatic belt used properly with child safety seat
- Automatic Belt Used Improperly*
 (3) Automatic shoulder belt worn under arm
 (4) Automatic shoulder belt worn behind back
 (5) Automatic belt worn around more than one person
 (6) Lap portion of automatic belt worn on abdomen
 (7) Automatic lap and shoulder belt or automatic shoulder belt used improperly with child safety seat (specify): _____
 (8) Other improper use of automatic belt system (specify): _____
 (9) Unknown

- Automatic (Passive) Belt Failure Modes During Accident**
 (0) Not equipped/not available/not in use
 (1) No automatic belt failure(s)
 (2) Torn webbing (stretched webbing not included)
 (3) Broken buckle or latchplate
 (4) Upper anchorage separated
 (5) Other anchorage separated (specify): _____
 (6) Broken retractor
 (7) Combination of above (specify): _____
 (8) Other automatic belt failure (specify): _____
 (9) Unknown

FIRST SEAT FRONTAL AIR BAGS

NOTES: Encode the applicable data *for the driver and first seat passenger* in the vehicle. The attribute for the variable may be found below. Restraint systems should be assessed during the vehicle inspection then coded on the Occupant Assessment Form.

	Driver	Passenger
Type of air bag?	/	/
Flaps open at tear points?	/	/
Flaps damaged?	/	/
Air bag damaged?	/	/
Source of air bag damage	/	/
Air bag tethered?	/	/
Air bag have vent ports?	/	/
Other occupant contact air bag?	/	/
Occupant wearing eyewear?	/	/

Type of Air Bag

- (0) Not equipped/not available
- (1) Original manufacturer installed system
- (2) Retrofitted air bag
- (3) Replacement air bag
- (8) Unknown type of air bag
- (9) Unknown

Did Air Bag Module Cover Flap(s) Open At Designated Tear Points?

- (0) Not equipped/not available
- (1) No
- (2) Yes
- (3) Deployed, unknown if flap(s) opened at designated tear points
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

Were Air Bag Module Cover Flap(s) Damaged?

- (0) Not equipped/not available
- (1) No
- (2) Yes (specify):
- (3) Deployed, unknown if air bag module cover flap(s) damaged
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

Was There Damage To The Air Bag?

- (00) Not equipped/not available
- (01) Not damaged

Yes - Air Bag Damage

- (02) Ruptured
- (03) Cut
- (04) Torn
- (05) Holed
- (06) Burned
- (07) Abraded
- (88) Other damage (specify):

- (95) Damaged, details unknown
- (96) Deployed, unknown if damaged
- (97) Not deployed
- (98) Unknown if deployed
- (99) Unknown

Source of Air Bag Damage

- (00) Not equipped/not available
- (01) Not damaged
- (02) Object worn by occupant, (specify):
- (03) Object carried by occupant, (specify):
- (04) Adaptive/assistive controls, (specify):
- (05) Fire in vehicle
- (06) Thermal burns
- (07) Rescue or emergency efforts
- (88) Other damage source (specify):
- (95) Damaged, unknown source
- (96) Deployed, unknown if damaged
- (97) Not deployed
- (98) Unknown if deployed
- (99) Unknown

Was The Air Bag Tethered?

- (0) Not equipped/not available
- (1) No
- (2) Yes (specify number of tether straps):
- (3) Deployed, unknown if tethered
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

Did The Air Bag Have Vent Ports?

- (0) Not equipped/not available
- (1) No
- (2) Yes (specify number of vent ports):
- (3) Deployed, unknown if vent ports present
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

Was the Air Bag in this Occupant's Position Contacted by Another Occupant?


- (0) Not equipped/not available
- (1) No
- (2) Yes (specify):
- (3) Deployed, unknown if other occupant contact to air bag
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

Was This Occupant Wearing Eye-wear?


- (0) Not equipped/not available
- (1) No
- (2) Eyeglasses/sunglasses
- (3) Contact lenses
- (4) Deployed, unknown if eyewear worn
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

DRIVER AIR BAG DAMAGE AND CONTACT SKETCHES

1. SKETCH DAMAGE AND CONTACT EVIDENCE ON DRIVER AIR BAG (Front)



2. SKETCH DAMAGE AND CONTACT EVIDENCE ON DRIVER AIR BAG (Back)



DRIVER AIR BAG SKETCHES (Cont'd)

3. DRIVER AIR BAG MODULE COVER FLAP SIZE (DOUBLE)

a. Upper Flap


b. Lower Flap

width (W_U) _____

width (W_L) _____

height (H_U) _____


height (H_L) _____



4. SKETCH OF OTHER TYPE OF AIR BAG MODULE FLAP AND SIZE


5. SKETCH OF OTHER TYPE OF AIR BAG VENT PORTS

6. SKETCH LOCATION OF CIRCULAR AIR BAG VENT PORTS




PASSENGER AIR BAG DAMAGE AND CONTACT SKETCHES

1. SKETCH DAMAGE AND CONTACT EVIDENCE ON PASSENGER AIR BAG (Front)



2. SKETCH DAMAGE AND CONTACT EVIDENCE ON PASSENGER AIR BAG (Back)




PASSENGER AIR BAG SKETCHES (Cont'd)

3. PASSENGER AIR BAG MODULE COVER FLAP SIZE (SINGLE)

a. Flap

width (W) _____

height (H) _____



4. PASSENGER AIR BAG MODULE COVER FLAP SIZE (DOUBLE)

a. Upper Flap


b. Lower Flap

width (W_U) _____

width (W_L) _____

height (H_U) _____


height (H_L) _____



5. SKETCH OF OTHER TYPE OF AIR BAG MODULE FLAP AND SIZE

6. SKETCH OF OTHER TYPE OF AIR BAG VENT PORTS

7. SKETCH LOCATION OF RECTANGULAR AIR BAG VENT PORTS



"OTHER" AIR BAG DAMAGE AND CONTACT SKETCHES

1. SKETCH DAMAGE AND CONTACT EVIDENCE ON "OTHER" AIR BAG (Front)

2. SKETCH DAMAGE AND CONTACT EVIDENCE ON "OTHER" AIR BAG (Back)

"OTHER" AIR BAG SKETCHES (Cont'd)

3. SKETCH AIR BAG MODULE FLAP AND SIZE OR OPENING FOR AIRBAG

4. SKETCH AIR BAG VENT PORTS

HEAD RESTRAINTS/SEAT EVALUATION

NOTES: Encode the applicable data for each seat position in the vehicle. The attribute for these variables may be found at the bottom of the page. Head restraint type/damage and seat type/performance should be assessed during the vehicle inspection then coded on the Occupant Assessment Form.

		Left	Center	Right
F I R S T	Head Restraint Type/Damage	0	0	0
	Seat Type	05	05	05
	Seat Performance	1	00	1
	Seat Orientation	1	0	1
	Seat Track Position	4	0	4
	Seat Back Incline Pre/Post Impact	01	01	01
S E C O N D	Head Restraint Type/Damage	/	/	/
	Seat Type			
	Seat Performance			
	Seat Orientation			
	Seat Track Position			
	Seat Back Incline Pre/Post Impact			
T H I R D	Head Restraint Type/Damage	/	/	/
	Seat Type			
	Seat Performance			
	Seat Orientation			
	Seat Track Position			
	Seat Back Incline Pre/Post Impact			
O T H E R	Head Restraint Type/Damage	/	/	/
	Seat Type			
	Seat Performance			
	Seat Orientation			
	Seat Track Position			
	Seat Back Incline Pre/Post Impact			

**DESCRIBE ANY INDICATION OF ABNORMAL OCCUPANT POSTURE
(I.E., UNUSUAL OCCUPANT CONTACT PATTERN)**

HEAD RESTRAINTS/SEAT EVALUATION

Head Restraint Type/Damage by Occupant at This Occupant Position

- (0) No head restraints
- (1) Integral — no damage
- (2) Integral — damaged during accident
- (3) Adjustable — no damage
- (4) Adjustable — damaged during accident
- (5) Add-on — no damage
- (6) Add-on — damaged during accident
- (8) Other
Specify): _____
- (9) Unknown

Seat Type (this Occupant Position)

- (00) Occupant not seated or no seat
- (01) Bucket
- (02) Bucket with folding back
- (03) Bench
- (04) Bench with separate back cushions
- (05) Bench with folding back(s)
- (06) Split bench with separate back cushions
- (07) Split bench with folding back(s)
- (08) Pedestal (i.e., column supported)
- (09) Other seat type (specify): _____
- (10) Box mounted seat (i.e., van type)
- (99) Unknown

Seat Performance (this Occupant Position)

- (0) Occupant not seated or no seat
- (1) No seat performance failure(s)
- (2) Seat adjusters failed
- (3) Seat back folding locks or "seat back" failed (specify): _____
- (4) Seat tracks/anchors failed
- (5) Deformed by impact of occupant
- (6) Deformed by passenger compartment intrusion (specify): _____
- (7) Combination of above (specify): _____
- (8) Other (specify): _____
- (9) Unknown

Seat Orientation (this Occupant Position)

- (0) Occupant not seated or no seat
- (1) Forward facing seat
- (2) Rear facing seat
- (3) Side facing seat (inward)
- (4) Side facing seat (outward)
- (8) Other (specify): _____
- (9) Unknown

Seat Track Adjusted Position Prior To Impact

- (0) Occupant not seated or no seat
 - (1) Non-adjustable seat track
- Adjustable Seat Track*
- (2) Seat at forward most track position
 - (3) Seat between forward most and middle track positions
 - (4) Seat at middle track position
 - (5) Seat between middle and rear most track positions
 - (6) Seat at rear most track position
 - (9) Unknown

Seat Back Incline Prior and Post Impact

- (00) Occupant not seated or no seat
- (01) Not adjustable

Upright prior to impact




- (11) Moved to completely rearward position
- (12) Moved to rearward midrange position
- (13) Moved to slightly rearward position
- (14) Retained pre-impact position
- (15) Moved to slightly forward position
- (16) Moved to forward midrange position
- (17) Moved to completely forward position

Slightly reclined prior to impact

- (21) Moved to completely rearward position
- (22) Moved to rearward midrange position
- (23) Retained pre-impact position
- (24) Moved to upright position
- (25) Moved to slightly forward position
- (26) Moved to forward midrange position
- (27) Moved to completely forward position

Completely reclined prior to impact

- (31) Retained pre-impact position
- (32) Moved to rearward midrange position
- (33) Moved to slightly rearward position
- (34) Moved to upright position
- (35) Moved to slightly forward position
- (36) Moved to forward midrange position
- (37) Moved to completely forward position
- (99) Unknown



Coding diagrams for *Seat Back Incline Position Prior and Post Impact*

**DESCRIBE ANY INDICATION OF ABNORMAL OCCUPANT POSTURE
(I.E., UNUSUAL OCCUPANT CONTACT PATTERN)**

CHILD SAFETY SEAT FIELD ASSESSMENT

When a child safety seat is present enter the occupant's number in the first row and complete the column below the occupant's number using the codes listed below. Complete a column for each child safety seat present.

Occupant Number						
1. Type of Child Safety Seat						
2. Child Safety Seat Orientation						
3. Child Safety Seat Harness Usage						
4. Child Safety Seat Shield Usage						
5. Child Safety Seat Tether Usage						
6. Child Safety Seat Make/Model	Specify Below for Each Child Safety Seat					

1. Type of Child Safety Seat

- (0) No child safety seat
- (1) Infant seat
- (2) Toddler seat
- (3) Convertible seat
- (4) Booster seat
- (7) Other type child safety seat (specify): _____
- (8) Unknown child safety seat type
- (9) Unknown if child safety seat used

2. Child Safety Seat Orientation

- (00) No child safety seat
- Designed for Rear Facing for This Age/Weight
- (01) Rear facing
- (02) Forward facing
- (08) Other orientation (specify): _____
- (09) Unknown orientation
- Designed for Forward Facing for This Age/Weight
- (11) Rear facing
- (12) Forward facing
- (18) Other orientation (specify): _____
- (19) Unknown orientation
- Unknown Design or Orientation For This Age/Weight, or Unknown Age/Weight
- (21) Rear facing
- (22) Forward facing
- (28) Other orientation (specify): _____
- (29) Unknown orientation
- (99) Unknown if child safety seat used

3. Child Safety Seat Harness Usage

4. Child Safety Seat Shield Usage

- 5. Child Safety Seat Tether Usage**
 Note: Options Below Are Used for Variables 3-5.
 (00) No child safety seat

- Not Designed with Harness/Shield/Tether
- (01) After market harness/shield/tether added, not used
 - (02) After market harness/shield/tether used
 - (03) Child safety seat used, but no after market harness/shield/tether added
 - (09) Unknown if harness/shield/tether added or used

- Designed With Harness/Shield/Tether
- (11) Harness/shield/tether not used
 - (12) Harness/shield/tether used
 - (19) Unknown if harness/shield/tether used

- Unknown If Designed With Harness/Shield/Tether
- (21) Harness/shield/tether not used
 - (22) Harness/shield/tether used
 - (29) Unknown if harness/shield/tether used

- (99) Unknown if child safety seat used

6. Child Safety Seat Make/Model
 (Specify make/model and occupant number)

EJECTION/ENTRAPMENT DATA

Complete the following if the researcher has any indication that an occupant was either ejected from or entrapped in the vehicle. Code the appropriate data on the Occupant Assessment Form.

EJECTION No [] Yes []

Describe indications of ejection and body parts involved in partial ejection(s):

Occupant Number						
Ejection						
(Note on Vehicle Interior Sketch) Ejection Area						
Ejection Medium						
Medium Status						

<p>Ejection</p> <p>(1) Complete ejection (2) Partial ejection (3) Ejection, Unknown degree (9) Unknown</p> <p>Ejection Area</p> <p>(1) Windshield (2) Left front (3) Right front (4) Left rear (5) Right rear (6) Rear</p>	<p>(7) Roof (8) Other area (e.g., back of pickup, etc.) (specify): _____</p> <p>(9) Unknown</p> <p>Ejection Medium</p> <p>(1) Door/hatch/tailgate (2) Nonfixed roof structure (3) Fixed glazing (4) Nonfixed glazing (specify): _____</p>	<p>(5) Integral structure (8) Other medium (specify): _____</p> <p>(9) Unknown</p> <p>Medium Status (Immediately Prior to Impact)</p> <p>(1) Open (2) Closed (3) Integral structure (9) Unknown</p>
--	--	--

ENTRAPMENT No [] Yes []

Describe entrapment mechanism: _____

Component(s): _____

(Note in vehicle interior diagram)



OCCUPANT ASSESSMENT FORM

1. Primary Sampling Unit Number 45
 2. Case Number - Stratum 100A
 3. Vehicle Number 01
 4. Occupant Number 01

OCCUPANT'S CHARACTERISTICS

5. Occupant's Age 36
 Code actual age at time of accident.
 (00) Less than one year old (specify by month):
 (97) 97 years and older
 (99) Unknown

6. Occupant's Sex L
 (1) Male
 (2) Female-not reported pregnant
 (3) Female-pregnant-1st trimester(1st-3rd month)
 (4) Female-pregnant-2nd trimester(4th-6th month)
 (5) Female-pregnant-3rd trimester(7th-9th month)
 (6) Female-pregnant-term unknown
 (9) Unknown

7. Occupant's Height 175
 Code actual height to the nearest
 centimeter.
 (999) Unknown
69 inches X 2.54 = _____ centimeters

8. Occupant's Weight 066
 Code actual weight to the nearest
 kilogram.
 (999)Unknown
145 pounds X .4536 = _____ kilograms

9. Occupant's Role 1
 (1) Driver
 (2) Passenger
 (9) Unknown

OCCUPANT'S SEATING

10. Occupant's Seat Position 11
Front Seat
 (11) Left side
 (12) Middle
 (13) Right side
 (14) Other (specify): _____
 (15) On or in the lap of another occupant

Second Seat
 (21) Left side
 (22) Middle
 (23) Right side
 (24) Other (specify): _____
 (25) On or in the lap of another occupant

Third Seat
 (31) Left side
 (32) Middle
 (33) Right side
 (34) Other (specify): _____
 (35) On or in the lap of another occupant

Fourth Seat
 (41) Left side
 (42) Middle
 (43) Right side
 (44) Other (specify): _____
 (45) On or in the lap of another occupant

(97) In or on unenclosed area
 (98) Other seat (specify): _____
 (99) Unknown

11. Occupant's Posture 0
 (0) Normal posture
Abnormal posture
 (1) Kneeling or standing on seat
 (2) Lying on or across seat
 (3) Kneeling, standing or sitting in front of seat
 (4) Sitting sideways or turned to talk with another
 occupant or to look out a rear window
 (5) Sitting on a console
 (6) Lying back in a reclined seat position
 (7) Bracing with feet or hands on a surface in front
 of seat
 (8) Other abnormal posture (specify): _____
 (9) Unknown

EJECTION/ENTRAPMENT

12. Ejection 0
 (0) No ejection
 (1) Complete ejection
 (2) Partial ejection
 (3) Ejection, unknown degree
 (9) Unknown

13. Ejection Area 0
 (0) No ejection
 (1) Windshield
 (2) Left front
 (3) Right front
 (4) Left rear
 (5) Right rear
 (6) Rear
 (7) Roof
 (8) Other area (e.g., back of pickup, etc.)
 (specify): _____
 (9) Unknown

14. Ejection Medium 0
 (0) No ejection
 (1) Door/hatch/tailgate
 (2) Nonfixed roof structure
 (3) Fixed glazing
 (4) Nonfixed glazing (specify): _____
 (5) Integral structure
 (8) Other medium (specify): _____
 (9) Unknown

15. Medium Status (Immediately Prior To Impact) 0
 (0) No ejection
 (1) Open
 (2) Closed
 (3) Integral structure
 (9) Unknown

16. Entrapment 0
 (0) Not entrapped/exit not inhibited
 (1) Entrapped/pinned - mechanically restrained
 (2) Could not exit vehicle due to jammed doors,
 fire, etc.
 (specify): _____
 (9) Unknown

17. Occupant Mobility 2
 (0) Occupant fatal before removed from
 vehicle
 (1) Removed from vehicle while unconscious or
 disoriented
 (2) Removed from vehicle due to injuries
 (3) Exited vehicle with some assistance
 (4) Exited vehicle under own power
 (5) Occupant fully ejected
 (9) Unknown

BELT SYSTEM FUNCTION

18. Manual (Active) Belt System Availability 4
- (0) None available
 (1) Belt removed/destroyed
 (2) Shoulder belt
 (3) Lap belt
 (4) Lap and shoulder belt
 (5) Belt available—type unknown
- Integral Belt Partially Destroyed*
 (6) Shoulder belt (lap belt destroyed/removed)
 (7) Lap belt (shoulder belt destroyed/removed)
 (8) Other belt (specify): _____
- (9) Unknown _____
19. Manual (Active) Belt System Use 00
- (00) None used, not available, or belt removed/destroyed
 (01) Inoperative (specify): _____
- (02) Shoulder belt
 (03) Lap belt
 (04) Lap and shoulder belt
 (05) Belt used—type unknown
 (08) Other belt used (specify): _____
- (12) Shoulder belt used with child safety seat
 (13) Lap belt used with child safety seat
 (14) Lap and shoulder belt used with child safety seat
 (15) Belt used with child safety seat—type unknown
 (18) Other belt used with child safety seat (specify): _____
- (99) Unknown if belt used _____
20. Proper Use of Manual (Active) Belts 0
- (0) None used or not available
 (1) Belt used properly
 (2) Belt used properly with child safety seat
- Belt Used Improperly*
 (3) Shoulder belt worn under arm
 (4) Shoulder belt worn behind back or seat
 (5) Belt worn around more than one person
 (6) Lap belt worn on abdomen
 (7) Lap belt or lap and shoulder belt used improperly with child safety seat (specify): _____
- (8) Other improper use of manual belt system (specify): _____
- (9) Unknown _____
21. Manual (Active) Belt Failure Modes During Accident 0
- (0) No manual belt used or not available
 (1) No manual belt failure(s)
 (2) Torn webbing (stretched webbing not included)
 (3) Broken buckle or latchplate
 (4) Upper anchorage separated
 (5) Other anchorage separated (specify): _____
- (6) Broken retractor
 (7) Combination of above (specify): _____
- (8) Other manual belt failure (specify): _____
- (9) Unknown _____
22. Shoulder Belt Upper Anchorage Adjustment 1
- (0) No shoulder belt
 (1) No upper anchorage adjustment for shoulder belt
- Adjustable shoulder Belt Upper Anchorage*
 (2) In full up position
 (3) In mid position
 (4) In full down position
 (5) Position unknown
 (9) Unknown if position has adjustable upper anchorage adjustment 0
23. Automatic (Passive) Belt System Availability/Function 0
- (0) Not equipped/not available
 (1) 2 point automatic belts
 (2) 3 point automatic belts
 (3) Automatic belts - type unknown
- Non-functional*
 (4) Automatic belts destroyed or rendered inoperative
 (9) Unknown
24. Automatic (Passive) Belt System Use 0
- (0) Not equipped/not available/destroyed or rendered inoperative
 (1) Automatic belt in use
 (2) Automatic belt not in use (manually disconnected, motorized track inoperative) (specify): _____
- (3) Automatic belt use unknown
 (9) Unknown
25. Automatic (Passive) Belt System Type 0
- (0) Not equipped/not available
 (1) Non-motorized system
 (2) Motorized system
 (9) Unknown
26. Proper Use of Automatic (Passive) Belt System 0
- (0) Not equipped/not available/not used
 (1) Automatic belt used properly
 (2) Automatic belt used properly with child safety seat
- Automatic Belt Used Improperly*
 (3) Automatic shoulder belt worn under arm
 (4) Automatic shoulder belt worn behind back
 (5) Automatic belt worn around more than one person
 (6) Lap portion of automatic belt worn on abdomen
 (7) Automatic lap and shoulder belt or automatic shoulder belt used improperly with child safety seat (specify): _____
- (8) Other improper use of automatic belt system (specify): _____
- (9) Unknown _____
27. Automatic (Passive) Belt Failure Modes During Accident 0
- (0) Not equipped/not available/not in use
 (1) No automatic belt failure(s)
 (2) Torn webbing (stretched webbing not included)
 (3) Broken buckle or latchplate
 (4) Upper anchorage separated
 (5) Other anchorage separated (specify): _____
- (6) Broken retractor
 (7) Combination of above (specify): _____
- (8) Other automatic belt failure (specify): _____
- (9) Unknown _____

POLICE REPORTED RESTRAINT USE	AIR BAG SYSTEM FUNCTION
<p>28. Police Reported Belt Use <u>0</u></p> <p>(0) None used (1) Police did not indicate belt use (2) Shoulder belt (3) Lap belt (4) Lap and shoulder belt (5) Belt used, type not specified (6) Child safety seat (7) Automatic belt (8) Other type belt, (specify): _____ (9) Police indicated "unknown"</p>	<p>30. Frontal Air Bag System Availability/Function (This Occupant Position) <u>0</u></p> <p>(0) Not equipped/not available (1) Air bag</p> <p><i>Non-functional</i> (2) Air bag disconnected (specify): _____ (3) Air bag not reinstalled (9) Unknown</p>
<p>29. Police Reported Air Bag Availability/Function <u>0</u></p> <p>(0) No air bag available (1) Police did not indicate air bag availability/function (2) Deployed (3) Not deployed (4) Unknown if deployed (9) Police indicated "unknown"</p>	<p>31. Frontal Air Bag System Deployment (This Occupant Position) <u>0</u></p> <p>(0) Not equipped/not available (1) Deployed during accident (as a result of impact) (2) Deployed inadvertently just prior to accident (3) Deployed, details unknown (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical) (5) Unknown if deployed (7) Nondeployed (9) Unknown</p>
<p>Check the Primary Source Used In Determining Belt Use.</p> <p><input type="checkbox"/> Not equipped/not available/destroyed or rendered inoperative <input checked="" type="checkbox"/> Vehicle inspection <input type="checkbox"/> Official injury data <input checked="" type="checkbox"/> Driver/occupant interview <input checked="" type="checkbox"/> Other (specify): XXXXXXXXXX <input type="checkbox"/> Unknown if belt used</p> <p>_____</p> <p>_____</p> <p>_____</p> <p>_____</p>	<p>32. Other Than First Seat Frontal Air Bag Availability/Function (This Occupant Position) <u>0</u></p> <p>(0) Not equipped/not available (1) Air bag</p> <p><i>Non-functional</i> (2) Air bag disconnected (specify): _____ (3) Air bag not reinstalled (9) Unknown</p> <p><i>Specify type of "other" air bag present:</i> _____</p>
	<p>33. Air Bag(s) Deployment, Other Than First Seat Frontal (This Occupant Position) <u>0</u></p> <p>(0) Not equipped with an "other" air bag (1) Deployed during accident (as a result of impact) (2) Deployed inadvertently just prior to accident (3) Deployed, details unknown (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical) (5) Unknown if deployed (7) Nondeployed (9) Unknown</p>
	<p>34. Are There Indications of Air Bag System Failure? (This Occupant Position) <u>0</u></p> <p>(0) Not equipped/not available (1) No (2) Yes (specify): _____ (9) Unknown</p>

FIRST SEAT FRONTAL AIR BAG SYSTEM EVALUATION

35. Had Vehicle Been in Previous Accident(s)? 0
 (0) Not equipped/not available
 (1) No previous accidents

 Yes
 (2) Previous accident(s) without deployment(s)
 (3) One previous accident with deployment
 (4) More than one previous accident with at least one deployment
 (8) Previous accidents, unknown deployment status
 (9) Unknown

36. Type of Air Bag 0
 (0) Not equipped/not available
 (1) Original manufacturer installed system
 (2) Retrofitted air bag
 (3) Replacement air bag
 (8) Unknown type of air bag
 (9) Unknown

37. Had Any Prior Maintenance/Service Been Performed On This Air Bag System? 0
 (0) Not equipped/not available
 (1) No prior maintenance
 (2) Yes, prior maintenance (specify): _____
 (9) Unknown

38. Air Bag Deployment Accident Event Sequence Number 0 0
 (00) Not equipped/not available
 _____ Code the accident event sequence number that initiated the air bag deployment
 (96) Deployed, unknown event
 (97) Not deployed
 (98) Unknown if deployed
 (99) Unknown

39. CDC For Air Bag Deployment Impact 0
 (0) Not equipped/not available
 (1) Highest delta V
 (2) Second highest delta V
 (3) Other non-coded delta V (specify): _____
 (6) Deployed, unknown event
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown

40. Longitudinal Component of Delta V For Air Bag Deployment Impact + 0 0 0
 (_000) Not equipped/not available
Code the value of the delta V for the impact that initiated the air bag deployment
 (_996) Deployment, unknown longitudinal Delta V
 (_997) Not deployed
 (_998) Unknown if deployed
 (_999) Unknown

41. Did Air Bag Module Cover Flap(s) Open At Designated Tear Points? 0
 (0) Not equipped/not available
 (1) No
 (2) Yes
 (3) Deployed, unknown if flap(s) opened at designated tear points
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown

42. Were Air Bag Module Cover Flap(s) Damaged? 0
 (0) Not equipped/not available
 (1) No
 (2) Yes (specify): _____
 (3) Deployed, unknown if air bag module cover flap(s) damaged
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown

43. Was There Damage To The Air Bag? 0 0
 (00) Not equipped/not available
 (01) Not damaged

Yes - Air Bag Damage
 (02) Ruptured
 (03) Cut
 (04) Torn
 (05) Holed
 (06) Burned
 (07) Abraded
 (88) Other damage (specify): _____
 (95) Damaged, details unknown
 (96) Deployed, unknown if damaged
 (97) Not deployed
 (98) Unknown if deployed
 (99) Unknown

**FIRST SEAT FRONTAL AIR BAG SYSTEM
EVALUATION** *continued*

44. Source of Air Bag Damage 0 0
 (00) Not equipped/not available
 (01) Not damaged
 (02) Object worn by occupant, (specify):

 (03) Object carried by occupant, (specify):

 (04) Adaptive/assistive controls, (specify):

 (05) Fire in vehicle
 (06) Thermal burns
 (07) Rescue or emergency efforts
 (88) Other damage source (specify):

 (95) Damaged, unknown source
 (96) Deployed, unknown if damaged
 (97) Not deployed
 (98) Unknown if deployed
 (99) Unknown
45. Was The Air Bag Tethered? 0
 (0) Not equipped/not available
 (1) No
 (2) Yes (specify number of tether straps):

 (3) Deployed, unknown if tethered
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown
46. Did The Air Bag Have Vent Ports? 0
 (0) Not equipped/not available
 (1) No
 (2) Yes (specify number of vent ports):

 (3) Deployed, unknown if vent ports present
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown
47. Was the Air Bag in this Occupant's Position Contacted by Another Occupant? 0
 (0) Not equipped/not available
 (1) No
 (2) Yes (specify):

 (3) Deployed, unknown if other occupant contact to air bag
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown
48. Was This Occupant Wearing Eye-wear? 0
 (0) Not equipped/not available
 (1) No
 (2) Eyeglasses/sunglasses
 (3) Contact lenses
 (4) Deployed, unknown if eyewear worn
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown

HEAD RESTRAINT AND SEAT EVALUATION

49. Head Restraint Type/Damage by Occupant at This Occupant Position 0
 (0) No head restraints
 (1) Integral—no damage
 (2) Integral—damaged during accident
 (3) Adjustable—no damage
 (4) Adjustable—damaged during accident
 (5) Add-on—no damage
 (6) Add-on—damaged during accident
 (8) Other (specify):

 (9) Unknown
50. Seat Type (this Occupant Position) 05
 (00) Occupant not seated or no seat
 (01) Bucket
 (02) Bucket with folding back
 (03) Bench
 (04) Bench with separate back cushions
 (05) Bench with folding back(s)
 (06) Split bench with separate back cushions
 (07) Split bench with folding back(s)
 (08) Pedestal (i.e., column supported)
 (09) Box mounted seat (i.e., van type)
 (10) Other seat type (specify):

 (99) Unknown
51. Seat Orientation (this Occupant Position) 1
 (0) Occupant not seated or no seat
 (1) Forward facing seat
 (2) Rear facing seat
 (3) Side facing seat (inward)
 (4) Side facing seat (outward)
 (8) Other (specify):

 (9) Unknown
52. Seat Track Adjusted Position Prior To Impact 4
 (0) Occupant not seated or no seat
 (1) Non-adjustable seat track
- Adjustable Seat Track*
 (2) Seat at forward most track position
 (3) Seat between forward most and middle track positions
 (4) Seat at middle track position
 (5) Seat between middle and rear most track positions
 (6) Seat at rear most track position
 (9) Unknown

HEAD RESTRAINT AND SEAT EVALUATION *continued*

53. Seat Back Incline Prior and Post Impact 01

- (00) Occupant not seated or no seat
- (01) Not adjustable

Upright prior to impact

- (11) Moved to completely rearward position
- (12) Moved to rearward midrange position
- (13) Moved to slightly rearward position
- (14) Retained pre-impact position
- (15) Moved to slightly forward position
- (16) Moved to forward midrange position
- (17) Moved to completely forward position




Slightly reclined prior to impact

- (21) Moved to completely rearward position
- (22) Moved to rearward midrange position
- (23) Retained pre-impact position
- (24) Moved to upright position
- (25) Moved to slightly forward position
- (26) Moved to forward midrange position
- (27) Moved to completely forward position

Completely reclined prior to impact

- (31) Retained pre-impact position
- (32) Moved to rearward midrange position
- (33) Moved to slightly rearward position
- (34) Moved to upright position
- (35) Moved to slightly forward position
- (36) Moved to forward midrange position
- (37) Moved to completely forward position

(99) Unknown



54. Seat Performance (this Occupant Position) L

- (0) Occupant not seated or no seat
- (1) No seat performance failure(s)
- (2) Seat adjusters failed
- (3) Seat back folding locks or "seat back" failed (specify): _____
- (4) Seat track/anchors failed
- (5) Deformed by impact of occupant
- (6) Deformed by passenger compartment intrusion, (specify): _____
- (7) Combination of above (specify): _____
- (8) Other (specify): _____
- (9) Unknown

CHILD SAFETY SEAT

55. Child Safety Seat Make/Model 0 0 0
 (000) No child safety seat
 Applicable codes are found in your NASS CDS
 Data Collection, Coding and Editing
 (950) Built-in child safety seat
 (997) Other make/model (specify):

 (998) Unknown make/model
 (999) Unknown if child safety seat used

56. Type of Child Safety Seat 0
 (0) No child safety seat
 (1) Infant seat
 (2) Toddler seat
 (3) Convertible seat
 (4) Booster seat - with shield
 (5) Booster seat - without shield
 (7) Other type child safety seat (specify):

 (8) Unknown child safety seat type
 (9) Unknown if child safety seat used

57. Child Safety Seat Orientation 0 0
 (00) No child safety seat

Designed for Rear Facing for This Age/Weight
 (01) Rear facing
 (02) Forward facing
 (08) Other orientation (specify):

 (09) Unknown orientation

Designed For Forward Facing for This Age/Weight
 (11) Rear facing
 (12) Forward facing
 (18) Other orientation (specify):

 (19) Unknown orientation

*Unknown Design or Orientation For This
 Age/Weight, or Unknown Age/Weight*
 (21) Rear facing
 (22) Forward facing
 (28) Other orientation (specify):

 (29) Unknown orientation

 (99) Unknown if child safety seat used

58. Child Safety Seat Harness Usage 0 0

59. Child Safety Seat Shield Usage 0 0

60. Child Safety Seat Tether Usage 0 0

Note: Options below applicable to
 Variables OA58-OA60.
 (00) No child safety seat

Not Designed With Harness/Shield/Tether

- (01) After market harness/shield/tether
 added, not used
 (02) After market harness/shield/tether used
 (03) Child safety seat used, but no after market
 harness/shield/tether added
 (09) Unknown if harness/shield/tether
 added or used

Designed With Harness/Shield/Tether

- (11) Harness/shield/tether not used
 (12) Harness/shield/tether used
 (19) Unknown if harness/shield/tether used

Unknown If Designed With Harness/Shield/Tether

- (21) Harness/shield/tether not used
 (22) Harness/shield/tether used
 (29) Unknown if harness/shield/tether used

 (99) Unknown if child safety seat used

INJURY CONSEQUENCES

61. Injury Severity (Police Rating) 3

- (0) O - No injury
- (1) C - Possible injury
- (2) B - Nonincapacitating injury
- (3) A - Incapacitating injury
- (4) K - Killed
- (5) U - Injury, severity unknown
- (6) Died prior to accident
- (9) Unknown

62. Treatment - Mortality 3

- (0) No treatment
- (1) Fatal
- (2) Fatal - ruled disease (specify):

Nonfatal

- (3) Hospitalization
- (4) Transported and released
- (5) Treatment at scene - nontransported
- (6) Treatment later
- (7) Treatment - other (specify):

- (8) Transported to a medical facility-unknown if treated
- (9) Unknown

63. Type Of Medical Facility (for Initial Treatment) 1

- (0) Not treated at a medical facility
- (1) Trauma center
- (2) Hospital
- (3) Medical clinic
- (4) Physician's office
- (5) Treatment later at medical facility
- (8) Other (specify):

- (9) Unknown

64. Hospital Stay 08 ~~07~~

- (00) Not Hospitalized
- _____ Code the number of days (up through 60) that the occupant stayed in hospital.
- (61) 61 days or more
- (99) Unknown

65. Working Days Lost 9 9

- _____ Code the number of days (up through 60) that the occupant lost from work due to the accident
- (00) No working days lost
- (61) 61 days or more
- (62) Fatally injured
- (97) Not working prior to accident
- (99) Unknown

still out.

STOP WORK HERE

VARIABLES 66-74

TO BE CODED BY THE ZONE CENTER

TO BE CODED BY THE ZONE CENTER

INJURY CONSEQUENCES

TRAUMA DATA

66. Time to Death 00
 _____ Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, ... n days = 30 + n up through 30 days = 60)
 (00) Not fatal
 (96) Fatal - ruled disease
 (99) Unknown

67. 1st Medically Reported Cause of Death 00

68. 2nd Medically Reported Cause of Death 00

69. 3rd Medically Reported Cause of Death 00
 _____ Code the Occupant Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this occupant's death
 (00) Not fatal or no additional causes
 (96) Mode of death given but specific injuries are not linked to cause of death. (specify):

(97) Other result (includes fatal ruled disease) (specify): _____

(99) Unknown _____

70. Number of Recorded Injuries for This Occupant 06
 _____ Code the actual number of injuries recorded for this occupant.
 (00) No recorded injuries
 (97) Injured, details unknown
 (99) Unknown if injured

71. Glasgow Coma Scale (GCS) Score 15
 (at Medical Facility)
 (00) Not injured
 (01) Injured - not treated at medical facility
 (02) No GCS Score at medical facility
 (03-15) Code the actual value of the initial GCS Score recorded at medical facility.
 (97) Injured, details unknown
 (99) Unknown if injured

72. Was the Occupant Given Blood? 1
 (1) No - blood not given
 (2) Yes - blood given (specify units): _____
 (9) Unknown if blood given

73. Arterial Blood Gases (ABG) - HCO₃ 21
 (00) Not injured
 (01) Injured, ABGs not measured or reported
 (02-50) Code the actual value of the HCO₃
 (96) ABGs reported, HCO₃ unknown
 (97) Injured, details unknown
 (99) Unknown if injured

BELT USE DETERMINATION

74. Primary Source of Belt Use Determination 1
 (0) Not equipped/not available/destroyed or rendered inoperative
 (1) Vehicle inspection
 (2) Official injury data
 (3) Driver/occupant interview
 (8) Other (specify): _____
 (9) Unknown if belt used

OCCUPANT INJURY CLASSIFICATION

Body Region	Specific Anatomic Structure	Level of Injury	Aspect
(1) Head		Specific injuries are assigned consecutive two-digit numbers beginning with 02. To the extent possible, within the organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity.	(1) Right
(2) Face			(2) Left
(3) Neck			(3) Bilateral
(4) Thorax			(4) Central
(5) Abdomen			(5) Anterior
(6) Spine			(6) Posterior
(7) Upper Extremity			(7) Superior
(8) Lower Extremity			(8) Inferior
(9) Unspecified			(9) Unknown
			(0) Whole region
Type of Anatomic Structure	Whole Area		
(1) Whole Area	(02) Skin - Abrasion		
(2) Vessels	(04) Skin - Contusion		
(3) Nerves	(06) Skin - Laceration		
(4) Organs (includes Muscles/ligaments)	(08) Skin - Avulsion		
(5) Skeletal (includes joints)	(10) Amputation		
(6) Head - LOC	(20) Burn		
(9) Skin	(30) Crush		
	(40) Degloving		
	(50) Injury - NFS		
	(90) Trauma, other than mechanical		
	Head - LOC		
	(02) Length of LOC		
	(04) Level		
	(06) of		
	(08) Consciousness		
	(10) Concussion		
	Spine		
	(02) Cervical		
	(04) Thoracic		
	(06) Lumbar		
		Abbreviated Injury Scale	
		(1) Minor Injury	
		(2) Moderate Injury	
		(3) Serious Injury	
		(4) Severe Injury	
		(5) Critical Injury	
		(6) Maximum (untreatable)	
		(7) Injured, unknown severity	

SOURCE OF INJURY DATA	INJURY SOURCE CONFIDENCE LEVEL	DIRECT/INDIRECT INJURY
<p>OFFICIAL RECORDS</p> <p>(1) Autopsy records with or without hospital/medical records</p> <p>(2) Hospital/medical records other than emergency room (e.g., discharge summary)</p> <p>(3) Emergency room records only (including associated X-rays or other lab reports)</p> <p>(4) Private physician, walk-in or emergency clinic</p> <p>UNOFFICIAL RECORDS</p> <p>(5) Lay coroner report</p> <p>(6) E.M.S. personnel</p> <p>(7) Interviewee</p> <p>(8) Other source (specify): _____</p> <p>(9) Police _____</p>	<p>(1) Certain</p> <p>(2) Probable</p> <p>(3) Possible</p> <p>(9) Unknown</p>	<p>(1) Direct contact injury</p> <p>(2) Indirect contact injury</p> <p>(3) Noncontact injury</p> <p>(7) Injured, unknown source</p>

INJURY SOURCES

FRONT

- (001) Windshield
- (002) Mirror
- (003) Sunvisor
- (004) Steering wheel rim
- (005) Steering wheel hub/spoke
- (006) Steering wheel (combination of codes 004 and 005)
- (007) Steering column, transmission selector lever, other attachment
- (008) Cellular telephone or CB radio
- (009) Add on equipment (e.g., tape deck, air conditioner)
- (010) Left instrument panel and below
- (011) Center instrument panel and below
- (012) Right instrument panel and below
- (013) Glove compartment door
- (014) Knee bolster
- (015) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, mirror, or steering assembly (driver side only)
- (016) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, or mirror (passenger side only)
- (017) Windshield reinforced by exterior object (specify):
- (019) Other front object (specify):

LEFT SIDE

- (051) Left side interior surface, excluding hardware or armrests
- (052) Left side hardware or armrest
- (053) Left A (A1/A2)-pillar
- (054) Left B-pillar
- (055) Other left pillar (specify):
- (056) Left side window glass
- (057) Left side window frame
- (058) Left side window sill
- (059) Left side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail.
- (060) Other left side object (specify):

RIGHT SIDE

- (101) Right side interior surface, excluding hardware or armrests

- (102) Right side hardware or armrest
- (103) Right A (A1/A2)-pillar
- (104) Right B-pillar
- (105) Other right pillar (specify):
- (106) Right side window glass
- (107) Right side window frame
- (108) Right side window sill
- (109) Right side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail.
- (110) Other right side object (specify):

INTERIOR

- (151) Seat, back support
- (152) Belt restraint webbing/buckle
- (153) Belt restraint B-pillar or door frame attachment point
- (154) Other restraint system component (specify):
- (155) Head restraint system
- (160) Other occupants (specify):
- (161) Interior loose objects
- (162) Child safety seat (specify):
- (163) Other interior object (specify):

AIR BAG

- (170) Air bag-driver side
- (171) Air bag-driver side and eyewear
- (172) Air bag-driver side and jewelry
- (173) Air bag-driver side and object held
- (174) Air bag-driver side and object in mouth
- (175) Air bag compartment cover-driver side
- (176) Air bag compartment cover-driver side and eyewear
- (177) Air bag compartment cover-driver side and jewelry
- (178) Air bag compartment cover-driver side and object held
- (179) Air bag compartment cover-driver side and object in mouth
- (180) Air bag-passenger side
- (181) Air bag-passenger side and eyewear
- (182) Air bag-passenger side and jewelry

- (183) Air bag-passenger side and object held
- (184) Air bag-passenger side and object in mouth
- (185) Air bag compartment cover-passenger side
- (186) Air bag compartment cover-passenger side and eyewear
- (187) Air bag compartment cover-passenger side and jewelry
- (188) Air bag compartment cover-passenger side and object held
- (189) Air bag compartment cover-passenger side and object in mouth
- (190) Other air bag (specify):
- (195) Other air bag compartment cover (specify):

ROOF

- (201) Front header
- (202) Rear header
- (203) Roof left side rail
- (204) Roof right side rail
- (205) Roof or convertible top

FLOOR

- (251) Floor (including toe pan)
- (252) Floor or console mounted transmission lever, including console
- (253) Parking brake handle
- (254) Foot controls including parking brake

REAR

- (301) Backlight (rear window)
- (302) Backlight storage rack, door, etc.
- (303) Other rear object (specify):

ADAPTIVE (ASSISTIVE) DRIVING EQUIPMENT

- (401) Hand controls for braking/acceleration
- (402) Steering control devices (attached to OEM steering wheel)
- (403) Steering knob attached to steering wheel
- (405) Replacement steering wheel (i.e., reduced diameter)
- (406) Joy stick steering controls
- (407) Wheelchair tie-downs
- (408) Modification to seat belts, (specify):
- (409) Additional or relocated switches, (specify):

- (410) Raised roof

- (411) Wall mounted head rest (used behind wheel chair)
- (412) Other adaptive device (specify):

EXTERIOR of OCCUPANT'S VEHICLE

- (451) Hood
- (452) Outside hardware (e.g., outside mirror, antenna)
- (453) Other exterior surface or tires (specify):
- (454) Unknown exterior objects

EXTERIOR OF OTHER MOTOR VEHICLE

- (501) Front bumper
- (502) Hood edge
- (503) Other front of vehicle (specify):
- (504) Hood
- (505) Hood ornament
- (506) Windshield, roof rail, A-pillar
- (507) Side surface
- (508) Side mirrors
- (509) Other side protrusions (specify):
- (510) Rear surface
- (511) Undercarriage
- (512) Tires and wheels
- (513) Other exterior of other motor vehicle (specify):
- (514) Unknown exterior of other motor vehicle

OTHER VEHICLE OR OBJECT IN THE ENVIRONMENT

- (551) Ground
- (598) Other vehicle or object (specify):
- (599) Unknown vehicle or object

NONCONTACT INJURY

- (601) Fire in vehicle
- (602) Flying glass
- (603) Other noncontact injury source (specify):
- (604) Air bag exhaust gases
- (697) Injured, unknown source

OFFICIAL INJURY DATA — SOFT TISSUE INJURIES



Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)

ER: NO LOC

DS/ER (873.42)
RT FOREHEAD
LACERATION - 6CM

ER:
RT LOWER
ABDOMINAL
QUADRANT
BRUISE

DS/ER (891.0)
RT KNEE w/
MULTIPLE LACERATIONS



ER:

OFFICIAL INJURY DATA — SKELETAL INJURIES

Restrained?

No

Yes

Blood Alcohol Level (mg/dl)

BAL = 0

Glasgow Coma Scale Score

A₇O₃S
GCSS = 15

Units of Blood Given

Units = NOT RECORDED

Arterial Blood Gases



pH = 7.47

PO₂ = 82

PCO₂ = 29



HCO₃ = 21

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



OFFICIAL INJURY DATA – INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





UPDATE FORM

1. Primary Sampling Unit Number 45
 2. Case Number — Stratum 100A
 3. Vehicle Number 01
 4. Occupant Number 01

Driver or Occupant Name: [REDACTED]
 Address: _____

 Other Information: _____

RECEIVED [REDACTED] 1995

(Sanitize this section prior to Update submission.)

STATUS OF OCCUPANT INFORMATION

	INITIAL SUBMISSION	UPDATED INFORMATION
OAL08. Date Official Medical Data Requested	<u>[REDACTED]</u>	<u>[REDACTED]</u> 95
OAL09. Date Official Medical Data Obtained	<u>[REDACTED]</u>	<u>[REDACTED]</u> 95
OAL16. Injury Treatment Status	<u>04</u>	<u>04</u>
OAL17. Injury Information		
<u>Official</u>		
a. Autopsy (invasive examination)	B _____	_____
b. Post-ER medical record which includes information about death based on non-invasive examination	B _____	_____
c. Admission record/summary or admission/discharge face sheet	B _____	___ 11
d. Discharge summary	B <u>08</u>	___ 11
e. Operative report	B _____	___ 11
f. Radiographic record(s) (X-ray, CT scan)	B <u>08</u>	___ 11
g. History and physical examination and/or consultation records	B _____	___ 11
h. Emergency room records (includes nurses' notes)	B <u>08</u>	___ 11
j. Private physician	B _____	_____
<u>Unofficial</u>		
k. Lay coroner	B _____	_____
l. EMS record	B _____	_____
m. Interviewee	B <u>11</u>	_____
n. Other source (specify): _____	B _____	B _____
o. Police report	B <u>11</u>	B _____

	INITIAL SUBMISSION	UPDATED INFORMATION
OAL18. Medical Facility Code	<u>01</u>	<u>01</u>
GV14. Alcohol Test Results For Driver	<u>96</u>	<u>00</u>
GV16. Other Drug Specimen Test Type For Driver	<u>0</u>	<u>0</u>
OA05. Occupant's Age	<u>36</u>	<u>36</u>
OA06. Occupant's Sex	<u>1</u>	<u>1</u>
OA07. Occupant's Height	<u>175</u>	<u>175</u>
OA08. Occupant's Weight	<u>066</u>	<u>066</u>
OA61. Treatment-Mortality	<u>3</u>	<u>3</u>
OA62. Type of Medical Facility (for Initial Treatment)	<u>1</u>	<u>1</u>
OA63. Hospital Stay	<u>07</u>	<u>07</u>



OCCUPANT ASSESSMENT FORM

OCCUPANT'S SEATING

- 1. Primary Sampling Unit Number 45
- 2. Case Number - Stratum 100A
- 3. Vehicle Number 01
- 4. Occupant Number 02

OCCUPANT'S CHARACTERISTICS

- 5. Occupant's Age 30
Code actual age at time of accident.
(00) Less than one year old (specify by month):

(97) 97 years and older
(99) Unknown

- 6. Occupant's Sex 1
(1) Male
(2) Female-not reported pregnant
(3) Female-pregnant-1st trimester(1st-3rd month)
(4) Female-pregnant-2nd trimester(4th-6th month)
(5) Female-pregnant-3rd trimester(7th-9th month)
(6) Female-pregnant-term unknown
(9) Unknown

- 7. Occupant's Height 175
Code actual height to the nearest
centimeter.
(999) Unknown

69 inches X 2.54 = _____ centimeters

- 8. Occupant's Weight 073
Code actual weight to the nearest
kilogram.
(999)Unknown

150 pounds X .4536 = _____ kilograms

- 9. Occupant's Role 2
(1) Driver
(2) Passenger
(9) Unknown

- 10. Occupant's Seat Position 13
Front Seat
(11) Left side
(12) Middle
(13) Right side
(14) Other (specify): _____
(15) On or in the lap of another occupant

- Second Seat*
(21) Left side
(22) Middle
(23) Right side
(24) Other (specify): _____
(25) On or in the lap of another occupant

- Third Seat*
(31) Left side
(32) Middle
(33) Right side
(34) Other (specify): _____
(35) On or in the lap of another occupant

- Fourth Seat*
(41) Left side
(42) Middle
(43) Right side
(44) Other (specify): _____
(45) On or in the lap of another occupant

- (97) In or on unenclosed area
(98) Other seat (specify): _____
(99) Unknown

- 11. Occupant's Posture 0
(0) Normal posture

- Abnormal posture*
(1) Kneeling or standing on seat
(2) Lying on or across seat
(3) Kneeling, standing or sitting in front of seat
(4) Sitting sideways or turned to talk with another occupant or to look out a rear window
(5) Sitting on a console
(6) Lying back in a reclined seat position
(7) Bracing with feet or hands on a surface in front of seat
(8) Other abnormal posture (specify): _____
(9) Unknown

EJECTION/ENTRAPMENT

12. Ejection 0

- (0) No ejection
- (1) Complete ejection
- (2) Partial ejection
- (3) Ejection, unknown degree
- (9) Unknown

13. Ejection Area 0

- (0) No ejection
- (1) Windshield
- (2) Left front
- (3) Right front
- (4) Left rear
- (5) Right rear
- (6) Rear
- (7) Roof
- (8) Other area (e.g., back of pickup, etc.)
(specify): _____
- (9) Unknown

14. Ejection Medium 0

- (0) No ejection
- (1) Door/hatch/tailgate
- (2) Nonfixed roof structure
- (3) Fixed glazing
- (4) Nonfixed glazing (specify):

- (5) Integral structure
- (8) Other medium (specify):

- (9) Unknown

15. Medium Status (Immediately Prior To Impact) 0

- (0) No ejection
- (1) Open
- (2) Closed
- (3) Integral structure
- (9) Unknown

16. Entrapment 0

- (0) Not entrapped/exit not inhibited
- (1) Entrapped/pinned - mechanically restrained
- (2) Could not exit vehicle due to jammed doors, fire, etc.
(specify): _____
- (9) Unknown

17. Occupant Mobility 2

- (0) Occupant fatal before removed from vehicle
- (1) Removed from vehicle while unconscious or disoriented
- (2) Removed from vehicle due to injuries
- (3) Exited vehicle with some assistance
- (4) Exited vehicle under own power
- (5) Occupant fully ejected
- (9) Unknown

BELT SYSTEM FUNCTION

18. Manual (Active) Belt System Availability 4

- (0) None available
- (1) Belt removed/destroyed
- (2) Shoulder belt
- (3) Lap belt
- (4) Lap and shoulder belt
- (5) Belt available—type unknown

Integral Belt Partially Destroyed

- (6) Shoulder belt (lap belt destroyed/removed)
- (7) Lap belt (shoulder belt destroyed/removed)
- (8) Other belt (specify): _____

(9) Unknown _____

19. Manual (Active) Belt System Use 0 0

- (00) None used, not available, or belt removed/destroyed
- (01) Inoperative (specify): _____

- (02) Shoulder belt _____
- (03) Lap belt _____
- (04) Lap and shoulder belt _____
- (05) Belt used—type unknown _____
- (08) Other belt used (specify): _____

- (12) Shoulder belt used with child safety seat _____
- (13) Lap belt used with child safety seat _____
- (14) Lap and shoulder belt used with child safety seat _____
- (15) Belt used with child safety seat—type unknown _____
- (18) Other belt used with child safety seat (specify): _____
- (99) Unknown if belt used _____

20. Proper Use of Manual (Active) Belts 0

- (0) None used or not available
- (1) Belt used properly
- (2) Belt used properly with child safety seat

Belt Used Improperly

- (3) Shoulder belt worn under arm
- (4) Shoulder belt worn behind back or seat
- (5) Belt worn around more than one person
- (6) Lap belt worn on abdomen
- (7) Lap belt or lap and shoulder belt used improperly with child safety seat (specify): _____

(8) Other improper use of manual belt system (specify): _____

(9) Unknown _____

21. Manual (Active) Belt Failure Modes 0

During Accident

- (0) No manual belt used or not available
- (1) No manual belt failure(s)
- (2) Torn webbing (stretched webbing not included)
- (3) Broken buckle or latchplate
- (4) Upper anchorage separated
- (5) Other anchorage separated (specify): _____

(6) Broken retractor _____

(7) Combination of above (specify): _____

(8) Other manual belt failure (specify): _____

(9) Unknown _____

22. Shoulder Belt Upper Anchorage Adjustment 1

- (0) No shoulder belt
- (1) No upper anchorage adjustment for shoulder belt

Adjustable shoulder Belt Upper Anchorage

- (2) In full up position
- (3) In mid position
- (4) In full down position
- (5) Position unknown
- (9) Unknown if position has adjustable upper anchorage adjustment

23. Automatic (Passive) Belt System Availability/Function 0

- (0) Not equipped/not available
- (1) 2 point automatic belts
- (2) 3 point automatic belts
- (3) Automatic belts - type unknown

Non-functional

- (4) Automatic belts destroyed or rendered inoperative
- (9) Unknown

24. Automatic (Passive) Belt System Use 0

- (0) Not equipped/not available/destroyed or rendered inoperative
- (1) Automatic belt in use
- (2) Automatic belt not in use (manually disconnected, motorized track inoperative) (specify): _____
- (3) Automatic belt use unknown
- (9) Unknown

25. Automatic (Passive) Belt System Type 0

- (0) Not equipped/not available
- (1) Non-motorized system
- (2) Motorized system
- (9) Unknown

26. Proper Use of Automatic (Passive) Belt System 0

- (0) Not equipped/not available/not used
- (1) Automatic belt used properly
- (2) Automatic belt used properly with child safety seat

Automatic Belt Used Improperly

- (3) Automatic shoulder belt worn under arm
- (4) Automatic shoulder belt worn behind back
- (5) Automatic belt worn around more than one person
- (6) Lap portion of automatic belt worn on abdomen
- (7) Automatic lap and shoulder belt or automatic shoulder belt used improperly with child safety seat (specify): _____

(8) Other improper use of automatic belt system (specify): _____

(9) Unknown _____

27. Automatic (Passive) Belt Failure Modes 0

- During Accident
- (0) Not equipped/not available/not in use
- (1) No automatic belt failure(s)
- (2) Torn webbing (stretched webbing not included)
- (3) Broken buckle or latchplate
- (4) Upper anchorage separated
- (5) Other anchorage separated (specify): _____

(6) Broken retractor _____

(7) Combination of above (specify): _____

(8) Other automatic belt failure (specify): _____

(9) Unknown _____

POLICE REPORTED RESTRAINT USE

AIR BAG SYSTEM FUNCTION

28. Police Reported Belt Use 0
- (0) None used
 - (1) Police did not indicate belt use
 - (2) Shoulder belt
 - (3) Lap belt
 - (4) Lap and shoulder belt
 - (5) Belt used, type not specified
 - (6) Child safety seat
 - (7) Automatic belt
 - (8) Other type belt, (specify):
 - (9) Police indicated "unknown"

29. Police Reported Air Bag Availability/Function 0
- (0) No air bag available
 - (1) Police did not indicate air bag availability/function
 - (2) Deployed
 - (3) Not deployed
 - (4) Unknown if deployed
 - (9) Police indicated "unknown"

Check the Primary Source Used In Determining Belt Use.

- Not equipped/not available/destroyed or rendered inoperative
- Vehicle inspection
- Official injury data
- Driver/occupant interview
- Other (specify): [REDACTED]
- Unknown if belt used

30. Frontal Air Bag System Availability/Function (This Occupant Position) 0
- (0) Not equipped/not available
 - (1) Air bag
 - Non-functional*
 - (2) Air bag disconnected (specify):
 - (3) Air bag not reinstalled
 - (9) Unknown

31. Frontal Air Bag System Deployment (This Occupant Position) 0
- (0) Not equipped/not available
 - (1) Deployed during accident (as a result of impact)
 - (2) Deployed inadvertently just prior to accident
 - (3) Deployed, details unknown
 - (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical)
 - (5) Unknown if deployed
 - (7) Nondeployed
 - (9) Unknown

32. Other Than First Seat Frontal Air Bag Availability/Function (This Occupant Position) 0
- (0) Not equipped/not available
 - (1) Air bag
 - Non-functional*
 - (2) Air bag disconnected (specify):
 - (3) Air bag not reinstalled
 - (9) Unknown
 - Specify type of "other" air bag present:*

33. Air Bag(s) Deployment, Other Than First Seat Frontal (This Occupant Position) 0
- (0) Not equipped with an "other" air bag
 - (1) Deployed during accident (as a result of impact)
 - (2) Deployed inadvertently just prior to accident
 - (3) Deployed, details unknown
 - (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical)
 - (5) Unknown if deployed
 - (7) Nondeployed
 - (9) Unknown

34. Are There Indications of Air Bag System Failure? (This Occupant Position) 0
- (0) Not equipped/not available
 - (1) No
 - (2) Yes (specify):
 - (9) Unknown

FIRST SEAT FRONTAL AIR BAG SYSTEM EVALUATION

35. Had Vehicle Been in Previous Accident(s)? 0
 (0) Not equipped/not available
 (1) No previous accidents
 Yes
 (2) Previous accident(s) without deployment(s)
 (3) One previous accident with deployment
 (4) More than one previous accident with at least one deployment
 (8) Previous accidents, unknown deployment status
 (9) Unknown
36. Type of Air Bag 0
 (0) Not equipped/not available
 (1) Original manufacturer installed system
 (2) Retrofitted air bag
 (3) Replacement air bag
 (8) Unknown type of air bag
 (9) Unknown
37. Had Any Prior Maintenance/Service Been Performed On This Air Bag System? 0
 (0) Not equipped/not available
 (1) No prior maintenance
 (2) Yes, prior maintenance (specify): _____
 (9) Unknown
38. Air Bag Deployment Accident Event Sequence Number 0 0
 (00) Not equipped/not available
 _____ Code the accident event sequence number that initiated the air bag deployment
 (96) Deployed, unknown event
 (97) Not deployed
 (98) Unknown if deployed
 (99) Unknown
39. CDC For Air Bag Deployment Impact 0
 (0) Not equipped/not available
 (1) Highest delta V
 (2) Second highest delta V
 (3) Other non-coded delta V (specify): _____
 (6) Deployed, unknown event
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown
40. Longitudinal Component of Delta V For Air Bag Deployment Impact + - 0 0 0
 (000) Not equipped/not available
 Code the value of the delta V for the impact that initiated the air bag deployment
 (996) Deployment, unknown longitudinal Delta V
 (997) Not deployed
 (998) Unknown if deployed
 (999) Unknown
41. Did Air Bag Module Cover Flap(s) Open At Designated Tear Points? 0
 (0) Not equipped/not available
 (1) No
 (2) Yes
 (3) Deployed, unknown if flap(s) opened at designated tear points
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown
42. Were Air Bag Module Cover Flap(s) Damaged? 0
 (0) Not equipped/not available
 (1) No
 (2) Yes (specify): _____
 (3) Deployed, unknown if air bag module cover flap(s) damaged
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown
43. Was There Damage To The Air Bag? 0 0
 (00) Not equipped/not available
 (01) Not damaged
 Yes - Air Bag Damage
 (02) Ruptured
 (03) Cut
 (04) Torn
 (05) Holed
 (06) Burned
 (07) Abraded
 (88) Other damage (specify): _____
 (95) Damaged, details unknown
 (96) Deployed, unknown if damaged
 (97) Not deployed
 (98) Unknown if deployed
 (99) Unknown

FIRST SEAT FRONTAL AIR BAG SYSTEM
EVALUATION *continued*

HEAD RESTRAINT AND SEAT EVALUATION

44. Source of Air Bag Damage 0 0
 (00) Not equipped/not available
 (01) Not damaged
 (02) Object worn by occupant, (specify):

 (03) Object carried by occupant, (specify):

 (04) Adaptive/assistive controls, (specify):

 (05) Fire in vehicle
 (06) Thermal burns
 (07) Rescue or emergency efforts
 (88) Other damage source (specify):

 (95) Damaged, unknown source
 (96) Deployed, unknown if damaged
 (97) Not deployed
 (98) Unknown if deployed
 (99) Unknown
45. Was The Air Bag Tethered? 0
 (0) Not equipped/not available
 (1) No
 (2) Yes (specify number of tether straps):

 (3) Deployed, unknown if tethered
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown
46. Did The Air Bag Have Vent Ports? 0
 (0) Not equipped/not available
 (1) No
 (2) Yes (specify number of vent ports):

 (3) Deployed, unknown if vent ports present
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown
47. Was the Air Bag in this Occupant's Position Contacted by Another Occupant? 0
 (0) Not equipped/not available
 (1) No
 (2) Yes (specify):

 (3) Deployed, unknown if other occupant contact to air bag
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown
48. Was This Occupant Wearing Eye-wear? 0
 (0) Not equipped/not available
 (1) No
 (2) Eyeglasses/sunglasses
 (3) Contact lenses
 (4) Deployed, unknown if eyewear worn
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown

49. Head Restraint Type/Damage by Occupant at This Occupant Position 0
 (0) No head restraints
 (1) Integral—no damage
 (2) Integral—damaged during accident
 (3) Adjustable—no damage
 (4) Adjustable—damaged during accident
 (5) Add-on—no damage
 (6) Add-on—damaged during accident
 (8) Other (specify):

 (9) Unknown
50. Seat Type (this Occupant Position) 0 5
 (00) Occupant not seated or no seat
 (01) Bucket
 (02) Bucket with folding back
 (03) Bench
 (04) Bench with separate back cushions
 (05) Bench with folding back(s)
 (06) Split bench with separate back cushions
 (07) Split bench with folding back(s)
 (08) Pedestal (i.e., column supported)
 (09) Box mounted seat (i.e., van type)
 (10) Other seat type (specify):

 (99) Unknown
51. Seat Orientation (this Occupant Position) 1
 (0) Occupant not seated or no seat
 (1) Forward facing seat
 (2) Rear facing seat
 (3) Side facing seat (inward)
 (4) Side facing seat (outward)
 (8) Other (specify):

 (9) Unknown
52. Seat Track Adjusted Position Prior To Impact 4
 (0) Occupant not seated or no seat
 (1) Non-adjustable seat track
- Adjustable Seat Track*
 (2) Seat at forward most track position
 (3) Seat between forward most and middle track positions
 (4) Seat at middle track position
 (5) Seat between middle and rear most track positions
 (6) Seat at rear most track position
 (9) Unknown

HEAD RESTRAINT AND SEAT EVALUATION *continued*

53. Seat Back Incline Prior and Post Impact 0 1

- (00) Occupant not seated or no seat
- (01) Not adjustable

Upright prior to impact

- (11) Moved to completely rearward position
- (12) Moved to rearward midrange position
- (13) Moved to slightly rearward position
- (14) Retained pre-impact position
- (15) Moved to slightly forward position
- (16) Moved to forward midrange position
- (17) Moved to completely forward position




Slightly reclined prior to impact

- (21) Moved to completely rearward position
- (22) Moved to rearward midrange position
- (23) Retained pre-impact position
- (24) Moved to upright position
- (25) Moved to slightly forward position
- (26) Moved to forward midrange position
- (27) Moved to completely forward position

Completely reclined prior to impact

- (31) Retained pre-impact position
- (32) Moved to rearward midrange position
- (33) Moved to slightly rearward position
- (34) Moved to upright position
- (35) Moved to slightly forward position
- (36) Moved to forward midrange position
- (37) Moved to completely forward position

(99) Unknown



54. Seat Performance (this Occupant Position) 1

- (0) Occupant not seated or no seat
- (1) No seat performance failure(s)
- (2) Seat adjusters failed
- (3) Seat back folding locks or "seat back" failed (specify): _____
- (4) Seat track/anchors failed
- (5) Deformed by impact of occupant
- (6) Deformed by passenger compartment intrusion, (specify): _____
- (7) Combination of above (specify): _____
- (8) Other (specify): _____
- (9) Unknown

CHILD SAFETY SEAT

55. Child Safety Seat Make/Model 0 0 0
 (000) No child safety seat
 Applicable codes are found in your NASS CDS
 Data Collection, Coding and Editing
 (950) Built-in child safety seat
 (997) Other make/model (specify):

 (998) Unknown make/model
 (999) Unknown if child safety seat used

56. Type of Child Safety Seat 0
 (0) No child safety seat
 (1) Infant seat
 (2) Toddler seat
 (3) Convertible seat
 (4) Booster seat - with shield
 (5) Booster seat - without shield
 (7) Other type child safety seat (specify):

 (8) Unknown child safety seat type
 (9) Unknown if child safety seat used

57. Child Safety Seat Orientation 0 0
 (00) No child safety seat

Designed for Rear Facing for This Age/Weight

(01) Rear facing
 (02) Forward facing
 (08) Other orientation (specify):

 (09) Unknown orientation

Designed For Forward Facing for This Age/Weight

(11) Rear facing
 (12) Forward facing
 (18) Other orientation (specify):

 (19) Unknown orientation

Unknown Design or Orientation For This Age/Weight, or Unknown Age/Weight

(21) Rear facing
 (22) Forward facing
 (28) Other orientation (specify):

 (29) Unknown orientation

(99) Unknown if child safety seat used

58. Child Safety Seat Harness Usage 0 0

59. Child Safety Seat Shield Usage 0 0

60. Child Safety Seat Tether Usage 0 0

Note: Options below applicable to
 Variables OA58-OA60.

(00) No child safety seat

Not Designed With Harness/Shield/Tether

(01) After market harness/shield/tether
 added, not used
 (02) After market harness/shield/tether used
 (03) Child safety seat used, but no after market
 harness/shield/tether added
 (09) Unknown if harness/shield/tether
 added or used

Designed With Harness/Shield/Tether

(11) Harness/shield/tether not used
 (12) Harness/shield/tether used
 (19) Unknown if harness/shield/tether used

Unknown If Designed With Harness/Shield/Tether

(21) Harness/shield/tether not used
 (22) Harness/shield/tether used
 (29) Unknown if harness/shield/tether used

(99) Unknown if child safety seat used

INJURY CONSEQUENCES61. Injury Severity (Police Rating) 3

- (0) O - No injury
- (1) C - Possible injury
- (2) B - Nonincapacitating injury
- (3) A - Incapacitating injury
- (4) K - Killed
- (5) U - Injury, severity unknown
- (6) Died prior to accident
- (9) Unknown

62. Treatment - Mortality 3

- (0) No treatment
- (1) Fatal
- (2) Fatal - ruled disease (specify):

Nonfatal

- (3) Hospitalization
- (4) Transported and released
- (5) Treatment at scene - nontransported
- (6) Treatment later
- (7) Treatment - other (specify):

- (8) Transported to a medical facility-unknown if treated
- (9) Unknown

63. Type Of Medical Facility (for Initial Treatment) 1

- (0) Not treated at a medical facility
- (1) Trauma center
- (2) Hospital
- (3) Medical clinic
- (4) Physician's office
- (5) Treatment later at medical facility
- (8) Other (specify):

- (9) Unknown

64. Hospital Stay 02

- (00) Not Hospitalized
- _____ Code the number of days (up through 60) that the occupant stayed in hospital.
- (61) 61 days or more
- (99) Unknown

65. Working Days Lost 99

- _____ Code the number of days (up through 60) that the occupant lost from work due to the accident
- (00) No working days lost *still out*
- (61) 61 days or more
- (62) Fatally injured
- (97) Not working prior to accident
- (99) Unknown

STOP WORK HERE**VARIABLES 66-74****TO BE CODED BY THE ZONE CENTER**

TO BE CODED BY THE ZONE CENTER**INJURY CONSEQUENCES****TRAUMA DATA**66. Time to Death 00

Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, ... n days = 30 + n up through 30 days = 60)

- (00) Not fatal
(96) Fatal - ruled disease
(99) Unknown

67. 1st Medically Reported Cause of Death 0068. 2nd Medically Reported Cause of Death 0069. 3rd Medically Reported Cause of Death 00

Code the Occupant Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this occupant's death

- (00) Not fatal or no additional causes
(96) Mode of death given but specific injuries are not linked to cause of death. (specify):

(97) Other result (includes fatal ruled disease) (specify):

(99) Unknown

70. Number of Recorded Injuries for This Occupant 05

Code the actual number of injuries recorded for this occupant.

- (00) No recorded injuries
(97) Injured, details unknown
(99) Unknown if injured

71. Glasgow Coma Scale (GCS) Score 15
(at Medical Facility)

- (00) Not injured
(01) Injured - not treated at medical facility
(02) No GCS Score at medical facility
(03-15) Code the actual value of the initial GCS Score recorded at medical facility.
(97) Injured, details unknown
(99) Unknown if injured

72. Was the Occupant Given Blood? 1

- (1) No - blood not given
(2) Yes - blood given
(specify units): _____
(9) Unknown if blood given

73. Arterial Blood Gases (ABG) - HCO₃ 24

- (00) Not injured
(01) Injured, ABGs not measured or reported
(02-50) Code the actual value of the HCO₃
(96) ABGs reported, HCO₃ unknown
(97) Injured, details unknown
(99) Unknown if injured

BELT USE DETERMINATION74. Primary Source of Belt Use Determination 1

- (0) Not equipped/not available/destroyed or rendered inoperative
(1) Vehicle inspection
(2) Official injury data
(3) Driver/occupant interview
(8) Other (specify): _____
(9) Unknown if belt used



OCCUPANT INJURY FORM

1. Primary Sampling Unit Number <u>45</u>	3. Vehicle Number <u>01</u>
2. Case Number - Stratum <u>100A</u>	4. Occupant Number <u>02</u>

INJURY DATA

Record below the actual injuries sustained by this occupant that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than ten injuries have been documented, encode the balance on the Occupant Injury Supplement.

*1.5cm
@ eye brow
L1
lower back
vertebrae
@ eyelid
1.5cm low
abrasion
@ knee*

Source of Injury Data	A.I.S. - 90							Injury Source	Injury Source Confidence Level	Direct/Indirect Injury	Occupant Area Intrusion Number
	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source				
5.	2	6. 2	7. 9	8. 06	9. 02	10. 1	11. 7	12. 001	13. 2	14. 1	15. 00
16.	2	17. 7	18. 9	19. 06	20. 02	21. 1	22. 2	23. 602	24. 2	25. 3	26. 00
27.	2	28. 6	29. 5	30. 06	31. 30	32. 2	33. 8	34. 151	35. 3	36. 1	37. 00
38.	2	39. 2	40. 9	41. 76	42. 02	43. 1	44. 1	45. 001	46. 2	47. 1	48. 00
49.	3	50. 8	51. 9	52. 02	53. 02	54. 1	55. 2	56. 012	57. 2	58. 1	59. 00
60.	___	61. ___	62. ___	63. ___	64. ___	65. ___	66. ___	67. ___	68. ___	69. ___	70. ___
71.	___	72. ___	73. ___	74. ___	75. ___	76. ___	77. ___	78. ___	79. ___	80. ___	81. ___
82.	___	83. ___	84. ___	85. ___	86. ___	87. ___	88. ___	89. ___	90. ___	91. ___	92. ___
93.	___	94. ___	95. ___	96. ___	97. ___	98. ___	99. ___	100. ___	101. ___	102. ___	103. ___
104.	___	105. ___	106. ___	107. ___	108. ___	109. ___	110. ___	111. ___	112. ___	113. ___	114. ___

OCCUPANT INJURY CLASSIFICATION

Body Region	Specific Anatomic Structure	Level of Injury	Aspect
(1) Head	<u>Vessels, Nerves, Organs.</u> <u>Bones, Joints</u> are assigned consecutive two digit numbers beginning with 02.	Specific injuries are assigned consecutive two-digit numbers beginning with 02.	(1) Right
(2) Face			(2) Left
(3) Neck		To the extent possible, within the organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity.	(3) Bilateral
(4) Thorax			(4) Central
(5) Abdomen			(5) Anterior
(6) Spine			(6) Posterior
(7) Upper Extremity			(7) Superior
(8) Lower Extremity			(8) Inferior
(9) Unspecified			(9) Unknown
	The exceptions to this rule apply to:	(0) Whole region	
Type of Anatomic Structure	<u>Whole Area</u>		
(1) Whole Area	(02) Skin - Abrasion	Abbreviated Injury Scale	
(2) Vessels	(04) Skin - Contusion		(1) Minor Injury
(3) Nerves	(06) Skin - Laceration		(2) Moderate Injury
(4) Organs (includes Muscles/ligaments)	(08) Skin - Avulsion		(3) Serious Injury
(5) Skeletal (includes joints)	(10) Amputation		(4) Severe Injury
(6) Head - LOC	(20) Burn		(5) Critical Injury
(9) Skin	(30) Crush		(6) Maximum (untreatable)
	(40) Degloving		(7) Injured, unknown severity
	(50) Injury - NFS		
	(90) Trauma, other than mechanical		
	<u>Head - LOC</u>		
	(02) Length of LOC		
	(04) Level of Consciousness		
	(06) of		
	(08) Consciousness		
	(10) Concussion		
	<u>Spine</u>		
	(02) Cervical		
	(04) Thoracic		
	(06) Lumbar		

SOURCE OF INJURY DATA	INJURY SOURCE CONFIDENCE LEVEL	DIRECT/INDIRECT INJURY
<u>OFFICIAL RECORDS</u> (1) Autopsy records with or without hospital/medical records (2) Hospital/medical records other than emergency room (e.g., discharge summary) (3) Emergency room records only (including associated X-rays or other lab reports) (4) Private physician, walk-in or emergency clinic <u>UNOFFICIAL RECORDS</u> (5) Lay coroner report (6) E.M.S. personnel (7) Interviewee (8) Other source (specify): _____ (9) Police	(1) Certain (2) Probable (3) Possible (9) Unknown	(1) Direct contact injury (2) Indirect contact injury (3) Noncontact injury (7) Injured, unknown source

INJURY SOURCES

FRONT

- (001) Windshield
- (002) Mirror
- (003) Sunvisor
- (004) Steering wheel rim
- (005) Steering wheel hub/spoke
- (006) Steering wheel (combination of codes 004 and 005)
- (007) Steering column, transmission selector lever, other attachment
- (008) Cellular telephone or CB radio
- (009) Add on equipment (e.g., tape deck, air conditioner)
- (010) Left instrument panel and below
- (011) Center instrument panel and below
- (012) Right instrument panel and below
- (013) Glove compartment door
- (014) Knee bolster
- (015) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, mirror, or steering assembly (driver side only)
- (016) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, or mirror (passenger side only)
- (017) Windshield reinforced by exterior object (specify): _____
- (019) Other front object (specify): _____

LEFT SIDE

- (051) Left side interior surface, excluding hardware or armrests
- (052) Left side hardware or armrest
- (053) Left A (A1/A2)-pillar
- (054) Left B-pillar
- (055) Other left pillar (specify): _____
- (056) Left side window glass
- (057) Left side window frame
- (058) Left side window sill
- (059) Left side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail.
- (060) Other left side object (specify): _____

RIGHT SIDE

- (101) Right side interior surface, excluding hardware or armrests

- (102) Right side hardware or armrest
- (103) Right A (A1/A2)-pillar
- (104) Right B-pillar
- (105) Other right pillar (specify): _____
- (106) Right side window glass
- (107) Right side window frame
- (108) Right side window sill
- (109) Right side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail.
- (110) Other right side object (specify): _____

INTERIOR

- (151) Seat, back support
- (152) Belt restraint webbing/buckle
- (153) Belt restraint B-pillar or door frame attachment point
- (154) Other restraint system component (specify): _____
- (155) Head restraint system
- (160) Other occupants (specify): _____
- (161) Interior loose objects
- (162) Child safety seat (specify): _____
- (163) Other interior object (specify): _____

AIR BAG

- (170) Air bag-driver side
- (171) Air bag-driver side and eyewear
- (172) Air bag-driver side and jewelry
- (173) Air bag-driver side and object held
- (174) Air bag-driver side and object in mouth
- (175) Air bag compartment cover-driver side
- (176) Air bag compartment cover-driver side and eyewear
- (177) Air bag compartment cover-driver side and jewelry
- (178) Air bag compartment cover-driver side and object held
- (179) Air bag compartment cover-driver side and object in mouth
- (180) Air bag-passenger side
- (181) Air bag-passenger side and eyewear
- (182) Air bag-passenger side and jewelry

- (183) Air bag-passenger side and object held
- (184) Air bag-passenger side and object in mouth
- (185) Air bag compartment cover-passenger side
- (186) Air bag compartment cover-passenger side and eyewear
- (187) Air bag compartment cover-passenger side and jewelry
- (188) Air bag compartment cover-passenger side and object held
- (189) Air bag compartment cover-passenger side and object in mouth
- (190) Other air bag (specify) _____
- (195) Other air bag compartment cover (specify) _____

ROOF

- (201) Front header
- (202) Rear header
- (203) Roof left side rail
- (204) Roof right side rail
- (205) Roof or convertible top

FLOOR

- (251) Floor (including toe pan)
- (252) Floor or console mounted transmission lever, including console
- (253) Parking brake handle
- (254) Foot controls including parking brake

REAR

- (301) Backlight (rear window)
- (302) Backlight storage rack, door, etc.
- (303) Other rear object (specify): _____

ADAPTIVE (ASSISTIVE) DRIVING EQUIPMENT

- (401) Hand controls for braking/acceleration
- (402) Steering control devices (attached to OEM steering wheel)
- (403) Steering knob attached to steering wheel
- (405) Replacement steering wheel (i.e., reduced diameter)
- (406) Joy stick steering controls
- (407) Wheelchair tie-downs
- (408) Modification to seat belts, (specify): _____
- (409) Additional or relocated switches, (specify): _____
- (410) Raised roof

- (411) Wall mounted head rest (used behind wheel chair)
- (412) Other adaptive device (specify): _____

EXTERIOR of OCCUPANT'S VEHICLE

- (451) Hood
- (452) Outside hardware (e.g., outside mirror, antenna)
- (453) Other exterior surface or tires (specify): _____
- (454) Unknown exterior objects

EXTERIOR OF OTHER MOTOR VEHICLE

- (501) Front bumper
- (502) Hood edge
- (503) Other front of vehicle (specify): _____
- (504) Hood
- (505) Hood ornament
- (506) Windshield, roof rail, A-pillar
- (507) Side surface
- (508) Side mirrors
- (509) Other side protrusions (specify): _____
- (510) Rear surface
- (511) Undercarriage
- (512) Tires and wheels
- (513) Other exterior of other motor vehicle (specify): _____
- (514) Unknown exterior of other motor vehicle

OTHER VEHICLE OR OBJECT IN THE ENVIRONMENT

- (551) Ground
- (598) Other vehicle or object (specify): _____
- (599) Unknown vehicle or object

NONCONTACT INJURY

- (601) Fire in vehicle
- (602) Flying glass
- (603) Other noncontact injury source (specify): _____
- (604) Air bag exhaust gases
- (697) Injured, unknown source

OFFICIAL INJURY DATA — SOFT TISSUE INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)


ER: NO LOC

DS/ER/CONSULT/OR (873.49)

1.5 CM RT EYEBROW
LACERATION

DS/ER/CONSULT/OR (873.49)


1.5 CM RT UPPER
EYELID LACERATION



ER:
ABRASION LFT KNEE

DCFS/ER (881.11)

LFT ELBOW
LACERATION (W/
GLASS)



ER:

OFFICIAL INJURY DATA — SKELETAL INJURIES

Restrained?

No

Yes

Blood Alcohol Level (mg/dl)

BAL = \emptyset

Glasgow Coma Scale Score

GCSS = 15

Units of Blood Given

Units =

NOT RECORDED

Arterial Blood Gases


pH = 7.40

PO₂ = 314


PCO₂ = 39

HCO₃ = 24

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





DCFS/DS (805.4)
L1 COMPRESSION
FX (ANTERIOR)



OFFICIAL INJURY DATA — INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





UPDATE FORM

<p>1. Primary Sampling Unit Number <u>45</u></p> <p>2. Case Number — Stratum <u>100A</u></p> <p>3. Vehicle Number <u>01</u></p> <p>4. Occupant Number <u>02</u></p>	<p>Driver or Occupant Name: <u>[REDACTED]</u></p> <p>Address: _____</p> <p>Other Information: _____</p>
<p>RECEIVED <u>[REDACTED]</u> 1995 (Sanitize this section prior to Update submission.)</p>	

STATUS OF OCCUPANT INFORMATION

	INITIAL SUBMISSION	UPDATED INFORMATION		INITIAL SUBMISSION	UPDATED INFORMATION
OAL08. Date Official Medical Data Requested	<u>[REDACTED]</u>	<u>[REDACTED]</u> 95	OAL18. Medical Facility Code	<u>01</u>	<u>01</u>
OAL09. Date Official Medical Data Obtained	<u>[REDACTED]</u>	<u>[REDACTED]</u> 95	GV14. Alcohol Test Results For Driver	<u>96</u>	<u>00</u>
OAL16. Injury Treatment Status	<u>04</u>	<u>04</u>	GV16. Other Drug Specimen Test Type For Driver	<u>0</u>	<u>0</u>
OAL17. Injury Information			OA05. Occupant's Age	<u>30</u>	<u>30</u>
<u>Official</u>			OA06. Occupant's Sex	<u>1</u>	<u>1</u>
a. Autopsy (invasive examination)	<u>B</u> _____	_____	OA07. Occupant's Height	<u>175</u>	<u>175</u>
b. Post-ER medical record which includes information about death based on non-invasive examination	<u>B</u> _____	_____	OA08. Occupant's Weight	<u>073</u>	<u>073</u>
c. Admission record/summary or admission/discharge face sheet	<u>B</u> _____	_____	OA61. Treatment-Mortality	<u>3</u>	<u>3</u>
d. Discharge summary	<u>B</u> <u>08</u>	<u>08</u>	OA62. Type of Medical Facility (for Initial Treatment)	<u>1</u>	<u>1</u>
e. Operative report	<u>B</u> _____	_____	OA63. Hospital Stay	<u>02</u>	<u>01</u>
f. Radiographic record(s) (X-ray, CT scan)	<u>B</u> <u>08</u>	<u>11</u>			
g. History and physical examination and/or consultation records	<u>B</u> _____	_____			
h. Emergency room records (includes nurses' notes)	<u>B</u> <u>08</u>	<u>11</u>			
j. Private physician	<u>B</u> _____	_____			
<u>Unofficial</u>					
k. Lay coroner	<u>B</u> _____	_____			
l. EMS record	<u>B</u> _____	_____			
m. Interviewee	<u>B</u> <u>11</u>	_____			
n. Other source (specify): _____	<u>B</u> _____	<u>B</u> _____			
o. Police report	<u>B</u> <u>11</u>	<u>B</u> _____			

PRECRASH ENVIRONMENTAL DATA

19. Relation To Interchange Or Junction 2

- (0) Non-interchange area and non-junction
(1) Interchange area related

Non-Interchange junctions

- (2) Intersection related
(3) Driveway, alley access related
(4) Other junction (specify) _____

(5) Unknown type of junction _____

(9) Unknown

20. Trafficway Flow 0

- (0) Not physically divided (two way traffic)
(1) Divided trafficway-median strip without positive barrier
(2) Divided trafficway-median strip with positive barrier
(3) One way traffic
(9) Unknown

21. Number Of Travel Lanes 4

- (1) One
(2) Two
(3) Three
(4) Four
(5) Five
(6) Six
(7) Seven or more
(9) Unknown

22. Roadway Alignment 1

- (1) Straight
(2) Curve right
(3) Curve left
(9) Unknown

23. Roadway Profile 1

- (1) Level
(2) Uphill grade (>2%)
(3) Hill crest
(4) Downhill grade (>2%)
(5) Sag
(9) Unknown

24. Roadway Surface Type 2

- (1) Concrete
(2) Bituminous (asphalt)
(3) Brick or block
(4) Slag, gravel, or stone
(5) Dirt
(8) Other (specify): _____
(9) Unknown

25. Roadway Surface Condition 1

- (1) Dry
(2) Wet
(3) Snow or slush
(4) Ice
(5) Sand, dirt, or oil
(8) Other (specify): _____
(9) Unknown

26. Light Conditions 1

- (1) Daylight
(2) Dark
(3) Dark, but lighted
(4) Dawn
(5) Dusk
(9) Unknown

27. Atmospheric Conditions 0

- (0) No adverse atmospheric-related driving conditions
(1) Rain
(2) Sleet/hail
(3) Snow
(4) Fog
(5) Rain and fog
(6) Sleet and fog
(7) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): _____
(9) Unknown

28. Traffic Control Device 0

- (0) No traffic control(s)
(1) Traffic control signal (not RR crossing)

Regulatory

- (2) Stop sign
(3) Yield sign
(4) School zone sign
(5) Other regulatory sign (specify): _____

(6) Warning sign (not RR crossing)

(7) Unknown sign

(8) Miscellaneous/other controls including RR controls (specify): _____

(9) Unknown: _____

29. Traffic Control Device Functioning 0

- (0) No traffic control device
(1) Traffic control device not functioning (specify): _____
(2) Traffic control device functioning properly
(9) Unknown

OCCUPANT RELATED

- 37. Driver Presence in Vehicle L
 (0) Driver not present
 (1) Driver present
 (9) Unknown
- 38. Number of Occupants This Vehicle 02
 (00-96) Code actual number of occupants for this vehicle
 (97) 97 or more
 (99) Unknown
- 39. Number of Occupant Forms Submitted 02

AIR BAG RELATED

- 40. Is this an AOPS Vehicle? 0
 (0) No (includes unknown)
 (1) Yes - researcher determined
 (2) VIN determined air bag system
 (3) VIN determined automatic (passive) belts
 (4) VIN determined air bag and automatic (passive) belts
- 41. Air Bag(s) Deployment, First Seat Frontal 0
 (0) Not equipped or not available
 (1) No air bags deployed
Single Air Bag Vehicle
 (2) Driver air bag deployed
 (3) Driver air bag, unknown if deployed
Multiple Air Bag Vehicle
 (4) Driver side only deployed
 (5) Passenger side only deployed
 (6) Driver and passenger side deployed
 (7) Driver and passenger side unknown if deployed
 (8) Air bag(s) deployed, details unknown
 (9) Unknown
- 42. Air Bag(s) Deployment, Other Than First Seat Frontal 0
 (0) Not equipped with an "other" air bag
 (1) Deployed during accident (as a result of impact)
 (2) Deployed inadvertently just prior to accident
 (3) Deployed, details unknown
 (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical)
 (5) Unknown if deployed
 (7) Nondeployed
 (9) Unknown

Specify type of "other" air bag present: _____

VEHICLE WEIGHT ITEMS

- 43. Vehicle Curb Weight 1,140
 Code weight to nearest 10 kilograms.
 (045) Less than 450 kilograms
 (610) 6,100 kilograms or more
 (999) Unknown
 _____ lbs X .4536 = 1,139 kgs
 Source: _____

- 44. Vehicle Cargo Weight 0000
 Code weight to nearest 10 kilograms.
 (000) Less than 5 kilograms
 (450) 4,500 kilograms or more
 (999) Unknown
 _____ lbs X .4536 = _____ kgs
 Source: _____

ROLLOVER DATA

- 45. Rollover 00
 (00) No rollover (no overturning)
Rollover (primarily about the longitudinal axis)
 (01-16) Code the number of quarter turns
 (17) Rollover, 17 or more quarter turns (specify): _____
 (98) Rollover--end-over-end (i.e., primarily about the lateral axis)
 (99) Rollover (overturn), details unknown
- 46. Rollover Initiation Type 00
 (00) No rollover
 (01) Trip-over
 (02) Flip-over
 (03) Turn-over
 (04) Climb-over
 (05) Fall-over
 (06) Bounce-over
 (07) Collision with another vehicle
 (08) Other rollover initiation type specify): _____
 (98) Rollover--end-over-end
 (99) Unknown rollover initiation type
- 47. Location of Rollover Initiation 0
 (0) No rollover
 (1) On roadway
 (2) On shoulder--paved
 (3) On shoulder--unpaved
 (4) On roadside or divided trafficway median
 (8) Rollover--end-over-end
 (9) Unknown
- 48. Rollover Initiation Object Contacted 00
 (Note: Applicable codes on back of page)
- 49. Location on Vehicle Where Initial Principal Tripping Force Is Applied 0
 (0) No rollover
 (1) Wheels/tires
 (2) Side plane
 (3) End plane
 (4) Undercarriage
 (5) Other location on vehicle (specify): _____
 (6) Non-contact rollover forces (specify): _____
 (8) Rollover--end-over-end
 (9) Unknown
- 50. Direction of Initial Roll 0
 (0) No rollover
 (1) Roll right - primarily about the longitudinal axis
 (2) Roll left - primarily about the longitudinal axis
 (8) Rollover--end-over-end
 (9) Unknown roll direction

CODES FOR ROLLOVER INITIATION OBJECT CONTACTED

(00) No rollover
 (01-30) — Vehicle Number

Noncollision

(31) Turn-over — fall-over
 (32) No rollover impact initiation (end-over-end)
 (34) Jackknife

Collision With Fixed Object

(41) Tree (≤ 10 cm in diameter)
 (42) Tree (> 10 cm in diameter)
 (43) Shrubbery or bush
 (44) Embankment

(45) Breakaway pole or post (any diameter)

Nonbreakaway Pole or Post

(50) Pole or post (≤ 10 cm in diameter)
 (51) Pole or post (> 10 cm but ≤ 30 cm in diameter)
 (52) Pole or post (> 30 cm in diameter)
 (53) Pole or post (diameter unknown)

(54) Concrete traffic barrier
 (55) Impact attenuator
 (56) Other traffic barrier (includes guardrail)
 (specify): _____

(57) Fence
 (58) Wall
 (59) Building
 (60) Ditch or culvert
 (61) Ground
 (62) Fire hydrant
 (63) Curb
 (64) Bridge
 (68) Other fixed object (specify): _____

(69) Unknown fixed object

Collision with Nonfixed Object

(70) Passenger car, light truck, van, or other vehicle not in-transport
 (71) Medium/heavy truck or bus not in-transport
 (76) Animal
 (77) Train
 (78) Trailer, disconnected in transport
 (79) Object fell from vehicle in-transport
 (88) Other nonfixed object (specify): _____

(89) Unknown nonfixed object

(98) Other event (specify): _____

(99) Unknown event or object

PSU NUMBER	<u>45</u>
CASE NUMBER	<u>100A</u>
VEHICLE NUMBER	<u>02</u>

EXTERIOR VEHICLE FORM

THE FOLLOWING DATA IS NOT INCLUDED IN THIS CASE:

- ENTIRE FORM
- PAGE NUMBER (S) _____

PSU NUMBER	<u>45</u>
CASE NUMBER	<u>100A</u>
VEHICLE NUMBER	<u>02</u>

INTERIOR VEHICLE FORM

THE FOLLOWING DATA IS NOT INCLUDED IN THIS CASE:

- ENTIRE FORM
- PAGE NUMBER (S) _____

OCCUPANT ASSESSMENT FORM

1. Primary Sampling Unit Number 45
2. Case Number - Stratum 100A
3. Vehicle Number 02
4. Occupant Number 01

OCCUPANT'S CHARACTERISTICS

5. Occupant's Age 35
Code actual age at time of accident.
(00) Less than one year old (specify by month):

(97) 97 years and older
(99) Unknown

6. Occupant's Sex 2
(1) Male
(2) Female-not reported pregnant
(3) Female-pregnant-1st trimester(1st-3rd month)
(4) Female-pregnant-2nd trimester(4th-6th month)
(5) Female-pregnant-3rd trimester(7th-9th month)
(6) Female-pregnant-term unknown
(9) Unknown

7. Occupant's Height 163
Code actual height to the nearest centimeter.
(999) Unknown
64 inches X 2.54 = _____ centimeters

8. Occupant's Weight 106
Code actual weight to the nearest kilogram.
(999)Unknown
234 pounds X .4536 = _____ kilograms

9. Occupant's Role 1
(1) Driver
(2) Passenger
(9) Unknown

OCCUPANT'S SEATING

10. Occupant's Seat Position 11
Front Seat
(11) Left side
(12) Middle
(13) Right side
(14) Other (specify): _____
(15) On or in the lap of another occupant

Second Seat
(21) Left side
(22) Middle
(23) Right side
(24) Other (specify): _____
(25) On or in the lap of another occupant

Third Seat
(31) Left side
(32) Middle
(33) Right side
(34) Other (specify): _____
(35) On or in the lap of another occupant

Fourth Seat
(41) Left side
(42) Middle
(43) Right side
(44) Other (specify): _____
(45) On or in the lap of another occupant

(97) In or on unenclosed area
(98) Other seat (specify): _____
(99) Unknown

11. Occupant's Posture 0
(0) Normal posture

Abnormal posture
(1) Kneeling or standing on seat
(2) Lying on or across seat
(3) Kneeling, standing or sitting in front of seat
(4) Sitting sideways or turned to talk with another occupant or to look out a rear window
(5) Sitting on a console
(6) Lying back in a reclined seat position
(7) Bracing with feet or hands on a surface in front of seat
(8) Other abnormal posture (specify): _____
(9) Unknown

EJECTION/ENTRAPMENT

12. Ejection 0
 (0) No ejection
 (1) Complete ejection
 (2) Partial ejection
 (3) Ejection, unknown degree
 (9) Unknown

15. Medium Status (Immediately Prior To Impact) 0
 (0) No ejection
 (1) Open
 (2) Closed
 (3) Integral structure
 (9) Unknown

13. Ejection Area 0
 (0) No ejection
 (1) Windshield
 (2) Left front
 (3) Right front
 (4) Left rear
 (5) Right rear
 (6) Rear
 (7) Roof
 (8) Other area (e.g., back of pickup, etc.)
 (specify): _____
 (9) Unknown

16. Entrapment 0
 (0) Not entrapped/exit not inhibited
 (1) Entrapped/pinned - mechanically restrained
 (2) Could not exit vehicle due to jammed doors,
 fire, etc.
 (specify): _____
 (9) Unknown

14. Ejection Medium 0
 (0) No ejection
 (1) Door/hatch/tailgate
 (2) Nonfixed roof structure
 (3) Fixed glazing
 (4) Nonfixed glazing (specify): _____
 (5) Integral structure
 (8) Other medium (specify): _____
 (9) Unknown

17. Occupant Mobility 4
 (0) Occupant fatal before removed from
 vehicle
 (1) Removed from vehicle while unconscious or
 disoriented
 (2) Removed from vehicle due to injuries
 (3) Exited vehicle with some assistance
 (4) Exited vehicle under own power
 (5) Occupant fully ejected
 (9) Unknown

BELT SYSTEM FUNCTION

18. Manual (Active) Belt System Availability 9
 (0) None available
 (1) Belt removed/destroyed
 (2) Shoulder belt
 (3) Lap belt
 (4) Lap and shoulder belt
 (5) Belt available—type unknown
Integral Belt Partially Destroyed
 (6) Shoulder belt (lap belt destroyed/removed)
 (7) Lap belt (shoulder belt destroyed/removed)
 (8) Other belt (specify):
 (9) Unknown
19. Manual (Active) Belt System Use 99
 (00) None used, not available, or belt removed/destroyed
 (01) Inoperative (specify):
 (02) Shoulder belt
 (03) Lap belt
 (04) Lap and shoulder belt
 (05) Belt used—type unknown
 (08) Other belt used (specify):
 (12) Shoulder belt used with child safety seat
 (13) Lap belt used with child safety seat
 (14) Lap and shoulder belt used with child safety seat
 (15) Belt used with child safety seat—type unknown
 (18) Other belt used with child safety seat (specify):
 (99) Unknown if belt used
20. Proper Use of Manual (Active) Belts 9
 (0) None used or not available
 (1) Belt used properly
 (2) Belt used properly with child safety seat
Belt Used Improperly
 (3) Shoulder belt worn under arm
 (4) Shoulder belt worn behind back or seat
 (5) Belt worn around more than one person
 (6) Lap belt worn on abdomen
 (7) Lap belt or lap and shoulder belt used improperly with child safety seat (specify):
 (8) Other improper use of manual belt system (specify):
 (9) Unknown
21. Manual (Active) Belt Failure Modes During Accident 9
 (0) No manual belt used or not available
 (1) No manual belt failure(s)
 (2) Torn webbing (stretched webbing not included)
 (3) Broken buckle or latchplate
 (4) Upper anchorage separated
 (5) Other anchorage separated (specify):
 (6) Broken retractor
 (7) Combination of above (specify):
 (8) Other manual belt failure (specify):
 (9) Unknown

22. Shoulder Belt Upper Anchorage Adjustment 9
 (0) No shoulder belt
 (1) No upper anchorage adjustment for shoulder belt
Adjustable shoulder Belt Upper Anchorage
 (2) In full up position
 (3) In mid position
 (4) In full down position
 (5) Position unknown
 (9) Unknown if position has adjustable upper anchorage adjustment
23. Automatic (Passive) Belt System Availability/Function 0
 (0) Not equipped/not available
 (1) 2 point automatic belts
 (2) 3 point automatic belts
 (3) Automatic belts - type unknown
Non-functional
 (4) Automatic belts destroyed or rendered inoperative
 (9) Unknown
24. Automatic (Passive) Belt System Use 0
 (0) Not equipped/not available/destroyed or rendered inoperative
 (1) Automatic belt in use
 (2) Automatic belt not in use (manually disconnected, motorized track inoperative) (specify):
 (3) Automatic belt use unknown
 (9) Unknown
25. Automatic (Passive) Belt System Type 0
 (0) Not equipped/not available
 (1) Non-motorized system
 (2) Motorized system
 (9) Unknown
26. Proper Use of Automatic (Passive) Belt System 0
 (0) Not equipped/not available/not used
 (1) Automatic belt used properly
 (2) Automatic belt used properly with child safety seat
Automatic Belt Used Improperly
 (3) Automatic shoulder belt worn under arm
 (4) Automatic shoulder belt worn behind back
 (5) Automatic belt worn around more than one person
 (6) Lap portion of automatic belt worn on abdomen
 (7) Automatic lap and shoulder belt or automatic shoulder belt used improperly with child safety seat (specify):
 (8) Other improper use of automatic belt system (specify):
 (9) Unknown
27. Automatic (Passive) Belt Failure Modes During Accident 0
 (0) Not equipped/not available/not in use
 (1) No automatic belt failure(s)
 (2) Torn webbing (stretched webbing not included)
 (3) Broken buckle or latchplate
 (4) Upper anchorage separated
 (5) Other anchorage separated (specify):
 (6) Broken retractor
 (7) Combination of above (specify):
 (8) Other automatic belt failure (specify):
 (9) Unknown

POLICE REPORTED RESTRAINT USE	AIR BAG SYSTEM FUNCTION
<p>28. Police Reported Belt Use 0</p> <p>(0) None used (1) Police did not indicate belt use (2) Shoulder belt (3) Lap belt (4) Lap and shoulder belt (5) Belt used, type not specified (6) Child safety seat. (7) Automatic belt (8) Other type belt, (specify): _____ (9) Police indicated "unknown"</p>	<p>30. Frontal Air Bag System Availability/Function (This Occupant Position) 0</p> <p>(0) Not equipped/not available (1) Air bag</p> <p><i>Non-functional</i> (2) Air bag disconnected (specify): _____ (3) Air bag not reinstalled (9) Unknown</p>
<p>29. Police Reported Air Bag Availability/Function 0</p> <p>(0) No air bag available (1) Police did not indicate air bag availability/function (2) Deployed (3) Not deployed (4) Unknown if deployed (9) Police indicated "unknown"</p>	<p>31. Frontal Air Bag System Deployment (This Occupant Position) 0</p> <p>(0) Not equipped/not available (1) Deployed during accident (as a result of impact) (2) Deployed inadvertently just prior to accident (3) Deployed, details unknown (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical) (5) Unknown if deployed (7) Nondeployed (9) Unknown</p>
<p>Check the Primary Source Used In Determining Belt Use.</p> <p><input type="checkbox"/> Not equipped/not available/destroyed or rendered inoperative <input type="checkbox"/> Vehicle inspection <input type="checkbox"/> Official injury data <input type="checkbox"/> Driver/occupant interview <input type="checkbox"/> Other (specify): _____ <input type="checkbox"/> Unknown if belt used</p> <p>_____</p> <p>_____</p> <p>_____</p>	<p>32. Other Than First Seat Frontal Air Bag Availability/Function (This Occupant Position) 0</p> <p>(0) Not equipped/not available (1) Air bag</p> <p><i>Non-functional</i> (2) Air bag disconnected (specify): _____ (3) Air bag not reinstalled (9) Unknown <i>Specify type of "other" air bag present:</i> _____</p>
	<p>33. Air Bag(s) Deployment, Other Than First Seat Frontal (This Occupant Position) 0</p> <p>(0) Not equipped with an "other" air bag (1) Deployed during accident (as a result of impact) (2) Deployed inadvertently just prior to accident (3) Deployed, details unknown (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical) (5) Unknown if deployed (7) Nondeployed (9) Unknown</p>
	<p>34. Are There Indications of Air Bag System Failure? (This Occupant Position) 0</p> <p>(0) Not equipped/not available (1) No (2) Yes (specify): _____ (9) Unknown</p>

FIRST SEAT FRONTAL AIR BAG SYSTEM EVALUATION

35. Had Vehicle Been in Previous Accident(s)? 0

- (0) Not equipped/not available
 (1) No previous accidents

Yes

- (2) Previous accident(s) without deployment(s)
 (3) One previous accident with deployment
 (4) More than one previous accident with at least one deployment
 (8) Previous accidents, unknown deployment status
 (9) Unknown

36. Type of Air Bag 0

- (0) Not equipped/not available
 (1) Original manufacturer installed system
 (2) Retrofitted air bag
 (3) Replacement air bag
 (8) Unknown type of air bag
 (9) Unknown

37. Had Any Prior Maintenance/Service Been Performed On This Air Bag System? 0

- (0) Not equipped/not available
 (1) No prior maintenance
 (2) Yes, prior maintenance (specify):

 (9) Unknown

38. Air Bag Deployment Accident Event Sequence Number 0 0

- (00) Not equipped/not available
 _____ Code the accident event sequence number that initiated the air bag deployment
 (96) Deployed, unknown event
 (97) Not deployed
 (98) Unknown if deployed
 (99) Unknown

39. CDC For Air Bag Deployment Impact 0

- (0) Not equipped/not available
 (1) Highest delta V
 (2) Second highest delta V
 (3) Other non-coded delta V (specify):

 (6) Deployed, unknown event
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown

40. Longitudinal Component of Delta V For Air Bag Deployment Impact + 0 0 0
- 0 0 0

- (_000) Not equipped/not available
Code the value of the delta V for the impact that initiated the air bag deployment
 (_996) Deployment, unknown longitudinal Delta V
 (_997) Not deployed
 (_998) Unknown if deployed
 (_999) Unknown

41. Did Air Bag Module Cover Flap(s) Open At Designated Tear Points? 0

- (0) Not equipped/not available
 (1) No
 (2) Yes
 (3) Deployed, unknown if flap(s) opened at designated tear points
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown

42. Were Air Bag Module Cover Flap(s) Damaged? 0

- (0) Not equipped/not available
 (1) No
 (2) Yes (specify): _____
 (3) Deployed, unknown if air bag module cover flap(s) damaged
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown

43. Was There Damage To The Air Bag? 0 0

- (00) Not equipped/not available
 (01) Not damaged

Yes - Air Bag Damage

- (02) Ruptured
 (03) Cut
 (04) Torn
 (05) Holed
 (06) Burned
 (07) Abraded
 (88) Other damage (specify):

- (95) Damaged, details unknown
 (96) Deployed, unknown if damaged
 (97) Not deployed
 (98) Unknown if deployed
 (99) Unknown

**FIRST SEAT FRONTAL AIR BAG SYSTEM
EVALUATION** *continued*
HEAD RESTRAINT AND SEAT EVALUATION

44. Source of Air Bag Damage 0 0
 (00) Not equipped/not available
 (01) Not damaged
 (02) Object worn by occupant, (specify):

 (03) Object carried by occupant, (specify):

 (04) Adaptive/assistive controls, (specify):

 (05) Fire in vehicle
 (06) Thermal burns
 (07) Rescue or emergency efforts
 (88) Other damage source (specify):

 (95) Damaged, unknown source
 (96) Deployed, unknown if damaged
 (97) Not deployed
 (98) Unknown if deployed
 (99) Unknown
45. Was The Air Bag Tethered? 0
 (0) Not equipped/not available
 (1) No
 (2) Yes (specify number of tether straps):

 (3) Deployed, unknown if tethered
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown
46. Did The Air Bag Have Vent Ports? 0
 (0) Not equipped/not available
 (1) No
 (2) Yes (specify number of vent ports):

 (3) Deployed, unknown if vent ports present
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown
47. Was the Air Bag in this Occupant's Position Contacted by Another Occupant? 0
 (0) Not equipped/not available
 (1) No
 (2) Yes (specify):

 (3) Deployed, unknown if other occupant contact to air bag
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown
48. Was This Occupant Wearing Eye-wear? 0
 (0) Not equipped/not available
 (1) No
 (2) Eyeglasses/sunglasses
 (3) Contact lenses
 (4) Deployed, unknown if eyewear worn
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown

49. Head Restraint Type/Damage by Occupant at This Occupant Position 9
 (0) No head restraints
 (1) Integral—no damage
 (2) Integral—damaged during accident
 (3) Adjustable—no damage
 (4) Adjustable—damaged during accident
 (5) Add-on—no damage
 (6) Add-on—damaged during accident
 (8) Other (specify):

 (9) Unknown
50. Seat Type (this Occupant Position) 9 9
 (00) Occupant not seated or no seat
 (01) Bucket
 (02) Bucket with folding back
 (03) Bench
 (04) Bench with separate back cushions
 (05) Bench with folding back(s)
 (06) Split bench with separate back cushions
 (07) Split bench with folding back(s)
 (08) Pedestal (i.e., column supported)
 (09) Box mounted seat (i.e., van type)
 (10) Other seat type (specify):

 (99) Unknown
51. Seat Orientation (this Occupant Position) 9
 (0) Occupant not seated or no seat
 (1) Forward facing seat
 (2) Rear facing seat
 (3) Side facing seat (inward)
 (4) Side facing seat (outward)
 (8) Other (specify):

 (9) Unknown
52. Seat Track Adjusted Position Prior To Impact 9
 (0) Occupant not seated or no seat
 (1) Non-adjustable seat track
- Adjustable Seat Track*
 (2) Seat at forward most track position
 (3) Seat between forward most and middle track positions
 (4) Seat at middle track position
 (5) Seat between middle and rear most track positions
 (6) Seat at rear most track position
 (9) Unknown

HEAD RESTRAINT AND SEAT EVALUATION *continued*53. Seat Back Incline Prior and Post Impact 99

- (00) Occupant not seated or no seat
 (01) Not adjustable

Upright prior to impact

- (11) Moved to completely rearward position
 (12) Moved to rearward midrange position
 (13) Moved to slightly rearward position
 (14) Retained pre-impact position
 (15) Moved to slightly forward position
 (16) Moved to forward midrange position
 (17) Moved to completely forward position




Slightly reclined prior to impact

- (21) Moved to completely rearward position
 (22) Moved to rearward midrange position
 (23) Retained pre-impact position
 (24) Moved to upright position
 (25) Moved to slightly forward position
 (26) Moved to forward midrange position
 (27) Moved to completely forward position

Completely reclined prior to impact

- (31) Retained pre-impact position
 (32) Moved to rearward midrange position
 (33) Moved to slightly rearward position
 (34) Moved to upright position
 (35) Moved to slightly forward position
 (36) Moved to forward midrange position
 (37) Moved to completely forward position

(99) Unknown

54. Seat Performance (this Occupant Position) 9

- (0) Occupant not seated or no seat
 (1) No seat performance failure(s)
 (2) Seat adjusters failed
 (3) Seat back folding locks or "seat back" failed
 (specify): _____
 (4) Seat track/anchors failed
 (5) Deformed by impact of occupant
 (6) Deformed by passenger compartment
 intrusion, (specify): _____
 (7) Combination of above (specify): _____
 (8) Other (specify): _____
 (9) Unknown

CHILD SAFETY SEAT

55. Child Safety Seat Make/Model 0 0 0
 (000) No child safety seat
 Applicable codes are found in your NASS CDS
 Data Collection, Coding and Editing
 (950) Built-in child safety seat
 (997) Other make/model (specify):

 (998) Unknown make/model
 (999) Unknown if child safety seat used

56. Type of Child Safety Seat 0
 (0) No child safety seat
 (1) Infant seat
 (2) Toddler seat
 (3) Convertible seat
 (4) Booster seat - with shield
 (5) Booster seat - without shield
 (7) Other type child safety seat (specify):

 (8) Unknown child safety seat type
 (9) Unknown if child safety seat used

57. Child Safety Seat Orientation 0 0
 (00) No child safety seat

Designed for Rear Facing for This Age/Weight
 (01) Rear facing
 (02) Forward facing
 (08) Other orientation (specify):

 (09) Unknown orientation

Designed For Forward Facing for This Age/Weight
 (11) Rear facing
 (12) Forward facing
 (18) Other orientation (specify):

 (19) Unknown orientation

Unknown Design or Orientation For This Age/Weight, or Unknown Age/Weight
 (21) Rear facing
 (22) Forward facing
 (28) Other orientation (specify):

 (29) Unknown orientation

 (99) Unknown if child safety seat used

58. Child Safety Seat Harness Usage 0 0

59. Child Safety Seat Shield Usage 0 0

60. Child Safety Seat Tether Usage 0 0

Note: Options below applicable to
 Variables OA58-OA60.
 (00) No child safety seat

Not Designed With Harness/Shield/Tether
 (01) After market harness/shield/tether
 added, not used
 (02) After market harness/shield/tether used
 (03) Child safety seat used, but no after market
 harness/shield/tether added
 (09) Unknown if harness/shield/tether
 added or used

Designed With Harness/Shield/Tether
 (11) Harness/shield/tether not used
 (12) Harness/shield/tether used
 (19) Unknown if harness/shield/tether used

Unknown If Designed With Harness/Shield/Tether
 (21) Harness/shield/tether not used
 (22) Harness/shield/tether used
 (29) Unknown if harness/shield/tether used

 (99) Unknown if child safety seat used

INJURY CONSEQUENCES61. Injury Severity (Police Rating) 3

- (0) O - No injury
- (1) C - Possible injury
- (2) B - Nonincapacitating injury
- (3) A - Incapacitating injury
- (4) K - Killed
- (5) U - Injury, severity unknown
- (6) Died prior to accident
- (9) Unknown

62. Treatment - Mortality 4

- (0) No treatment
- (1) Fatal
- (2) Fatal - ruled disease (specify):

Nonfatal

- (3) Hospitalization
- (4) Transported and released
- (5) Treatment at scene - nontransported
- (6) Treatment later
- (7) Treatment - other (specify):

- (8) Transported to a medical facility-unknown if treated
- (9) Unknown

63. Type Of Medical Facility (for Initial Treatment) 1

- (0) Not treated at a medical facility
- (1) Trauma center
- (2) Hospital
- (3) Medical clinic
- (4) Physician's office
- (5) Treatment later at medical facility
- (8) Other (specify):

- (9) Unknown

64. Hospital Stay 0 0

- (00) Not Hospitalized
- _____ Code the number of days (up through 60) that the occupant stayed in hospital.
- (61) 61 days or more
- (99) Unknown

65. Working Days Lost 3 5

- _____ Code the number of days (up through 60) that the occupant lost from work due to the accident
- (00) No working days lost
- (61) 61 days or more
- (62) Fatally injured
- (97) Not working prior to accident
- (99) Unknown

STOP WORK HERE**VARIABLES 66-74****TO BE CODED BY THE ZONE CENTER**

TO BE CODED BY THE ZONE CENTER**INJURY CONSEQUENCES****TRAUMA DATA**66. Time to Death 00

Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, ... n days = 30 + n up through 30 days = 60)

- (00) Not fatal
(96) Fatal - ruled disease
(99) Unknown

67. 1st Medically Reported Cause of Death 0068. 2nd Medically Reported Cause of Death 0069. 3rd Medically Reported Cause of Death 00

Code the Occupant Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this occupant's death

- (00) Not fatal or no additional causes
(96) Mode of death given but specific injuries are not linked to cause of death. (specify):

(97) Other result (includes fatal ruled disease) (specify):

(99) Unknown

70. Number of Recorded Injuries for This Occupant 02

Code the actual number of injuries recorded for this occupant.

- (00) No recorded injuries
(97) Injured, details unknown
(99) Unknown if injured

71. Glasgow Coma Scale (GCS) Score 02

(at Medical Facility)

- (00) Not injured
(01) Injured - not treated at medical facility
(02) No GCS Score at medical facility
(03-15) Code the actual value of the initial GCS Score recorded at medical facility.
(97) Injured, details unknown
(99) Unknown if injured

72. Was the Occupant Given Blood? 9

(1) No - blood not given

(2) Yes - blood given

(specify units): _____

(9) Unknown if blood given

73. Arterial Blood Gases (ABG) - HCO₃ 01

(00) Not injured

(01) Injured, ABGs not measured or reported

(02-50) Code the actual value of the HCO₃

(96) ABGs reported, HCO₃ unknown

(97) Injured, details unknown

(99) Unknown if injured

BELT USE DETERMINATION74. Primary Source of Belt Use Determination 3

(0) Not equipped/not available/destroyed or rendered inoperative

(1) Vehicle inspection

(2) Official injury data

(3) Driver/occupant interview

(8) Other (specify): _____

(9) Unknown if belt used



OCCUPANT INJURY FORM

1. Primary Sampling Unit Number <u>45</u>	3. Vehicle Number <u>02</u>
2. Case Number - Stratum <u>100A</u>	4. Occupant Number <u>01</u>

INJURY DATA

Record below the actual injuries sustained by this occupant that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than ten injuries have been documented, encode the balance on the Occupant Injury Supplement.

*40mm
contusion
1st
rib contusion*

Source of Injury Data	A.I.S. - 90						Injury Source Aspect	Injury Source Confidence Level	Injury Source	Direct/Indirect Injury	Occupant Area Intrusion Number
	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity						
1st	5. <u>7</u>	6. <u>7</u>	7. <u>9</u>	8. <u>04</u>	9. <u>02</u>	10. <u>1</u>	11. <u>2</u>	12. <u>051</u>	13. <u>3</u>	14. <u>1</u>	15. <u>99</u>
2nd	16. <u>2</u>	17. <u>4</u>	18. <u>9</u>	19. <u>04</u>	20. <u>02</u>	21. <u>1</u>	22. <u>9</u>	23. <u>004</u>	24. <u>3</u>	25. <u>1</u>	26. <u>99</u>
3rd	27. ___	28. ___	29. ___	30. ___	31. ___	32. ___	33. ___	34. ___	35. ___	36. ___	37. ___
4th	38. ___	39. ___	40. ___	41. ___	42. ___	43. ___	44. ___	45. ___	46. ___	47. ___	48. ___
5th	49. ___	50. ___	51. ___	52. ___	53. ___	54. ___	55. ___	56. ___	57. ___	58. ___	59. ___
6th	60. ___	61. ___	62. ___	63. ___	64. ___	65. ___	66. ___	67. ___	68. ___	69. ___	70. ___
7th	71. ___	72. ___	73. ___	74. ___	75. ___	76. ___	77. ___	78. ___	79. ___	80. ___	81. ___
8th	82. ___	83. ___	84. ___	85. ___	86. ___	87. ___	88. ___	89. ___	90. ___	91. ___	92. ___
9th	93. ___	94. ___	95. ___	96. ___	97. ___	98. ___	99. ___	100. ___	101. ___	102. ___	103. ___
10th	104. ___	105. ___	106. ___	107. ___	108. ___	109. ___	110. ___	111. ___	112. ___	113. ___	114. ___

OCCUPANT INJURY DATA

Source of Injury Data	A.I.S. - 90						Injury Source	Injury Source Confidence Level	Direct/Indirect Injury	Occupant Area Intrusion Number
	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect				
11th	---	---	---	---	---	---	-----	---	---	---
12th	---	---	---	---	---	---	-----	---	---	---
13th	---	---	---	---	---	---	-----	---	---	---
14th	---	---	---	---	---	---	-----	---	---	---
15th	---	---	---	---	---	---	-----	---	---	---
16th	---	---	---	---	---	---	-----	---	---	---
17th	---	---	---	---	---	---	-----	---	---	---
18th	---	---	---	---	---	---	-----	---	---	---
19th	---	---	---	---	---	---	-----	---	---	---
20th	---	---	---	---	---	---	-----	---	---	---
21st	---	---	---	---	---	---	-----	---	---	---
22nd	---	---	---	---	---	---	-----	---	---	---
23rd	---	---	---	---	---	---	-----	---	---	---
24th	---	---	---	---	---	---	-----	---	---	---
25th	---	---	---	---	---	---	-----	---	---	---

OCCUPANT INJURY CLASSIFICATION

Body Region	Specific Anatomic Structure	Level of Injury	Aspect
(1) Head	<u>Vessels, Nerves, Organs.</u> <u>Bones, Joints</u> are assigned consecutive two digit numbers beginning with 02. The exceptions to this rule apply to: <u>Whole Area</u> (02) Skin - Abrasion (04) Skin - Contusion (06) Skin - Laceration (08) Skin - Avulsion (10) Amputation (20) Burn (30) Crush (40) Degloving (50) Injury - NFS (90) Trauma, other than mechanical <u>Head - LOC</u> (02) Length of LOC (04) Level (06) of (08) Consciousness (10) Concussion <u>Spine</u> (02) Cervical (04) Thoracic (06) Lumbar	Specific injuries are assigned consecutive two-digit numbers beginning with 02.	(1) Right (2) Left (3) Bilateral (4) Central (5) Anterior (6) Posterior (7) Superior (8) Inferior (9) Unknown (0) Whole region
(2) Face		To the extent possible, within the organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity.	Abbreviated Injury Scale (1) Minor Injury (2) Moderate Injury (3) Serious Injury (4) Severe Injury (5) Critical Injury (6) Maximum (untreatable) (7) Injured, unknown severity
(3) Neck			
(4) Thorax			
(5) Abdomen			
(6) Spine			
(7) Upper Extremity			
(8) Lower Extremity			
(9) Unspecified			
Type of Anatomic Structure			
(1) Whole Area			
(2) Vessels			
(3) Nerves			
(4) Organs (includes Muscles/ligaments)			
(5) Skeletal (includes joints)			
(6) Head - LOC			
(9) Skin			

SOURCE OF INJURY DATA	INJURY SOURCE CONFIDENCE LEVEL	DIRECT/INDIRECT INJURY
<u>OFFICIAL RECORDS</u> (1) Autopsy records with or without hospital/medical records (2) Hospital/medical records other than emergency room (e.g., discharge summary) (3) Emergency room records only (including associated X-rays or other lab reports) (4) Private physician, walk-in or emergency clinic <u>UNOFFICIAL RECORDS</u> (5) Lay coroner report (6) E.M.S. personnel (7) Interviewee (8) Other source (specify): _____ (9) Police	(1) Certain (2) Probable (3) Possible (9) Unknown	(1) Direct contact injury (2) Indirect contact injury (3) Noncontact injury (7) Injured, unknown source

INJURY SOURCES

FRONT

- (001) Windshield
- (002) Mirror
- (003) Sunvisor
- (004) Steering wheel rim
- (005) Steering wheel hub/spoke
- (006) Steering wheel (combination of codes 004 and 005)
- (007) Steering column, transmission selector lever, other attachment
- (008) Cellular telephone or CB radio
- (009) Add on equipment (e.g., tape deck, air conditioner)
- (010) Left instrument panel and below
- (011) Center instrument panel and below
- (012) Right instrument panel and below
- (013) Glove compartment door
- (014) Knee bolster
- (015) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, mirror, or steering assembly (driver side only)
- (016) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, or mirror (passenger side only)
- (017) Windshield reinforced by exterior object (specify):
- (019) Other front object (specify):

LEFT SIDE

- (051) Left side interior surface, excluding hardware or armrests
- (052) Left side hardware or armrest
- (053) Left A (A1/A2)-pillar
- (054) Left B-pillar
- (055) Other left pillar (specify):
- (056) Left side window glass
- (057) Left side window frame
- (058) Left side window sill
- (059) Left side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail.
- (060) Other left side object (specify):

RIGHT SIDE

- (101) Right side interior surface, excluding hardware or armrests

- (102) Right side hardware or armrest
- (103) Right A (A1/A2)-pillar
- (104) Right B-pillar
- (105) Other right pillar (specify):
- (106) Right side window glass
- (107) Right side window frame
- (108) Right side window sill
- (109) Right side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail.
- (110) Other right side object (specify):

INTERIOR

- (151) Seat, back support
- (152) Belt restraint webbing/buckle
- (153) Belt restraint B-pillar or door frame attachment point
- (154) Other restraint system component (specify):
- (155) Head restraint system
- (160) Other occupants (specify):
- (161) Interior loose objects
- (162) Child safety seat (specify):
- (163) Other interior object (specify):

AIR BAG

- (170) Air bag-driver side
- (171) Air bag-driver side and eyewear
- (172) Air bag-driver side and jewelry
- (173) Air bag-driver side and object held
- (174) Air bag-driver side and object in mouth
- (175) Air bag compartment cover-driver side
- (176) Air bag compartment cover-driver side and eyewear
- (177) Air bag compartment cover-driver side and jewelry
- (178) Air bag compartment cover-driver side and object held
- (179) Air bag compartment cover-driver side and object in mouth
- (180) Air bag-passenger side
- (181) Air bag-passenger side and eyewear
- (182) Air bag-passenger side and jewelry

- (183) Air bag-passenger side and object held
- (184) Air bag-passenger side and object in mouth
- (185) Air bag compartment cover-passenger side
- (186) Air bag compartment cover-passenger side and eyewear
- (187) Air bag compartment cover-passenger side and jewelry
- (188) Air bag compartment cover-passenger side and object held
- (189) Air bag compartment cover-passenger side and object in mouth
- (190) Other air bag (specify):
- (195) Other air bag compartment cover (specify):

ROOF

- (201) Front header
- (202) Rear header
- (203) Roof left side rail
- (204) Roof right side rail
- (205) Roof or convertible top

FLOOR

- (251) Floor (including toe pan)
- (252) Floor or console mounted transmission lever, including console
- (253) Parking brake handle
- (254) Foot controls including parking brake

REAR

- (301) Backlight (rear window)
- (302) Backlight storage rack, door, etc.
- (303) Other rear object (specify):

ADAPTIVE (ASSISTIVE) DRIVING EQUIPMENT

- (401) Hand controls for braking/acceleration
- (402) Steering control devices (attached to OEM steering wheel)
- (403) Steering knob attached to steering wheel
- (405) Replacement steering wheel (i.e., reduced diameter)
- (406) Joy stick steering controls
- (407) Wheelchair tie-downs
- (408) Modification to seat belts, (specify):
- (409) Additional or relocated switches, (specify):
- (410) Raised roof

- (411) Wall mounted head rest (used behind wheel chair)
- (412) Other adaptive device (specify):

EXTERIOR of OCCUPANT'S VEHICLE

- (451) Hood
- (452) Outside hardware (e.g., outside mirror, antenna)
- (453) Other exterior surface or tires (specify):
- (454) Unknown exterior objects

EXTERIOR OF OTHER MOTOR VEHICLE

- (501) Front bumper
- (502) Hood edge
- (503) Other front of vehicle (specify):
- (504) Hood
- (505) Hood ornament
- (506) Windshield, roof rail, A-pillar
- (507) Side surface
- (508) Side mirrors
- (509) Other side protrusions (specify):
- (510) Rear surface
- (511) Undercarriage
- (512) Tires and wheels
- (513) Other exterior of other motor vehicle (specify):
- (514) Unknown exterior of other motor vehicle

OTHER VEHICLE OR OBJECT IN THE ENVIRONMENT



- (551) Ground
- (598) Other vehicle or object (specify):
- (599) Unknown vehicle or object

NONCONTACT INJURY

- (601) Fire in vehicle
- (602) Flying glass
- (603) Other noncontact injury source (specify):
- (604) Air bag exhaust gases
- (697) Injured, unknown source

OFFICIAL INJURY DATA — SOFT TISSUE INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



OFFICIAL INJURY DATA — SKELETAL INJURIES

Restrained?

No

Yes

Blood Alcohol
Level (mg/dl)

BAL = ____

Glasgow Coma
Scale Score

GCSS = ____

Units of Blood
Given

Units = ____

Arterial Blood
Gases



pH = ____

PO₂ = ____

PCO₂ = ____



HCO₃ = ____

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



OFFICIAL INJURY DATA – INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





OCCUPANT ASSESSMENT FORM

OCCUPANT'S SEATING

1. Primary Sampling Unit Number 45
 2. Case Number - Stratum 100A
 3. Vehicle Number 02
 4. Occupant Number 02

10. Occupant's Seat Position 13
Front Seat
 (11) Left side
 (12) Middle
 (13) Right side
 (14) Other (specify): _____
 (15) On or in the lap of another occupant

OCCUPANT'S CHARACTERISTICS

5. Occupant's Age 15
 Code actual age at time of accident.
 (00) Less than one year old (specify by month): _____
 (97) 97 years and older
 (99) Unknown

Second Seat
 (21) Left side
 (22) Middle
 (23) Right side
 (24) Other (specify): _____
 (25) On or in the lap of another occupant

6. Occupant's Sex 2
 (1) Male
 (2) Female-not reported pregnant
 (3) Female-pregnant-1st trimester(1st-3rd month)
 (4) Female-pregnant-2nd trimester(4th-6th month)
 (5) Female-pregnant-3rd trimester(7th-9th month)
 (6) Female-pregnant-term unknown
 (9) Unknown

Third Seat
 (31) Left side
 (32) Middle
 (33) Right side
 (34) Other (specify): _____
 (35) On or in the lap of another occupant

7. Occupant's Height 165
 Code actual height to the nearest
 centimeter.
 (999) Unknown
65 inches X 2.54 = _____ centimeters

Fourth Seat
 (41) Left side
 (42) Middle
 (43) Right side
 (44) Other (specify): _____
 (45) On or in the lap of another occupant
 (97) In or on unenclosed area
 (98) Other seat (specify): _____
 (99) Unknown

8. Occupant's Weight 113
 Code actual weight to the nearest
 kilogram.
 (999)Unknown
250 pounds X .4536 = _____ kilograms

11. Occupant's Posture 0
 (0) Normal posture
Abnormal posture
 (1) Kneeling or standing on seat
 (2) Lying on or across seat
 (3) Kneeling, standing or sitting in front of seat
 (4) Sitting sideways or turned to talk with another
 occupant or to look out a rear window
 (5) Sitting on a console
 (6) Lying back in a reclined seat position
 (7) Bracing with feet or hands on a surface in front
 of seat
 (8) Other abnormal posture (specify): _____
 (9) Unknown

9. Occupant's Role 2
 (1) Driver
 (2) Passenger
 (9) Unknown

EJECTION/ENTRAPMENT

12. Ejection 0

- (0) No ejection
- (1) Complete ejection
- (2) Partial ejection
- (3) Ejection, unknown degree
- (9) Unknown

13. Ejection Area 0

- (0) No ejection
- (1) Windshield
- (2) Left front
- (3) Right front
- (4) Left rear
- (5) Right rear
- (6) Rear
- (7) Roof
- (8) Other area (e.g., back of pickup, etc.)
(specify): _____
- (9) Unknown

14. Ejection Medium 0

- (0) No ejection
- (1) Door/hatch/tailgate
- (2) Nonfixed roof structure
- (3) Fixed glazing
- (4) Nonfixed glazing (specify):

- (5) Integral structure
- (8) Other medium (specify):

- (9) Unknown

15. Medium Status (Immediately Prior To Impact) 9

- (0) No ejection
- (1) Open
- (2) Closed
- (3) Integral structure
- (9) Unknown

16. Entrapment 0

- (0) Not entrapped/exit not inhibited
- (1) Entrapped/pinned - mechanically restrained
- (2) Could not exit vehicle due to jammed doors, fire, etc.
(specify): _____
- (9) Unknown

17. Occupant Mobility 4

- (0) Occupant fatal before removed from vehicle
- (1) Removed from vehicle while unconscious or disoriented
- (2) Removed from vehicle due to injuries
- (3) Exited vehicle with some assistance
- (4) Exited vehicle under own power
- (5) Occupant fully ejected
- (9) Unknown

BELT SYSTEM FUNCTION

18. Manual (Active) Belt System Availability 9
 (0) None available
 (1) Belt removed/destroyed
 (2) Shoulder belt
 (3) Lap belt
 (4) Lap and shoulder belt
 (5) Belt available—type unknown
Integral Belt Partially Destroyed
 (6) Shoulder belt (lap belt destroyed/removed)
 (7) Lap belt (shoulder belt destroyed/removed)
 (8) Other belt (specify):
 (9) Unknown
19. Manual (Active) Belt System Use 9 7
 (00) None used, not available, or belt removed/destroyed
 (01) Inoperative (specify):
 (02) Shoulder belt
 (03) Lap belt
 (04) Lap and shoulder belt
 (05) Belt used—type unknown
 (08) Other belt used (specify):
 (12) Shoulder belt used with child safety seat
 (13) Lap belt used with child safety seat
 (14) Lap and shoulder belt used with child safety seat
 (15) Belt used with child safety seat—type unknown
 (18) Other belt used with child safety seat (specify):
 (99) Unknown if belt used
20. Proper Use of Manual (Active) Belts 9
 (0) None used or not available
 (1) Belt used properly
 (2) Belt used properly with child safety seat
Belt Used Improperly
 (3) Shoulder belt worn under arm
 (4) Shoulder belt worn behind back or seat
 (5) Belt worn around more than one person
 (6) Lap belt worn on abdomen
 (7) Lap belt or lap and shoulder belt used improperly with child safety seat (specify):
 (8) Other improper use of manual belt system (specify):
 (9) Unknown
21. Manual (Active) Belt Failure Modes During Accident 9
 (0) No manual belt used or not available
 (1) No manual belt failure(s)
 (2) Torn webbing (stretched webbing not included)
 (3) Broken buckle or latchplate
 (4) Upper anchorage separated
 (5) Other anchorage separated (specify):
 (6) Broken retractor
 (7) Combination of above (specify):
 (8) Other manual belt failure (specify):
 (9) Unknown

22. Shoulder Belt Upper Anchorage Adjustment 9
 (0) No shoulder belt
 (1) No upper anchorage adjustment for shoulder belt
Adjustable shoulder Belt Upper Anchorage
 (2) In full up position
 (3) In mid position
 (4) In full down position
 (5) Position unknown
 (9) Unknown if position has adjustable upper anchorage adjustment
23. Automatic (Passive) Belt System Availability/Function 0
 (0) Not equipped/not available
 (1) 2 point automatic belts
 (2) 3 point automatic belts
 (3) Automatic belts - type unknown
Non-functional
 (4) Automatic belts destroyed or rendered inoperative
 (9) Unknown
24. Automatic (Passive) Belt System Use 0
 (0) Not equipped/not available/destroyed or rendered inoperative
 (1) Automatic belt in use
 (2) Automatic belt not in use (manually disconnected, motorized track inoperative) (specify):
 (3) Automatic belt use unknown
 (9) Unknown
25. Automatic (Passive) Belt System Type 0
 (0) Not equipped/not available
 (1) Non-motorized system
 (2) Motorized system
 (9) Unknown
26. Proper Use of Automatic (Passive) Belt System 0
 (0) Not equipped/not available/not used
 (1) Automatic belt used properly
 (2) Automatic belt used properly with child safety seat
Automatic Belt Used Improperly
 (3) Automatic shoulder belt worn under arm
 (4) Automatic shoulder belt worn behind back
 (5) Automatic belt worn around more than one person
 (6) Lap portion of automatic belt worn on abdomen
 (7) Automatic lap and shoulder belt or automatic shoulder belt used improperly with child safety seat (specify):
 (8) Other improper use of automatic belt system (specify):
 (9) Unknown
27. Automatic (Passive) Belt Failure Modes During Accident 0
 (0) Not equipped/not available/not in use
 (1) No automatic belt failure(s)
 (2) Torn webbing (stretched webbing not included)
 (3) Broken buckle or latchplate
 (4) Upper anchorage separated
 (5) Other anchorage separated (specify):
 (6) Broken retractor
 (7) Combination of above (specify):
 (8) Other automatic belt failure (specify):
 (9) Unknown

POLICE REPORTED RESTRAINT USE

AIR BAG SYSTEM FUNCTION

28. Police Reported Belt Use 0
- (0) None used
 - (1) Police did not indicate belt use
 - (2) Shoulder belt
 - (3) Lap belt
 - (4) Lap and shoulder belt
 - (5) Belt used, type not specified
 - (6) Child safety seat.
 - (7) Automatic belt
 - (8) Other type belt, (specify):
 - (9) Police indicated "unknown"

29. Police Reported Air Bag Availability/Function 0
- (0) No air bag available
 - (1) Police did not indicate air bag availability/function
 - (2) Deployed
 - (3) Not deployed
 - (4) Unknown if deployed
 - (9) Police indicated "unknown"

Check the Primary Source Used In Determining Belt Use.

- Not equipped/not available/destroyed or rendered inoperative
- Vehicle inspection
- Official injury data
- Driver/occupant interview
- Other (specify):
- Unknown if belt used

30. Frontal Air Bag System Availability/Function (This Occupant Position) 0
- (0) Not equipped/not available
 - (1) Air bag
- Non-functional*
- (2) Air bag disconnected (specify):
 - (3) Air bag not reinstalled
 - (9) Unknown

31. Frontal Air Bag System Deployment (This Occupant Position) 0
- (0) Not equipped/not available
 - (1) Deployed during accident (as a result of impact)
 - (2) Deployed inadvertently just prior to accident
 - (3) Deployed, details unknown
 - (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical)
 - (5) Unknown if deployed
 - (7) Nondeployed
 - (9) Unknown

32. Other Than First Seat Frontal Air Bag Availability/Function (This Occupant Position) 0
- (0) Not equipped/not available
 - (1) Air bag
- Non-functional*
- (2) Air bag disconnected (specify):
 - (3) Air bag not reinstalled
 - (9) Unknown
- Specify type of "other" air bag present:*

33. Air Bag(s) Deployment, Other Than First Seat Frontal (This Occupant Position) 0
- (0) Not equipped with an "other" air bag
 - (1) Deployed during accident (as a result of impact)
 - (2) Deployed inadvertently just prior to accident
 - (3) Deployed, details unknown
 - (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical)
 - (5) Unknown if deployed
 - (7) Nondeployed
 - (9) Unknown

34. Are There Indications of Air Bag System Failure? (This Occupant Position) 0
- (0) Not equipped/not available
 - (1) No
 - (2) Yes (specify):
 - (9) Unknown

FIRST SEAT FRONTAL AIR BAG SYSTEM EVALUATION

35. Had Vehicle Been in Previous Accident(s)? 0

- (0) Not equipped/not available.
 (1) No previous accidents

Yes

- (2) Previous accident(s) without deployment(s)
 (3) One previous accident with deployment
 (4) More than one previous accident with at least one deployment
 (8) Previous accidents, unknown deployment status
 (9) Unknown

36. Type of Air Bag 0

- (0) Not equipped/not available
 (1) Original manufacturer installed system
 (2) Retrofitted air bag
 (3) Replacement air bag
 (8) Unknown type of air bag
 (9) Unknown

37. Had Any Prior Maintenance/Service Been Performed On This Air Bag System? 0

- (0) Not equipped/not available
 (1) No prior maintenance
 (2) Yes, prior maintenance (specify):

 (9) Unknown

38. Air Bag Deployment Accident Event Sequence Number 00

- (00) Not equipped/not available
 _____ Code the accident event sequence number that initiated the air bag deployment
 (96) Deployed, unknown event
 (97) Not deployed
 (98) Unknown if deployed
 (99) Unknown

39. CDC For Air Bag Deployment Impact 0

- (0) Not equipped/not available
 (1) Highest delta V
 (2) Second highest delta V
 (3) Other non-coded delta V (specify):

 (6) Deployed, unknown event
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown

40. Longitudinal Component of Delta V For Air Bag Deployment Impact

+ 0 0 0
- 0 0 0

- (_000) Not equipped/not available
 Code the value of the delta V for the impact that initiated the air bag deployment
 (_996) Deployment, unknown longitudinal Delta V
 (_997) Not deployed
 (_998) Unknown if deployed
 (_999) Unknown

41. Did Air Bag Module Cover Flap(s) Open At Designated Tear Points? 0

- (0) Not equipped/not available
 (1) No
 (2) Yes
 (3) Deployed, unknown if flap(s) opened at designated tear points
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown

42. Were Air Bag Module Cover Flap(s) Damaged? 0

- (0) Not equipped/not available
 (1) No
 (2) Yes (specify): _____
 (3) Deployed, unknown if air bag module cover flap(s) damaged
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown

43. Was There Damage To The Air Bag? 00

- (00) Not equipped/not available
 (01) Not damaged

Yes - Air Bag Damage

- (02) Ruptured
 (03) Cut
 (04) Torn
 (05) Holed
 (06) Burned
 (07) Abraded
 (88) Other damage (specify):

- (95) Damaged, details unknown
 (96) Deployed, unknown if damaged
 (97) Not deployed
 (98) Unknown if deployed
 (99) Unknown

**FIRST SEAT FRONTAL AIR BAG SYSTEM
EVALUATION** *continued*
HEAD RESTRAINT AND SEAT EVALUATION

44. Source of Air Bag Damage 00
 (00) Not equipped/not available
 (01) Not damaged
 (02) Object worn by occupant, (specify):

 (03) Object carried by occupant, (specify):

 (04) Adaptive/assistive controls, (specify):

 (05) Fire in vehicle
 (06) Thermal burns
 (07) Rescue or emergency efforts
 (88) Other damage source (specify):

 (95) Damaged, unknown source
 (96) Deployed, unknown if damaged
 (97) Not deployed
 (98) Unknown if deployed
 (99) Unknown
45. Was The Air Bag Tethered? 0
 (0) Not equipped/not available
 (1) No
 (2) Yes (specify number of tether straps):

 (3) Deployed, unknown if tethered
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown
46. Did The Air Bag Have Vent Ports? 0
 (0) Not equipped/not available
 (1) No
 (2) Yes (specify number of vent ports):

 (3) Deployed, unknown if vent ports present
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown
47. Was the Air Bag in this Occupant's Position Contacted by Another Occupant? 0
 (0) Not equipped/not available
 (1) No
 (2) Yes (specify):

 (3) Deployed, unknown if other occupant contact to air bag
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown
48. Was This Occupant Wearing Eye-wear? 0
 (0) Not equipped/not available
 (1) No
 (2) Eyeglasses/sunglasses
 (3) Contact lenses
 (4) Deployed, unknown if eyewear worn
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown

49. Head Restraint Type/Damage by Occupant at This Occupant Position 9
 (0) No head restraints
 (1) Integral—no damage
 (2) Integral—damaged during accident
 (3) Adjustable—no damage
 (4) Adjustable—damaged during accident
 (5) Add-on—no damage
 (6) Add-on—damaged during accident
 (8) Other (specify):

 (9) Unknown
50. Seat Type (this Occupant Position) 99
 (00) Occupant not seated or no seat
 (01) Bucket
 (02) Bucket with folding back
 (03) Bench
 (04) Bench with separate back cushions
 (05) Bench with folding back(s)
 (06) Split bench with separate back cushions
 (07) Split bench with folding back(s)
 (08) Pedestal (i.e., column supported)
 (09) Box mounted seat (i.e., van type)
 (10) Other seat type (specify):

 (99) Unknown
51. Seat Orientation (this Occupant Position) 9
 (0) Occupant not seated or no seat
 (1) Forward facing seat
 (2) Rear facing seat
 (3) Side facing seat (inward)
 (4) Side facing seat (outward)
 (8) Other (specify):

 (9) Unknown
52. Seat Track Adjusted Position Prior To Impact 9
 (0) Occupant not seated or no seat
 (1) Non-adjustable seat track
- Adjustable Seat Track*
 (2) Seat at forward most track position
 (3) Seat between forward most and middle track positions
 (4) Seat at middle track position
 (5) Seat between middle and rear most track positions
 (6) Seat at rear most track position
 (9) Unknown

HEAD RESTRAINT AND SEAT EVALUATION *continued*

53. Seat Back Incline Prior and Post Impact 99

- (00) Occupant not seated or no seat
- (01) Not adjustable

Upright prior to impact

- (11) Moved to completely rearward position
- (12) Moved to rearward midrange position
- (13) Moved to slightly rearward position
- (14) Retained pre-impact position
- (15) Moved to slightly forward position
- (16) Moved to forward midrange position
- (17) Moved to completely forward position




Slightly reclined prior to impact

- (21) Moved to completely rearward position
- (22) Moved to rearward midrange position
- (23) Retained pre-impact position
- (24) Moved to upright position
- (25) Moved to slightly forward position
- (26) Moved to forward midrange position
- (27) Moved to completely forward position

Completely reclined prior to impact

- (31) Retained pre-impact position
- (32) Moved to rearward midrange position
- (33) Moved to slightly rearward position
- (34) Moved to upright position
- (35) Moved to slightly forward position
- (36) Moved to forward midrange position
- (37) Moved to completely forward position

(99) Unknown



54. Seat Performance (this Occupant Position) 9

- (0) Occupant not seated or no seat
- (1) No seat performance failure(s)
- (2) Seat adjusters failed
- (3) Seat back folding locks or "seat back" failed (specify): _____
- (4) Seat track/anchors failed
- (5) Deformed by impact of occupant
- (6) Deformed by passenger compartment intrusion, (specify): _____
- (7) Combination of above (specify): _____
- (8) Other (specify): _____
- (9) Unknown

CHILD SAFETY SEAT

55. Child Safety Seat Make/Model 0 0 0
 (000) No child safety seat
 Applicable codes are found in your NASS CDS
 Data Collection, Coding and Editing
 (950) Built-in child safety seat
 (997) Other make/model (specify):

 (998) Unknown make/model
 (999) Unknown if child safety seat used

56. Type of Child Safety Seat 0
 (0) No child safety seat
 (1) Infant seat
 (2) Toddler seat
 (3) Convertible seat
 (4) Booster seat - with shield
 (5) Booster seat - without shield
 (7) Other type child safety seat (specify):

 (8) Unknown child safety seat type
 (9) Unknown if child safety seat used

57. Child Safety Seat Orientation 0 0
 (00) No child safety seat

Designed for Rear Facing for This Age/Weight
 (01) Rear facing
 (02) Forward facing
 (08) Other orientation (specify):

 (09) Unknown orientation

Designed For Forward Facing for This Age/Weight
 (11) Rear facing
 (12) Forward facing
 (18) Other orientation (specify):

 (19) Unknown orientation

*Unknown Design or Orientation For This
 Age/Weight, or Unknown Age/Weight*

(21) Rear facing
 (22) Forward facing
 (28) Other orientation (specify):

 (29) Unknown orientation

(99) Unknown if child safety seat used

58. Child Safety Seat Harness Usage 0 0

59. Child Safety Seat Shield Usage 0 0

60. Child Safety Seat Tether Usage 0 0

Note: Options below applicable to
 Variables OA58-OA60.
 (00) No child safety seat

Not Designed With Harness/Shield/Tether

- (01) After market harness/shield/tether
 added, not used
 (02) After market harness/shield/tether used
 (03) Child safety seat used, but no after market
 harness/shield/tether added
 (09) Unknown if harness/shield/tether
 added or used

Designed With Harness/Shield/Tether

- (11) Harness/shield/tether not used
 (12) Harness/shield/tether used
 (19) Unknown if harness/shield/tether used

Unknown If Designed With Harness/Shield/Tether

- (21) Harness/shield/tether not used
 (22) Harness/shield/tether used
 (29) Unknown if harness/shield/tether used
 (99) Unknown if child safety seat used

INJURY CONSEQUENCES

61. Injury Severity (Police Rating) 3

- (0) O - No injury
- (1) C - Possible injury
- (2) B - Nonincapacitating injury
- (3) A - Incapacitating injury
- (4) K - Killed
- (5) U - Injury, severity unknown
- (6) Died prior to accident
- (9) Unknown

62. Treatment - Mortality 4

- (0) No treatment
- (1) Fatal
- (2) Fatal - ruled disease (specify):

Nonfatal

- (3) Hospitalization
- (4) Transported and released
- (5) Treatment at scene - nontransported
- (6) Treatment later
- (7) Treatment - other (specify):

- (8) Transported to a medical facility-unknown if treated
- (9) Unknown

63. Type Of Medical Facility (for Initial Treatment) 1

- (0) Not treated at a medical facility
- (1) Trauma center
- (2) Hospital
- (3) Medical clinic
- (4) Physician's office
- (5) Treatment later at medical facility
- (8) Other (specify):

(9) Unknown

64. Hospital Stay 00

- (00) Not Hospitalized
- _____ Code the number of days (up through 60) that the occupant stayed in hospital.
- (61) 61 days or more
- (99) Unknown

65. Working Days Lost 97

- _____ Code the number of days (up through 60) that the occupant lost from work due to the accident
- (00) No working days lost
- (61) 61 days or more
- (62) Fatally injured
- (97) Not working prior to accident
- (99) Unknown

STOP WORK HERE

VARIABLES 66-74

TO BE CODED BY THE ZONE CENTER

TO BE CODED BY THE ZONE CENTER

INJURY CONSEQUENCES

TRAUMA DATA

66. Time to Death 00
 Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, ... n days = 30 + n up through 30 days = 60)
 (00) Not fatal
 (96) Fatal - ruled disease
 (99) Unknown

67. 1st Medically Reported Cause of Death 00

68. 2nd Medically Reported Cause of Death 00

69. 3rd Medically Reported Cause of Death 00
 Code the Occupant Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this occupant's death
 (00) Not fatal or no additional causes
 (96) Mode of death given but specific injuries are not linked to cause of death. (specify):
 (97) Other result (includes fatal ruled disease) (specify):
 (99) Unknown

70. Number of Recorded Injuries for This Occupant 02
 Code the actual number of injuries recorded for this occupant.
 (00) No recorded injuries
 (97) Injured, details unknown
 (99) Unknown if injured

71. Glasgow Coma Scale (GCS) Score (at Medical Facility) 02
 (00) Not injured
 (01) Injured - not treated at medical facility
 (02) No GCS Score at medical facility
 (03-15) Code the actual value of the initial GCS Score recorded at medical facility.
 (97) Injured, details unknown
 (99) Unknown if injured

72. Was the Occupant Given Blood? 9
 (1) No - blood not given
 (2) Yes - blood given (specify units):
 (9) Unknown if blood given

73. Arterial Blood Gases (ABG) - HCO₃ 01
 (00) Not injured
 (01) Injured, ABGs not measured or reported
 (02-50) Code the actual value of the HCO₃
 (96) ABGs reported, HCO₃ unknown
 (97) Injured, details unknown
 (99) Unknown if injured

BELT USE DETERMINATION

74. Primary Source of Belt Use Determination 3
 (0) Not equipped/not available/destroyed or rendered inoperative
 (1) Vehicle inspection
 (2) Official injury data
 (3) Driver/occupant interview
 (8) Other (specify):
 (9) Unknown if belt used



OCCUPANT INJURY FORM

1. Primary Sampling Unit Number <u>45</u>	3. Vehicle Number <u>02</u>
2. Case Number - Stratum <u>100A</u>	4. Occupant Number <u>02</u>

INJURY DATA

Record below the actual injuries sustained by this occupant that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than ten injuries have been documented, encode the balance on the Occupant Injury Supplement.

nose bruises
lip bruises

	Source of Injury Data	A.I.S. - 90					Injury Source	Injury Confidence Level	Direct/ Indirect Injury	Occupant Area Intrusion Number	
		Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity					Aspect
1st	5. <u>7</u>	6. <u>2</u>	7. <u>9</u>	8. <u>04</u>	9. <u>02</u>	10. <u>1</u>	11. <u>4</u>	12. <u>001</u>	13. <u>3</u>	14. <u>1</u>	15. <u>99</u>
2nd	16. <u>7</u>	17. <u>2</u>	18. <u>9</u>	19. <u>04</u>	20. <u>02</u>	21. <u>1</u>	22. <u>8</u>	23. <u>001</u>	24. <u>3</u>	25. <u>1</u>	26. <u>99</u>
3rd	27. ___	28. ___	29. ___	30. ___	31. ___	32. ___	33. ___	34. ___	35. ___	36. ___	37. ___
4th	38. ___	39. ___	40. ___	41. ___	42. ___	43. ___	44. ___	45. ___	46. ___	47. ___	48. ___
5th	49. ___	50. ___	51. ___	52. ___	53. ___	54. ___	55. ___	56. ___	57. ___	58. ___	59. ___
6th	60. ___	61. ___	62. ___	63. ___	64. ___	65. ___	66. ___	67. ___	68. ___	69. ___	70. ___
7th	71. ___	72. ___	73. ___	74. ___	75. ___	76. ___	77. ___	78. ___	79. ___	80. ___	81. ___
8th	82. ___	83. ___	84. ___	85. ___	86. ___	87. ___	88. ___	89. ___	90. ___	91. ___	92. ___
9th	93. ___	94. ___	95. ___	96. ___	97. ___	98. ___	99. ___	100. ___	101. ___	102. ___	103. ___
10th	104. ___	105. ___	106. ___	107. ___	108. ___	109. ___	110. ___	111. ___	112. ___	113. ___	114. ___

OCCUPANT INJURY CLASSIFICATION

Body Region	Specific Anatomic Structure	Level of Injury	Aspect
(1) Head (2) Face (3) Neck (4) Thorax (5) Abdomen (6) Spine (7) Upper Extremity (8) Lower Extremity (9) Unspecified	<u>Vessels, Nerves, Organs.</u> <u>Bones, Joints</u> are assigned consecutive two digit numbers beginning with 02. The exceptions to this rule apply to:	Specific injuries are assigned consecutive two-digit numbers beginning with 02. To the extent possible, within the organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity.	(1) Right (2) Left (3) Bilateral (4) Central (5) Anterior (6) Posterior (7) Superior (8) Inferior (9) Unknown (0) Whole region
Type of Anatomic Structure	<u>Whole Area</u> (02) Skin - Abrasion (04) Skin - Contusion (06) Skin - Laceration (08) Skin - Avulsion (10) Amputation (20) Burn (30) Crush (40) Degloving (50) Injury - NFS (90) Trauma, other than mechanical <u>Head - LOC</u> (02) Length of LOC (04) Level (06) of (08) Consciousness (10) Concussion <u>Spine</u> (02) Cervical (04) Thoracic (06) Lumbar	Abbreviated Injury Scale (1) Minor Injury (2) Moderate Injury (3) Serious Injury (4) Severe Injury (5) Critical Injury (6) Maximum (untreatable) (7) Injured, unknown severity	

SOURCE OF INJURY DATA**INJURY SOURCE****DIRECT/INDIRECT INJURY****CONFIDENCE LEVEL**

- OFFICIAL RECORDS
- (1) Autopsy records with or without hospital/medical records
 - (2) Hospital/medical records other than emergency room (e.g., discharge summary)
 - (3) Emergency room records only (including associated X-rays or other lab reports)
 - (4) Private physician, walk-in or emergency clinic
- UNOFFICIAL RECORDS
- (5) Lay coroner report
 - (6) E.M.S. personnel
 - (7) Interviewee
 - (8) Other source (specify): _____
 - (9) Police

- (1) Certain
- (2) Probable
- (3) Possible
- (9) Unknown

- (1) Direct contact injury
- (2) Indirect contact injury
- (3) Noncontact injury
- (7) Injured, unknown source

INJURY SOURCES

FRONT

- (001) Windshield
- (002) Mirror
- (003) Sunvisor
- (004) Steering wheel rim
- (005) Steering wheel hub/spoke
- (006) Steering wheel (combination of codes 004 and 005)
- (007) Steering column, transmission selector lever, other attachment
- (008) Cellular telephone or CB radio
- (009) Add on equipment (e.g., tape deck, air conditioner)
- (010) Left instrument panel and below
- (011) Center instrument panel and below
- (012) Right instrument panel and below
- (013) Glove compartment door
- (014) Knee bolster
- (015) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, mirror, or steering assembly (driver side only)
- (016) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, or mirror (passenger side only)
- (017) Windshield reinforced by exterior object (specify): _____
- (019) Other front object (specify): _____

LEFT SIDE

- (051) Left side interior surface, excluding hardware or armrests
- (052) Left side hardware or armrest
- (053) Left A (A1/A2)-pillar
- (054) Left B-pillar
- (055) Other left pillar (specify): _____
- (056) Left side window glass
- (057) Left side window frame
- (058) Left side window sill
- (059) Left side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail.
- (060) Other left side object (specify): _____

RIGHT SIDE

- (101) Right side interior surface, excluding hardware or armrests

- (102) Right side hardware or armrest
- (103) Right A (A1/A2)-pillar
- (104) Right B-pillar
- (105) Other right pillar (specify): _____
- (106) Right side window glass
- (107) Right side window frame
- (108) Right side window sill
- (109) Right side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail.
- (110) Other right side object (specify): _____

INTERIOR

- (151) Seat, back support
- (152) Belt restraint webbing/buckle
- (153) Belt restraint B-pillar or door frame attachment point
- (154) Other restraint system component (specify): _____
- (155) Head restraint system
- (160) Other occupants (specify): _____
- (161) Interior loose objects
- (162) Child safety seat (specify): _____
- (163) Other interior object (specify): _____

AIR BAG

- (170) Air bag-driver side
- (171) Air bag-driver side and eyewear
- (172) Air bag-driver side and jewelry
- (173) Air bag-driver side and object held
- (174) Air bag-driver side and object in mouth
- (175) Air bag compartment cover-driver side
- (176) Air bag compartment cover-driver side and eyewear
- (177) Air bag compartment cover-driver side and jewelry
- (178) Air bag compartment cover-driver side and object held
- (179) Air bag compartment cover-driver side and object in mouth
- (180) Air bag-passenger side
- (181) Air bag-passenger side and eyewear
- (182) Air bag-passenger side and jewelry

- (183) Air bag-passenger side and object held
- (184) Air bag-passenger side and object in mouth
- (185) Air bag compartment cover-passenger side
- (186) Air bag compartment cover-passenger side and eyewear
- (187) Air bag compartment cover-passenger side and jewelry
- (188) Air bag compartment cover-passenger side and object held
- (189) Air bag compartment cover-passenger side and object in mouth
- (190) Other air bag (specify) _____
- (195) Other air bag compartment cover (specify) _____

ROOF

- (201) Front header
- (202) Rear header
- (203) Roof left side rail
- (204) Roof right side rail
- (205) Roof or convertible top

FLOOR

- (251) Floor (including toe pan)
- (252) Floor or console mounted transmission lever, including console
- (253) Parking brake handle
- (254) Foot controls including parking brake

REAR

- (301) Backlight (rear window)
- (302) Backlight storage rack, door, etc.
- (303) Other rear object (specify): _____

ADAPTIVE (ASSISTIVE) DRIVING EQUIPMENT

- (401) Hand controls for braking/acceleration
- (402) Steering control devices (attached to OEM steering wheel)
- (403) Steering knob attached to steering wheel
- (405) Replacement steering wheel (i.e., reduced diameter)
- (406) Joy stick steering controls
- (407) Wheelchair tie-downs
- (408) Modification to seat belts, (specify): _____
- (409) Additional or relocated switches, (specify): _____

- (410) Raised roof

- (411) Wall mounted head rest (used behind wheel chair)
- (412) Other adaptive device (specify): _____

EXTERIOR OF OCCUPANT'S VEHICLE

- (451) Hood
- (452) Outside hardware (e.g., outside mirror, antenna)
- (453) Other exterior surface or tires (specify): _____
- (454) Unknown exterior objects

EXTERIOR OF OTHER MOTOR VEHICLE

- (501) Front bumper
- (502) Hood edge
- (503) Other front of vehicle (specify): _____
- (504) Hood
- (505) Hood ornament
- (506) Windshield, roof rail, A-pillar
- (507) Side surface
- (508) Side mirrors
- (509) Other side protrusions (specify): _____
- (510) Rear surface
- (511) Undercarriage
- (512) Tires and wheels
- (513) Other exterior of other motor vehicle (specify): _____
- (514) Unknown exterior of other motor vehicle

OTHER VEHICLE OR OBJECT IN THE ENVIRONMENT



- (551) Ground
- (598) Other vehicle or object (specify): _____
- (599) Unknown vehicle or object

NONCONTACT INJURY

- (601) Fire in vehicle
- (602) Flying glass
- (603) Other noncontact injury source (specify): _____
- (604) Air bag exhaust gases
- (697) Injured, unknown source

OFFICIAL INJURY DATA — SOFT TISSUE INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



OFFICIAL INJURY DATA — SKELETAL INJURIES

Restrained?

No

Yes

Blood Alcohol
Level (mg/dl)

BAL = _____

Glasgow Coma
Scale Score

GCSS = _____

Units of Blood
Given

Units = _____

Arterial Blood
Gases


pH = _____

PO₂ = _____

PCO₂ _____



HCO₃ _____

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



OFFICIAL INJURY DATA — INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



PRECRASH ENVIRONMENTAL DATA

19. Relation To Interchange Or Junction 2
 (0) Non-interchange area and non-junction
 (1) Interchange area related

Non-Interchange junctions

- (2) Intersection related
 (3) Driveway, alley access related
 (4) Other junction (specify) _____

- (5) Unknown type of junction

- (9) Unknown

20. Trafficway Flow 0
 (0) Not physically divided (two way traffic)
 (1) Divided trafficway-median strip without positive barrier
 (2) Divided trafficway-median strip with positive barrier
 (3) One way traffic
 (9) Unknown

21. Number Of Travel Lanes 4
 (1) One
 (2) Two
 (3) Three
 (4) Four
 (5) Five
 (6) Six
 (7) Seven or more
 (9) Unknown

22. Roadway Alignment 1
 (1) Straight
 (2) Curve right
 (3) Curve left
 (9) Unknown

23. Roadway Profile 1
 (1) Level
 (2) Uphill grade (> 2%)
 (3) Hill crest
 (4) Downhill grade (> 2%)
 (5) Sag
 (9) Unknown

24. Roadway Surface Type 2
 (1) Concrete
 (2) Bituminous (asphalt)
 (3) Brick or block
 (4) Slag, gravel, or stone
 (5) Dirt
 (8) Other (specify): _____
 (9) Unknown

25. Roadway Surface Condition 1
 (1) Dry
 (2) Wet
 (3) Snow or slush
 (4) Ice
 (5) Sand, dirt, or oil
 (8) Other (specify): _____
 (9) Unknown

26. Light Conditions 1
 (1) Daylight
 (2) Dark
 (3) Dark, but lighted
 (4) Dawn
 (5) Dusk
 (9) Unknown

27. Atmospheric Conditions 0
 (0) No adverse atmospheric-related driving conditions
 (1) Rain
 (2) Sleet/hail
 (3) Snow
 (4) Fog
 (5) Rain and fog
 (6) Sleet and fog
 (7) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): _____
 (9) Unknown

28. Traffic Control Device 0
 (0) No traffic control(s)
 (1) Traffic control signal (not RR crossing)

Regulatory

- (2) Stop sign
 (3) Yield sign
 (4) School zone sign
 (5) Other regulatory sign (specify): _____

- (6) Warning sign (not RR crossing)
 (7) Unknown sign
 (8) Miscellaneous/other controls including RR controls (specify): _____

- (9) Unknown

29. Traffic Control Device Functioning 0
 (0) No traffic control device
 (1) Traffic control device not functioning (specify): _____
 (2) Traffic control device functioning properly
 (9) Unknown

National Accident Sampling System-Crashworthiness Data System: General Vehicle Form

OCCUPANT RELATED

- 37. Driver Presence in Vehicle 1
(0) Driver not present
(1) Driver present
(9) Unknown
- 38. Number of Occupants This Vehicle 01
(00-96) Code actual number of occupants for this vehicle
(97) 97 or more
(99) Unknown
- 39. Number of Occupant Forms Submitted 01

AIR BAG RELATED

- 40. Is this an AOPS Vehicle? 1
(0) No (includes unknown)
(1) Yes - researcher determined
(2) VIN determined air bag system
(3) VIN determined automatic (passive) belts
(4) VIN determined air bag and automatic (passive) belts
- 41. Air Bag(s) Deployment, First Seat Frontal 2
(0) Not equipped or not available
(1) No air bags deployed
Single Air Bag Vehicle
(2) Driver air bag deployed
(3) Driver air bag, unknown if deployed
Multiple Air Bag Vehicle
(4) Driver side only deployed
(5) Passenger side only deployed
(6) Driver and passenger side deployed
(7) Driver and passenger side unknown if deployed
(8) Air bag(s) deployed, details unknown
(9) Unknown
- 42. Air Bag(s) Deployment, Other Than First Seat Frontal 0
(0) Not equipped with an "other" air bag
(1) Deployed during accident (as a result of impact)
(2) Deployed inadvertently just prior to accident
(3) Deployed, details unknown
(4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical)
(5) Unknown if deployed
(7) Nondeployed
(9) Unknown

Specify type of "other" air bag present: _____

VEHICLE WEIGHT ITEMS

- 43. Vehicle Curb Weight 2030
Code weight to nearest 10 kilograms.
(045) Less than 450 kilograms
(610) 6,100 kilograms or more
(999) Unknown
4,480 lbs X .4536 = 2,032 kgs

Source: _____

- 44. Vehicle Cargo Weight 9990
Code weight to nearest 10 kilograms.
(000) Less than 5 kilograms
(450) 4,500 kilograms or more
(999) Unknown
_____ lbs X .4536 = _____ kgs
Source: _____

ROLLOVER DATA

- 45. Rollover 00
(00) No rollover (no overturning)
Rollover (primarily about the longitudinal axis)
(01-16) Code the number of quarter turns
(17) Rollover, 17 or more quarter turns (specify): _____
(98) Rollover--end-over-end (i.e., primarily about the lateral axis)
(99) Rollover (overturn), details unknown
- 46. Rollover Initiation Type 00
(00) No rollover
(01) Trip-over
(02) Flip-over
(03) Turn-over
(04) Climb-over
(05) Fall-over
(06) Bounce-over
(07) Collision with another vehicle
(08) Other rollover initiation type (specify): _____
(98) Rollover--end-over-end
(99) Unknown rollover initiation type
- 47. Location of Rollover Initiation 0
(0) No rollover
(1) On roadway
(2) On shoulder--paved
(3) On shoulder--unpaved
(4) On roadside or divided trafficway median
(8) Rollover--end-over-end
(9) Unknown
- 48. Rollover Initiation Object Contacted 00
(Note: Applicable codes on back of page)
- 49. Location on Vehicle Where Initial Principal Tripping Force Is Applied 0
(0) No rollover
(1) Wheels/tires
(2) Side plane
(3) End plane
(4) Undercarriage
(5) Other location on vehicle (specify): _____
(6) Non-contact rollover forces (specify): _____
(8) Rollover--end-over-end
(9) Unknown

- 50. Direction of Initial Roll 0
(0) No rollover
(1) Roll right - primarily about the longitudinal axis
(2) Roll left - primarily about the longitudinal axis
(8) Rollover--end-over-end
(9) Unknown roll direction

CODES FOR ROLLOVER INITIATION OBJECT CONTACTED

- (00) No rollover
- (01-30) — Vehicle Number

Noncollision

- (31) Turn-over — fall-over
- (32) No rollover impact initiation (end-over-end)
- (34) Jackknife

Collision With Fixed Object

- (41) Tree (\leq 10 cm in diameter)
- (42) Tree ($>$ 10 cm in diameter)
- (43) Shrubbery or bush
- (44) Embankment

- (45) Breakaway pole or post (any diameter)

Nonbreakaway Pole or Post

- (50) Pole or post (\leq 10 cm in diameter)
- (51) Pole or post ($>$ 10 cm but \leq 30 cm in diameter)
- (52) Pole or post ($>$ 30 cm in diameter)
- (53) Pole or post (diameter unknown)

- (54) Concrete traffic barrier
- (55) Impact attenuator
- (56) Other traffic barrier (includes guardrail)
(specify): _____

- (57) Fence
- (58) Wall
- (59) Building
- (60) Ditch or culvert
- (61) Ground
- (62) Fire hydrant
- (63) Curb
- (64) Bridge
- (68) Other fixed object (specify): _____

- (69) Unknown fixed object

Collision with Nonfixed Object

- (70) Passenger car, light truck, van, or other vehicle not in-transport
- (71) Medium/heavy truck or bus not in-transport
- (76) Animal
- (77) Train
- (78) Trailer, disconnected in transport
- (79) Object fell from vehicle in-transport
- (88) Other nonfixed object (specify): _____

- (89) Unknown nonfixed object

- (98) Other event (specify): _____

- (99) Unknown event or object



EXTERIOR VEHICLE FORM

1. Primary Sampling Unit Number <u>45</u>	3. Vehicle Number <u>03</u>
2. Case Number - Stratum <u>100A</u>	

VEHICLE IDENTIFICATION

VIN 1FTEX14Y2RK XXXXXXXXXX Model Year 94
 Vehicle Make (specify): Ford Vehicle Model (specify): F-150

LOCATOR

Locate the end of the damage with respect to the vehicle longitudinal center line or bumper corner for end impacts or an undamaged axle for side impacts.

Specific Impact No.	Location of Direct Damage	Location of Field L	Location of Max Crush
01	LFBC TO RFBC	FRONTAL PLANE	C-1
02	LRBC TO RHT.	BACK PLANE	C-2

CRUSH PROFILE IN CENTIMETERS

NOTES: Identify the plane at which the C-measurements are taken (e.g., at bumper, above bumper, at sill, above sill, etc.) and label adjustments (e.g., free space).

Measure C1 to C6 from driver to passenger side in front or rear impacts and rear to front in side impacts.

Free space value is defined as the distance between the baseline and the original body contour taken at the individual C locations. This may include the following: bumper lead, bumper taper, side protrusion, side taper, etc. Record the value for each C-measurement and maximum crush.

Use as many lines/columns as necessary to describe each damage profile.

Specific Impact Number	Plane of Impact C-Measurements	Direct Damage		Field L	C ₁	C ₂	C ₃	C ₄	C ₅	C ₆	±D
		Width (CDC)	Max Crush								
01	FRONT BUMPER	192	136	117	136	102	91	49	15	0	0
	Free space		-08		-08	-04	-01	-01	-04	-08	-
	ADJUST		+2		+2	+2	+2	+2	+2	+2	-
01	RESULTANT	192	130		130	100	92	48	13	0	0
02	BACK BUMPER	142	29	129	20	16	29	29	12	7	423
	Free space		-9		-04	-00	-09	-12	-0	-04	-
	ADJUST		+9		+9	+9	+9	+9	+9	+9	-
02	RESULTANT	142	29	129	25	29	29	24	21	12	423


ORIGINAL SPECIFICATIONS WORK SHEET

Wheelbase	<u>155.</u>	inches	x 2.54	=	<u>394</u>	cm
Overall Length	<u>235.3</u>	inches	x 2.54	=	<u>598</u>	cm
Maximum Width	<u>79.0</u>	inches	x 2.54	=	<u>201</u>	cm
Curb Weight	_____	pounds	x .4536	=	_____	kg
Average Track	_____	inches	x 2.54	=	_____	cm
Front Overhang	<u>33.5</u>	inches	x 2.54	=	_____	cm
Rear Overhang	_____	inches	x 2.54	=	_____	cm
Undeformed End Width	_____	inches	x 2.54	=	_____	cm
Engine Size: cyl./displ.	_____	cc	x .001	=	_____	L
	_____	CID	x .0164	=	<u>5.8</u>	L

08

VEHICLE DAMAGE SKETCH

<p>TIRE - WHEEL DAMAGE</p> <p>a. Rotation physically restricted b. Tire deflated</p> <p>RF <u>2</u> RF <u>1</u> LF <u>2</u> LF <u>1</u> RR <u>2</u> RR <u>2</u> LR <u>2</u> LR <u>2</u></p> <p>(1) Yes (2) No (8) NA (9) Unk.</p>	<p>ORIGINAL SPECIFICATIONS</p> <p>Wheelbase <u>394</u> cm Overall Length <u>598</u> cm Maximum Width <u>201</u> cm Curb Weight <u>2032</u> kg Average Track <u>162</u> cm Front Overhang <u>33.5</u> cm Rear Overhang <u>119</u> cm Undeformed End Width <u>192</u> cm Engine Size: cyl./displ. <u>48 5.6</u> L</p>	<p>WHEEL STEER ANGLES (For locked front wheels or displaced rear axles only)</p> <p>RF ± <u>2</u> <u>0</u> ° <i>OUTWARD</i> LF ± <u>1</u> <u>0</u> ° <i>OUTWARD</i> RR ± <u>0</u> <u>0</u> ° LR ± <u>0</u> <u>0</u> °</p> <p>Within ± 5 degrees</p> <hr/> <p>DRIVE WHEELS</p> <p><input type="checkbox"/> FWD <input type="checkbox"/> RWD <input checked="" type="checkbox"/> 4WD</p> <hr/> <p>Approximate Cargo Weight <u>999</u> kg</p>
<p>TYPE OF TRANSMISSION</p> <p><input checked="" type="checkbox"/> Manual <input type="checkbox"/> Automatic</p> <p>END SHIFT ≥ 10 CM</p> <p><input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p>		



NOTES: Sketch new perimeter and cross hatch direct damage and single hatch induced damage on all views. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.). If pulling trailer, sketch type of trailer and damage received on the back of this page.

Annotate any damage caused by extrication such as component removal by torching, prying, or hydraulic shears.

BACK STAYS ARE SET AT 110 DFT OF REAR AXLES. O.L. IS SET @ 605 TO ALLOW CLEARANCE.

COLLISION DEFORMATION CLASSIFICATION

HIGHEST DELTA "V"

Accident Event Sequence Number	Object Contacted	(1) (2) Direction of Force	(3) Deformation Location	(4) Longitudinal or Lateral Location	(5) Vertical or Lateral Location	(6) Type of Damage Distribution	(7) Deformation Extent
4. <u>02</u>	5. <u>01</u>	6. <u>11</u>	7. <u>F</u>	8. <u>D</u>	9. <u>E</u>	10. <u>W</u>	11. <u>05</u>

Second Highest Delta "V"

12. <u>03</u>	13. <u>04</u>	14. <u>06</u>	15. <u>B</u>	16. <u>D</u>	17. <u>E</u>	18. <u>W</u>	19. <u>01</u>
---------------	---------------	---------------	--------------	--------------	--------------	--------------	---------------

CRUSH PROFILE IN CENTIMETERS

The crush profile for the damage described in the CDC(s) above should be documented in the appropriate space below. (ALL MEASUREMENTS ARE IN CENTIMETERS.)

HIGHEST DELTA "V"

20. L	21. C ₁	C ₂	C ₃	C ₄	C ₅	C ₆	22. ±D
<u>192</u>	<u>130</u>	<u>100</u>	<u>092</u>	<u>048</u>	<u>013</u>	<u>000</u>	<u>+000</u>

Second Highest Delta "V"

23. L	24. C ₁	C ₂	C ₃	C ₄	C ₅	C ₆	25. ±D
<u>192</u>	<u>025</u>	<u>027</u>	<u>027</u>	<u>024</u>	<u>021</u>	<u>012</u>	<u>+023</u>

26. Undeformed End Width
(Coded when highest severity impact is an end plane impact.)
192
Code to the nearest centimeter
(250) 250 centimeters or more
(998) No highest severity end plane impact
(999) Unknown

27. Direct Damage Width
(For highest severity impact)
192
Code to the nearest centimeter
(250) 250 centimeters or more
(999) Unknown

28. Original Wheelbase
Code to the nearest centimeter
394
(650) 650 centimeters or more
(999) Unknown
_____ inches X 2.54 = _____ centimeters

29. Original Average Track Width
Code to the nearest centimeter
999
(185) 185 centimeters or more
(999) Unknown
_____ inches X 2.54 = _____ centimeters

FUEL SYSTEM

30. Are CDCs Documented but Not Coded on The Automated File? 0
 (0) No
 (1) Yes
31. Researcher's Assessment of Vehicle Disposition 1
 (0) Not towed due to vehicle damage
 (1) Towed due to vehicle damage
 (9) Unknown
32. Is This A Multi-Stage Manufactured Vehicle And/Or A Certified Altered Vehicle? 0
 (0) No post manufacturer modifications
 (1) Yes - post manufacturer modifications (specify): _____

 (Include photograph of CERTIFICATION PLACARD in case report)
 (9) Unknown if vehicle is modified

35. Location of Fuel Tank-1 Filler Cap 4
36. Location of Fuel Tank-2 Filler Cap 2
 (0) No fuel tank
 (1) On back plane
 (2) Aft of center of the rear wheels (rear axle) on left side plane
 (3) Aft of center of the rear wheels (rear axle) on right side plane
 (4) Forward of center of the rear wheels (rear axle) on left side plane
 (5) Forward of center of the rear wheels (rear axle) on right side plane
 (6) Over the center of the rear wheels (rear axle) on left side plane
 (7) Over the center of the rear wheels (rear axle) on right side plane
 (8) Other (specify): _____
 (9) Unknown
37. Type of Fuel Tank-1 1
38. Type of Fuel Tank-2 1
 (0) No fuel tank (electrical vehicle)
 (1) Metallic
 (2) Non-metallic
 (9) Unknown

FIRE OCCURRENCE

33. Fire Occurrence 0
 (0) No fire
 Yes, fire occurred
 (1) Minor
 (2) Major
 (9) Unknown
34. Origin of Fire 0
 (0) No fire
 (1) Vehicle exterior (front, side, back, top)
 (2) Exhaust system
 (3) Fuel tank (and other fuel retention system parts)
 (4) Engine compartment
 (5) Cargo/trunk compartment
 (6) Instrument panel
 (7) Passenger compartment area
 (8) Other location (specify): _____

 (9) Unknown

39. Location of Fuel Tank-1 5
40. Location of Fuel Tank-2 1
 (0) No fuel tank
 (1) Aft of center of the rear wheels (rear axle) centered
 (2) Aft of center of the rear wheels (rear axle) left side
 (3) Aft of center of the rear wheels (rear axle) right side
 (4) Forward of center of the rear wheels (rear axle) centered
 (5) Forward of center of the rear wheels (rear axle) left side
 (6) Forward of center of the rear wheels (rear axle) right side
 (7) Over center of the rear wheels (rear axle)
 (8) Other (specify): _____
 (9) Unknown
41. Damage to Fuel Tank-1 1
42. Damage to Fuel Tank-2 1
 (0) No fuel tank
 (1) No damage to fuel tank
 (2) Deformed, no seam failure
 (3) Deformed, with a seam failure
 (4) Punctured
 (5) Lacerated (ripped)
 (6) Abraded (scraped)
 (7) Filler neck separation from the fuel tank
 (8) Other damage (specify): _____
 (9) Unknown

43. Leakage Location of Fuel System-1 1
 44. Leakage Location of Fuel System-2 1
 (0) No fuel tank
 (1) No fuel leakage

Primary Area Of Leakage
 (2) Tank
 (3) Filler neck
 (4) Cap
 (5) Lines/pump/filter
 (6) Vent/emission recovery
 (8) Other (specify): _____
 (9) Unknown

45. Fuel Type-1 01
 46. Fuel Type-2 01

Single Fuel Type
 (00) No fuel tank
 (01) Gasoline
 (02) Diesel
 (03) CNG (Compressed Natural Gas)
 (04) LPG (Liquid Petroleum Gas) also known as Propane
 (05) LNG (Liquid Natural Gas)
 (06) Methanol (M100 or M85)
 (07) Ethanol (E100 or E85)
 (08) Other (Hydrogen or others) (specify): _____

Electric Powered or Electric/Solar Powered Vehicles
 (10) Lead Acid Battery
 (11) Nickel-Iron Battery
 (12) Nickel-Cadmium Battery
 (13) Sodium Metal Chloride Battery
 (14) Sodium Sulfur Battery
 (18) Other (Specify): _____

(98) Other Hybrid (specify): _____
 (99) Unknown fuel type

47. Is This Vehicle Equipped With More Than Two Fuel Tanks? 0
 (0) No (one or two tanks only)

Yes - More Than Two Tanks
 (1) Yes -- no damage to any tank or filler cap and no fuel system leakage
 (2) Yes -- no damage to any tank or filler cap but there is fuel system leakage (specify leakage location): _____
 (3) Yes -- damage to an additional tank or filler cap and there is fuel system leakage (specify the following):
 Type of tank _____
 Tank location _____
 Filler cap location _____
 Tank damage _____
 Location of leakage _____
 Type of fuel _____
 (9) Unknown if more than two tanks

COMMENTS

*** STOP: IF THE CDS APPLICABLE VEHICLE WAS NOT TOWED ***

(GV10=0)

DO NOT COMPLETE THE INTERIOR VEHICLE FORM.



INTERIOR VEHICLE FORM

GLAZING

1. Primary Sampling Unit Number 45
2. Case Number - Stratum 100AD
3. Vehicle Number 03

INTEGRITY

4. Passenger Compartment Integrity 98
(00) No integrity loss
Yes, Integrity Was Lost Through *unable to tell*
(01) Windshield *How much was*
(02) Door (side) *from accident, &*
(03) Door/hatch (back door) *How much from*
(04) Roof *EMT*
(05) Roof glass
(06) Side window
(07) Rear window (backlight)
(08) Roof and roof glass
(09) Windshield and door (side)
(10) Windshield and roof
(11) Side and rear window (side window and backlight)
(12) Windshield and side window
(13) Door and side window
(98) Other combination of above (specify):
(99) Unknown

Door, Tailgate or Hatch Opening

5. LF 3 6. RF 3 7. LR 0 8. RR 0 9. TG/H 0
(0) No door/gate/hatch
(1) Door/gate/hatch remained closed and operational
(2) Door/gate/hatch came open during collision
(3) Door/gate/hatch jammed shut
(8) Other (specify):
(9) Unknown

Damage/Failure Associated with Door, Tailgate or Hatch Opening in Collision. If IV05-IV09 ≠ 2, Then code 0

10. LF 0 11. RF 0 12. LR 0 13. RR 0 14. TG/H 0
(0) No door/gate/hatch or door not opened
Door, Tailgate or Hatch Came Open During Collision
(1) Door operational (no damage)
(2) Latch/striker failure due to damage
(3) Hinge failure due to damage
(4) Door structure failure due to damage
(5) Door support (i.e., pillar, sill, roof side rail, etc.) failure due to damage
(6) Latch/striker and hinge failure due to damage
(8) Other failure (specify):
(9) Unknown

Type of Window/Windshield Glazing
15. WS 9 16. LF 9 17. RF 9 18. LR 9 19. RR 9
20. BL 9 21. Roof 0 22. Other 0

- (0) No glazing
- (1) AS-1 - Laminated
- (2) AS-2 - Tempered
- (3) AS-3 - Tempered-tinted (original)
- (4) AS-2 - Tempered-with after market tint
- (5) AS-3 - Tempered-tinted (with additional after market tint)
- (6) AS-14 - Glass/Plastic
- (7) Glazing removed prior to accident
- (8) Other (specify):
- (9) Unknown

Window Precrash Glazing Status

23. WS 1 24. LF 9 25. RF 9 26. LR 1 27. RR 1
28. BL 1 29. Roof 0 30. Other 0

- (0) No glazing
- (1) Fixed
- (2) Closed
- (3) Partially opened
- (4) Fully opened
- (7) Glazing removed prior to accident
- (9) Unknown

All windows glass out.

Glazing Damage from Impact Forces


31. WS 9 32. LF 9 33. RF 9 34. LR 9 35. RR 9
36. BL 9 37. Roof 0 38. Other 0
(0) No glazing
(1) No glazing damage from impact forces
(2) Glazing in place and cracked from impact forces
(3) Glazing in place and holed from impact forces
(4) Glazing out-of-place (cracked or not) and not holed from impact forces
(5) Glazing out-of-place and holed from impact forces
(6) Glazing disintegrated from impact forces
(7) Glazing removed prior to accident
(9) Unknown if damaged

Glazing Damage from Occupant Contact

39. WS 9 40. LF 9 41. RF 9 42. LR 9 43. RR 9
44. BL 9 45. Roof 0 46. Other 0
(0) No glazing
(1) No occupant contact to glazing
(2) Glazing contacted by occupant but no glazing damage
(3) Glazing in place and cracked by occupant contact
(4) Glazing in place and holed by occupant contact
(5) Glazing out-of-place (cracked or not) by occupant contact and not holed by occupant contact
(6) Glazing out-of-place by occupant contact and holed by occupant contact
(7) Glazing removed prior to accident
(8) Glazing disintegrated by occupant contact
(9) Unknown if contacted by occupant

INTRUSION WORKSHEET

Note: Sketch intruded areas



LOCATION OF INTRUSION	INTRUDED COMPONENT	(All Measurements Are In Centimeters)			DOMINANT CRUSH DIRECTION
		COMPARISON VALUE	INTRUDED VALUE	INTRUSION	
11	<i>inst panel</i>	71	60	11	10-8 2
12	"	73	96	07	" 4
13	"	88	85	03	" 6
11	<i>W.S.</i>	96	85	11	" 3
12	"	125	118	07	" 5
13	"	113	110	03	" 7
13	<i>Toe panel</i>	92	70	22	" 1

OCCUPANT AREA INTRUSION

Note: If no intrusions, leave variables IV47-IV86 blank.

	Location of Intrusion	Intruding Component	Magnitude of Intrusion	Dominant Crush Direction
1st	47. <u>13</u>	48. <u>05</u>	49. <u>3</u>	50. <u>2</u>
2nd	51. <u>11</u>	52. <u>02</u>	53. <u>2</u>	54. <u>2</u>
3rd	55. <u>11</u>	56. <u>15</u>	57. <u>2</u>	58. <u>2</u>
4th	59. <u>12</u>	60. <u>03</u>	61. <u>1</u>	62. <u>2</u>
5th	63. <u>12</u>	64. <u>15</u>	65. <u>1</u>	66. <u>2</u>
6th	67. <u>13</u>	68. <u>04</u>	69. <u>1</u>	70. <u>2</u>
7th	71. <u>13</u>	72. <u>15</u>	73. <u>1</u>	74. <u>2</u>
8th	75. <u> </u>	76. <u> </u>	77. <u> </u>	78. <u> </u>
9th	79. <u> </u>	80. <u> </u>	81. <u> </u>	82. <u> </u>
10th	83. <u> </u>	84. <u> </u>	85. <u> </u>	86. <u> </u>

LOCATION OF INTRUSION

Front Seat

- (11) Left
- (12) Middle
- (13) Right

Second Seat

- (21) Left
- (22) Middle
- (23) Right

Third Seat

- (31) Left
- (32) Middle
- (33) Right

Fourth Seat

- (41) Left
- (42) Middle
- (43) Right

- (97) Catastrophic
- (98) Other enclosed area (specify)

(99) Unknown

INTRUDING COMPONENT

Interior Components

- (01) Steering assembly
- (02) Instrument panel left
- (03) Instrument panel center
- (04) Instrument panel right
- (05) Toe pan
- (06) A (A1/A2)-pillar
- (07) B-pillar
- (08) C-pillar
- (09) D-pillar
- (10) Side panel - forward of the A1/A2-pillar
- (11) Door panel (side)
- (12) Side panel - rear of the B-pillar
- (13) Roof (or convertible top)
- (14) Roof side rail
- (15) Windshield
- (16) Windshield header
- (17) Window frame
- (18) Floor pan (includes sill)
- (19) Backlight header
- (20) Front seat back
- (21) Second seat back
- (22) Third seat back
- (23) Fourth seat back
- (24) Fifth seat back
- (25) Seat cushion
- (26) Back door/panel (e.g., tailgate)
- (27) Other interior component (specify):

Exterior Components

- (30) Hood
- (31) Outside surface of this vehicle (specify):

- (32) Other exterior object in the environment (specify):

- (33) Unknown exterior object
- (97) Catastrophic
- (98) Intrusion of unlisted component(s) (specify):

- (99) Unknown

MAGNITUDE OF INTRUSION

- (1) ≥ 3 centimeters but < 8 centimeters
- (2) ≥ 8 centimeters but < 15 centimeters
- (3) ≥ 15 centimeters but < 30 centimeters
- (4) ≥ 30 centimeters but < 46 centimeters
- (5) ≥ 46 centimeters but < 61 centimeters
- (6) ≥ 61 centimeters
- (7) Catastrophic
- (9) Unknown

DOMINANT CRUSH DIRECTION

- (1) Vertical
- (2) Longitudinal
- (3) Lateral
- (7) Catastrophic
- (9) Unknown

STEERING RIM/SPOKE DEFORMATION

(All Measurements Are in Centimeters)

COMPARISON VALUE	—	DAMAGE VALUE	=	DEFORMATION
------------------	---	--------------	---	-------------

	—		=	
--	---	--	---	--

	—		=	
--	---	--	---	--

	—		=	
--	---	--	---	--

	—		=	
--	---	--	---	--

STEERING COLUMN

INSTRUMENT PANEL

87. Steering Column Type 2
 (1) Fixed column
 (2) Tilt column
 (3) Telescoping column
 (4) Tilt and telescoping column
 (8) Other column type (specify): _____
 (9) Unknown

88. Tilt Steering Column Adjustment 2
 (0) No tilt steering column
 (1) Full up
 (2) Between full up and center
 (3) Center
 (4) Between center and full down
 (5) Full down
 (9) Unknown

89. Telescoping Steering Column Adjustment 0
 (0) No telescoping steering column
 (1) Full back
 (2) Between full back and midpoint
 (3) Midpoint
 (4) Between midpoint and full forward
 (5) Full forward
 (9) Unknown

entire column is bent to left slightly

90. Steering Rim/Spoke Deformation 0 0
 Code actual measured deformation to the nearest centimeter
 (00) No steering rim deformation
 (01-14) Actual measured value in centimeters
 (15) 15 centimeters or more
 (98) Observed deformation cannot be measured
 (99) Unknown

91. Location of Steering Rim/Spoke Deformation 0 0
 (00) No steering rim deformation


Quarter Sections

- (01) Section A
- (02) Section B
- (03) Section C
- (04) Section D



Half Sections

- (05) Upper half of rim/spoke
- (06) Lower half of rim/spoke
- (07) Left half of rim/spoke
- (08) Right half of rim/spoke
- (09) Complete steering wheel collapse
- (10) Undetermined location
- (99) Unknown



92. Odometer Reading 9 9 9,000
 _____ kilometers
 Code to the nearest 1,000 kilometers
 (000) No odometer
 (001) Less than 1,500 kilometers
 (500) 499,500 kilometers or more
 (999) Unknown

_____ miles X 1.6093 = _____ kilometers
 Source: _____

93. Instrument Panel Damage from Occupant Contact? 0
 (0) No
 (1) Yes
 (9) Unknown

94. Type of Knee Bolster Covering 2
 (0) No knee bolster
 (1) Padded
 (2) Rigid plastic
 (8) Other (specify): _____
 (9) Unknown

95. Knee Bolsters Deformed from Occupant Contact? 1
 (0) No knee bolster
 (1) No deformation
 (2) Yes - deformation
 (9) Unknown

96. Did Glove Compartment Door Open During Collision(s)? 2
 (0) No glove compartment door
 (1) No - door did not open
 (2) Yes - door opened
 (9) Unknown





97. Adaptive (Assistive) Driving Equipment 0
 (0) No adaptive driving equipment
 (1) Adaptive driving equipment installed (Check all that apply.)
 Hand controls for braking/acceleration
 Steering control devices (attached to OEM steering wheel)
 Steering knob attached to steering wheel
 Low effort power steering (unit or device)
 Replacement steering wheel (i.e., reduced diameter)
 Joy-stick steering controls
 Wheelchair tie-downs
 Modification to seat belts (specify): _____
 Additional or relocated switches (specify): _____
 Raised roof
 Wall-mounted head rest (used behind wheelchair)
 Other adaptive device (specify): _____

(9) Unknown

VEHICLE INTERIOR SKETCHES

Note area of ejection/entrapment

*RAIN HAS WASHED AWAY
SMUDGES ETC.*



Sketch windshield contact(s) and the damaged area(s) on the instrument panel outline (e.g., radio, glove compartment, damage to instrument panel structure).
Cross hatch contact points, draw spider webs or use other annotation as may be appropriate.
Annotate the contacted area with a letter (begin with A) and list on the Points of Occupant Contact page.

POINTS OF OCCUPANT CONTACT

Contact	Interior Component Contacted	Occupant No. If Known	Body Region If Known	Supporting Physical Evidence	Confidence Level of Contact Point
A			UNKNOWN		
B					
C					
D					
E					
F					
G					
H					
I					
J					
K					
L					
M					
N					

CODES FOR INTERIOR COMPONENTS

FRONT

- (001) Windshield
- (002) Mirror
- (003) Sunvisor
- (004) Steering wheel rim
- (005) Steering wheel hub/spoke
- (006) Steering wheel (combination of codes 004 and 005)
- (007) Steering column, transmission selector lever, other attachment
- (008) Cellular telephone or CB radio
- (009) Add on equipment (e.g., tape deck, air conditioner)
- (010) Left instrument panel and below
- (011) Center instrument panel and below
- (012) Right instrument panel and below
- (013) Glove compartment door
- (014) Knee bolster
- (015) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, mirror, or steering assembly (driver side only)
- (016) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, or mirror (passenger side only)
- (017) Windshield reinforced by exterior object, (specify): _____
- (019) Other front object (specify): _____

LEFT SIDE

- (051) Left side interior surface, excluding hardware or armrests
- (052) Left side hardware or armrest
- (053) Left A (A1/A2)-pillar
- (054) Left B-pillar
- (055) Other left pillar (specify): _____
- (056) Left side window glass
- (057) Left side window frame
- (058) Left side window sill
- (059) Left side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail.
- (060) Other left side object (specify): _____

RIGHT SIDE

- (101) Right side interior surface, excluding hardware or armrests
- (102) Right side hardware or armrest
- (103) Right A (A1/A2)-pillar
- (104) Right B-pillar
- (105) Other right pillar (specify): _____
- (106) Right side window glass
- (107) Right side window frame
- (108) Right side window sill
- (109) Right side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail.
- (110) Other right side object (specify): _____

INTERIOR

- (151) Seat, back support
- (152) Belt restraint webbing/buckle
- (153) Belt restraint B-pillar or door frame attachment point
- (154) Other restraint system component (specify): _____
- (155) Head restraint system
- (160) Other occupants (specify): _____
- (161) Interior loose objects
- (162) Child safety seat (specify): _____
- (163) Other interior object (specify): _____

AIR BAG

- (170) Air bag-driver side
- (175) Air bag compartment cover-driver side
- (180) Air bag-passenger side
- (185) Air bag compartment cover-passenger side
- (190) Other air bag (specify) _____
- (195) Other air bag compartment cover (specify) _____

ROOF

- (201) Front header
- (202) Rear header
- (203) Roof left side rail
- (204) Roof right side rail
- (205) Roof or convertible top

FLOOR

- (251) Floor (including toe pan)
- (252) Floor or console mounted transmission lever, including console
- (253) Parking brake handle
- (254) Foot controls including parking brake

REAR

- (301) Backlight (rear window)
- (302) Backlight storage rack, door, etc.
- (303) Other rear object (specify): _____

ADAPTIVE (ASSISTIVE) DRIVING EQUIPMENT

- (401) Hand controls for braking/acceleration
- (402) Steering control devices (attached to OEM steering wheel)
- (403) Steering knob attached to steering wheel
- (405) Replacement steering wheel (i.e., reduced diameter)
- (406) Joy stick steering controls
- (407) Wheelchair tie-downs
- (408) Modification to seat belts, (specify): _____
- (409) Additional or relocated switches, (specify): _____
- (410) Raised roof
- (411) Wall mounted head rest (used behind wheel chair)
- (412) Other adaptive device (specify): _____

CONFIDENCE LEVEL OF CONTACT POINT

- (1) Certain
- (2) Probable
- (3) Possible
- (9) Unknown

MANUAL RESTRAINTS

NOTES: Encode the applicable data for each seat position in the vehicle. The attribute for the variable may be found below. Restraint systems should be assessed during the vehicle inspection then coded on the Occupant Assessment Form. If a Child safety seat is present, encode the data on the back of this page. If the vehicle has automatic restraints available, encode the appropriate data on the back of the previous page.

		Left	Center	Right
FIRST	Availability	1	3	4
	Evidence of usage	04	03	04
	Used in this crash?	04	00	00
	Proper Use	1	0	0
	Failure Modes	1	0	0
	Anchorage Adjustment	1	0	1
SECOND	Availability	/	/	/
	Evidence of usage	/	/	/
	Used in this crash?	/	/	/
	Proper Use	/	/	/
	Failure Modes	/	/	/
	Anchorage Adjustment	/	/	/
OTHER	Availability	/	/	/
	Evidence of usage	/	/	/
	Used in this crash?	/	/	/
	Proper Use	/	/	/
	Failure Modes	/	/	/
	Anchorage Adjustment	/	/	/

Manual (Active) Belt System Availability

- (0) None available
- (1) Belt removed/destroyed
- (2) Shoulder belt
- (3) Lap belt
- (4) Lap and shoulder belt
- (5) Belt available - type unknown

- Integral Belt Partially Destroyed*
- (6) Shoulder belt (lap belt destroyed/removed)
- (7) Lap belt (shoulder belt destroyed/removed)
- (8) Other belt (specify): _____
- (9) Unknown

Manual (Active) Belt System Use

- (00) None used, not available, or belt removed/destroyed
- (01) Inoperable (specify): _____
- (02) Shoulder belt
- (03) Lap belt
- (04) Lap and shoulder belt
- (05) Belt used - type unknown
- (08) Other belt used (specify): _____
- (12) Shoulder belt used with child safety seat
- (13) Lap belt used with child safety seat
- (14) Lap and shoulder belt used with child safety seat
- (15) Belt used with child safety seat - type unknown
- (18) Other belt used with child safety seat (specify): _____
- (99) Unknown if belt used

Proper Use of Manual (Active) Belts

- (0) None used or not available
- (1) Belt used properly
- (2) Belt used properly with child safety seat

- Belt Used Improperly*
- (3) Shoulder belt worn under arm
- (4) Shoulder belt worn behind back or seat
- (5) Belt worn around more than one person
- (6) Lap belt worn on abdomen
- (7) Lap belt or lap and shoulder belt used improperly with child safety seat (specify): _____
- (8) Other improper use of manual belt system (specify): _____
- (9) Unknown

Manual (Active) Belt Failure Modes During Accident

- (0) No manual belt used or not available
- (1) No manual belt failure(s)
- (2) Torn webbing (stretched webbing not included)
- (3) Broken buckle or latchplate
- (4) Upper anchorage separated
- (5) Other anchorage separated (specify): _____
- (6) Broken retractor
- (7) Combination of above (specify): _____
- (8) Other manual belt failure (specify): _____
- (9) Unknown

Shoulder Belt Upper Anchorage Adjustment

- (0) No shoulder belt
- (1) No upper anchorage adjustment for shoulder belt

- Adjustable shoulder Belt Upper Anchorage*
- (2) In full up position
- (3) In mid position
- (4) In full down position
- (5) Position unknown
- (9) Unknown if position has adjustable upper anchorage adjustment

AUTOMATIC RESTRAINTS

NOTES: Encode the data for each applicable front seat position. The attribute for the variables may be found below. Restraint systems should be assessed during the vehicle inspection then coded on the Occupant Assessment Form.

AIR BAGS

		Left Front	Right Front	Other
FIRST	Availability/Function	/	/	/
	Deployment	/	/	/
	Failure	/	/	/

<p>Air Bag System Availability/Function</p> <p>(0) Not equipped/not available (1) Air bag</p> <p><i>Non-functional</i></p> <p>(2) Air bag disconnected (specify): _____</p> <p>(3) Air bag not reinstalled (9) Unknown</p> <p>Are There Indications of Air Bag System Failure? (This Occupant Position)</p> <p>(0) Not equipped/not available (1) No (2) Yes (specify): _____</p> <p>(9) Unknown</p>	<p>Frontal Air Bag System Deployment (This Occupant Position)</p> <p>(0) Not equipped/not available (1) Deployed during accident (as a result of impact) (2) Deployed inadvertently just prior to accident (3) Deployed, accident sequence undetermined (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical) (5) Unknown if deployed (7) Nondeployed (9) Unknown</p>	<p>Air Bag(s) Deployment, <i>Other</i> Than First Seat Frontal (This Occupant Position)</p> <p>(0) Not equipped with an <i>"other"</i> air bag (1) Deployed during accident (as a result of impact) (2) Deployed inadvertently just prior to accident (3) Deployed, details unknown (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical) (5) Unknown if deployed (7) Nondeployed (9) Unknown</p>
--	--	--

AUTOMATIC BELTS

		Left	Right
FIRST	Availability/Function	/	/
	Use	/	/
	Type	/	/
	Proper Use	/	/
	Failure Modes	/	/

<p>Automatic (Passive) Belt System Availability/Function</p> <p>(0) Not equipped/not available (1) 2 point automatic belts (2) 3 point automatic belts (3) Automatic belts - type unknown</p> <p><i>Non-functional</i></p> <p>(4) Automatic belts destroyed or rendered inoperative (9) Unknown</p> <p>Automatic (Passive) Belt System Use</p> <p>(0) Not equipped/not available/destroyed or rendered inoperative (1) Automatic belt in use (2) Automatic belt not in use (manually disconnected, motorized track inoperative) (3) Automatic belt use unknown (9) Unknown</p> <p>Automatic (Passive) Belt System Type</p> <p>(0) Not equipped/not available (1) Non-motorized system (2) Motorized system (9) Unknown</p>	<p>Proper Use of Automatic (Passive) Belt System</p> <p>(0) Not equipped/not available/not used (1) Automatic belt used properly (2) Automatic belt used properly with child safety seat</p> <p><i>Automatic Belt Used Improperly</i></p> <p>(3) Automatic shoulder belt worn under arm (4) Automatic shoulder belt worn behind back (5) Automatic belt worn around more than one person (6) Lap portion of automatic belt worn on abdomen (7) Automatic lap and shoulder belt or automatic shoulder belt used improperly with child safety seat (specify): _____</p> <p>(8) Other improper use of automatic belt system (specify): _____ (9) Unknown</p>	<p>Automatic (Passive) Belt Failure Modes During Accident</p> <p>(0) Not equipped/not available/not in use (1) No automatic belt failure(s) (2) Torn webbing (stretched webbing not included) (3) Broken buckle or latchplate (4) Upper anchorage separated (5) Other anchorage separated (specify): _____</p> <p>(6) Broken retractor (7) Combination of above (specify): _____ (8) Other automatic belt failure (specify): _____ (9) Unknown</p>
---	--	---

FIRST SEAT FRONTAL AIR BAGS

NOTES: Encode the applicable data *for the driver and first seat passenger* in the vehicle. The attribute for the variable may be found below. Restraint systems should be assessed during the vehicle inspection then coded on the Occupant Assessment Form.

	Driver	Passenger
Type of air bag?	1	/
Flaps open at tear points?	2	/
Flaps damaged?	1	/
Air bag damaged?	01	/
Source of air bag damage	01	/
Air bag tethered?	2	/
Air bag have vent ports?	2	/
Other occupant contact air bag?	1	/
Occupant wearing eyewear?	9	/

Type of Air Bag

- (0) Not equipped/not available
- (1) Original manufacturer installed system
- (2) Retrofitted air bag
- (3) Replacement air bag
- (8) Unknown type of air bag
- (9) Unknown

Did Air Bag Module Cover Flap(s) Open At Designated Tear Points?

- (0) Not equipped/not available
- (1) No
- (2) Yes
- (3) Deployed, unknown if flap(s) opened at designated tear points
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

Were Air Bag Module Cover Flap(s) Damaged?

- (0) Not equipped/not available
- (1) No
- (2) Yes (specify): _____
- (3) Deployed, unknown if air bag module cover flap(s) damaged
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

Was There Damage To The Air Bag?

- (00) Not equipped/not available
- (01) Not damaged
- Yes - Air Bag Damage*
- (02) Ruptured
- (03) Cut
- (04) Torn
- (05) Holed
- (06) Burned
- (07) Abraded
- (88) Other damage (specify): _____

Source of Air Bag Damage

- (00) Not equipped/not available
- (01) Not damaged
- (02) Object worn by occupant, (specify): _____
- (03) Object carried by occupant, (specify): _____
- (04) Adaptive/assistive controls, (specify): _____
- (05) Fire in vehicle
- (06) Thermal burns
- (07) Rescue or emergency efforts
- (88) Other damage source (specify): _____
- (95) Damaged, unknown source
- (96) Deployed, unknown if damaged
- (97) Not deployed
- (98) Unknown if deployed
- (99) Unknown

Was The Air Bag Tethered?

- (0) Not equipped/not available
- (1) No
- (2) Yes (specify number of tether straps): 3
- (3) Deployed, unknown if tethered
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

Did The Air Bag Have Vent Ports?

- (0) Not equipped/not available
- (1) No
- (2) Yes (specify number of vent ports): 02
- (3) Deployed, unknown if vent ports present
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

Was the Air Bag in this Occupant's Position Contacted by Another Occupant?


- (0) Not equipped/not available
- (1) No
- (2) Yes (specify): _____
- (3) Deployed, unknown if other occupant contact to air bag
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

Was This Occupant Wearing Eye-wear?


- (0) Not equipped/not available
- (1) No
- (2) Eyeglasses/sunglasses
- (3) Contact lenses
- (4) Deployed, unknown if eyewear worn
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

DRIVER AIR BAG DAMAGE AND CONTACT SKETCHES

1. SKETCH DAMAGE AND CONTACT EVIDENCE ON DRIVER AIR BAG (Front)




2. SKETCH DAMAGE AND CONTACT EVIDENCE ON DRIVER AIR BAG (Back)



DRIVER AIR BAG SKETCHES (Cont'd)

3. DRIVER AIR BAG MODULE COVER FLAP SIZE (DOUBLE)


a. Upper Flap b. Lower Flap
width (W_u) 20 width (W_l) 20
height (H_u) 04 height (H_l) 14



4. SKETCH OF OTHER TYPE OF AIR BAG MODULE FLAP AND SIZE


5. SKETCH OF OTHER TYPE OF AIR BAG VENT PORTS

6. SKETCH LOCATION OF CIRCULAR AIR BAG VENT PORTS




PASSENGER AIR BAG DAMAGE AND CONTACT SKETCHES

1. SKETCH DAMAGE AND CONTACT EVIDENCE ON PASSENGER AIR BAG (Front)



2. SKETCH DAMAGE AND CONTACT EVIDENCE ON PASSENGER AIR BAG (Back)




PASSENGER AIR BAG SKETCHES (Cont'd)

3. PASSENGER AIR BAG MODULE COVER FLAP SIZE (SINGLE)

a. Flap

width (W) _____

height (H) _____



4. PASSENGER AIR BAG MODULE COVER FLAP SIZE (DOUBLE)

a. Upper Flap


b. Lower Flap

width (W_U) _____

width (W_L) _____

height (H_U) _____


height (H_L) _____



5. SKETCH OF OTHER TYPE OF AIR BAG MODULE FLAP AND SIZE

6. SKETCH OF OTHER TYPE OF AIR BAG VENT PORTS

7. SKETCH LOCATION OF RECTANGULAR AIR BAG VENT PORTS



"OTHER" AIR BAG DAMAGE AND CONTACT SKETCHES

1. SKETCH DAMAGE AND CONTACT EVIDENCE ON "OTHER" AIR BAG (Front)

2. SKETCH DAMAGE AND CONTACT EVIDENCE ON "OTHER" AIR BAG (Back)

"OTHER" AIR BAG SKETCHES (Cont'd)

3. SKETCH AIR BAG MODULE FLAP AND SIZE OR OPENING FOR AIRBAG

4. SKETCH AIR BAG VENT PORTS

HEAD RESTRAINTS/SEAT EVALUATION

NOTES: Encode the applicable data for each seat position in the vehicle. The attribute for these variables may be found at the bottom of the page. Head restraint type/damage and seat type/performance should be assessed during the vehicle inspection then coded on the Occupant Assessment Form.

		Left	Center	Right
F I R S T	Head Restraint Type/Damage	0	0	0
	Seat Type	05	05	05
	Seat Performance	1	1	1
	Seat Orientation	1	1	1
	Seat Track Position	4	4	4
	Seat Back Incline Pre/Post Impact	01	01	01
S E C O N D	Head Restraint Type/Damage			
	Seat Type			
	Seat Performance			
	Seat Orientation			
	Seat Track Position			
	Seat Back Incline Pre/Post Impact			
T H I R D	Head Restraint Type/Damage			
	Seat Type			
	Seat Performance			
	Seat Orientation			
	Seat Track Position			
	Seat Back Incline Pre/Post Impact			
O T H E R	Head Restraint Type/Damage			
	Seat Type			
	Seat Performance			
	Seat Orientation			
	Seat Track Position			
	Seat Back Incline Pre/Post Impact			

**DESCRIBE ANY INDICATION OF ABNORMAL OCCUPANT POSTURE
(I.E., UNUSUAL OCCUPANT CONTACT PATTERN)**

HEAD RESTRAINTS/SEAT EVALUATION

Head Restraint Type/Damage by Occupant at This Occupant Position

- (0) No head restraints
- (1) Integral — no damage
- (2) Integral — damaged during accident
- (3) Adjustable — no damage
- (4) Adjustable — damaged during accident
- (5) Add-on — no damage
- (6) Add-on — damaged during accident
- (8) Other
Specify: _____
- (9) Unknown

Seat Type (this Occupant Position)

- (00) Occupant not seated or no seat
- (01) Bucket
- (02) Bucket with folding back
- (03) Bench
- (04) Bench with separate back cushions
- (05) Bench with folding back(s)
- (06) Split bench with separate back cushions
- (07) Split bench with folding back(s)
- (08) Pedestal (i.e., column supported)
- (09) Other seat type (specify): _____
- (10) Box mounted seat (i.e., van type)
- (99) Unknown

Seat Performance (this Occupant Position)

- (0) Occupant not seated or no seat
- (1) No seat performance failure(s)
- (2) Seat adjusters failed
- (3) Seat back folding locks or "seat back" failed (specify): _____
- (4) Seat tracks/anchors failed _____
- (5) Deformed by impact of occupant
- (6) Deformed by passenger compartment intrusion (specify): _____
- (7) Combination of above (specify): _____
- (8) Other (specify): _____
- (9) Unknown

Seat Orientation (this Occupant Position)

- (0) Occupant not seated or no seat
- (1) Forward facing seat
- (2) Rear facing seat
- (3) Side facing seat (inward)
- (4) Side facing seat (outward)
- (8) Other (specify): _____
- (9) Unknown

Seat Track Adjusted Position Prior To Impact




- (0) Occupant not seated or no seat
 - (1) Non-adjustable seat track
- Adjustable Seat Track*
- (2) Seat at forward most track position
 - (3) Seat between forward most and middle track positions
 - (4) Seat at middle track position
 - (5) Seat between middle and rear most track positions
 - (6) Seat at rear most track position
 - (9) Unknown

Seat Back Incline Prior and Post Impact

- (00) Occupant not seated or no seat
 - (01) Not adjustable
- Upright prior to impact*
- (11) Moved to completely rearward position
 - (12) Moved to rearward midrange position
 - (13) Moved to slightly rearward position
 - (14) Retained pre-impact position
 - (15) Moved to slightly forward position
 - (16) Moved to forward midrange position
 - (17) Moved to completely forward position

- Slightly reclined prior to impact*
- (21) Moved to completely rearward position
 - (22) Moved to rearward midrange position
 - (23) Retained pre-impact position
 - (24) Moved to upright position
 - (25) Moved to slightly forward position
 - (26) Moved to forward midrange position
 - (27) Moved to completely forward position

- Completely reclined prior to impact*
- (31) Retained pre-impact position
 - (32) Moved to rearward midrange position
 - (33) Moved to slightly rearward position
 - (34) Moved to upright position
 - (35) Moved to slightly forward position
 - (36) Moved to forward midrange position
 - (37) Moved to completely forward position
 - (99) Unknown



Coding diagrams for *Seat Back Incline Position Prior and Post Impact*

**DESCRIBE ANY INDICATION OF ABNORMAL OCCUPANT POSTURE
(I.E., UNUSUAL OCCUPANT CONTACT PATTERN)**

CHILD SAFETY SEAT FIELD ASSESSMENT

When a child safety seat is present enter the occupant's number in the first row and complete the column below the occupant's number using the codes listed below. Complete a column for each child safety seat present.

Occupant Number						
1. Type of Child Safety Seat						
2. Child Safety Seat Orientation						
3. Child Safety Seat Harness Usage						
4. Child Safety Seat Shield Usage						
5. Child Safety Seat Tether Usage						
6. Child Safety Seat Make/Model	Specify Below for Each Child Safety Seat					

1. Type of Child Safety Seat
 - (0) No child safety seat
 - (1) Infant seat
 - (2) Toddler seat
 - (3) Convertible seat
 - (4) Booster seat
 - (7) Other type child safety seat (specify): _____
 - (8) Unknown child safety seat type
 - (9) Unknown if child safety seat used

2. Child Safety Seat Orientation
 - (00) No child safety seat
 - Designed for Rear Facing for This Age/Weight
 - (01) Rear facing
 - (02) Forward facing
 - (08) Other orientation (specify): _____
 - (09) Unknown orientation
 - Designed for Forward Facing for This Age/Weight
 - (11) Rear facing
 - (12) Forward facing
 - (18) Other orientation (specify): _____
 - (19) Unknown orientation
 - Unknown Design or Orientation For This Age/Weight, or Unknown Age/Weight
 - (21) Rear facing
 - (22) Forward facing
 - (28) Other orientation (specify): _____
 - (29) Unknown orientation
 - (99) Unknown if child safety seat used

3. Child Safety Seat Harness Usage

4. Child Safety Seat Shield Usage

5. Child Safety Seat Tether Usage
 - Note: Options Below Are Used for Variables 3-5.
 - (00) No child safety seat
 - Not Designed with Harness/Shield/Tether
 - (01) After market harness/shield/tether added, not used
 - (02) After market harness/shield/tether used
 - (03) Child safety seat used, but no after market harness/shield/tether added
 - (09) Unknown if harness/shield/tether added or used
 - Designed With Harness/Shield/Tether
 - (11) Harness/shield/tether not used
 - (12) Harness/shield/tether used
 - (19) Unknown if harness/shield/tether used
 - Unknown If Designed With Harness/Shield/Tether
 - (21) Harness/shield/tether not used
 - (22) Harness/shield/tether used
 - (29) Unknown if harness/shield/tether used
 - (99) Unknown if child safety seat used

6. Child Safety Seat Make/Model
 - (Specify make/model and occupant number)
 - _____
 - _____
 - _____
 - _____

EJECTION/ENTRAPMENT DATA

Complete the following if the researcher has any indication that an occupant was either ejected from or entrapped in the vehicle. Code the appropriate data on the Occupant Assessment Form.

EJECTION No [] Yes []

Describe indications of ejection and body parts involved in partial ejection(s):

Occupant Number						
Ejection						
(Note on Vehicle Interior Sketch) Ejection Area						
Ejection Medium						
Medium Status						

- Ejection**
- (1) Complete ejection
 - (2) Partial ejection
 - (3) Ejection, Unknown degree
 - (9) Unknown

- Ejection Area**
- (1) Windshield
 - (2) Left front
 - (3) Right front
 - (4) Left rear
 - (5) Right rear
 - (6) Rear

- (7) Roof
- (8) Other area (e.g., back of pickup, etc.) (specify): _____
- (9) Unknown

- Ejection Medium**
- (1) Door/hatch/tailgate
 - (2) Nonfixed roof structure
 - (3) Fixed glazing
 - (4) Nonfixed glazing (specify): _____

- (5) Integral structure
- (8) Other medium (specify): _____
- (9) Unknown

- Medium Status (Immediately Prior to Impact)**
- (1) Open
 - (2) Closed
 - (3) Integral structure
 - (9) Unknown

ENTRAPMENT No [] Yes []

Describe entrapment mechanism: _____

Component(s): _____

(Note in vehicle interior diagram)

EJECTION/ENTRAPMENT12. Ejection 0

- (0) No ejection
- (1) Complete ejection
- (2) Partial ejection
- (3) Ejection, unknown degree
- (9) Unknown

13. Ejection Area 0

- (0) No ejection
- (1) Windshield
- (2) Left front
- (3) Right front
- (4) Left rear
- (5) Right rear
- (6) Rear
- (7) Roof
- (8) Other area (e.g., back of pickup, etc.)
(specify): _____
- (9) Unknown

14. Ejection Medium 0

- (0) No ejection
- (1) Door/hatch/tailgate
- (2) Nonfixed roof structure
- (3) Fixed glazing
- (4) Nonfixed glazing (specify):

- (5) Integral structure
- (8) Other medium (specify):

- (9) Unknown

15. Medium Status (Immediately Prior To Impact) 0

- (0) No ejection
- (1) Open
- (2) Closed
- (3) Integral structure
- (9) Unknown

16. Entrapment 9

- (0) Not entrapped/exit not inhibited
- (1) Entrapped/pinned - mechanically restrained
- (2) Could not exit vehicle due to jammed doors,
fire, etc.
(specify): _____
- (9) Unknown

17. Occupant Mobility 2

- (0) Occupant fatal before removed from
vehicle
- (1) Removed from vehicle while unconscious or
disoriented
- (2) Removed from vehicle due to injuries
- (3) Exited vehicle with some assistance
- (4) Exited vehicle under own power
- (5) Occupant fully ejected
- (9) Unknown

BELT SYSTEM FUNCTION

- | | |
|---|---|
| <p>18. Manual (Active) Belt System Availability <u>4</u></p> <p>(0) None available
 (1) Belt removed/destroyed
 (2) Shoulder belt
 (3) Lap belt
 (4) Lap and shoulder belt
 (5) Belt available—type unknown</p> <p><i>Integral Belt Partially Destroyed</i>
 (6) Shoulder belt (lap belt destroyed/removed)
 (7) Lap belt (shoulder belt destroyed/removed)
 (8) Other belt (specify): _____</p> <p>(9) Unknown _____</p> | <p>22. Shoulder Belt Upper Anchorage Adjustment <u>1</u></p> <p>(0) No shoulder belt
 (1) No upper anchorage adjustment for shoulder belt</p> <p><i>Adjustable shoulder Belt Upper Anchorage</i>
 (2) In full up position
 (3) In mid position
 (4) In full down position
 (5) Position unknown
 (9) Unknown if position has adjustable upper anchorage adjustment</p> |
| <p>19. Manual (Active) Belt System Use <u>0-4</u></p> <p>(00) None used, not available, or belt removed/destroyed
 (01) Inoperative (specify): _____</p> <p>(02) Shoulder belt _____
 (03) Lap belt _____
 (04) Lap and shoulder belt _____
 (05) Belt used—type unknown _____
 (08) Other belt used (specify): _____</p> <p>(12) Shoulder belt used with child safety seat
 (13) Lap belt used with child safety seat
 (14) Lap and shoulder belt used with child safety seat
 (15) Belt used with child safety seat—type unknown
 (18) Other belt used with child safety seat (specify): _____
 (99) Unknown if belt used _____</p> | <p>23. Automatic (Passive) Belt System Availability/Function <u>0</u></p> <p>(0) Not equipped/not available
 (1) 2 point automatic belts
 (2) 3 point automatic belts
 (3) Automatic belts - type unknown</p> <p><i>Non-functional</i>
 (4) Automatic belts destroyed or rendered inoperative
 (9) Unknown</p> |
| <p>20. Proper Use of Manual (Active) Belts <u>9 X</u></p> <p>(0) None used or not available
 (1) Belt used properly
 (2) Belt used properly with child safety seat</p> <p><i>Belt Used Improperly</i>
 (3) Shoulder belt worn under arm
 (4) Shoulder belt worn behind back or seat
 (5) Belt worn around more than one person
 (6) Lap belt worn on abdomen
 (7) Lap belt or lap and shoulder belt used improperly with child safety seat (specify): _____</p> <p>(8) Other improper use of manual belt system (specify): _____
 (9) Unknown _____</p> | <p>24. Automatic (Passive) Belt System Use <u>0</u></p> <p>(0) Not equipped/not available/destroyed or rendered inoperative
 (1) Automatic belt in use
 (2) Automatic belt not in use (manually disconnected, motorized track inoperative) (specify): _____
 (3) Automatic belt use unknown
 (9) Unknown</p> |
| <p>21. Manual (Active) Belt Failure Modes During Accident <u>1</u></p> <p>(0) No manual belt used or not available
 (1) No manual belt failure(s)
 (2) Torn webbing (stretched webbing not included)
 (3) Broken buckle or latchplate
 (4) Upper anchorage separated
 (5) Other anchorage separated (specify): _____</p> <p>(6) Broken retractor _____
 (7) Combination of above (specify): _____
 (8) Other manual belt failure (specify): _____
 (9) Unknown _____</p> | <p>25. Automatic (Passive) Belt System Type <u>0</u></p> <p>(0) Not equipped/not available
 (1) Non-motorized system
 (2) Motorized system
 (9) Unknown</p> <p>26. Proper Use of Automatic (Passive) Belt System <u>0</u></p> <p>(0) Not equipped/not available/not used
 (1) Automatic belt used properly
 (2) Automatic belt used properly with child safety seat</p> <p><i>Automatic Belt Used Improperly</i>
 (3) Automatic shoulder belt worn under arm
 (4) Automatic shoulder belt worn behind back
 (5) Automatic belt worn around more than one person
 (6) Lap portion of automatic belt worn on abdomen
 (7) Automatic lap and shoulder belt or automatic shoulder belt used improperly with child safety seat (specify): _____</p> <p>(8) Other improper use of automatic belt system (specify): _____
 (9) Unknown _____</p> <p>27. Automatic (Passive) Belt Failure Modes During Accident <u>0</u></p> <p>(0) Not equipped/not available/not in use
 (1) No automatic belt failure(s)
 (2) Torn webbing (stretched webbing not included)
 (3) Broken buckle or latchplate
 (4) Upper anchorage separated
 (5) Other anchorage separated (specify): _____</p> <p>(6) Broken retractor _____
 (7) Combination of above (specify): _____
 (8) Other automatic belt failure (specify): _____
 (9) Unknown _____</p> |

POLICE REPORTED RESTRAINT USE	AIR BAG SYSTEM FUNCTION
<p>28. Police Reported Belt Use <u>5</u></p> <p>(0) None used (1) Police did not indicate belt use (2) Shoulder belt (3) Lap belt (4) Lap and shoulder belt (5) Belt used, type not specified (6) Child safety seat (7) Automatic belt (8) Other type belt, (specify): _____ (9) Police indicated "unknown"</p>	<p>30. Frontal Air Bag System Availability/Function (This Occupant Position) <u>1</u></p> <p>(0) Not equipped/not available (1) Air bag</p> <p><i>Non-functional</i> (2) Air bag disconnected (specify): _____ (3) Air bag not reinstalled (9) Unknown</p>
<p>29. Police Reported Air Bag Availability/Function <u>1</u></p> <p>(0) No air bag available (1) Police did not indicate air bag availability/function (2) Deployed (3) Not deployed (4) Unknown if deployed (9) Police indicated "unknown"</p>	<p>31. Frontal Air Bag System Deployment (This Occupant Position) <u>1</u></p> <p>(0) Not equipped/not available (1) Deployed during accident (as a result of impact) (2) Deployed inadvertently just prior to accident (3) Deployed, details unknown (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical) (5) Unknown if deployed (7) Nondeployed (9) Unknown</p>
<p>Check the Primary Source Used In Determining Belt Use.</p> <p><input type="checkbox"/> Not equipped/not available/destroyed or rendered inoperative <input checked="" type="checkbox"/> Vehicle inspection <input type="checkbox"/> Official injury data <input type="checkbox"/> Driver/occupant interview <input checked="" type="checkbox"/> Other (specify) XXXXXXXXXX _____ <input type="checkbox"/> Unknown if belt used _____ _____ _____</p>	<p>32. Other Than First Seat Frontal Air Bag Availability/Function (This Occupant Position) <u>0</u></p> <p>(0) Not equipped/not available (1) Air bag</p> <p><i>Non-functional</i> (2) Air bag disconnected (specify): _____ (3) Air bag not reinstalled (9) Unknown <i>Specify type of "other" air bag present:</i> _____</p>
	<p>33. Air Bag(s) Deployment, Other Than First Seat Frontal (This Occupant Position) <u>0</u></p> <p>(0) Not equipped with an "other" air bag (1) Deployed during accident (as a result of impact) (2) Deployed inadvertently just prior to accident (3) Deployed, details unknown (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical) (5) Unknown if deployed (7) Nondeployed (9) Unknown</p>
	<p>34. Are There Indications of Air Bag System Failure? (This Occupant Position) <u>1</u></p> <p>(0) Not equipped/not available (1) No (2) Yes (specify): _____ (9) Unknown</p>

FIRST SEAT FRONTAL AIR BAG SYSTEM EVALUATION

35. Had Vehicle Been in Previous Accident(s)? 9

- (0) Not equipped/not available
 (1) No previous accidents

Yes

- (2) Previous accident(s) without deployment(s)
 (3) One previous accident with deployment
 (4) More than one previous accident with at least one deployment
 (8) Previous accidents, unknown deployment status
 (9) Unknown

36. Type of Air Bag 9

- (0) Not equipped/not available
 (1) Original manufacturer installed system
 (2) Retrofitted air bag
 (3) Replacement air bag
 (8) Unknown type of air bag
 (9) Unknown

37. Had Any Prior Maintenance/Service Been Performed On This Air Bag System? 9

- (0) Not equipped/not available
 (1) No prior maintenance
 (2) Yes, prior maintenance (specify):

 (9) Unknown

38. Air Bag Deployment Accident Event Sequence Number 02

- (00) Not equipped/not available
 _____ Code the accident event sequence number that initiated the air bag deployment
 (96) Deployed, unknown event
 (97) Not deployed
 (98) Unknown if deployed
 (99) Unknown

39. CDC For Air Bag Deployment Impact 1

- (0) Not equipped/not available
 (1) Highest delta V
 (2) Second highest delta V
 (3) Other non-coded delta V (specify):

 (6) Deployed, unknown event
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown

40. Longitudinal Component of Delta V For Air Bag Deployment Impact + 0071

- (_000) Not equipped/not available
Code the value of the delta V for the impact that initiated the air bag deployment
 (_996) Deployment, unknown longitudinal Delta V
 (_997) Not deployed
 (_998) Unknown if deployed
 (_999) Unknown

41. Did Air Bag Module Cover Flap(s) Open At Designated Tear Points? 2

- (0) Not equipped/not available
 (1) No
 (2) Yes
 (3) Deployed, unknown if flap(s) opened at designated tear points
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown

42. Were Air Bag Module Cover Flap(s) Damaged? 1

- (0) Not equipped/not available
 (1) No
 (2) Yes (specify): _____
 (3) Deployed, unknown if air bag module cover flap(s) damaged
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown

43. Was There Damage To The Air Bag? 01

- (00) Not equipped/not available
 (01) Not damaged

Yes - Air Bag Damage

- (02) Ruptured
 (03) Cut
 (04) Torn
 (05) Holed
 (06) Burned
 (07) Abraded
 (88) Other damage (specify):

 (95) Damaged, details unknown
 (96) Deployed, unknown if damaged
 (97) Not deployed
 (98) Unknown if deployed
 (99) Unknown

**FIRST SEAT FRONTAL AIR BAG SYSTEM
EVALUATION** *continued*
HEAD RESTRAINT AND SEAT EVALUATION

44. Source of Air Bag Damage 01
 (00) Not equipped/not available
 (01) Not damaged
 (02) Object worn by occupant, (specify):

 (03) Object carried by occupant, (specify):

 (04) Adaptive/assistive controls, (specify):

 (05) Fire in vehicle
 (06) Thermal burns
 (07) Rescue or emergency efforts
 (88) Other damage source (specify):

 (95) Damaged, unknown source
 (96) Deployed, unknown if damaged
 (97) Not deployed
 (98) Unknown if deployed
 (99) Unknown
45. Was The Air Bag Tethered? 2
 (0) Not equipped/not available
 (1) No
 (2) Yes (specify number of tether straps):
3
 (3) Deployed, unknown if tethered
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown
46. Did The Air Bag Have Vent Ports? 2
 (0) Not equipped/not available
 (1) No
 (2) Yes (specify number of vent ports):
2
 (3) Deployed, unknown if vent ports present
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown
47. Was the Air Bag in this Occupant's Position Contacted by Another Occupant? 1
 (0) Not equipped/not available
 (1) No
 (2) Yes (specify):

 (3) Deployed, unknown if other occupant contact to air bag
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown
48. Was This Occupant Wearing Eye-wear? 9
 (0) Not equipped/not available
 (1) No
 (2) Eyeglasses/sunglasses
 (3) Contact lenses
 (4) Deployed, unknown if eyewear worn
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown

49. Head Restraint Type/Damage by Occupant at This Occupant Position 0
 (0) No head restraints
 (1) Integral—no damage
 (2) Integral—damaged during accident
 (3) Adjustable—no damage
 (4) Adjustable—damaged during accident
 (5) Add-on—no damage
 (6) Add-on—damaged during accident
 (8) Other (specify):

 (9) Unknown
50. Seat Type (this Occupant Position) 05
 (00) Occupant not seated or no seat
 (01) Bucket
 (02) Bucket with folding back
 (03) Bench
 (04) Bench with separate back cushions
 (05) Bench with folding back(s)
 (06) Split bench with separate back cushions
 (07) Split bench with folding back(s)
 (08) Pedestal (i.e., column supported)
 (09) Box mounted seat (i.e., van type)
 (10) Other seat type (specify):

 (99) Unknown
51. Seat Orientation (this Occupant Position) 1
 (0) Occupant not seated or no seat
 (1) Forward facing seat
 (2) Rear facing seat
 (3) Side facing seat (inward)
 (4) Side facing seat (outward)
 (8) Other (specify):

 (9) Unknown
52. Seat Track Adjusted Position Prior To Impact 4
 (0) Occupant not seated or no seat
 (1) Non-adjustable seat track
- Adjustable Seat Track*
 (2) Seat at forward most track position
 (3) Seat between forward most and middle track positions
 (4) Seat at middle track position
 (5) Seat between middle and rear most track positions
 (6) Seat at rear most track position
 (9) Unknown

HEAD RESTRAINT AND SEAT EVALUATION *continued*

53. Seat Back Incline Prior and Post Impact 01

- (00) Occupant not seated or no seat
- (01) Not adjustable

Upright prior to impact

- (11) Moved to completely rearward position
- (12) Moved to rearward midrange position
- (13) Moved to slightly rearward position
- (14) Retained pre-impact position
- (15) Moved to slightly forward position
- (16) Moved to forward midrange position
- (17) Moved to completely forward position




Slightly reclined prior to impact

- (21) Moved to completely rearward position
- (22) Moved to rearward midrange position
- (23) Retained pre-impact position
- (24) Moved to upright position
- (25) Moved to slightly forward position
- (26) Moved to forward midrange position
- (27) Moved to completely forward position

Completely reclined prior to impact

- (31) Retained pre-impact position
- (32) Moved to rearward midrange position
- (33) Moved to slightly rearward position
- (34) Moved to upright position
- (35) Moved to slightly forward position
- (36) Moved to forward midrange position
- (37) Moved to completely forward position

(99) Unknown



54. Seat Performance (this Occupant Position) 1

- (0) Occupant not seated or no seat
- (1) No seat performance failure(s)
- (2) Seat adjusters failed
- (3) Seat back folding locks or "seat back" failed (specify): _____
- (4) Seat track/anchors failed
- (5) Deformed by impact of occupant
- (6) Deformed by passenger compartment intrusion, (specify): _____
- (7) Combination of above (specify): _____
- (8) Other (specify): _____
- (9) Unknown

CHILD SAFETY SEAT

55. Child Safety Seat Make/Model 0 0 0
 (000) No child safety seat
 Applicable codes are found in your NASS CDS
 Data Collection, Coding and Editing
 (950) Built-in child safety seat
 (997) Other make/model (specify):

 (998) Unknown make/model
 (999) Unknown if child safety seat used

56. Type of Child Safety Seat 0
 (0) No child safety seat
 (1) Infant seat
 (2) Toddler seat
 (3) Convertible seat
 (4) Booster seat - with shield
 (5) Booster seat - without shield
 (7) Other type child safety seat (specify):

 (8) Unknown child safety seat type
 (9) Unknown if child safety seat used

57. Child Safety Seat Orientation 0 0
 (00) No child safety seat

Designed for Rear Facing for This Age/Weight

(01) Rear facing
 (02) Forward facing
 (08) Other orientation (specify):

 (09) Unknown orientation

Designed For Forward Facing for This Age/Weight

(11) Rear facing
 (12) Forward facing
 (18) Other orientation (specify):

 (19) Unknown orientation

Unknown Design or Orientation For This Age/Weight, or Unknown Age/Weight

(21) Rear facing
 (22) Forward facing
 (28) Other orientation (specify):

 (29) Unknown orientation

(99) Unknown if child safety seat used

58. Child Safety Seat Harness Usage 0 0

59. Child Safety Seat Shield Usage 0 0

60. Child Safety Seat Tether Usage 0 0

Note: Options below applicable to
 Variables OA58-OA60.

(00) No child safety seat

Not Designed With Harness/Shield/Tether

(01) After market harness/shield/tether
 added, not used
 (02) After market harness/shield/tether used
 (03) Child safety seat used, but no after market
 harness/shield/tether added
 (09) Unknown if harness/shield/tether
 added or used

Designed With Harness/Shield/Tether

(11) Harness/shield/tether not used
 (12) Harness/shield/tether used
 (19) Unknown if harness/shield/tether used

Unknown If Designed With Harness/Shield/Tether

(21) Harness/shield/tether not used
 (22) Harness/shield/tether used
 (29) Unknown if harness/shield/tether used

(99) Unknown if child safety seat used

INJURY CONSEQUENCES61. Injury Severity (Police Rating) 4

- (0) O - No injury
- (1) C - Possible injury
- (2) B - Nonincapacitating injury
- (3) A - Incapacitating injury
- (4) K - Killed
- (5) U - Injury, severity unknown
- (6) Died prior to accident
- (9) Unknown

62. Treatment - Mortality 1

- (0) No treatment
- (1) Fatal
- (2) Fatal - ruled disease (specify):

Nonfatal

- (3) Hospitalization
- (4) Transported and released
- (5) Treatment at scene - nontransported
- (6) Treatment later
- (7) Treatment - other (specify):

- (8) Transported to a medical facility-unknown if treated
- (9) Unknown

63. Type Of Medical Facility (for Initial Treatment) 1

- (0) Not treated at a medical facility
- (1) Trauma center
- (2) Hospital
- (3) Medical clinic
- (4) Physician's office
- (5) Treatment later at medical facility
- (8) Other (specify):

- (9) Unknown

64. Hospital Stay 02

- (00) Not Hospitalized
_____ Code the number of days (up through 60)
that the occupant stayed in hospital.
- (61) 61 days or more
- (99) Unknown

65. Working Days Lost 62

- _____ Code the number of days
(up through 60) that the occupant
lost from work due to the accident
- (00) No working days lost
- (61) 61 days or more
- (62) Fatally injured
- (97) Not working prior to accident
- (99) Unknown

STOP WORK HERE**VARIABLES 66-74****TO BE CODED BY THE ZONE CENTER**

TO BE CODED BY THE ZONE CENTER

INJURY CONSEQUENCES

TRAUMA DATA

66. Time to Death 32
 Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, ... n days = 30 + n up through 30 days = 60)
 (00) Not fatal
 (96) Fatal - ruled disease
 (99) Unknown

67. 1st Medically Reported Cause of Death 96

68. 2nd Medically Reported Cause of Death 00

69. 3rd Medically Reported Cause of Death 00

Code the Occupant Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this occupant's death
 (00) Not fatal or no additional causes
 (96) Mode of death given but specific injuries are not linked to cause of death. (specify):

PULMONARY INSUFFICIENCY / MASSIVE PULMONARY EMBOLUS

(97) Other result (includes fatal ruled disease) (specify):

 (99) Unknown

70. Number of Recorded Injuries for This Occupant 27

Code the actual number of injuries recorded for this occupant.
 (00) No recorded injuries
 (97) Injured, details unknown
 (99) Unknown if injured

71. Glasgow Coma Scale (GCS) Score 14
 (at Medical Facility)
 (00) Not injured
 (01) Injured - not treated at medical facility
 (02) No GCS Score at medical facility
 (03-15) Code the actual value of the initial GCS Score recorded at medical facility.
 (97) Injured, details unknown
 (99) Unknown if injured

72. Was the Occupant Given Blood? 2
 (1) No - blood not given
 (2) Yes - blood given
 (specify units): UNKNOWN AMT
 (9) Unknown if blood given

73. Arterial Blood Gases (ABG) - HCO₃ 96
 (00) Not injured
 (01) Injured, ABGs not measured or reported
 (02-50) Code the actual value of the HCO₃
 (96) ABGs reported, HCO₃ unknown
 (97) Injured; details unknown
 (99) Unknown if injured

BELT USE DETERMINATION

74. Primary Source of Belt Use Determination 1
 (0) Not equipped/not available/destroyed or rendered inoperative
 (1) Vehicle inspection
 (2) Official injury data
 (3) Driver/occupant interview
 (8) Other (specify): _____
 (9) Unknown if belt used



OCCUPANT INJURY FORM

1. Primary Sampling Unit Number	<u>45</u>	3. Vehicle Number	<u>03</u>
2. Case Number - Stratum	<u>100A</u>	4. Occupant Number	<u>01</u>

INJURY DATA

Record below the actual injuries sustained by this occupant that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than ten injuries have been documented, encode the balance on the Occupant Injury Supplement.

Source of Injury Data	A.I.S. - 90							Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Occupant Area Intrusion Number	
	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source					
① eye 1st retinomas	5. <u>1</u>	6. <u>2</u>	7. <u>9</u>	8. <u>74</u>	9. <u>02</u>	10. <u>1</u>	11. <u>2</u>	12. <u>001</u>	13. <u>3</u>	14. <u>1</u>	15. <u>03</u>	✓
facial 2nd abrasions	16. <u>1</u>	17. <u>2</u>	18. <u>9</u>	19. <u>02</u>	20. <u>02</u>	21. <u>1</u>	22. <u>0</u>	23. <u>001</u>	24. <u>3</u>	25. <u>1</u>	26. <u>03</u>	✓
facial 3rd contusions	27. <u>1</u>	28. <u>2</u>	29. <u>9</u>	30. <u>04</u>	31. <u>02</u>	32. <u>1</u>	33. <u>0</u>	34. <u>001</u>	35. <u>3</u>	36. <u>1</u>	37. <u>03</u>	✓
chest 4th contusions	38. <u>1</u>	39. <u>4</u>	40. <u>9</u>	41. <u>04</u>	42. <u>02</u>	43. <u>1</u>	44. <u>0</u>	45. <u>152</u>	46. <u>2</u>	47. <u>1</u>	48. <u>00</u>	×
chest 5th abrasions	49. <u>1</u>	50. <u>4</u>	51. <u>9</u>	52. <u>02</u>	53. <u>02</u>	54. <u>1</u>	55. <u>0</u>	56. <u>152</u>	57. <u>2</u>	58. <u>1</u>	59. <u>00</u>	×
abdomen 6th contusions	60. <u>1</u>	61. <u>5</u>	62. <u>9</u>	63. <u>04</u>	64. <u>02</u>	65. <u>1</u>	66. <u>0</u>	67. <u>152</u>	68. <u>3</u>	69. <u>1</u>	70. <u>00</u>	×
abdomen 7th abrasions	71. <u>1</u>	72. <u>5</u>	73. <u>9</u>	74. <u>02</u>	75. <u>02</u>	76. <u>1</u>	77. <u>0</u>	78. <u>152</u>	79. <u>3</u>	80. <u>1</u>	81. <u>00</u>	×
posterior 8th upper arm abrasions	82. <u>1</u>	83. <u>7</u>	84. <u>9</u>	85. <u>02</u>	86. <u>02</u>	87. <u>1</u>	88. <u>2</u>	89. <u>054</u>	90. <u>3</u>	91. <u>1</u>	92. <u>00</u>	×
① dorsal 9th fingers/sup back	93. <u>1</u>	94. <u>7</u>	95. <u>9</u>	96. <u>04</u>	97. <u>02</u>	98. <u>1</u>	99. <u>2</u>	100. <u>602</u>	101. <u>3</u>	102. <u>3</u>	103. <u>00</u>	✓
② knee 10th contusions	104. <u>1</u>	105. <u>8</u>	106. <u>9</u>	107. <u>04</u>	108. <u>02</u>	109. <u>1</u>	110. <u>3</u>	111. <u>014</u>	112. <u>2</u>	113. <u>1</u>	114. <u>02</u>	✓

OCCUPANT INJURY DATA

Source of Injury Data	A.I.S. - 90						Injury Source	Injury Source Confidence Level	Direct/Indirect Injury	Occupant Area Intrusion Number	
	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect					
① knee abrasions 11th	L	8	9	02	02	1	2	014	2	1	02
② knee leg 12th	L	8	9	04	02	1	1	014	2	1	02
③ knee of neck abrasions 13th	L	8	9	02	02	1	3	014	3	1	02
④ knee abrasions 14th	L	7	9	04	02	1	3	170	3	1	00
⑤ knee potions 15th	L	7	9	04	02	1	3	170	3	1	00
⑥ knee 16th	L	2	5	10	99	1	4	001	3	1	03
⑦ knee 17th	L	4	5	02	20	2	3	152	2	1	00
⑧ knee of 18th	L	8	5	18	14	3	2	014	2	2	02
⑨ knee of 19th	L	8	5	34	22	3	1	014	2	1	02
⑩ knee of 20th	L	8	5	16	06	2	1	014	2	1	02
⑪ knee 21st	L	5	4	42	22	2	2	152	3	1	00
⑫ knee 22nd	L	5	4	18	22	2	1	152	3	1	00
⑬ knee 23rd	L	5	4	18	10	2	1	152	3	1	00
⑭ knee 24th	L	6	04	10	2	0	0	001	3	1	03
⑮ knee 25th	L	5	9	04	02	1	2	051	3	1	00

OCCUPANT INJURY CLASSIFICATION

Body Region	Specific Anatomic Structure	Level of Injury	Aspect
(1) Head (2) Face (3) Neck (4) Thorax (5) Abdomen (6) Spine (7) Upper Extremity (8) Lower Extremity (9) Unspecified	<u>Vessels, Nerves, Organs.</u> <u>Bones, Joints</u> are assigned consecutive two digit numbers beginning with 02. The exceptions to this rule apply to:	Specific injuries are assigned consecutive two-digit numbers beginning with 02. To the extent possible, within the organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity.	(1) Right (2) Left (3) Bilateral (4) Central (5) Anterior (6) Posterior (7) Superior (8) Inferior (9) Unknown (0) Whole region
Type of Anatomic Structure (1) Whole Area (2) Vessels (3) Nerves (4) Organs (includes Muscles/ligaments) (5) Skeletal (includes joints) (6) Head - LOC (9) Skin	<u>Whole Area</u> (02) Skin - Abrasion (04) Skin - Contusion (06) Skin - Laceration (08) Skin - Avulsion (10) Amputation (20) Burn (30) Crush (40) Degloving (50) Injury - NFS (90) Trauma, other than mechanical <u>Head - LOC</u> (02) Length of LOC (04) Level (06) of (08) Consciousness (10) Concussion <u>Spine</u> (02) Cervical (04) Thoracic (06) Lumbar	Abbreviated Injury Scale (1) Minor Injury (2) Moderate Injury (3) Serious Injury (4) Severe Injury (5) Critical Injury (6) Maximum (untreatable) (7) Injured, unknown severity	

SOURCE OF INJURY DATA	INJURY SOURCE CONFIDENCE LEVEL	DIRECT/INDIRECT INJURY
<u>OFFICIAL RECORDS</u> (1) Autopsy records with or without hospital/medical records (2) Hospital/medical records other than emergency room (e.g., discharge summary) (3) Emergency room records only (including associated X-rays or other lab reports) (4) Private physician, walk-in or emergency clinic <u>UNOFFICIAL RECORDS</u> (5) Lay coroner report (6) E.M.S. personnel (7) Interviewee (8) Other source (specify): _____ (9) Police _____	(1) Certain (2) Probable (3) Possible (9) Unknown	(1) Direct contact injury (2) Indirect contact injury (3) Noncontact injury (7) Injured, unknown source

INJURY SOURCES

FRONT

- (001) Windshield
- (002) Mirror
- (003) Sunvisor
- (004) Steering wheel rim
- (005) Steering wheel hub/spoke
- (006) Steering wheel (combination of codes 004 and 005)
- (007) Steering column, transmission selector lever, other attachment
- (008) Cellular telephone or CB radio
- (009) Add on equipment (e.g., tape deck, air conditioner)
- (010) Left instrument panel and below
- (011) Center instrument panel and below
- (012) Right instrument panel and below
- (013) Glove compartment door
- (014) Knee bolster
- (015) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, mirror, or steering assembly (driver side only)
- (016) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, or mirror (passenger side only)
- (017) Windshield reinforced by exterior object (specify): _____
- (019) Other front object (specify): _____

LEFT SIDE

- (051) Left side interior surface, excluding hardware or armrests
- (052) Left side hardware or armrest
- (053) Left A (A1/A2)-pillar
- (054) Left B-pillar
- (055) Other left pillar (specify): _____
- (056) Left side window glass
- (057) Left side window frame
- (058) Left side window sill
- (059) Left side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail.
- (060) Other left side object (specify): _____

RIGHT SIDE

- (101) Right side interior surface, excluding hardware or armrests

- (102) Right side hardware or armrest
- (103) Right A (A1/A2)-pillar
- (104) Right B-pillar
- (105) Other right pillar (specify): _____
- (106) Right side window glass
- (107) Right side window frame
- (108) Right side window sill
- (109) Right side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail.
- (110) Other right side object (specify): _____

INTERIOR

- (151) Seat, back support
- (152) Belt restraint webbing/buckle
- (153) Belt restraint B-pillar or door frame attachment point
- (154) Other restraint system component (specify): _____
- (155) Head restraint system
- (160) Other occupants (specify): _____
- (161) Interior loose objects
- (162) Child safety seat (specify): _____
- (163) Other interior object (specify): _____

AIR BAG

- (170) Air bag-driver side
- (171) Air bag-driver side and eyewear
- (172) Air bag-driver side and jewelry
- (173) Air bag-driver side and object held
- (174) Air bag-driver side and object in mouth
- (175) Air bag compartment cover-driver side
- (176) Air bag compartment cover-driver side and eyewear
- (177) Air bag compartment cover-driver side and jewelry
- (178) Air bag compartment cover-driver side and object held
- (179) Air bag compartment cover-driver side and object in mouth
- (180) Air bag-passenger side
- (181) Air bag-passenger side and eyewear
- (182) Air bag-passenger side and jewelry

- (183) Air bag-passenger side and object held
- (184) Air bag-passenger side and object in mouth
- (185) Air bag compartment cover-passenger side
- (186) Air bag compartment cover-passenger side and eyewear
- (187) Air bag compartment cover-passenger side and jewelry
- (188) Air bag compartment cover-passenger side and object held
- (189) Air bag compartment cover-passenger side and object in mouth
- (190) Other air bag (specify): _____
- (195) Other air bag compartment cover (specify): _____

ROOF

- (201) Front header
- (202) Rear header
- (203) Roof left side rail
- (204) Roof right side rail
- (205) Roof or convertible top
- (251) Floor (including toe pan)
- (252) Floor or console mounted transmission lever, including console
- (253) Parking brake handle
- (254) Foot controls including parking brake

FLOOR

- (251) Floor (including toe pan)
- (252) Floor or console mounted transmission lever, including console
- (253) Parking brake handle
- (254) Foot controls including parking brake

REAR

- (301) Backlight (rear window)
- (302) Backlight storage rack, door, etc.
- (303) Other rear object (specify): _____
- (401) Hand controls for braking/acceleration
- (402) Steering control devices (attached to OEM steering wheel)
- (403) Steering knob attached to steering wheel
- (405) Replacement steering wheel (i.e., reduced diameter)
- (406) Joy stick steering controls
- (407) Wheelchair tie-downs
- (408) Modification to seat belts, (specify): _____
- (409) Additional or relocated switches, (specify): _____
- (410) Raised roof

- (411) Wall mounted head rest (used behind wheel chair)
- (412) Other adaptive device (specify): _____

EXTERIOR OF OCCUPANT'S VEHICLE

- (451) Hood
- (452) Outside hardware (e.g., outside mirror, antenna)
- (453) Other exterior surface or tires (specify): _____
- (454) Unknown exterior objects

EXTERIOR OF OTHER MOTOR VEHICLE

- (501) Front bumper
- (502) Hood edge
- (503) Other front of vehicle (specify): _____
- (504) Hood
- (505) Hood ornament
- (506) Windshield, roof rail, A-pillar
- (507) Side surface
- (508) Side mirrors
- (509) Other side protrusions (specify): _____
- (510) Rear surface
- (511) Undercarriage
- (512) Tires and wheels
- (513) Other exterior of other motor vehicle (specify): _____
- (514) Unknown exterior of other motor vehicle

OTHER VEHICLE OR OBJECT IN THE ENVIRONMENT

- (551) Ground
- (598) Other vehicle or object (specify): _____
- (599) Unknown vehicle or object

NONCONTACT INJURY

- (601) Fire in vehicle
- (602) Flying glass
- (603) Other noncontact injury source (specify): _____
- (604) Air bag exhaust gases
- (697) Injured, unknown source

OFFICIAL INJURY DATA — SOFT TISSUE INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)

AUT: PT AWAKE & RESPONSIVE

AUT:
MULTIPLE CONTUSIONS
& ABRASIONS OVER FACE

AUT:
ANTERIOR CHEST w/
MULTIPLE CONTUSIONS &
ABRASIONS

AUT: ANTERIOR BILATERAL
ARMS w/ MULTIPLE
CONTUSIONS & ABRASIONS

AUT:
ANTERIOR
ABDOMEN w/
MULTIPLE CONTUSIONS
& ABRASIONS

LG CONTUSION
OVER RT
HIP & UPPER
THIGH

AUT:
4cm CIRCULAR
CONTUSION RT
PATELLA

AUT:
CURVILINEAR 9.0cm
LACERATION ANTERIOR RT
TIBIA ROUGHLY "J"
SHAPE

AUT: LFT EYE
ECCHYMOSSIS

EX:
LG
LFT
ABRASION
CHEST

AUT:
MULTIPLE CONTUSIONS
& ABRASIONS OVER ALL
ANTERIOR BODY SURFACES


AUT:
CONTUSION OVER
LFT FLANK

AUT:
BILATERAL ANTERIOR
LEGS w/ MULTIPLE
CONTUSIONS & ABRASIONS

AUT:
NUMEROUS CONTUSIONS
& ABRASIONS LFT KNEE
ANTERIORLY

AUT: LFT UPPER
ARM (POSTERIOR
ASPECT) w/
ECCHYMOSSIS

AUT:
NUMEROUS
SUPERFICIAL
LACERATIONS
DORSAL LFT FINGERS



AUT/ER

OFFICIAL INJURY DATA — SKELETAL INJURIES

Restrained?

No

Yes

Blood Alcohol Level (mg/dl)

BAL =

NOT RECORDED

Glasgow Coma Scale Score

GCSS = 14

Units of Blood Given

UNKNOWN AMT.

Units =

Arterial Blood Gases


pH =

PO₂ = 50

PCO₂ = 60

HCO₃ =

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)




OFFICIAL INJURY DATA — INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)


ER: PT DOES NOT REMEMBER EVENT
 DS: SOMEWHAT DISORIENTED BUT AWAKE & RESPONSIVE

AUT: =
 CLOSED HEAD
 INJURY —



AUT/DS
 TWO SUPERFICIAL
 LIVER LACERATIONS
 (THE LONGER LAC.
 MEASURES 10CM
 IN LENGTH) &
 SM PARENCHYMAL
 LACERATION
 MEASURING
 3.0CM IN
 LENGTH &
 CONTAINING SM AMT.
 ACUTE HEMORRHAGE.
 & ACUTE SUBSCAPULAR
 HEMATOMA

DS/
 AUT: SM 2.0CM
 GRADE II SPLENIC
 LACERATION EXTENDING
 ~0.5CM INTO SPLENIC
 PARENCHYMA w/
 MINIMAL HEMORRHAGE





UPDATE FORM

<p>1. Primary Sampling Unit Number <u>43</u></p> <p>2. Case Number — Stratum <u>100A</u></p> <p>3. Vehicle Number <u>03</u></p> <p>4. Occupant Number <u>01</u></p>	<p>Driver or Occupant Name: _____</p> <p>Address: _____</p> <p>Other Information: _____</p> <p style="text-align: center;"><i>(Sanitize this section prior to Update submission.)</i></p>
---	---

RECEIVED [REDACTED] 1995

STATUS OF OCCUPANT INFORMATION

	INITIAL SUBMISSION	UPDATED INFORMATION		INITIAL SUBMISSION	UPDATED INFORMATION
OAL08. Date Official Medical Data Requested	[REDACTED]	[REDACTED] 95	OAL18. Medical Facility Code	---	01
OAL09. Date Official Medical Data Obtained	[REDACTED]	[REDACTED] 95	GV14. Alcohol Test Results For Driver	---	00
OAL16. Injury Treatment Status	02	04	GV16. Other Drug Specimen Test Type For Driver	---	0
OAL17. Injury Information			OA05. Occupant's Age	---	37
<u>Official</u>			OA06. Occupant's Sex	---	1
a. Autopsy (invasive examination)	B	11	OA07. Occupant's Height	---	---
b. Post-ER medical record which includes information about death based on non-invasive examination	B	---	OA08. Occupant's Weight	---	---
c. Admission record/summary or admission/discharge face sheet	B	---	OA61. Treatment-Mortality	---	---
d. Discharge summary	B	11	OA62. Type of Medical Facility (for Initial Treatment)	---	1
e. Operative report	B	11	OA63. Hospital Stay	---	---
f. Radiographic record(s) (X-ray, CT scan)	B	11			
g. History and physical examination and/or consultation records	B	---			
h. Emergency room records (includes nurses' notes)	B	11			
j. Private physician	B	---			
<u>Unofficial</u>					
k. Lay coroner	B	---			
l. EMS record	B	---			
m. Interviewee	B	---			
n. Other source (specify):	B	B			
o. Police report	B	11			



UPDATE FORM

200

1. Primary Sampling Unit Number 45

2. Case Number — Stratum 100A

3. Vehicle Number 03

4. Occupant Number 01

RECEIVED 1995

Driver or Occupant Name: _____

Address: _____

Other Information: _____

(Sanitize this section prior to Update submission.)

STATUS OF OCCUPANT INFORMATION

	INITIAL SUBMISSION	UPDATED INFORMATION		INITIAL SUBMISSION	UPDATED INFORMATION
OAL08. Date Official Medical Data Requested	<u>[REDACTED]</u>	<u>195</u>	OAL18. Medical Facility Code	<u>01</u>	---
OAL09. Date Official Medical Data Obtained	<u>[REDACTED]</u>	<u>195</u>	GV14. Alcohol Test Results For Driver	<u>96</u>	---
OAL16. Injury Treatment Status	<u>03</u>	---	GV16. Other Drug Specimen Test Type For Driver	<u>0</u>	---
OAL17. Injury Information			OA05. Occupant's Age	<u>37</u>	---
<u>Official</u>			OA06. Occupant's Sex	<u>1</u>	---
a. Autopsy (invasive examination)	<u>B</u>	---	OA07. Occupant's Height	---	---
b. Post-ER medical record which includes information about death based on non-invasive examination	<u>B 08</u>	<u>11</u>	OA08. Occupant's Weight	---	---
c. Admission record/summary or admission/discharge face sheet	<u>B</u>	---	OA61. Treatment-Mortality	<u>1</u>	---
d. Discharge summary	<u>B</u>	---	OA62. Type of Medical Facility (for Initial Treatment)	<u>1</u>	---
e. Operative report	<u>B</u>	---	OA63. Hospital Stay	<u>02</u>	---
f. Radiographic record(s) (X-ray, CT scan)	<u>B 08</u>	---			
g. History and physical examination and/or consultation records	<u>B</u>	---			
h. Emergency room records (includes nurses' notes)	<u>B 08</u>	---			
j. Private physician	<u>B</u>	---			
<u>Unofficial</u>					
k. Lay coroner	<u>B</u>	---			
l. EMS record	<u>B</u>	---			
m. Interviewee	<u>B</u>	---			
n. Other source (specify):	<u>B</u>	<u>B</u>			
o. Police report	<u>B 11</u>	<u>B</u>			

DEATH COURT

11

UPDATE FORM

1. Primary Sampling Unit Number 45
 2. Case Number - Stratum 100A
 3. Vehicle Number 03
 4. Occupant Number 01

Driver or Occupant Name: _____
 Address: _____

 Other Information: _____

RECEIVED [REDACTED] 1005

(Sanitize this section prior to Update submission.)

STATUS OF OCCUPANT INFORMATION

	INITIAL SUBMISSION	UPDATED INFORMATION
OAL08. Date Official Medical Data Requested	[REDACTED]	<u>195</u>
OAL09. Date Official Medical Data Obtained	[REDACTED]	<u>195</u>
OAL16. Injury Treatment Status	<u>03</u>	<u>03</u>
OAL17. Injury Information		
<u>Official</u>		
a. Autopsy (invasive examination)	<u>B</u>	<u>11</u>
b. Post-ER medical record which includes information about death based on non-invasive examination	<u>B 08</u>	_____
c. Admission record/summary or admission/discharge face sheet	<u>B</u>	_____
d. Discharge summary	<u>B</u>	_____
e. Operative report	<u>B</u>	_____
f. Radiographic record(s) (X-ray, CT scan)	<u>B 08</u>	_____
g. History and physical examination and/or consultation records	<u>B</u>	_____
h. Emergency room records (includes nurses' notes)	<u>B 08</u>	_____
j. Private physician	<u>B</u>	_____
<u>Unofficial</u>		
k. Lay coroner	<u>B</u>	_____
l. EMS record	<u>B</u>	_____
m. Interviewee	<u>B</u>	_____
n. Other source (specify):	<u>B</u>	<u>B</u>
o. Police report	<u>B 11</u>	<u>B</u>

	INITIAL SUBMISSION	UPDATED INFORMATION
OAL18. Medical Facility Code	<u>01</u>	<u>01</u>
GV14. Alcohol Test Results For Driver	<u>96</u>	<u>96</u>
GV16. Other Drug Specimen Test Type For Driver	<u>0</u>	<u>0</u>
OA05. Occupant's Age	<u>37</u>	<u>37</u>
OA06. Occupant's Sex	<u>1</u>	<u>1</u>
OA07. Occupant's Height	_____	_____
OA08. Occupant's Weight	_____	_____
OA61. Treatment-Mortality	<u>1</u>	<u>1</u>
OA62. Type of Medical Facility (for Initial Treatment)	<u>1</u>	<u>1</u>
OA63. Hospital Stay	<u>02</u>	<u>02</u>

BUT NOT

PRECRASH ENVIRONMENTAL DATA

19. Relation To Interchange Or Junction 2

- (0) Non-interchange area and non-junction
- (1) Interchange area related

Non-Interchange junctions

- (2) Intersection related
- (3) Driveway, alley access related
- (4) Other junction (specify)

(5) _____

(9) Unknown

20. Trafficway Flow 0

- (0) Not physically divided (two way traffic)
- (1) Divided trafficway-median strip without positive barrier
- (2) Divided trafficway-median strip with positive barrier
- (3) One way traffic
- (9) Unknown

21. Number Of Travel Lanes 4

- (1) One
- (2) Two
- (3) Three
- (4) Four
- (5) Five
- (6) Six
- (7) Seven or more
- (9) Unknown

22. Roadway Alignment 1

- (1) Straight
- (2) Curve right
- (3) Curve left
- (9) Unknown

23. Roadway Profile 1

- (1) Level
- (2) Uphill grade (>2%)
- (3) Hill crest
- (4) Downhill grade (>2%)
- (5) Sag
- (9) Unknown

24. Roadway Surface Type 2

- (1) Concrete
- (2) Bituminous (asphalt)
- (3) Brick or block
- (4) Slag, gravel, or stone
- (5) Dirt
- (8) Other (specify): _____
- (9) Unknown

25. Roadway Surface Condition 1

- (1) Dry
- (2) Wet
- (3) Snow or slush
- (4) Ice
- (5) Sand, dirt, or oil
- (8) Other (specify): _____
- (9) Unknown

26. Light Conditions 1

- (1) Daylight
- (2) Dark
- (3) Dark, but lighted
- (4) Dawn
- (5) Dusk
- (9) Unknown

27. Atmospheric Conditions 0

- (0) No adverse atmospheric-related driving conditions
- (1) Rain
- (2) Sleet/hail
- (3) Snow
- (4) Fog
- (5) Rain and fog
- (6) Sleet and fog
- (7) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): _____
- (9) Unknown

28. Traffic Control Device 0

- (0) No traffic control(s)
- (1) Traffic control signal (not RR crossing)

Regulatory

- (2) Stop sign
- (3) Yield sign
- (4) School zone sign
- (5) Other regulatory sign (specify): _____

- (6) Warning sign (not RR crossing)
- (7) Unknown sign
- (8) Miscellaneous/other controls including RR controls (specify): _____

(9) Unknown

29. Traffic Control Device Functioning 0

- (0) No traffic control device
- (1) Traffic control device not functioning (specify): _____
- (2) Traffic control device functioning properly
- (9) Unknown

OCCUPANT RELATED

37. Driver Presence in Vehicle 1
 (0) Driver not present
 (1) Driver present
 (9) Unknown
38. Number of Occupants This Vehicle 03
 (00-96) Code actual number of occupants for this vehicle
 (97) 97 or more
 (99) Unknown
39. Number of Occupant Forms Submitted 03

AIR BAG RELATED

40. Is this an AOPS Vehicle? 0
 (0) No (includes unknown)
 (1) Yes - researcher determined
 (2) VIN determined air bag system
 (3) VIN determined automatic (passive) belts
 (4) VIN determined air bag and automatic (passive) belts
41. Air Bag(s) Deployment, First Seat Frontal 0
 (0) Not equipped or not available
 (1) No air bags deployed
Single Air Bag Vehicle
 (2) Driver air bag deployed
 (3) Driver air bag, unknown if deployed
Multiple Air Bag Vehicle
 (4) Driver side only deployed
 (5) Passenger side only deployed
 (6) Driver and passenger side deployed
 (7) Driver and passenger side unknown if deployed
 (8) Air bag(s) deployed, details unknown
 (9) Unknown
42. Air Bag(s) Deployment, Other Than First Seat Frontal 0
 (0) Not equipped with an "other" air bag
 (1) Deployed during accident (as a result of impact)
 (2) Deployed inadvertently just prior to accident
 (3) Deployed, details unknown
 (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical)
 (5) Unknown if deployed
 (7) Nondeployed
 (9) Unknown

Specify type of "other" air bag present: _____

VEHICLE WEIGHT ITEMS

43. Vehicle Curb Weight 1,820
 Code weight to nearest 10 kilograms.
 (045) Less than 450 kilograms
 (610) 6,100 kilograms or more
 (999) Unknown
4,012 lbs X .4536 = 1,820 kgs

Source: _____

44. Vehicle Cargo Weight 9,990
 Code weight to nearest 10 kilograms.
 (000) Less than 5 kilograms
 (450) 4,500 kilograms or more
 (999) Unknown
 _____ lbs X .4536 = _____ kgs
 Source: _____

ROLLOVER DATA

45. Rollover 00
 (00) No rollover (no overturning)
Rollover (primarily about the longitudinal axis)
 (01-16) Code the number of quarter turns
 (17) Rollover, 17 or more quarter turns (specify): _____
 (98) Rollover--end-over-end (i.e., primarily about the lateral axis)
 (99) Rollover (overturn), details unknown
46. Rollover Initiation Type 00
 (00) No rollover
 (01) Trip-over
 (02) Flip-over
 (03) Turn-over
 (04) Climb-over
 (05) Fall-over
 (06) Bounce-over
 (07) Collision with another vehicle
 (08) Other rollover initiation type specify): _____
 (98) Rollover--end-over-end
 (99) Unknown rollover initiation type
47. Location of Rollover Initiation 0
 (0) No rollover
 (1) On roadway
 (2) On shoulder—paved
 (3) On shoulder—unpaved
 (4) On roadside or divided trafficway median
 (8) Rollover--end-over-end
 (9) Unknown
48. Rollover Initiation Object Contacted 00
 (Note: Applicable codes on back of page)
49. Location on Vehicle Where Initial Principal Tripping Force Is Applied 0
 (0) No rollover
 (1) Wheels/tires
 (2) Side plane
 (3) End plane
 (4) Undercarriage
 (5) Other location on vehicle (specify): _____
 (6) Non-contact rollover forces (specify): _____
 (8) Rollover--end-over-end
 (9) Unknown
50. Direction of Initial Roll 0
 (0) No rollover
 (1) Roll right - primarily about the longitudinal axis
 (2) Roll left - primarily about the longitudinal axis
 (8) Rollover--end-over-end
 (9) Unknown roll direction

CODES FOR ROLLOVER INITIATION OBJECT CONTACTED

(00) No rollover
 (01-30) — Vehicle Number

Noncollision

(31) Turn-over — fall-over
 (32) No rollover impact initiation (end-over-end)
 (34) Jackknife

Collision With Fixed Object

(41) Tree (≤ 10 cm in diameter)
 (42) Tree (> 10 cm in diameter)
 (43) Shrubbery or bush
 (44) Embankment

(45) Breakaway pole or post (any diameter)

Nonbreakaway Pole or Post

(50) Pole or post (≤ 10 cm in diameter)
 (51) Pole or post (> 10 cm but ≤ 30 cm in diameter)
 (52) Pole or post (> 30 cm in diameter)
 (53) Pole or post (diameter unknown)

(54) Concrete traffic barrier
 (55) Impact attenuator
 (56) Other traffic barrier (includes guardrail)
 (specify): _____

(57) Fence
 (58) Wall
 (59) Building
 (60) Ditch or culvert
 (61) Ground
 (62) Fire hydrant
 (63) Curb
 (64) Bridge
 (68) Other fixed object (specify):

(69) _____
 Unknown fixed object

Collision with Nonfixed Object

(70) Passenger car, light truck, van, or other vehicle not in-transport
 (71) Medium/heavy truck or bus not in-transport
 (76) Animal
 (77) Train
 (78) Trailer, disconnected in transport
 (79) Object fell from vehicle in-transport
 (88) Other nonfixed object (specify):

(89) _____
 Unknown nonfixed object

(98) Other event (specify):

(99) _____
 Unknown event or object

PSU NUMBER
CASE NUMBER
VEHICLE NUMBER

45
100A
04

EXTERIOR VEHICLE FORM

THE FOLLOWING DATA IS NOT INCLUDED IN THIS CASE:

ENTIRE FORM

PAGE NUMBER (S) _____

PSU NUMBER	<u>45</u>
CASE NUMBER	<u>100A</u>
VEHICLE NUMBER	<u>04</u>

INTERIOR VEHICLE FORM

THE FOLLOWING DATA IS NOT INCLUDED IN THIS CASE:

- ENTIRE FORM
- PAGE NUMBER (S) _____



OCCUPANT ASSESSMENT FORM

1. Primary Sampling Unit Number 45
 2. Case Number - Stratum 100A
 3. Vehicle Number 04
 4. Occupant Number 01

OCCUPANT'S CHARACTERISTICS

5. Occupant's Age 32
 Code actual age at time of accident.
 (00) Less than one year old (specify by month): _____
 (97) 97 years and older _____
 (99) Unknown _____

6. Occupant's Sex 2
 (1) Male
 (2) Female-not reported pregnant
 (3) Female-pregnant-1st trimester(1st-3rd month)
 (4) Female-pregnant-2nd trimester(4th-6th month)
 (5) Female-pregnant-3rd trimester(7th-9th month)
 (6) Female-pregnant-term unknown
 (9) Unknown

7. Occupant's Height 173
 Code actual height to the nearest centimeter.
 (999) Unknown
68 inches X 2.54 = _____ centimeters

8. Occupant's Weight 064
 Code actual weight to the nearest kilogram.
 (999)Unknown
140 pounds X .4536 = _____ kilograms

9. Occupant's Role 1
 (1) Driver
 (2) Passenger
 (9) Unknown

OCCUPANT'S SEATING

10. Occupant's Seat Position 11
Front Seat
 (11) Left side
 (12) Middle
 (13) Right side
 (14) Other (specify): _____
 (15) On or in the lap of another occupant

Second Seat
 (21) Left side
 (22) Middle
 (23) Right side
 (24) Other (specify): _____
 (25) On or in the lap of another occupant

Third Seat
 (31) Left side
 (32) Middle
 (33) Right side
 (34) Other (specify): _____
 (35) On or in the lap of another occupant

Fourth Seat
 (41) Left side
 (42) Middle
 (43) Right side
 (44) Other (specify): _____
 (45) On or in the lap of another occupant

(97) In or on unenclosed area
 (98) Other seat (specify): _____
 (99) Unknown

11. Occupant's Posture 0
 (0) Normal posture

Abnormal posture
 (1) Kneeling or standing on seat
 (2) Lying on or across seat
 (3) Kneeling, standing or sitting in front of seat
 (4) Sitting sideways or turned to talk with another occupant or to look out a rear window
 (5) Sitting on a console
 (6) Lying back in a reclined seat position
 (7) Bracing with feet or hands on a surface in front of seat
 (8) Other abnormal posture (specify): _____
 (9) Unknown _____

EJECTION/ENTRAPMENT

12. Ejection 0

- (0) No ejection
- (1) Complete ejection
- (2) Partial ejection
- (3) Ejection, unknown degree
- (9) Unknown

13. Ejection Area 0

- (0) No ejection
- (1) Windshield
- (2) Left front
- (3) Right front
- (4) Left rear
- (5) Right rear
- (6) Rear
- (7) Roof
- (8) Other area (e.g., back of pickup, etc.)
(specify): _____
- (9) Unknown

14. Ejection Medium 0

- (0) No ejection
- (1) Door/hatch/tailgate
- (2) Nonfixed roof structure
- (3) Fixed glazing
- (4) Nonfixed glazing (specify):

- (5) Integral structure
- (8) Other medium (specify):

- (9) Unknown

15. Medium Status (Immediately Prior To Impact) 0

- (0) No ejection
- (1) Open
- (2) Closed
- (3) Integral structure
- (9) Unknown

16. Entrapment 0

- (0) Not entrapped/exit not inhibited
- (1) Entrapped/pinned - mechanically restrained
- (2) Could not exit vehicle due to jammed doors, fire, etc.
(specify): _____
- (9) Unknown

17. Occupant Mobility 24

- (0) Occupant fatal before removed from vehicle
- (1) Removed from vehicle while unconscious or disoriented
- (2) Removed from vehicle due to injuries
- (3) Exited vehicle with some assistance
- (4) Exited vehicle under own power
- (5) Occupant fully ejected
- (9) Unknown

BELT SYSTEM FUNCTION

18. Manual (Active) Belt System Availability 4 ~~9~~

- (0) None available
- (1) Belt removed/destroyed
- (2) Shoulder belt
- (3) Lap belt
- (4) Lap and shoulder belt
- (5) Belt available—type unknown

Integral Belt Partially Destroyed

- (6) Shoulder belt (lap belt destroyed/removed)
- (7) Lap belt (shoulder belt destroyed/removed)
- (8) Other belt (specify):

(9) Unknown

19. Manual (Active) Belt System Use ~~9~~
04

- (00) None used, not available, or belt removed/destroyed
- (01) Inoperative (specify):

- (02) Shoulder belt
- (03) Lap belt
- (04) Lap and shoulder belt
- (05) Belt used—type unknown
- (08) Other belt used (specify):

- (12) Shoulder belt used with child safety seat
- (13) Lap belt used with child safety seat
- (14) Lap and shoulder belt used with child safety seat
- (15) Belt used with child safety seat—type unknown
- (18) Other belt used with child safety seat (specify):
- (99) Unknown if belt used

20. Proper Use of Manual (Active) Belts 1 ~~2~~

- (0) None used or not available
- (1) Belt used properly
- (2) Belt used properly with child safety seat

Belt Used Improperly

- (3) Shoulder belt worn under arm
- (4) Shoulder belt worn behind back or seat
- (5) Belt worn around more than one person
- (6) Lap belt worn on abdomen
- (7) Lap belt or lap and shoulder belt used improperly with child safety seat (specify):

(8) Other improper use of manual belt system (specify):

(9) Unknown

21. Manual (Active) Belt Failure Modes During Accident 9

- (0) No manual belt used or not available
- (1) No manual belt failure(s)
- (2) Torn webbing (stretched webbing not included)
- (3) Broken buckle or latchplate
- (4) Upper anchorage separated
- (5) Other anchorage separated (specify):

(6) Broken retractor

(7) Combination of above (specify):

(8) Other manual belt failure (specify):

(9) Unknown

22. Shoulder Belt Upper Anchorage Adjustment 9

- (0) No shoulder belt
- (1) No upper anchorage adjustment for shoulder belt

Adjustable shoulder Belt Upper Anchorage

- (2) In full up position
- (3) In mid position
- (4) In full down position
- (5) Position unknown
- (9) Unknown if position has adjustable upper anchorage adjustment

23. Automatic (Passive) Belt System Availability/Function 0

- (0) Not equipped/not available
- (1) 2 point automatic belts
- (2) 3 point automatic belts
- (3) Automatic belts - type unknown

Non-functional

- (4) Automatic belts destroyed or rendered inoperative
- (9) Unknown

24. Automatic (Passive) Belt System Use 0

- (0) Not equipped/not available/destroyed or rendered inoperative
- (1) Automatic belt in use
- (2) Automatic belt not in use (manually disconnected, motorized track inoperative) (specify):
- (3) Automatic belt use unknown
- (9) Unknown

25. Automatic (Passive) Belt System Type 0

- (0) Not equipped/not available
- (1) Non-motorized system
- (2) Motorized system
- (9) Unknown

26. Proper Use of Automatic (Passive) Belt System 0

- (0) Not equipped/not available/not used
- (1) Automatic belt used properly
- (2) Automatic belt used properly with child safety seat

Automatic Belt Used Improperly

- (3) Automatic shoulder belt worn under arm
- (4) Automatic shoulder belt worn behind back
- (5) Automatic belt worn around more than one person
- (6) Lap portion of automatic belt worn on abdomen
- (7) Automatic lap and shoulder belt or automatic shoulder belt used improperly with child safety seat (specify):

(8) Other improper use of automatic belt system (specify):

(9) Unknown

27. Automatic (Passive) Belt Failure Modes During Accident 0

- (0) Not equipped/not available/not in use
- (1) No automatic belt failure(s)
- (2) Torn webbing (stretched webbing not included)
- (3) Broken buckle or latchplate
- (4) Upper anchorage separated
- (5) Other anchorage separated (specify):

(6) Broken retractor

(7) Combination of above (specify):

(8) Other automatic belt failure (specify):

(9) Unknown

POLICE REPORTED RESTRAINT USE	AIR BAG SYSTEM FUNCTION
<p>28. Police Reported Belt Use <u>5</u></p> <p>(0) None used (1) Police did not indicate belt use (2) Shoulder belt (3) Lap belt (4) Lap and shoulder belt (5) Belt used, type not specified (6) Child safety seat. (7) Automatic belt (8) Other type belt, (specify): _____ (9) Police indicated "unknown"</p>	<p>30. Frontal Air Bag System Availability/Function (This Occupant Position) <u>0</u></p> <p>(0) Not equipped/not available (1) Air bag</p> <p><i>Non-functional</i> (2) Air bag disconnected (specify): _____ (3) Air bag not reinstalled (9) Unknown</p>
<p>29. Police Reported Air Bag Availability/Function <u>0</u></p> <p>(0) No air bag available (1) Police did not indicate air bag availability/function (2) Deployed (3) Not deployed (4) Unknown if deployed (9) Police indicated "unknown"</p>	<p>31. Frontal Air Bag System Deployment (This Occupant Position) <u>0</u></p> <p>(0) Not equipped/not available (1) Deployed during accident (as a result of impact) (2) Deployed inadvertently just prior to accident (3) Deployed, details unknown (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical) (5) Unknown if deployed (7) Nondeployed (9) Unknown</p>
<p>Check the Primary Source Used In Determining Belt Use.</p> <p><input type="checkbox"/> Not equipped/not available/destroyed or rendered inoperative <input type="checkbox"/> Vehicle inspection <input type="checkbox"/> Official injury data <input type="checkbox"/> Driver/occupant interview <input type="checkbox"/> Other (specify): _____ <input checked="" type="checkbox"/> Unknown if belt used _____ _____ _____</p>	<p>32. Other Than First Seat Frontal Air Bag Availability/Function (This Occupant Position) <u>0</u></p> <p>(0) Not equipped/not available (1) Air bag</p> <p><i>Non-functional</i> (2) Air bag disconnected (specify): _____ (3) Air bag not reinstalled (9) Unknown <i>Specify type of "other" air bag present:</i> _____</p>
	<p>33. Air Bag(s) Deployment, Other Than First Seat Frontal (This Occupant Position) <u>0</u></p> <p>(0) Not equipped with an "other" air bag (1) Deployed during accident (as a result of impact) (2) Deployed inadvertently just prior to accident (3) Deployed, details unknown (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical) (5) Unknown if deployed (7) Nondeployed (9) Unknown</p>
	<p>34. Are There Indications of Air Bag System Failure? (This Occupant Position) <u>0</u></p> <p>(0) Not equipped/not available (1) No (2) Yes (specify): _____ (9) Unknown</p>

FIRST SEAT FRONTAL AIR BAG SYSTEM EVALUATION

35. Had Vehicle Been in Previous Accident(s)? 0

- (0) Not equipped/not available.
 (1) No previous accidents

Yes

- (2) Previous accident(s) without deployment(s)
 (3) One previous accident with deployment
 (4) More than one previous accident with at least one deployment
 (8) Previous accidents, unknown deployment status
 (9) Unknown

36. Type of Air Bag 0

- (0) Not equipped/not available
 (1) Original manufacturer installed system
 (2) Retrofitted air bag
 (3) Replacement air bag
 (8) Unknown type of air bag
 (9) Unknown

37. Had Any Prior Maintenance/Service Been Performed On This Air Bag System? 0

- (0) Not equipped/not available
 (1) No prior maintenance
 (2) Yes, prior maintenance (specify):

 (9) Unknown

38. Air Bag Deployment Accident Event Sequence Number 0 0

- (00) Not equipped/not available
 _____ Code the accident event sequence number that initiated the air bag deployment
 (96) Deployed, unknown event
 (97) Not deployed
 (98) Unknown if deployed
 (99) Unknown

39. CDC For Air Bag Deployment Impact 0

- (0) Not equipped/not available
 (1) Highest delta V
 (2) Second highest delta V
 (3) Other non-coded delta V (specify):

 (6) Deployed, unknown event
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown

40. Longitudinal Component of Delta V For Air Bag Deployment Impact + 0 0 0
- 0 0 0

- (_000) Not equipped/not available
Code the value of the delta V for the impact that initiated the air bag deployment
 (_996) Deployment, unknown longitudinal Delta V
 (_997) Not deployed
 (_998) Unknown if deployed
 (_999) Unknown

41. Did Air Bag Module Cover Flap(s) Open At Designated Tear Points? 0

- (0) Not equipped/not available
 (1) No
 (2) Yes
 (3) Deployed, unknown if flap(s) opened at designated tear points
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown

42. Were Air Bag Module Cover Flap(s) Damaged? 0

- (0) Not equipped/not available
 (1) No
 (2) Yes (specify): _____
 (3) Deployed, unknown if air bag module cover flap(s) damaged
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown

43. Was There Damage To The Air Bag? 0 0

- (00) Not equipped/not available
 (01) Not damaged

Yes - Air Bag Damage

- (02) Ruptured
 (03) Cut
 (04) Torn
 (05) Holed
 (06) Burned
 (07) Abraded
 (88) Other damage (specify):

- (95) Damaged, details unknown
 (96) Deployed, unknown if damaged
 (97) Not deployed
 (98) Unknown if deployed
 (99) Unknown

FIRST SEAT FRONTAL AIR BAG SYSTEM EVALUATION *continued*

HEAD RESTRAINT AND SEAT EVALUATION

44. Source of Air Bag Damage 0 0
 (00) Not equipped/not available
 (01) Not damaged
 (02) Object worn by occupant, (specify):

 (03) Object carried by occupant, (specify):

 (04) Adaptive/assistive controls, (specify):

 (05) Fire in vehicle
 (06) Thermal burns
 (07) Rescue or emergency efforts
 (88) Other damage source (specify):

 (95) Damaged, unknown source
 (96) Deployed, unknown if damaged
 (97) Not deployed
 (98) Unknown if deployed
 (99) Unknown
45. Was The Air Bag Tethered? 0
 (0) Not equipped/not available
 (1) No
 (2) Yes (specify number of tether straps):

 (3) Deployed, unknown if tethered
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown
46. Did The Air Bag Have Vent Ports? 0
 (0) Not equipped/not available
 (1) No
 (2) Yes (specify number of vent ports):

 (3) Deployed, unknown if vent ports present
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown
47. Was the Air Bag in this Occupant's Position Contacted by Another Occupant? 0
 (0) Not equipped/not available
 (1) No
 (2) Yes (specify):

 (3) Deployed, unknown if other occupant contact to air bag
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown
48. Was This Occupant Wearing Eye-wear? 0
 (0) Not equipped/not available
 (1) No
 (2) Eyeglasses/sunglasses
 (3) Contact lenses
 (4) Deployed, unknown if eyewear worn
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown

49. Head Restraint Type/Damage by Occupant at This Occupant Position 9
 (0) No head restraints
 (1) Integral—no damage
 (2) Integral—damaged during accident
 (3) Adjustable—no damage
 (4) Adjustable—damaged during accident
 (5) Add-on—no damage
 (6) Add-on—damaged during accident
 (8) Other (specify):

 (9) Unknown
50. Seat Type (this Occupant Position) 9 9
 (00) Occupant not seated or no seat
 (01) Bucket
 (02) Bucket with folding back
 (03) Bench
 (04) Bench with separate back cushions
 (05) Bench with folding back(s)
 (06) Split bench with separate back cushions
 (07) Split bench with folding back(s)
 (08) Pedestal (i.e., column supported)
 (09) Box mounted seat (i.e., van type)
 (10) Other seat type (specify):

 (99) Unknown
51. Seat Orientation (this Occupant Position) 9
 (0) Occupant not seated or no seat
 (1) Forward facing seat
 (2) Rear facing seat
 (3) Side facing seat (inward)
 (4) Side facing seat (outward)
 (8) Other (specify):

 (9) Unknown
52. Seat Track Adjusted Position Prior To Impact 9
 (0) Occupant not seated or no seat
 (1) Non-adjustable seat track
- Adjustable Seat Track*
 (2) Seat at forward most track position
 (3) Seat between forward most and middle track positions
 (4) Seat at middle track position
 (5) Seat between middle and rear most track positions
 (6) Seat at rear most track position
 (9) Unknown

HEAD RESTRAINT AND SEAT EVALUATION *continued*

53. Seat Back Incline Prior and Post Impact 9 9

- (00) Occupant not seated or no seat
- (01) Not adjustable

Upright prior to impact

- (11) Moved to completely rearward position
- (12) Moved to rearward midrange position
- (13) Moved to slightly rearward position
- (14) Retained pre-impact position
- (15) Moved to slightly forward position
- (16) Moved to forward midrange position
- (17) Moved to completely forward position




Slightly reclined prior to impact

- (21) Moved to completely rearward position
- (22) Moved to rearward midrange position
- (23) Retained pre-impact position
- (24) Moved to upright position
- (25) Moved to slightly forward position
- (26) Moved to forward midrange position
- (27) Moved to completely forward position

Completely reclined prior to impact

- (31) Retained pre-impact position
- (32) Moved to rearward midrange position
- (33) Moved to slightly rearward position
- (34) Moved to upright position
- (35) Moved to slightly forward position
- (36) Moved to forward midrange position
- (37) Moved to completely forward position

(99) Unknown



54. Seat Performance (this Occupant Position) 9

- (0) Occupant not seated or no seat
- (1) No seat performance failure(s)
- (2) Seat adjusters failed
- (3) Seat back folding locks or "seat back" failed (specify): _____
- (4) Seat track/anchors failed
- (5) Deformed by impact of occupant
- (6) Deformed by passenger compartment intrusion, (specify): _____
- (7) Combination of above (specify): _____
- (8) Other (specify): _____
- (9) Unknown

CHILD SAFETY SEAT

<p>55. Child Safety Seat Make/Model <u>000</u> (000) No child safety seat Applicable codes are found in your NASS CDS Data Collection, Coding and Editing (950) Built-in child safety seat (997) Other make/model (specify): _____ (998) Unknown make/model (999) Unknown if child safety seat used</p>	<p>58. Child Safety Seat Harness Usage <u>0 0</u></p> <p>59. Child Safety Seat Shield Usage <u>0 0</u></p> <p>60. Child Safety Seat Tether Usage <u>0 0</u></p> <p>Note: Options below applicable to Variables OA58-OA60. (00) No child safety seat</p> <p><i>Not Designed With Harness/Shield/Tether</i> (01) After market harness/shield/tether added, not used (02) After market harness/shield/tether used (03) Child safety seat used, but no after market harness/shield/tether added (09) Unknown if harness/shield/tether added or used</p> <p><i>Designed With Harness/Shield/Tether</i> (11) Harness/shield/tether not used (12) Harness/shield/tether used (19) Unknown if harness/shield/tether used</p> <p><i>Unknown If Designed With Harness/Shield/Tether</i> (21) Harness/shield/tether not used (22) Harness/shield/tether used (29) Unknown if harness/shield/tether used</p> <p>(99) Unknown if child safety seat used</p>
<p>56. Type of Child Safety Seat <u>0</u> (0) No child safety seat (1) Infant seat (2) Toddler seat (3) Convertible seat (4) Booster seat - with shield (5) Booster seat - without shield (7) Other type child safety seat (specify): _____ (8) Unknown child safety seat type (9) Unknown if child safety seat used</p>	
<p>57. Child Safety Seat Orientation <u>0 0</u> (00) No child safety seat</p> <p><i>Designed for Rear Facing for This Age/Weight</i> (01) Rear facing (02) Forward facing (08) Other orientation (specify): _____ (09) Unknown orientation</p> <p><i>Designed For Forward Facing for This Age/Weight</i> (11) Rear facing (12) Forward facing (18) Other orientation (specify): _____ (19) Unknown orientation</p> <p><i>Unknown Design or Orientation For This Age/Weight, or Unknown Age/Weight</i> (21) Rear facing (22) Forward facing (28) Other orientation (specify): _____ (29) Unknown orientation</p> <p>(99) Unknown if child safety seat used</p>	

INJURY CONSEQUENCES

61. Injury Severity (Police Rating) 3

- (0) O - No injury
- (1) C - Possible injury
- (2) B - Nonincapacitating injury
- (3) A - Incapacitating injury
- (4) K - Killed
- (5) U - Injury, severity unknown
- (6) Died prior to accident
- (9) Unknown

62. Treatment - Mortality 4

- (0) No treatment
- (1) Fatal
- (2) Fatal - ruled disease (specify):

Nonfatal

- (3) Hospitalization
- (4) Transported and released
- (5) Treatment at scene - nontransported
- (6) Treatment later
- (7) Treatment - other (specify):

- (8) Transported to a medical facility-unknown if treated
- (9) Unknown

63. Type Of Medical Facility (for Initial Treatment) 1

- (0) Not treated at a medical facility
- (1) Trauma center
- (2) Hospital
- (3) Medical clinic
- (4) Physician's office
- (5) Treatment later at medical facility
- (8) Other (specify):

- (9) Unknown

64. Hospital Stay 00

- (00) Not Hospitalized
- _____ Code the number of days (up through 60) that the occupant stayed in hospital.
- (61) 61 days or more
- (99) Unknown

65. Working Days Lost 05

- _____ Code the number of days (up through 60) that the occupant lost from work due to the accident
- (00) No working days lost
- (61) 61 days or more
- (62) Fatally injured
- (97) Not working prior to accident
- (99) Unknown

STOP WORK HERE

VARIABLES 66-74

TO BE CODED BY THE ZONE CENTER

TO BE CODED BY THE ZONE CENTER**INJURY CONSEQUENCES**

66. Time to Death 00
 _____ Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, ... n days = 30 + n up through 30 days = 60)
 (00) Not fatal
 (96) Fatal - ruled disease
 (99) Unknown
67. 1st Medically Reported Cause of Death 00
68. 2nd Medically Reported Cause of Death 00
69. 3rd Medically Reported Cause of Death 00
 _____ Code the Occupant Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this occupant's death
 (00) Not fatal or no additional causes
 (96) Mode of death given but specific injuries are not linked to cause of death. (specify):

 (97) Other result (includes fatal ruled disease) (specify):

 (99) Unknown
70. Number of Recorded Injuries for This Occupant 04
 _____ Code the actual number of injuries recorded for this occupant.
 (00) No recorded injuries
 (97) Injured, details unknown
 (99) Unknown if injured

TRAUMA DATA

71. Glasgow Coma Scale (GCS) Score 15
 (at Medical Facility)
 (00) Not injured
 (01) Injured - not treated at medical facility
 (02) No GCS Score at medical facility
 (03-15) Code the actual value of the initial GCS Score recorded at medical facility.
 (97) Injured, details unknown
 (99) Unknown if injured
72. Was the Occupant Given Blood? +
 (1) No - blood not given
 (2) Yes - blood given
 (specify units): _____
 (9) Unknown if blood given
73. Arterial Blood Gases (ABG) - HCO₃ 01
 (00) Not injured
 (01) Injured, ABGs not measured or reported
 (02-50) Code the actual value of the HCO₃
 (96) ABGs reported, HCO₃ unknown
 (97) Injured, details unknown
 (99) Unknown if injured

BELT USE DETERMINATION

74. Primary Source of Belt Use Determination 2
 (0) Not equipped/not available/destroyed or rendered inoperative
 (1) Vehicle inspection
 (2) Official injury data
 (3) Driver/occupant interview
 (8) Other (specify): _____
 (9) Unknown if belt used



OCCUPANT INJURY FORM

1. Primary Sampling Unit Number <u>45</u>	3. Vehicle Number <u>04</u>
2. Case Number - Stratum <u>100A</u>	4. Occupant Number <u>01</u>

INJURY DATA

Record below the actual injuries sustained by this occupant that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than ten injuries have been documented, encode the balance on the Occupant Injury Supplement.

④

④

④

④

Source of Injury Data	A.I.S. - 90							Injury Source	Injury Source Confidence Level	Direct/Indirect Injury	Occupant Area Intrusion Number
	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source				
1st	5. <u>7</u>	6. <u>3</u>	7. <u>9</u>	8. <u>04</u>	9. <u>02</u>	10. <u>1</u>	11. <u>2</u>	12. <u>152</u>	13. <u>3</u>	14. <u>1</u>	15. <u>00</u>
2nd	16. <u>7</u>	17. <u>3</u>	18. <u>9</u>	19. <u>04</u>	20. <u>02</u>	21. <u>1</u>	22. <u>2</u>	23. <u>152</u>	24. <u>3</u>	25. <u>1</u>	26. <u>00</u>
3rd	27. <u>3</u>	28. <u>4</u>	29. <u>9</u>	30. <u>04</u>	31. <u>02</u>	32. <u>1</u>	33. <u>0</u>	34. <u>152</u>	35. <u>3</u>	36. <u>1</u>	37. <u>00</u>
4th	38. <u>7</u>	39. <u>7</u>	40. <u>9</u>	41. <u>04</u>	42. <u>02</u>	43. <u>1</u>	44. <u>2</u>	45. <u>152</u>	46. <u>3</u>	47. <u>1</u>	48. <u>00</u>
5th	49. ___	50. ___	51. ___	52. ___	53. ___	54. ___	55. ___	56. ___	57. ___	58. ___	59. ___
6th	60. ___	61. ___	62. ___	63. ___	64. ___	65. ___	66. ___	67. ___	68. ___	69. ___	70. ___
7th	71. ___	72. ___	73. ___	74. ___	75. ___	76. ___	77. ___	78. ___	79. ___	80. ___	81. ___
8th	82. ___	83. ___	84. ___	85. ___	86. ___	87. ___	88. ___	89. ___	90. ___	91. ___	92. ___
9th	93. ___	94. ___	95. ___	96. ___	97. ___	98. ___	99. ___	100. ___	101. ___	102. ___	103. ___
10th	104. ___	105. ___	106. ___	107. ___	108. ___	109. ___	110. ___	111. ___	112. ___	113. ___	114. ___

OCCUPANT INJURY CLASSIFICATION

Body Region	Specific Anatomic Structure	Level of Injury	Aspect
(1) Head (2) Face (3) Neck (4) Thorax (5) Abdomen (6) Spine (7) Upper Extremity (8) Lower Extremity (9) Unspecified	<u>Vessels, Nerves, Organs.</u> <u>Bones, Joints</u> are assigned consecutive two digit numbers beginning with 02. The exceptions to this rule apply to:	Specific injuries are assigned consecutive two-digit numbers beginning with 02. To the extent possible, within the organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity.	(1) Right (2) Left (3) Bilateral (4) Central (5) Anterior (6) Posterior (7) Superior (8) Inferior (9) Unknown (0) Whole region
Type of Anatomic Structure	<u>Whole Area</u> (02) Skin - Abrasion (04) Skin - Contusion (06) Skin - Laceration (08) Skin - Avulsion (10) Amputation (20) Burn (30) Crush (40) Degloving (50) Injury - NFS (90) Trauma, other than mechanical <u>Head - LOC</u> (02) Length of LOC (04) Level (06) of (08) Consciousness (10) Concussion <u>Spine</u> (02) Cervical (04) Thoracic (06) Lumbar	Abbreviated Injury Scale (1) Minor Injury (2) Moderate Injury (3) Serious Injury (4) Severe Injury (5) Critical Injury (6) Maximum (untreatable) (7) Injured, unknown severity	

SOURCE OF INJURY DATA

INJURY SOURCE

DIRECT/INDIRECT INJURY

CONFIDENCE LEVEL

- OFFICIAL RECORDS
- (1) Autopsy records with or without hospital/medical records
 - (2) Hospital/medical records other than emergency room (e.g., discharge summary)
 - (3) Emergency room records only (including associated X-rays or other lab reports)
 - (4) Private physician, walk-in or emergency clinic
- UNOFFICIAL RECORDS
- (5) Lay coroner report
 - (6) E.M.S. personnel
 - (7) Interviewee
 - (8) Other source (specify): _____
 - (9) Police

- (1) Certain
- (2) Probable
- (3) Possible
- (9) Unknown

- (1) Direct contact injury
- (2) Indirect contact injury
- (3) Noncontact injury
- (7) Injured, unknown source

INJURY SOURCES

FRONT

- (001) Windshield
- (002) Mirror
- (003) Sunvisor
- (004) Steering wheel rim
- (005) Steering wheel hub/spoke
- (006) Steering wheel (combination of codes 004 and 005)
- (007) Steering column, transmission selector lever, other attachment
- (008) Cellular telephone or CB radio
- (009) Add on equipment (e.g., tape deck, air conditioner)
- (010) Left instrument panel and below
- (011) Center instrument panel and below
- (012) Right instrument panel and below
- (013) Glove compartment door
- (014) Knee bolster
- (015) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, mirror, or steering assembly (driver side only)
- (016) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, or mirror (passenger side only)
- (017) Windshield reinforced by exterior object (specify): _____
- (019) Other front object (specify): _____

LEFT SIDE

- (051) Left side interior surface, excluding hardware or armrests
- (052) Left side hardware or armrest
- (053) Left A (A1/A2)-pillar
- (054) Left B-pillar
- (055) Other left pillar (specify): _____
- (056) Left side window glass
- (057) Left side window frame
- (058) Left side window sill
- (059) Left side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail.
- (060) Other left side object (specify): _____

RIGHT SIDE

- (101) Right side interior surface, excluding hardware or armrests

- (102) Right side hardware or armrest
- (103) Right A (A1/A2)-pillar
- (104) Right B-pillar
- (105) Other right pillar (specify): _____
- (106) Right side window glass
- (107) Right side window frame
- (108) Right side window sill
- (109) Right side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail.
- (110) Other right side object (specify): _____

INTERIOR

- (151) Seat, back support
- (152) Belt restraint webbing/buckle
- (153) Belt restraint B-pillar or door frame attachment point
- (154) Other restraint system component (specify): _____
- (155) Head restraint system
- (160) Other occupants (specify): _____
- (161) Interior loose objects
- (162) Child safety seat (specify): _____
- (163) Other interior object (specify): _____

AIR BAG

- (170) Air bag-driver side
- (171) Air bag-driver side and eyewear
- (172) Air bag-driver side and jewelry
- (173) Air bag-driver side and object held
- (174) Air bag-driver side and object in mouth
- (175) Air bag compartment cover-driver side
- (176) Air bag compartment cover-driver side and eyewear
- (177) Air bag compartment cover-driver side and jewelry
- (178) Air bag compartment cover-driver side and object held
- (179) Air bag compartment cover-driver side and object in mouth
- (180) Air bag-passenger side
- (181) Air bag-passenger side and eyewear
- (182) Air bag-passenger side and jewelry

- (183) Air bag-passenger side and object held
- (184) Air bag-passenger side and object in mouth
- (185) Air bag compartment cover-passenger side
- (186) Air bag compartment cover-passenger side and eyewear
- (187) Air bag compartment cover-passenger side and jewelry
- (188) Air bag compartment cover-passenger side and object held
- (189) Air bag compartment cover-passenger side and object in mouth
- (190) Other air bag (specify): _____
- (195) Other air bag compartment cover (specify): _____

ROOF

- (201) Front header
- (202) Rear header
- (203) Roof left side rail
- (204) Roof right side rail
- (205) Roof or convertible top

FLOOR

- (251) Floor (including toe pan)
- (252) Floor or console mounted transmission lever, including console
- (253) Parking brake handle
- (254) Foot controls including parking brake

REAR

- (301) Backlight (rear window)
- (302) Backlight storage rack, door, etc.
- (303) Other rear object (specify): _____

ADAPTIVE (ASSISTIVE) DRIVING EQUIPMENT

- (401) Hand controls for braking/acceleration
- (402) Steering control devices (attached to OEM steering wheel)
- (403) Steering knob attached to steering wheel
- (405) Replacement steering wheel (i.e., reduced diameter)
- (406) Joy stick steering controls
- (407) Wheelchair tie-downs
- (408) Modification to seat belts, (specify): _____
- (409) Additional or relocated switches, (specify): _____

- (410) Raised roof

- (411) Wall mounted head rest (used behind wheel chair)
- (412) Other adaptive device (specify): _____

EXTERIOR of OCCUPANT'S VEHICLE

- (451) Hood
- (452) Outside hardware (e.g., outside mirror, antenna)
- (453) Other exterior surface or tires (specify): _____
- (454) Unknown exterior objects

EXTERIOR OF OTHER MOTOR VEHICLE

- (501) Front bumper
- (502) Hood edge
- (503) Other front of vehicle (specify): _____
- (504) Hood
- (505) Hood ornament
- (506) Windshield, roof rail, A-pillar
- (507) Side surface
- (508) Side mirrors
- (509) Other side protrusions (specify): _____
- (510) Rear surface
- (511) Undercarriage
- (512) Tires and wheels
- (513) Other exterior of other motor vehicle (specify): _____
- (514) Unknown exterior of other motor vehicle

OTHER VEHICLE OR OBJECT IN THE ENVIRONMENT

- (551) Ground
- (598) Other vehicle or object (specify): _____
- (599) Unknown vehicle or object



NONCONTACT INJURY

- (601) Fire in vehicle
- (602) Flying glass
- (603) Other noncontact injury source (specify): _____
- (604) Air bag exhaust gases
- (697) Injured, unknown source

OFFICIAL INJURY DATA — SOFT TISSUE INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)

ER: NO LOC.



ER:

OFFICIAL INJURY DATA — SKELETAL INJURIES

Restrained?

No

Yes

Blood Alcohol Level (mg/dl)

BAL =

NOT RECORDED

Glasgow Coma Scale Score

A 5 T 0 X 3
GCSS = 15

Units of Blood Given

Units =

Arterial Blood Gases

pH =



PO₂ =

PCO₂ =

HCO₃ =



NOT RECORDED

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



OFFICIAL INJURY DATA – INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





OCCUPANT ASSESSMENT FORM

- 1. Primary Sampling Unit Number 45
- 2. Case Number - Stratum 100A
- 3. Vehicle Number 04
- 4. Occupant Number 02

OCCUPANT'S SEATING

- 10. Occupant's Seat Position 13
Front Seat
(11) Left side
(12) Middle
(13) Right side
(14) Other (specify): _____
(15) On or in the lap of another occupant

OCCUPANT'S CHARACTERISTICS

- Second Seat*
(21) Left side
(22) Middle
(23) Right side
(24) Other (specify): _____
(25) On or in the lap of another occupant

- 5. Occupant's Age 06
Code actual age at time of accident.
(00) Less than one year old (specify by month): _____
(97) 97 years and older
(99) Unknown

- Third Seat*
(31) Left side
(32) Middle
(33) Right side
(34) Other (specify): _____
(35) On or in the lap of another occupant

- 6. Occupant's Sex 1
(1) Male
(2) Female-not reported pregnant
(3) Female-pregnant-1st trimester(1st-3rd month)
(4) Female-pregnant-2nd trimester(4th-6th month)
(5) Female-pregnant-3rd trimester(7th-9th month)
(6) Female-pregnant-term unknown
(9) Unknown

- Fourth Seat*
(41) Left side
(42) Middle
(43) Right side
(44) Other (specify): _____
(45) On or in the lap of another occupant

- 7. Occupant's Height 122
Code actual height to the nearest centimeter.
(999) Unknown

- (97) In or on unenclosed area
(98) Other seat (specify): _____
(99) Unknown

48 inches X 2.54 = _____ centimeters

- 8. Occupant's Weight 024
Code actual weight to the nearest kilogram.
(999)Unknown

- 11. Occupant's Posture 0
(0) Normal posture

52 pounds X .4536 = _____ kilograms

- Abnormal posture*
(1) Kneeling or standing on seat
(2) Lying on or across seat
(3) Kneeling, standing or sitting in front of seat
(4) Sitting sideways or turned to talk with another occupant or to look out a rear window
(5) Sitting on a console
(6) Lying back in a reclined seat position
(7) Bracing with feet or hands on a surface in front of seat
(8) Other abnormal posture (specify): _____
(9) Unknown

- 9. Occupant's Role 2
(1) Driver
(2) Passenger
(9) Unknown

EJECTION/ENTRAPMENT

12. Ejection 0
 (0) No ejection
 (1) Complete ejection
 (2) Partial ejection
 (3) Ejection, unknown degree
 (9) Unknown

13. Ejection Area 0
 (0) No ejection
 (1) Windshield
 (2) Left front
 (3) Right front
 (4) Left rear
 (5) Right rear
 (6) Rear
 (7) Roof
 (8) Other area (e.g., back of pickup, etc.)
 (specify): _____
 (9) Unknown

14. Ejection Medium 0
 (0) No ejection
 (1) Door/hatch/tailgate
 (2) Nonfixed roof structure
 (3) Fixed glazing
 (4) Nonfixed glazing (specify): _____
 (5) Integral structure
 (8) Other medium (specify): _____
 (9) Unknown

15. Medium Status (Immediately Prior To Impact) 0
 (0) No ejection
 (1) Open
 (2) Closed
 (3) Integral structure
 (9) Unknown

16. Entrapment 0
 (0) Not entrapped/exit not inhibited
 (1) Entrapped/pinned - mechanically restrained
 (2) Could not exit vehicle due to jammed doors,
 fire, etc.
 (specify): _____
 (9) Unknown

17. Occupant Mobility 3
 (0) Occupant fatal before removed from
 vehicle
 (1) Removed from vehicle while unconscious or
 disoriented
 (2) Removed from vehicle due to injuries
 (3) Exited vehicle with some assistance
 (4) Exited vehicle under own power
 (5) Occupant fully ejected
 (9) Unknown

BELT SYSTEM FUNCTION

18. Manual (Active) Belt System Availability 9
- (0) None available
 (1) Belt removed/destroyed
 (2) Shoulder belt
 (3) Lap belt
 (4) Lap and shoulder belt
 (5) Belt available—type unknown
- Integral Belt Partially Destroyed*
 (6) Shoulder belt (lap belt destroyed/removed)
 (7) Lap belt (shoulder belt destroyed/removed)
 (8) Other belt (specify): _____
- (9) Unknown
19. Manual (Active) Belt System Use 9 9
- (00) None used, not available, or belt removed/destroyed
 (01) Inoperative (specify): _____
- (02) Shoulder belt
 (03) Lap belt
 (04) Lap and shoulder belt
 (05) Belt used—type unknown
 (08) Other belt used (specify): _____
- (12) Shoulder belt used with child safety seat
 (13) Lap belt used with child safety seat
 (14) Lap and shoulder belt used with child safety seat
 (15) Belt used with child safety seat—type unknown
 (18) Other belt used with child safety seat (specify): _____
- (99) Unknown if belt used
20. Proper Use of Manual (Active) Belts 9
- (0) None used or not available
 (1) Belt used properly
 (2) Belt used properly with child safety seat
- Belt Used Improperly*
 (3) Shoulder belt worn under arm
 (4) Shoulder belt worn behind back or seat
 (5) Belt worn around more than one person
 (6) Lap belt worn on abdomen
 (7) Lap belt or lap and shoulder belt used improperly with child safety seat (specify): _____
- (8) Other improper use of manual belt system (specify): _____
- (9) Unknown
21. Manual (Active) Belt Failure Modes During Accident 9
- (0) No manual belt used or not available
 (1) No manual belt failure(s)
 (2) Torn webbing (stretched webbing not included)
 (3) Broken buckle or latchplate
 (4) Upper anchorage separated
 (5) Other anchorage separated (specify): _____
- (6) Broken retractor
 (7) Combination of above (specify): _____
- (8) Other manual belt failure (specify): _____
- (9) Unknown
22. Shoulder Belt Upper Anchorage Adjustment 9
- (0) No shoulder belt
 (1) No upper anchorage adjustment for shoulder belt
- Adjustable shoulder Belt Upper Anchorage*
 (2) In full up position
 (3) In mid position
 (4) In full down position
 (5) Position unknown
 (9) Unknown if position has adjustable upper anchorage adjustment
23. Automatic (Passive) Belt System Availability/Function 0
- (0) Not equipped/not available
 (1) 2 point automatic belts
 (2) 3 point automatic belts
 (3) Automatic belts - type unknown
- Non-functional*
 (4) Automatic belts destroyed or rendered inoperative
 (9) Unknown
24. Automatic (Passive) Belt System Use 0
- (0) Not equipped/not available/destroyed or rendered inoperative
 (1) Automatic belt in use
 (2) Automatic belt not in use (manually disconnected, motorized track inoperative) (specify): _____
- (3) Automatic belt use unknown
 (9) Unknown
25. Automatic (Passive) Belt System Type 0
- (0) Not equipped/not available
 (1) Non-motorized system
 (2) Motorized system
 (9) Unknown
26. Proper Use of Automatic (Passive) Belt System 0
- (0) Not equipped/not available/not used
 (1) Automatic belt used properly
 (2) Automatic belt used properly with child safety seat
- Automatic Belt Used Improperly*
 (3) Automatic shoulder belt worn under arm
 (4) Automatic shoulder belt worn behind back
 (5) Automatic belt worn around more than one person
 (6) Lap portion of automatic belt worn on abdomen
 (7) Automatic lap and shoulder belt or automatic shoulder belt used improperly with child safety seat (specify): _____
- (8) Other improper use of automatic belt system (specify): _____
- (9) Unknown
27. Automatic (Passive) Belt Failure Modes During Accident 0
- (0) Not equipped/not available/not in use
 (1) No automatic belt failure(s)
 (2) Torn webbing (stretched webbing not included)
 (3) Broken buckle or latchplate
 (4) Upper anchorage separated
 (5) Other anchorage separated (specify): _____
- (6) Broken retractor
 (7) Combination of above (specify): _____
- (8) Other automatic belt failure (specify): _____
- (9) Unknown

POLICE REPORTED RESTRAINT USE

AIR BAG SYSTEM FUNCTION

28. Police Reported Belt Use 5
- (0) None used
 - (1) Police did not indicate belt use
 - (2) Shoulder belt
 - (3) Lap belt
 - (4) Lap and shoulder belt
 - (5) Belt used, type not specified
 - (6) Child safety seat
 - (7) Automatic belt
 - (8) Other type belt, (specify): _____
 - (9) Police indicated "unknown" _____

29. Police Reported Air Bag Availability/Function 6
- (0) No air bag available
 - (1) Police did not indicate air bag availability/function
 - (2) Deployed
 - (3) Not deployed
 - (4) Unknown if deployed
 - (9) Police indicated "unknown"

Check the Primary Source Used In Determining Belt Use.

- Not equipped/not available/destroyed or rendered inoperative
- Vehicle inspection
- Official injury data
- Driver/occupant interview
- Other (specify): _____

Unknown if belt used _____

30. Frontal Air Bag System Availability/Function (This Occupant Position) 0
- (0) Not equipped/not available
 - (1) Air bag
- Non-functional*
- (2) Air bag disconnected (specify): _____
 - (3) Air bag not reinstalled
 - (9) Unknown

31. Frontal Air Bag System Deployment (This Occupant Position) 0
- (0) Not equipped/not available
 - (1) Deployed during accident (as a result of impact)
 - (2) Deployed inadvertently just prior to accident
 - (3) Deployed, details unknown
 - (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical)
 - (5) Unknown if deployed
 - (7) Nondeployed
 - (9) Unknown

32. Other Than First Seat Frontal Air Bag Availability/Function (This Occupant Position) 0
- (0) Not equipped/not available
 - (1) Air bag
- Non-functional*
- (2) Air bag disconnected (specify): _____
 - (3) Air bag not reinstalled
 - (9) Unknown
- Specify type of "other" air bag present:*
- _____

33. Air Bag(s) Deployment, Other Than First Seat Frontal (This Occupant Position) 0
- (0) Not equipped with an "other" air bag
 - (1) Deployed during accident (as a result of impact)
 - (2) Deployed inadvertently just prior to accident
 - (3) Deployed, details unknown
 - (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical)
 - (5) Unknown if deployed
 - (7) Nondeployed
 - (9) Unknown

34. Are There Indications of Air Bag System Failure? (This Occupant Position) _____
- (0) Not equipped/not available
 - (1) No
 - (2) Yes (specify): _____
 - (9) Unknown _____

FIRST SEAT FRONTAL AIR BAG SYSTEM EVALUATION

<p>35. Had Vehicle Been in Previous Accident(s)? <u>0</u> (0) Not equipped/not available (1) No previous accidents</p> <p>Yes</p> <p>(2) Previous accident(s) without deployment(s) (3) One previous accident with deployment (4) More than one previous accident with at least one deployment (8) Previous accidents, unknown deployment status (9) Unknown</p>	<p>40. Longitudinal Component of Delta V For Air Bag Deployment Impact <u>+</u> <u>0</u> <u>0</u> <u>0</u> (000) Not equipped/not available <i>Code the value of the delta V for the impact that initiated the air bag deployment</i> (996) Deployment, unknown longitudinal Delta V (997) Not deployed (998) Unknown if deployed (999) Unknown</p>
<p>36. Type of Air Bag <u>0</u> (0) Not equipped/not available (1) Original manufacturer installed system (2) Retrofitted air bag (3) Replacement air bag (8) Unknown type of air bag (9) Unknown</p>	<p>41. Did Air Bag Module Cover Flap(s) Open At Designated Tear Points? <u>0</u> (0) Not equipped/not available (1) No (2) Yes (3) Deployed, unknown if flap(s) opened at designated tear points (7) Not deployed (8) Unknown if deployed (9) Unknown</p>
<p>37. Had Any Prior Maintenance/Service Been Performed On This Air Bag System? <u>0</u> (0) Not equipped/not available (1) No prior maintenance (2) Yes, prior maintenance (specify): _____ (9) Unknown</p>	<p>42. Were Air Bag Module Cover Flap(s) Damaged? <u>0</u> (0) Not equipped/not available (1) No (2) Yes (specify): _____ (3) Deployed, unknown if air bag module cover flap(s) damaged (7) Not deployed (8) Unknown if deployed (9) Unknown</p>
<p>38. Air Bag Deployment Accident Event Sequence Number <u>0</u> <u>0</u> (00) Not equipped/not available _____ Code the accident event sequence number that initiated the air bag deployment (96) Deployed, unknown event (97) Not deployed (98) Unknown if deployed (99) Unknown</p>	<p>43. Was There Damage To The Air Bag? <u>0</u> <u>0</u> (00) Not equipped/not available (01) Not damaged</p> <p>Yes - Air Bag Damage</p> <p>(02) Ruptured (03) Cut (04) Torn (05) Holed (06) Burned (07) Abraded (88) Other damage (specify): _____</p> <p>(95) Damaged, details unknown (96) Deployed, unknown if damaged (97) Not deployed (98) Unknown if deployed (99) Unknown</p>
<p>39. CDC For Air Bag Deployment Impact <u>0</u> (0) Not equipped/not available (1) Highest delta V (2) Second highest delta V (3) Other non-coded delta V (specify): _____ (6) Deployed, unknown event (7) Not deployed (8) Unknown if deployed (9) Unknown</p>	

FIRST SEAT FRONTAL AIR BAG SYSTEM EVALUATION *continued*

HEAD RESTRAINT AND SEAT EVALUATION

44. Source of Air Bag Damage 0
- (00) Not equipped/not available
 - (01) Not damaged
 - (02) Object worn by occupant, (specify): _____
 - (03) Object carried by occupant, (specify): _____
 - (04) Adaptive/assistive controls, (specify): _____
 - (05) Fire in vehicle
 - (06) Thermal burns
 - (07) Rescue or emergency efforts
 - (88) Other damage source (specify): _____
 - (95) Damaged, unknown source
 - (96) Deployed, unknown if damaged
 - (97) Not deployed
 - (98) Unknown if deployed
 - (99) Unknown
45. Was The Air Bag Tethered? 0
- (0) Not equipped/not available
 - (1) No
 - (2) Yes (specify number of tether straps): _____
 - (3) Deployed, unknown if tethered
 - (7) Not deployed
 - (8) Unknown if deployed
 - (9) Unknown
46. Did The Air Bag Have Vent Ports? 0
- (0) Not equipped/not available
 - (1) No
 - (2) Yes (specify number of vent ports): _____
 - (3) Deployed, unknown if vent ports present
 - (7) Not deployed
 - (8) Unknown if deployed
 - (9) Unknown
47. Was the Air Bag in this Occupant's Position Contacted by Another Occupant? 0
- (0) Not equipped/not available
 - (1) No
 - (2) Yes (specify): _____
 - (3) Deployed, unknown if other occupant contact to air bag
 - (7) Not deployed
 - (8) Unknown if deployed
 - (9) Unknown
48. Was This Occupant Wearing Eye-wear? 0
- (0) Not equipped/not available
 - (1) No
 - (2) Eyeglasses/sunglasses
 - (3) Contact lenses
 - (4) Deployed, unknown if eyewear worn
 - (7) Not deployed
 - (8) Unknown if deployed
 - (9) Unknown

49. Head Restraint Type/Damage by Occupant at This Occupant Position 9
- (0) No head restraints
 - (1) Integral—no damage
 - (2) Integral—damaged during accident
 - (3) Adjustable—no damage
 - (4) Adjustable—damaged during accident
 - (5) Add-on—no damage
 - (6) Add-on—damaged during accident
 - (8) Other (specify): _____
 - (9) Unknown
50. Seat Type (this Occupant Position) 9 9
- (00) Occupant not seated or no seat
 - (01) Bucket
 - (02) Bucket with folding back
 - (03) Bench
 - (04) Bench with separate back cushions
 - (05) Bench with folding back(s)
 - (06) Split bench with separate back cushions
 - (07) Split bench with folding back(s)
 - (08) Pedestal (i.e., column supported)
 - (09) Box mounted seat (i.e., van type)
 - (10) Other seat type (specify): _____
 - (99) Unknown
51. Seat Orientation (this Occupant Position) 9
- (0) Occupant not seated or no seat
 - (1) Forward facing seat
 - (2) Rear facing seat
 - (3) Side facing seat (inward)
 - (4) Side facing seat (outward)
 - (8) Other (specify): _____
 - (9) Unknown
52. Seat Track Adjusted Position Prior To Impact 9
- (0) Occupant not seated or no seat
 - (1) Non-adjustable seat track
- Adjustable Seat Track*
- (2) Seat at forward most track position
 - (3) Seat between forward most and middle track positions
 - (4) Seat at middle track position
 - (5) Seat between middle and rear most track positions
 - (6) Seat at rear most track position
 - (9) Unknown

HEAD RESTRAINT AND SEAT EVALUATION *continued*

53. Seat Back Incline Prior and Post Impact 99

- (00) Occupant not seated or no seat
- (01) Not adjustable

Upright prior to impact

- (11) Moved to completely rearward position
- (12) Moved to rearward midrange position
- (13) Moved to slightly rearward position
- (14) Retained pre-impact position
- (15) Moved to slightly forward position
- (16) Moved to forward midrange position
- (17) Moved to completely forward position




Slightly reclined prior to impact

- (21) Moved to completely rearward position
- (22) Moved to rearward midrange position
- (23) Retained pre-impact position
- (24) Moved to upright position
- (25) Moved to slightly forward position
- (26) Moved to forward midrange position
- (27) Moved to completely forward position

Completely reclined prior to impact

- (31) Retained pre-impact position
- (32) Moved to rearward midrange position
- (33) Moved to slightly rearward position
- (34) Moved to upright position
- (35) Moved to slightly forward position
- (36) Moved to forward midrange position
- (37) Moved to completely forward position

(99) Unknown



54. Seat Performance (this Occupant Position) 9

- (0) Occupant not seated or no seat
- (1) No seat performance failure(s)
- (2) Seat adjusters failed
- (3) Seat back folding locks or "seat back" failed (specify): _____
- (4) Seat track/anchors failed
- (5) Deformed by impact of occupant
- (6) Deformed by passenger compartment intrusion, (specify): _____

(7) Combination of above (specify): _____

(8) Other (specify): _____

(9) Unknown

CHILD SAFETY SEAT

55. Child Safety Seat Make/Model 0 0 0
 (000) No child safety seat
 Applicable codes are found in your NASS CDS
 Data Collection, Coding and Editing
 (950) Built-in child safety seat
 (997) Other make/model (specify):

 (998) Unknown make/model
 (999) Unknown if child safety seat used

56. Type of Child Safety Seat 0
 (0) No child safety seat
 (1) Infant seat
 (2) Toddler seat
 (3) Convertible seat
 (4) Booster seat - with shield
 (5) Booster seat - without shield
 (7) Other type child safety seat (specify):

 (8) Unknown child safety seat type
 (9) Unknown if child safety seat used

57. Child Safety Seat Orientation 0 0
 (00) No child safety seat

Designed for Rear Facing for This Age/Weight
 (01) Rear facing
 (02) Forward facing
 (08) Other orientation (specify):

 (09) Unknown orientation

Designed For Forward Facing for This Age/Weight
 (11) Rear facing
 (12) Forward facing
 (18) Other orientation (specify):

 (19) Unknown orientation

Unknown Design or Orientation For This Age/Weight, or Unknown Age/Weight
 (21) Rear facing
 (22) Forward facing
 (28) Other orientation (specify):

 (29) Unknown orientation

 (99) Unknown if child safety seat used

58. Child Safety Seat Harness Usage 0 0

59. Child Safety Seat Shield Usage 0 0

60. Child Safety Seat Tether Usage 0 0

Note: Options below applicable to
 Variables OA58-OA60.

(00) No child safety seat

Not Designed With Harness/Shield/Tether

- (01) After market harness/shield/tether
 added, not used
 (02) After market harness/shield/tether used
 (03) Child safety seat used, but no after market
 harness/shield/tether added
 (09) Unknown if harness/shield/tether
 added or used

Designed With Harness/Shield/Tether

- (11) Harness/shield/tether not used
 (12) Harness/shield/tether used
 (19) Unknown if harness/shield/tether used

Unknown If Designed With Harness/Shield/Tether

- (21) Harness/shield/tether not used
 (22) Harness/shield/tether used
 (29) Unknown if harness/shield/tether used

(99) Unknown if child safety seat used

INJURY CONSEQUENCES61. Injury Severity (Police Rating) 3

- (0) O - No injury
- (1) C - Possible injury
- (2) B - Nonincapacitating injury
- (3) A - Incapacitating injury
- (4) K - Killed
- (5) U - Injury, severity unknown
- (6) Died prior to accident
- (9) Unknown

62. Treatment - Mortality 4

- (0) No treatment
- (1) Fatal
- (2) Fatal - ruled disease (specify):

Nonfatal

- (3) Hospitalization
- (4) Transported and released
- (5) Treatment at scene - nontransported
- (6) Treatment later
- (7) Treatment - other (specify):

- (8) Transported to a medical facility-unknown if treated
- (9) Unknown

63. Type Of Medical Facility (for Initial Treatment) 2

- (0) Not treated at a medical facility
- (1) Trauma center
- (2) Hospital
- (3) Medical clinic
- (4) Physician's office
- (5) Treatment later at medical facility
- (8) Other (specify):

- (9) Unknown

64. Hospital Stay 00

- (00) Not Hospitalized
- _____ Code the number of days (up through 60) that the occupant stayed in hospital.
- (61) 61 days or more
- (99) Unknown

65. Working Days Lost 97

- _____ Code the number of days (up through 60) that the occupant lost from work due to the accident
- (00) No working days lost
- (61) 61 days or more
- (62) Fatally injured
- (97) Not working prior to accident
- (99) Unknown

STOP WORK HERE**VARIABLES 66-74****TO BE CODED BY THE ZONE CENTER**

TO BE CODED BY THE ZONE CENTER

INJURY CONSEQUENCES

TRAUMA DATA

66. Time to Death 00
 _____ Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, ... n days = 30 + n up through 30 days = 60)
 (00) Not fatal
 (96) Fatal - ruled disease
 (99) Unknown

67. 1st Medically Reported Cause of Death 00

68. 2nd Medically Reported Cause of Death 00

69. 3rd Medically Reported Cause of Death 00
 _____ Code the Occupant Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this occupant's death
 (00) Not fatal or no additional causes
 (96) Mode of death given but specific injuries are not linked to cause of death. (specify):

(97) _____ Other result (includes fatal ruled disease) (specify):

(99) _____ Unknown

70. Number of Recorded Injuries for This Occupant 02
 _____ Code the actual number of injuries recorded for this occupant.
 (00) No recorded injuries
 (97) Injured, details unknown
 (99) Unknown if injured

71. Glasgow Coma Scale (GCS) Score 02
 (at Medical Facility)
 (00) Not injured
 (01) Injured - not treated at medical facility
 (02) No GCS Score at medical facility
 (03-15) Code the actual value of the initial GCS Score recorded at medical facility.
 (97) Injured, details unknown
 (99) Unknown if injured

72. Was the Occupant Given Blood? 1
 (1) No - blood not given
 (2) Yes - blood given (specify units): _____
 (9) Unknown if blood given

73. Arterial Blood Gases (ABG) - HCO₃ 01
 (00) Not injured
 (01) Injured, ABGs not measured or reported
 (02-50) Code the actual value of the HCO₃
 (96) ABGs reported, HCO₃ unknown
 (97) Injured, details unknown
 (99) Unknown if injured

BELT USE DETERMINATION

74. Primary Source of Belt Use Determination 3
 (0) Not equipped/not available/destroyed or rendered inoperative
 (1) Vehicle inspection
 (2) Official injury data
 (3) Driver/occupant interview
 (8) Other (specify): _____
 (9) Unknown if belt used



OCCUPANT INJURY FORM

1. Primary Sampling Unit Number <u>45</u>	3. Vehicle Number <u>04</u>
2. Case Number - Stratum <u>100A</u>	4. Occupant Number <u>02</u>

INJURY DATA

Record below the actual injuries sustained by this occupant that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than ten injuries have been documented, encode the balance on the Occupant Injury Supplement.

*inside mouth bar
1" diameter hole @ knee area*

Source of Injury Data	A.I.S. - 90						Injury Source	Injury Confidence Level	Direct/ Indirect Injury	Occupant Area Intrusion Number	
	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect					
1st	5. <u>7</u>	6. <u>2</u>	7. <u>4</u>	8. <u>3</u>	9. <u>2</u>	10. <u>1</u>	11. <u>8</u>	12. <u>697</u>	13. <u>9</u>	14. <u>7</u>	15. <u>99</u>
2nd	16. <u>7</u>	17. <u>8</u>	18. <u>9</u>	19. <u>00</u>	20. <u>99</u>	21. <u>1</u>	22. <u>1</u>	23. <u>697</u>	24. <u>9</u>	25. <u>7</u>	26. <u>99</u>
3rd	27. ___	28. ___	29. ___	30. ___	31. ___	32. ___	33. ___	34. ___	35. ___	36. ___	37. ___
4th	38. ___	39. ___	40. ___	41. ___	42. ___	43. ___	44. ___	45. ___	46. ___	47. ___	48. ___
5th	49. ___	50. ___	51. ___	52. ___	53. ___	54. ___	55. ___	56. ___	57. ___	58. ___	59. ___
6th	60. ___	61. ___	62. ___	63. ___	64. ___	65. ___	66. ___	67. ___	68. ___	69. ___	70. ___
7th	71. ___	72. ___	73. ___	74. ___	75. ___	76. ___	77. ___	78. ___	79. ___	80. ___	81. ___
8th	82. ___	83. ___	84. ___	85. ___	86. ___	87. ___	88. ___	89. ___	90. ___	91. ___	92. ___
9th	93. ___	94. ___	95. ___	96. ___	97. ___	98. ___	99. ___	100. ___	101. ___	102. ___	103. ___
10th	104. ___	105. ___	106. ___	107. ___	108. ___	109. ___	110. ___	111. ___	112. ___	113. ___	114. ___

OCCUPANT INJURY CLASSIFICATION

Body Region	Specific Anatomic Structure	Level of Injury	Aspect
(1) Head		Specific injuries are assigned consecutive two-digit numbers beginning with 02. To the extent possible, within the organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity.	(1) Right
(2) Face			(2) Left
(3) Neck			(3) Bilateral
(4) Thorax			(4) Central
(5) Abdomen			(5) Anterior
(6) Spine			(6) Posterior
(7) Upper Extremity			(7) Superior
(8) Lower Extremity			(8) Inferior
(9) Unspecified			(9) Unknown
			(0) Whole region
	<u>Vessels, Nerves, Organs.</u> <u>Bones, Joints</u> are assigned consecutive two digit numbers beginning with 02.		
	The exceptions to this rule apply to:		
	<u>Whole Area</u>		
	(02) Skin - Abrasion		
	(04) Skin - Contusion		
	(06) Skin - Laceration		
	(08) Skin - Avulsion		
	(10) Amputation		
	(20) Burn		
	(30) Crush		
	(40) Degloving		
	(50) Injury - NFS		
	(90) Trauma, other than mechanical		
	<u>Head - LOC</u>		
	(02) Length of LOC		
	(04) Level		
	(06) of		
	(08) Consciousness		
	(10) Concussion		
	<u>Spine</u>		
	(02) Cervical		
	(04) Thoracic		
	(06) Lumbar		
		Abbreviated Injury Scale	
		(1) Minor Injury	
		(2) Moderate Injury	
		(3) Serious Injury	
		(4) Severe Injury	
		(5) Critical Injury	
		(6) Maximum (untreatable)	
		(7) Injured, unknown severity	

SOURCE OF INJURY DATA	INJURY SOURCE CONFIDENCE LEVEL	DIRECT/INDIRECT INJURY
<u>OFFICIAL RECORDS</u> (1) Autopsy records with or without hospital/medical records (2) Hospital/medical records other than emergency room (e.g., discharge summary) (3) Emergency room records only (including associated X-rays or other lab reports) (4) Private physician, walk-in or emergency clinic <u>UNOFFICIAL RECORDS</u> (5) Lay coroner report (6) E.M.S. personnel (7) Interviewee (8) Other source (specify): _____ (9) Police	(1) Certain (2) Probable (3) Possible (9) Unknown	(1) Direct contact injury (2) Indirect contact injury (3) Noncontact injury (7) Injured, unknown source

INJURY SOURCES

FRONT

- (001) Windshield
- (002) Mirror
- (003) Sunvisor
- (004) Steering wheel rim
- (005) Steering wheel hub/spoke
- (006) Steering wheel (combination of codes 004 and 005)
- (007) Steering column, transmission selector lever, other attachment
- (008) Cellular telephone or CB radio
- (009) Add on equipment (e.g., tape deck, air conditioner)
- (010) Left instrument panel and below
- (011) Center instrument panel and below
- (012) Right instrument panel and below
- (013) Glove compartment door
- (014) Knee bolster
- (015) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, mirror, or steering assembly (driver side only)
- (016) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, or mirror (passenger side only)
- (017) Windshield reinforced by exterior object (specify): _____
- (019) Other front object (specify): _____

LEFT SIDE

- (051) Left side interior surface, excluding hardware or armrests
- (052) Left side hardware or armrest
- (053) Left A (A1/A2)-pillar
- (054) Left B-pillar
- (055) Other left pillar (specify): _____
- (056) Left side window glass
- (057) Left side window frame
- (058) Left side window sill
- (059) Left side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail.
- (060) Other left side object (specify): _____

RIGHT SIDE

- (101) Right side interior surface, excluding hardware or armrests

- (102) Right side hardware or armrest
- (103) Right A (A1/A2)-pillar
- (104) Right B-pillar
- (105) Other right pillar (specify): _____
- (106) Right side window glass
- (107) Right side window frame
- (108) Right side window sill
- (109) Right side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail.
- (110) Other right side object (specify): _____

INTERIOR

- (151) Seat, back support
- (152) Belt restraint webbing/buckle
- (153) Belt restraint B-pillar or door frame attachment point
- (154) Other restraint system component (specify): _____
- (155) Head restraint system
- (160) Other occupants (specify): _____
- (161) Interior loose objects
- (162) Child safety seat (specify): _____
- (163) Other interior object (specify): _____

AIR BAG

- (170) Air bag-driver side
- (171) Air bag-driver side and eyewear
- (172) Air bag-driver side and jewelry
- (173) Air bag-driver side and object held
- (174) Air bag-driver side and object in mouth
- (175) Air bag compartment cover-driver side
- (176) Air bag compartment cover-driver side and eyewear
- (177) Air bag compartment cover-driver side and jewelry
- (178) Air bag compartment cover-driver side and object held
- (179) Air bag compartment cover-driver side and object in mouth
- (180) Air bag-passenger side
- (181) Air bag-passenger side and eyewear
- (182) Air bag-passenger side and jewelry

- (183) Air bag-passenger side and object held
- (184) Air bag-passenger side and object in mouth
- (185) Air bag compartment cover-passenger side
- (186) Air bag compartment cover-passenger side and eyewear
- (187) Air bag compartment cover-passenger side and jewelry
- (188) Air bag compartment cover-passenger side and object held
- (189) Air bag compartment cover-passenger side and object in mouth
- (190) Other air bag (specify): _____
- (195) Other air bag compartment cover (specify): _____

ROOF

- (201) Front header
- (202) Rear header
- (203) Roof left side rail
- (204) Roof right side rail
- (205) Roof or convertible top

FLOOR

- (251) Floor (including toe pan)
- (252) Floor or console mounted transmission lever, including console
- (253) Parking brake handle
- (254) Foot controls including parking brake

REAR

- (301) Backlight (rear window)
- (302) Backlight storage rack, door, etc.
- (303) Other rear object (specify): _____

ADAPTIVE (ASSISTIVE) DRIVING EQUIPMENT

- (401) Hand controls for braking/acceleration
- (402) Steering control devices (attached to OEM steering wheel)
- (403) Steering knob attached to steering wheel
- (405) Replacement steering wheel (i.e., reduced diameter)
- (406) Joy stick steering controls
- (407) Wheelchair tie-downs
- (408) Modification to seat belts, (specify): _____
- (409) Additional or relocated switches, (specify): _____
- (410) Raised roof

- (411) Wall mounted head rest (used behind wheel chair)
- (412) Other adaptive device (specify): _____

EXTERIOR of OCCUPANT'S VEHICLE

- (451) Hood
- (452) Outside hardware (e.g., outside mirror, antenna)
- (453) Other exterior surface or tires (specify): _____
- (454) Unknown exterior objects

EXTERIOR OF OTHER MOTOR VEHICLE

- (501) Front bumper
- (502) Hood edge
- (503) Other front of vehicle (specify): _____
- (504) Hood
- (505) Hood ornament
- (506) Windshield, roof rail, A-pillar
- (507) Side surface
- (508) Side mirrors
- (509) Other side protrusions (specify): _____
- (510) Rear surface
- (511) Undercarriage
- (512) Tires and wheels
- (513) Other exterior of other motor vehicle (specify): _____
- (514) Unknown exterior of other motor vehicle

OTHER VEHICLE OR OBJECT IN THE ENVIRONMENT



- (551) Ground
- (598) Other vehicle or object (specify): _____
- (599) Unknown vehicle or object

NONCONTACT INJURY

- (601) Fire in vehicle
- (602) Flying glass
- (603) Other noncontact injury source (specify): _____
- (604) Air bag exhaust gases
- (697) Injured, unknown source

OFFICIAL INJURY DATA — SOFT TISSUE INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



OFFICIAL INJURY DATA — SKELETAL INJURIES

Restrained?

No

Yes

Blood Alcohol
Level (mg/dl)

BAL = ____

Glasgow Coma
Scale Score

GCSS = ____

Units of Blood
Given

Units = ____

Arterial Blood
Gases



pH = ____

PO₂ = ____

PCO₂ = ____



HCO₃ = ____

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



OFFICIAL INJURY DATA – INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





UPDATE FORM

2nd

- 1. Primary Sampling Unit Number 45
- 2. Case Number — Stratum 1009
- 3. Vehicle Number 04
- 4. Occupant Number 02

Driver or Occupant Name: [REDACTED]

Address: _____

Other Information: _____

RECEIVED [REDACTED] 1995

(Sanitize this section prior to Update submission.)

STATUS OF OCCUPANT INFORMATION

	INITIAL SUBMISSION	UPDATED INFORMATION
OAL08. Date Official Medical Data Requested	<u>[REDACTED]</u> / <u>[REDACTED]</u> / <u>95</u>	
OAL09. Date Official Medical Data Obtained	___ / ___ / ___	
OAL16. Injury Treatment Status	<u>05</u>	
OAL17. Injury Information		
<u>Official</u>		
a. Autopsy (invasive examination)	<u>B</u>	
b. Post-ER medical record which includes information about death based on non-invasive examination	<u>B</u>	
c. Admission record/summary or admission/discharge face sheet	<u>B</u>	
d. Discharge summary	<u>B</u>	
e. Operative report	<u>B</u>	
f. Radiographic record(s) (X-ray, CT scan)	<u>B</u> <u>08</u>	
g. History and physical examination and/or consultation records	<u>B</u>	
h. Emergency room records (includes nurses' notes)	<u>B</u> <u>08</u>	
j. Private physician	<u>B</u>	
<u>Unofficial</u>		
k. Lay coroner	<u>B</u>	
l. EMS record	<u>B</u>	
m. Interviewee	<u>B</u> <u>11</u>	
n. Other source (specify):	<u>B</u>	<u>B</u>
o. Police report	<u>B</u> <u>11</u>	<u>B</u>

	INITIAL SUBMISSION	UPDATED INFORMATION
OAL18. Medical Facility Code	<u>03</u>	
GV14. Alcohol Test Results For Driver	<u>96</u>	
GV16. Other Drug Specimen Test Type For Driver	<u>0</u>	
OA05. Occupant's Age	<u>06</u>	
OA06. Occupant's Sex	<u>1</u>	
OA07. Occupant's Height	<u>122</u>	
OA08. Occupant's Weight	<u>024</u>	
OA61. Treatment-Mortality	<u>4</u>	
OA62. Type of Medical Facility (for Initial Treatment)	<u>2</u>	
OA63. Hospital Stay	<u>00</u>	

OCCUPANT ASSESSMENT FORM

1. Primary Sampling Unit Number 45
2. Case Number - Stratum 100A
3. Vehicle Number 04
4. Occupant Number 03

OCCUPANT'S CHARACTERISTICS

5. Occupant's Age 03
Code actual age at time of accident.
(00) Less than one year old (specify by month):

(97) 97 years and older
(99) Unknown

6. Occupant's Sex 2
(1) Male
(2) Female-not reported pregnant
(3) Female-pregnant-1st trimester(1st-3rd month)
(4) Female-pregnant-2nd trimester(4th-6th month)
(5) Female-pregnant-3rd trimester(7th-9th month)
(6) Female-pregnant-term unknown
(9) Unknown

7. Occupant's Height 104
Code actual height to the nearest centimeter.
(999) Unknown
41 inches X 2.54 = _____ centimeters

8. Occupant's Weight 017
Code actual weight to the nearest kilogram.
(999)Unknown
38 pounds X .4536 = _____ kilograms

9. Occupant's Role 2
(1) Driver
(2) Passenger
(9) Unknown

OCCUPANT'S SEATING

10. Occupant's Seat Position 23
Front Seat
(11) Left side
(12) Middle
(13) Right side
(14) Other (specify): _____
(15) On or in the lap of another occupant

Second Seat
(21) Left side
(22) Middle
(23) Right side
(24) Other (specify): _____
(25) On or in the lap of another occupant

Third Seat
(31) Left side
(32) Middle
(33) Right side
(34) Other (specify): _____
(35) On or in the lap of another occupant

Fourth Seat
(41) Left side
(42) Middle
(43) Right side
(44) Other (specify): _____
(45) On or in the lap of another occupant

(97) In or on unenclosed area
(98) Other seat (specify): _____
(99) Unknown

11. Occupant's Posture 0
(0) Normal posture

Abnormal posture
(1) Kneeling or standing on seat
(2) Lying on or across seat
(3) Kneeling, standing or sitting in front of seat
(4) Sitting sideways or turned to talk with another occupant or to look out a rear window
(5) Sitting on a console
(6) Lying back in a reclined seat position
(7) Bracing with feet or hands on a surface in front of seat
(8) Other abnormal posture (specify): _____
(9) Unknown

EJECTION/ENTRAPMENT

<p>12. Ejection <u>0</u></p> <p>(0) No ejection (1) Complete ejection (2) Partial ejection (3) Ejection, unknown degree (9) Unknown</p>	<p>15. Medium Status (Immediately Prior To Impact) <u>0</u></p> <p>(0) No ejection (1) Open (2) Closed (3) Integral structure (9) Unknown</p>
<p>13. Ejection Area <u>0</u></p> <p>(0) No ejection (1) Windshield (2) Left front (3) Right front (4) Left rear (5) Right rear (6) Rear (7) Roof (8) Other area (e.g., back of pickup, etc.) (specify): _____ (9) Unknown</p>	<p>16. Entrapment <u>0</u></p> <p>(0) Not entrapped/exit not inhibited (1) Entrapped/pinned - mechanically restrained (2) Could not exit vehicle due to jammed doors, fire, etc. (specify): _____ _____ (9) Unknown</p>
<p>14. Ejection Medium <u>0</u></p> <p>(0) No ejection (1) Door/hatch/tailgate (2) Nonfixed roof structure (3) Fixed glazing (4) Nonfixed glazing (specify): _____ (5) Integral structure (8) Other medium (specify): _____ (9) Unknown</p>	<p>17. Occupant Mobility <u>3</u></p> <p>(0) Occupant fatal before removed from vehicle (1) Removed from vehicle while unconscious or disoriented (2) Removed from vehicle due to injuries (3) Exited vehicle with some assistance (4) Exited vehicle under own power (5) Occupant fully ejected (9) Unknown</p>

BELT SYSTEM FUNCTION

18. Manual (Active) Belt System Availability 9
- (0) None available
 (1) Belt removed/destroyed
 (2) Shoulder belt
 (3) Lap belt
 (4) Lap and shoulder belt
 (5) Belt available—type unknown
- Integral Belt Partially Destroyed*
 (6) Shoulder belt (lap belt destroyed/removed)
 (7) Lap belt (shoulder belt destroyed/removed)
 (8) Other belt (specify): _____
- (9) Unknown
19. Manual (Active) Belt System Use 9 9
- (00) None used, not available, or belt removed/destroyed
 (01) Inoperative (specify): _____
- (02) Shoulder belt
 (03) Lap belt
 (04) Lap and shoulder belt
 (05) Belt used—type unknown
 (08) Other belt used (specify): _____
- (12) Shoulder belt used with child safety seat
 (13) Lap belt used with child safety seat
 (14) Lap and shoulder belt used with child safety seat
 (15) Belt used with child safety seat—type unknown
 (18) Other belt used with child safety seat (specify): _____
- (99) Unknown if belt used
20. Proper Use of Manual (Active) Belts 9
- (0) None used or not available
 (1) Belt used properly
 (2) Belt used properly with child safety seat
- Belt Used Improperly*
 (3) Shoulder belt worn under arm
 (4) Shoulder belt worn behind back or seat
 (5) Belt worn around more than one person
 (6) Lap belt worn on abdomen
 (7) Lap belt or lap and shoulder belt used improperly with child safety seat (specify): _____
- (8) Other improper use of manual belt system (specify): _____
- (9) Unknown
21. Manual (Active) Belt Failure Modes During Accident 9
- (0) No manual belt used or not available
 (1) No manual belt failure(s)
 (2) Torn webbing (stretched webbing not included)
 (3) Broken buckle or latchplate
 (4) Upper anchorage separated
 (5) Other anchorage separated (specify): _____
- (6) Broken retractor
 (7) Combination of above (specify): _____
- (8) Other manual belt failure (specify): _____
- (9) Unknown
22. Shoulder Belt Upper Anchorage Adjustment 9
- (0) No shoulder belt
 (1) No upper anchorage adjustment for shoulder belt
- Adjustable shoulder Belt Upper Anchorage*
 (2) In full up position
 (3) In mid position
 (4) In full down position
 (5) Position unknown
 (9) Unknown if position has adjustable upper anchorage adjustment
23. Automatic (Passive) Belt System Availability/Function 0
- (0) Not equipped/not available
 (1) 2 point automatic belts
 (2) 3 point automatic belts
 (3) Automatic belts - type unknown
- Non-functional*
 (4) Automatic belts destroyed or rendered inoperative
 (9) Unknown
24. Automatic (Passive) Belt System Use 0
- (0) Not equipped/not available/destroyed or rendered inoperative
 (1) Automatic belt in use
 (2) Automatic belt not in use (manually disconnected, motorized track inoperative) (specify): _____
- (3) Automatic belt use unknown
 (9) Unknown
25. Automatic (Passive) Belt System Type 0
- (0) Not equipped/not available
 (1) Non-motorized system
 (2) Motorized system
 (9) Unknown
26. Proper Use of Automatic (Passive) Belt System 0
- (0) Not equipped/not available/not used
 (1) Automatic belt used properly
 (2) Automatic belt used properly with child safety seat
- Automatic Belt Used Improperly*
 (3) Automatic shoulder belt worn under arm
 (4) Automatic shoulder belt worn behind back
 (5) Automatic belt worn around more than one person
 (6) Lap portion of automatic belt worn on abdomen
 (7) Automatic lap and shoulder belt or automatic shoulder belt used improperly with child safety seat (specify): _____
- (8) Other improper use of automatic belt system (specify): _____
- (9) Unknown
27. Automatic (Passive) Belt Failure Modes During Accident 0
- (0) Not equipped/not available/not in use
 (1) No automatic belt failure(s)
 (2) Torn webbing (stretched webbing not included)
 (3) Broken buckle or latchplate
 (4) Upper anchorage separated
 (5) Other anchorage separated (specify): _____
- (6) Broken retractor
 (7) Combination of above (specify): _____
- (8) Other automatic belt failure (specify): _____
- (9) Unknown

POLICE REPORTED RESTRAINT USE	AIR BAG SYSTEM FUNCTION
<p>28. Police Reported Belt Use <u>6</u></p> <p>(0) None used (1) Police did not indicate belt use (2) Shoulder belt (3) Lap belt (4) Lap and shoulder belt (5) Belt used, type not specified (6) Child safety seat. (7) Automatic belt (8) Other type belt, (specify): _____ (9) Police indicated "unknown"</p> <p>29. Police Reported Air Bag Availability/Function <u>0</u></p> <p>(0) No air bag available (1) Police did not indicate air bag availability/function (2) Deployed (3) Not deployed (4) Unknown if deployed (9) Police indicated "unknown"</p> <hr/> <p>Check the Primary Source Used In Determining Belt Use.</p> <p><input type="checkbox"/> Not equipped/not available/destroyed or rendered inoperative <input type="checkbox"/> Vehicle inspection <input type="checkbox"/> Official injury data <input type="checkbox"/> Driver/occupant interview <input type="checkbox"/> Other (specify): _____</p> <p><input checked="" type="checkbox"/> Unknown if belt used</p> <p>_____</p> <p>_____</p> <p>_____</p> <p>_____</p>	<p>30. Frontal Air Bag System Availability/Function (This Occupant Position) <u>0</u></p> <p>(0) Not equipped/not available (1) Air bag</p> <p><i>Non-functional</i> (2) Air bag disconnected (specify): _____ (3) Air bag not reinstalled (9) Unknown</p> <p>31. Frontal Air Bag System Deployment (This Occupant Position) <u>0</u></p> <p>(0) Not equipped/not available (1) Deployed during accident (as a result of impact) (2) Deployed inadvertently just prior to accident (3) Deployed, details unknown (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical) (5) Unknown if deployed (7) Nondeployed (9) Unknown</p> <p>32. Other Than First Seat Frontal Air Bag Availability/Function (This Occupant Position) <u>0</u></p> <p>(0) Not equipped/not available (1) Air bag</p> <p><i>Non-functional</i> (2) Air bag disconnected (specify): _____ (3) Air bag not reinstalled (9) Unknown</p> <p><i>Specify type of "other" air bag present:</i> _____</p> <p>33. Air Bag(s) Deployment, Other Than First Seat Frontal (This Occupant Position) <u>0</u></p> <p>(0) Not equipped with an "other" air bag (1) Deployed during accident (as a result of impact) (2) Deployed inadvertently just prior to accident (3) Deployed, details unknown (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical) (5) Unknown if deployed (7) Nondeployed (9) Unknown</p> <p>34. Are There Indications of Air Bag System Failure? (This Occupant Position) <u>0</u></p> <p>(0) Not equipped/not available (1) No (2) Yes (specify): _____ (9) Unknown</p>

FIRST SEAT FRONTAL AIR BAG SYSTEM EVALUATION

35. Had Vehicle Been in Previous Accident(s)? 0

- (0) Not equipped/not available.
 (1) No previous accidents

Yes

- (2) Previous accident(s) without deployment(s)
 (3) One previous accident with deployment
 (4) More than one previous accident with at least one deployment
 (8) Previous accidents, unknown deployment status
 (9) Unknown

36. Type of Air Bag 0

- (0) Not equipped/not available
 (1) Original manufacturer installed system
 (2) Retrofitted air bag
 (3) Replacement air bag
 (8) Unknown type of air bag
 (9) Unknown

37. Had Any Prior Maintenance/Service Been Performed On This Air Bag System? 0

- (0) Not equipped/not available
 (1) No prior maintenance
 (2) Yes, prior maintenance (specify):

(9) Unknown

38. Air Bag Deployment Accident Event Sequence Number 0 0

- (00) Not equipped/not available
 _____ Code the accident event sequence number that initiated the air bag deployment
 (96) Deployed, unknown event
 (97) Not deployed
 (98) Unknown if deployed
 (99) Unknown

39. CDC For Air Bag Deployment Impact 0

- (0) Not equipped/not available
 (1) Highest delta V
 (2) Second highest delta V
 (3) Other non-coded delta V (specify):

- (6) Deployed, unknown event
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown

40. Longitudinal Component of Delta V For Air Bag Deployment Impact + 0 0 0

(_000) Not equipped/not available

Code the value of the delta V for the impact that initiated the air bag deployment

(_996) Deployment, unknown longitudinal Delta V

(_997) Not deployed

(_998) Unknown if deployed

(_999) Unknown

41. Did Air Bag Module Cover Flap(s) Open At Designated Tear Points? 0

- (0) Not equipped/not available
 (1) No
 (2) Yes
 (3) Deployed, unknown if flap(s) opened at designated tear points
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown

42. Were Air Bag Module Cover Flap(s) Damaged? 0

- (0) Not equipped/not available
 (1) No
 (2) Yes (specify): _____
 (3) Deployed, unknown if air bag module cover flap(s) damaged
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown

43. Was There Damage To The Air Bag? 0 0

- (00) Not equipped/not available
 (01) Not damaged

Yes - Air Bag Damage

- (02) Ruptured
 (03) Cut
 (04) Torn
 (05) Holed
 (06) Burned
 (07) Abraded
 (88) Other damage (specify):

- (95) Damaged, details unknown
 (96) Deployed, unknown if damaged
 (97) Not deployed
 (98) Unknown if deployed
 (99) Unknown

**FIRST SEAT FRONTAL AIR BAG SYSTEM
EVALUATION** *continued*

44. Source of Air Bag Damage 0 0
 (00) Not equipped/not available
 (01) Not damaged
 (02) Object worn by occupant, (specify):

 (03) Object carried by occupant, (specify):

 (04) Adaptive/assistive controls, (specify):

 (05) Fire in vehicle
 (06) Thermal burns
 (07) Rescue or emergency efforts
 (88) Other damage source (specify):

 (95) Damaged, unknown source
 (96) Deployed, unknown if damaged
 (97) Not deployed
 (98) Unknown if deployed
 (99) Unknown
45. Was The Air Bag Tethered? 0
 (0) Not equipped/not available
 (1) No
 (2) Yes (specify number of tether straps):

 (3) Deployed, unknown if tethered
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown
46. Did The Air Bag Have Vent Ports? 0
 (0) Not equipped/not available
 (1) No
 (2) Yes (specify number of vent ports):

 (3) Deployed, unknown if vent ports present
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown
47. Was the Air Bag in this Occupant's Position Contacted by Another Occupant? 0
 (0) Not equipped/not available
 (1) No
 (2) Yes (specify):

 (3) Deployed, unknown if other occupant contact to air bag
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown
48. Was This Occupant Wearing Eye-wear? 0
 (0) Not equipped/not available
 (1) No
 (2) Eyeglasses/sunglasses
 (3) Contact lenses
 (4) Deployed, unknown if eyewear worn
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown

HEAD RESTRAINT AND SEAT EVALUATION

49. Head Restraint Type/Damage by Occupant at This Occupant Position 9
 (0) No head restraints
 (1) Integral—no damage
 (2) Integral—damaged during accident
 (3) Adjustable—no damage
 (4) Adjustable—damaged during accident
 (5) Add-on—no damage
 (6) Add-on—damaged during accident
 (8) Other (specify):

 (9) Unknown
50. Seat Type (this Occupant Position) 9 9
 (00) Occupant not seated or no seat
 (01) Bucket
 (02) Bucket with folding back
 (03) Bench
 (04) Bench with separate back cushions
 (05) Bench with folding back(s)
 (06) Split bench with separate back cushions
 (07) Split bench with folding back(s)
 (08) Pedestal (i.e., column supported)
 (09) Box mounted seat (i.e., van type)
 (10) Other seat type (specify):

 (99) Unknown
51. Seat Orientation (this Occupant Position) 2
 (0) Occupant not seated or no seat
 (1) Forward facing seat
 (2) Rear facing seat
 (3) Side facing seat (inward)
 (4) Side facing seat (outward)
 (8) Other (specify):

 (9) Unknown
52. Seat Track Adjusted Position Prior To Impact 9
 (0) Occupant not seated or no seat
 (1) Non-adjustable seat track
Adjustable Seat Track
 (2) Seat at forward most track position
 (3) Seat between forward most and middle track positions
 (4) Seat at middle track position
 (5) Seat between middle and rear most track positions
 (6) Seat at rear most track position
 (9) Unknown

HEAD RESTRAINT AND SEAT EVALUATION *continued*

53. Seat Back Incline Prior and Post Impact 99

- (00) Occupant not seated or no seat
- (01) Not adjustable

Upright prior to impact

- (11) Moved to completely rearward position
- (12) Moved to rearward midrange position
- (13) Moved to slightly rearward position
- (14) Retained pre-impact position
- (15) Moved to slightly forward position
- (16) Moved to forward midrange position
- (17) Moved to completely forward position




Slightly reclined prior to impact

- (21) Moved to completely rearward position
- (22) Moved to rearward midrange position
- (23) Retained pre-impact position
- (24) Moved to upright position
- (25) Moved to slightly forward position
- (26) Moved to forward midrange position
- (27) Moved to completely forward position

Completely reclined prior to impact

- (31) Retained pre-impact position
- (32) Moved to rearward midrange position
- (33) Moved to slightly rearward position
- (34) Moved to upright position
- (35) Moved to slightly forward position
- (36) Moved to forward midrange position
- (37) Moved to completely forward position

(99) Unknown



54. Seat Performance (this Occupant Position) 9

- (0) Occupant not seated or no seat
- (1) No seat performance failure(s)
- (2) Seat adjusters failed
- (3) Seat back folding locks or "seat back" failed (specify): _____
- (4) Seat track/anchors failed
- (5) Deformed by impact of occupant
- (6) Deformed by passenger compartment intrusion, (specify): _____
- (7) Combination of above (specify): _____
- (8) Other (specify): _____
- (9) Unknown

CHILD SAFETY SEAT

55. Child Safety Seat Make/Model 0 0 0
 (000) No child safety seat
 Applicable codes are found in your NASS CDS
 Data Collection, Coding and Editing
 (950) Built-in child safety seat
 (997) Other make/model (specify):

 (998) Unknown make/model
 (999) Unknown if child safety seat used

56. Type of Child Safety Seat 0
 (0) No child safety seat
 (1) Infant seat
 (2) Toddler seat
 (3) Convertible seat
 (4) Booster seat - with shield
 (5) Booster seat - without shield
 (7) Other type child safety seat (specify):

 (8) Unknown child safety seat type
 (9) Unknown if child safety seat used

57. Child Safety Seat Orientation 0 0
 (00) No child safety seat

Designed for Rear Facing for This Age/Weight
 (01) Rear facing
 (02) Forward facing
 (08) Other orientation (specify):

 (09) Unknown orientation

Designed For Forward Facing for This Age/Weight
 (11) Rear facing
 (12) Forward facing
 (18) Other orientation (specify):

 (19) Unknown orientation

Unknown Design or Orientation For This Age/Weight, or Unknown Age/Weight
 (21) Rear facing
 (22) Forward facing
 (28) Other orientation (specify):

 (29) Unknown orientation

(99) Unknown if child safety seat used

58. Child Safety Seat Harness Usage 0 0
 59. Child Safety Seat Shield Usage 0 0
 60. Child Safety Seat Tether Usage 0 0

Note: Options below applicable to Variables OA58-OA60.
 (00) No child safety seat

Not Designed With Harness/Shield/Tether
 (01) After market harness/shield/tether added, not used
 (02) After market harness/shield/tether used
 (03) Child safety seat used, but no after market harness/shield/tether added
 (09) Unknown if harness/shield/tether added or used

Designed With Harness/Shield/Tether
 (11) Harness/shield/tether not used
 (12) Harness/shield/tether used
 (19) Unknown if harness/shield/tether used

Unknown If Designed With Harness/Shield/Tether
 (21) Harness/shield/tether not used
 (22) Harness/shield/tether used
 (29) Unknown if harness/shield/tether used

(99) Unknown if child safety seat used

INJURY CONSEQUENCES

61. Injury Severity (Police Rating)

3

- (0) O - No injury
- (1) C - Possible injury
- (2) B - Nonincapacitating injury
- (3) A - Incapacitating injury
- (4) K - Killed
- (5) U - Injury, severity unknown
- (6) Died prior to accident
- (9) Unknown

62. Treatment - Mortality

4

- (0) No treatment
 - (1) Fatal
 - (2) Fatal - ruled disease (specify):
-

Nonfatal

- (3) Hospitalization
 - (4) Transported and released
 - (5) Treatment at scene - nontransported
 - (6) Treatment later
 - (7) Treatment - other (specify):
-
- (8) Transported to a medical facility-unknown if treated
 - (9) Unknown

63. Type Of Medical Facility (for Initial Treatment)

2

- (0) Not treated at a medical facility
 - (1) Trauma center
 - (2) Hospital
 - (3) Medical clinic
 - (4) Physician's office
 - (5) Treatment later at medical facility
 - (8) Other (specify):
-

(9) Unknown

64. Hospital Stay

00

- (00) Not Hospitalized
- Code the number of days (up through 60) that the occupant stayed in hospital.
- (61) 61 days or more
- (99) Unknown

65. Working Days Lost

99

- Code the number of days (up through 60) that the occupant lost from work due to the accident
- (00) No working days lost
- (61) 61 days or more
- (62) Fatally injured
- (97) Not working prior to accident
- (99) Unknown

STOP WORK HERE

VARIABLES 66-74

TO BE CODED BY THE ZONE CENTER

TO BE CODED BY THE ZONE CENTER**INJURY CONSEQUENCES****TRAUMA DATA**

66. Time to Death 00
 _____ Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, ... n days = 30 + n up through 30 days = 60)
 (00) Not fatal
 (96) Fatal - ruled disease
 (99) Unknown

67. 1st Medically Reported Cause of Death 00

68. 2nd Medically Reported Cause of Death 00

69. 3rd Medically Reported Cause of Death 00

_____ Code the Occupant Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this occupant's death
 (00) Not fatal or no additional causes
 (96) Mode of death given but specific injuries are not linked to cause of death. (specify):

(97) _____ Other result (includes fatal ruled disease) (specify):

(99) _____ Unknown

70. Number of Recorded Injuries for This Occupant 04

_____ Code the actual number of injuries recorded for this occupant.
 (00) No recorded injuries
 (97) Injured, details unknown
 (99) Unknown if injured

71. Glasgow Coma Scale (GCS) Score 15
 (at Medical Facility)
 (00) Not injured
 (01) Injured - not treated at medical facility
 (02) No GCS Score at medical facility
 (03-15) Code the actual value of the initial GCS Score recorded at medical facility.
 (97) Injured, details unknown
 (99) Unknown if injured

72. Was the Occupant Given Blood? 1
 (1) No - blood not given
 (2) Yes - blood given
 (specify units): _____
 (9) Unknown if blood given

73. Arterial Blood Gases (ABG) - HCO₃ 01
 (00) Not injured
 (01) Injured, ABGs not measured or reported
 (02-50) Code the actual value of the HCO₃
 (96) ABGs reported, HCO₃ unknown
 (97) Injured, details unknown
 (99) Unknown if injured

BELT USE DETERMINATION

74. Primary Source of Belt Use Determination 2
 (0) Not equipped/not available/destroyed or rendered inoperative
 (1) Vehicle inspection
 (2) Official injury data
 (3) Driver/occupant interview
 (8) Other (specify): _____
 (9) Unknown if belt used



OCCUPANT INJURY FORM

1. Primary Sampling Unit Number <u>45</u>	3. Vehicle Number <u>04</u>
2. Case Number - Stratum <u>100A</u>	4. Occupant Number <u>03</u>

INJURY DATA

Record below the actual injuries sustained by this occupant that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than ten injuries have been documented, encode the balance on the Occupant Injury Supplement.

inner lip lacer
lip contusion
chin abrasion
elbow abrasion

Source of Injury Data	A.I.S. - 90						Injury Source	Injury Confidence Level	Direct/Indirect Injury	Occupant Area Intrusion Number	
	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect					
1st	5. <u>3</u>	6. <u>2</u>	7. <u>4</u>	8. <u>32</u>	9. <u>04</u>	10. <u>1</u>	11. <u>8</u>	12. <u>697</u>	13. <u>9</u>	14. <u>7</u>	15. <u>99</u>
2nd	16. <u>3</u>	17. <u>2</u>	18. <u>4</u>	19. <u>32</u>	20. <u>02</u>	21. <u>1</u>	22. <u>8</u>	23. <u>697</u>	24. <u>9</u>	25. <u>7</u>	26. <u>99</u>
3rd	27. <u>3</u>	28. <u>2</u>	29. <u>9</u>	30. <u>02</u>	31. <u>02</u>	32. <u>1</u>	33. <u>8</u>	34. <u>697</u>	35. <u>9</u>	36. <u>7</u>	37. <u>99</u>
4th	38. <u>3</u>	39. <u>7</u>	40. <u>9</u>	41. <u>02</u>	42. <u>02</u>	43. <u>1</u>	44. <u>2</u>	45. <u>697</u>	46. <u>9</u>	47. <u>7</u>	48. <u>99</u>
5th	49. ___	50. ___	51. ___	52. ___	53. ___	54. ___	55. ___	56. ___	57. ___	58. ___	59. ___
6th	60. ___	61. ___	62. ___	63. ___	64. ___	65. ___	66. ___	67. ___	68. ___	69. ___	70. ___
7th	71. ___	72. ___	73. ___	74. ___	75. ___	76. ___	77. ___	78. ___	79. ___	80. ___	81. ___
8th	82. ___	83. ___	84. ___	85. ___	86. ___	87. ___	88. ___	89. ___	90. ___	91. ___	92. ___
9th	93. ___	94. ___	95. ___	96. ___	97. ___	98. ___	99. ___	100. ___	101. ___	102. ___	103. ___
10th	104. ___	105. ___	106. ___	107. ___	108. ___	109. ___	110. ___	111. ___	112. ___	113. ___	114. ___

OCCUPANT INJURY DATA-

Source of Injury Data	A.I.S. - 90						Injury Source	Injury Source Confidence Level	Direct/Indirect Injury	Occupant Area Intrusion Number
	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect				
11th	---	---	---	---	---	---	-----	---	---	---
12th	---	---	---	---	---	---	-----	---	---	---
13th	---	---	---	---	---	---	-----	---	---	---
14th	---	---	---	---	---	---	-----	---	---	---
15th	---	---	---	---	---	---	-----	---	---	---
16th	---	---	---	---	---	---	-----	---	---	---
17th	---	---	---	---	---	---	-----	---	---	---
18th	---	---	---	---	---	---	-----	---	---	---
19th	---	---	---	---	---	---	-----	---	---	---
20th	---	---	---	---	---	---	-----	---	---	---
21st	---	---	---	---	---	---	-----	---	---	---
22nd	---	---	---	---	---	---	-----	---	---	---
23rd	---	---	---	---	---	---	-----	---	---	---
24th	---	---	---	---	---	---	-----	---	---	---
25th	---	---	---	---	---	---	-----	---	---	---

OCCUPANT INJURY CLASSIFICATION

Body Region	Specific Anatomic Structure	Level of Injury	Aspect	
(1) Head		Specific injuries are assigned consecutive two-digit numbers beginning with 02.	(1) Right	
(2) Face			(2) Left	
(3) Neck			(3) Bilateral	
(4) Thorax			(4) Central	
(5) Abdomen			(5) Anterior	
(6) Spine			(6) Posterior	
(7) Upper Extremity			(7) Superior	
(8) Lower Extremity			(8) Inferior	
(9) Unspecified			(9) Unknown	
			(0) Whole region	
		To the extent possible, within the organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity.		
Type of Anatomic Structure	<u>Whole Area</u>			
(1) Whole Area	(02) Skin - Abrasion			
(2) Vessels	(04) Skin - Contusion			
(3) Nerves	(06) Skin - Laceration			
(4) Organs (includes Muscles/ligaments)	(08) Skin - Avulsion			
(5) Skeletal (includes joints)	(10) Amputation			
(6) Head - LOC	(20) Burn			
(9) Skin	(30) Crush			
	(40) Degloving			
	(50) Injury - NFS			
	(90) Trauma, other than mechanical			
	<u>Head - LOC</u>			
	(02) Length of LOC			
	(04) Level			
	(06) of			
	(08) Consciousness			
	(10) Concussion			
	<u>Spine</u>			
	(02) Cervical			
	(04) Thoracic			
	(06) Lumbar			
		Abbreviated Injury Scale		
		(1) Minor Injury		
		(2) Moderate Injury		
		(3) Serious Injury		
		(4) Severe Injury		
		(5) Critical Injury		
		(6) Maximum (untreatable)		
		(7) Injured, unknown severity		

SOURCE OF INJURY DATA	INJURY SOURCE CONFIDENCE LEVEL	DIRECT/INDIRECT INJURY
<u>OFFICIAL RECORDS</u> (1) Autopsy records with or without hospital/medical records (2) Hospital/medical records other than emergency room (e.g., discharge summary) (3) Emergency room records only (including associated X-rays or other lab reports) (4) Private physician, walk-in or emergency clinic <u>UNOFFICIAL RECORDS</u> (5) Lay coroner report (6) E.M.S. personnel (7) Interviewee (8) Other source (specify): _____ (9) Police _____	(1) Certain (2) Probable (3) Possible (9) Unknown	(1) Direct contact injury (2) Indirect contact injury (3) Noncontact injury (7) Injured, unknown source

INJURY SOURCES

FRONT

- (001) Windshield
- (002) Mirror
- (003) Sunvisor
- (004) Steering wheel rim
- (005) Steering wheel hub/spoke
- (006) Steering wheel (combination of codes 004 and 005)
- (007) Steering column, transmission selector lever, other attachment
- (008) Cellular telephone or CB radio
- (009) Add on equipment (e.g., tape deck, air conditioner)
- (010) Left instrument panel and below
- (011) Center instrument panel and below
- (012) Right instrument panel and below
- (013) Glove compartment door
- (014) Knee bolster
- (015) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, mirror, or steering assembly (driver side only)
- (016) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, or mirror (passenger side only)
- (017) Windshield reinforced by exterior object (specify): _____
- (019) Other front object (specify): _____

LEFT SIDE

- (051) Left side interior surface, excluding hardware or armrests
- (052) Left side hardware or armrest
- (053) Left A (A1/A2)-pillar
- (054) Left B-pillar
- (055) Other left pillar (specify): _____
- (056) Left side window glass
- (057) Left side window frame
- (058) Left side window sill
- (059) Left side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail.
- (060) Other left side object (specify): _____

RIGHT SIDE

- (101) Right side interior surface, excluding hardware or armrests

- (102) Right side hardware or armrest
- (103) Right A (A1/A2)-pillar
- (104) Right B-pillar
- (105) Other right pillar (specify): _____
- (106) Right side window glass
- (107) Right side window frame
- (108) Right side window sill
- (109) Right side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail.
- (110) Other right side object (specify): _____

INTERIOR

- (151) Seat, back support
- (152) Belt restraint webbing/buckle
- (153) Belt restraint B-pillar or door frame attachment point
- (154) Other restraint system component (specify): _____
- (155) Head restraint system
- (160) Other occupants (specify): _____
- (161) Interior loose objects
- (162) Child safety seat (specify): _____
- (163) Other interior object (specify): _____

AIR BAG

- (170) Air bag-driver side
- (171) Air bag-driver side and eyewear
- (172) Air bag-driver side and jewelry
- (173) Air bag-driver side and object held
- (174) Air bag-driver side and object in mouth
- (175) Air bag compartment cover-driver side
- (176) Air bag compartment cover-driver side and eyewear
- (177) Air bag compartment cover-driver side and jewelry
- (178) Air bag compartment cover-driver side and object held
- (179) Air bag compartment cover-driver side and object in mouth
- (180) Air bag-passenger side
- (181) Air bag-passenger side and eyewear
- (182) Air bag-passenger side and jewelry

- (183) Air bag-passenger side and object held
- (184) Air bag-passenger side and object in mouth
- (185) Air bag compartment cover-passenger side
- (186) Air bag compartment cover-passenger side and eyewear
- (187) Air bag compartment cover-passenger side and jewelry
- (188) Air bag compartment cover-passenger side and object held
- (189) Air bag compartment cover-passenger side and object in mouth
- (190) Other air bag (specify) _____
- (195) Other air bag compartment cover (specify) _____

ROOF

- (201) Front header
- (202) Rear header
- (203) Roof left side rail
- (204) Roof right side rail
- (205) Roof or convertible top

FLOOR

- (251) Floor (including toe pan)
- (252) Floor or console mounted transmission lever, including console
- (253) Parking brake handle
- (254) Foot controls including parking brake

REAR

- (301) Backlight (rear window)
- (302) Backlight storage rack, door, etc.
- (303) Other rear object (specify): _____

ADAPTIVE (ASSISTIVE) DRIVING EQUIPMENT

- (401) Hand controls for braking/acceleration
- (402) Steering control devices (attached to OEM steering wheel)
- (403) Steering knob attached to steering wheel
- (405) Replacement steering wheel (i.e., reduced diameter)
- (406) Joy stick steering controls
- (407) Wheelchair tie-downs
- (408) Modification to seat belts, (specify): _____
- (409) Additional or relocated switches, (specify): _____
- (410) Raised roof

- (411) Wall mounted head rest (used behind wheel chair)
- (412) Other adaptive device (specify): _____

EXTERIOR of OCCUPANT'S VEHICLE

- (451) Hood
- (452) Outside hardware (e.g., outside mirror, antenna)
- (453) Other exterior surface or tires (specify): _____
- (454) Unknown exterior objects

EXTERIOR OF OTHER MOTOR VEHICLE

- (501) Front bumper
- (502) Hood edge
- (503) Other front of vehicle (specify): _____
- (504) Hood
- (505) Hood ornament
- (506) Windshield, roof rail, A-pillar
- (507) Side surface
- (508) Side mirrors
- (509) Other side protrusions (specify): _____
- (510) Rear surface
- (511) Undercarriage
- (512) Tires and wheels
- (513) Other exterior of other motor vehicle (specify): _____
- (514) Unknown exterior of other motor vehicle

OTHER VEHICLE OR OBJECT IN THE ENVIRONMENT


- (551) Ground
- (598) Other vehicle or object (specify): _____
- (599) Unknown vehicle or object

NONCONTACT INJURY


- (601) Fire in vehicle
- (602) Flying glass
- (603) Other noncontact injury source (specify): _____
- (604) Air bag exhaust gases
- (697) Injured, unknown source

OFFICIAL INJURY DATA — SOFT TISSUE INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



LFT ELBOW ABRASION



ER:

OFFICIAL INJURY DATA — SKELETAL INJURIES

Restrained?

No

Yes

Blood Alcohol Level (mg/dl)

BAL =

NOT RECORDED

Glasgow Coma Scale Score

GCSS = 15

Units of Blood Given

Units =

Arterial Blood Gases

pH =



PO₂ =

PCO₂ =

HCO₃ =



NOT RECORDED

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



OFFICIAL INJURY DATA — INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



UPDATE FORM

<p>1. Primary Sampling Unit Number <u>45</u></p> <p>2. Case Number — Stratum <u>100A</u></p> <p>3. Vehicle Number <u>04</u></p> <p>4. Occupant Number <u>03</u></p> <p style="text-align: right; font-weight: bold;">RECEIVED [REDACTED] 1995</p>	<p>Driver or Occupant Name: _____</p> <p>Address: _____</p> <p>Other Information: _____</p> <p style="text-align: center; font-style: italic;">(Sanitize this section prior to Update submission.)</p>
---	--

STATUS OF OCCUPANT INFORMATION

	INITIAL SUBMISSION	UPDATED INFORMATION		INITIAL SUBMISSION	UPDATED INFORMATION
OAL08. Date Official Medical Data Requested	[REDACTED]	<u>95</u>	OAL18. Medical Facility Code	<u>03</u>	<u>03</u>
OAL09. Date Official Medical Data Obtained	[REDACTED]	<u>95</u> <u>95</u>	GV14. Alcohol Test Results For Driver	<u>96</u>	<u>96</u>
OAL16. Injury Treatment Status	<u>05</u>	<u>05</u>	GV16. Other Drug Specimen Test Type For Driver	<u>0</u>	<u>0</u>
OAL17. Injury Information			OA05. Occupant's Age	<u>03</u>	<u>03</u>
<u>Official</u>			OA06. Occupant's Sex	<u>2</u>	<u>2</u>
a. Autopsy (invasive examination)	B	_____	OA07. Occupant's Height	<u>104</u>	<u>104</u>
b. Post-ER medical record which includes information about death based on non-invasive examination	B	_____	OA08. Occupant's Weight	<u>017</u>	<u>017</u>
c. Admission record/summary or admission/discharge face sheet	B	_____	OA61. Treatment-Mortality	<u>4</u>	<u>4</u>
d. Discharge summary	B	_____	OA62. Type of Medical Facility (for Initial Treatment)	<u>2</u>	<u>2</u>
e. Operative report	B	_____	OA63. Hospital Stay	<u>00</u>	<u>00</u>
f. Radiographic record(s) (X-ray, CT scan)	B	<u>08</u>			
g. History and physical examination and/or consultation records	B	_____			
h. Emergency room records (includes nurses' notes)	B	<u>08</u> <u>11</u>			
j. Private physician	B	_____			
<u>Unofficial</u>					
k. Lay coroner	B	_____			
l. EMS record	B	_____			
m. Interviewee	B	<u>11</u>			
n. Other source (specify):	B	B			
o. Police report	B	<u>11</u> B			

VI BARRIER

IMPACT # 01
EVENT # 01



U.S. Department of Transportation
National Highway Traffic Safety
Administration

CRASHPC PROGRAM SUMMARY

(All Measurements In Metric)

NATIONAL ACCIDENT SAMPLING SYSTEM
CRASHWORTHINESS DATA SYSTEM

Identifying Title

45

Primary Sampling Unit

100A

Case No.-Stratum

01

Accident Event Sequence No.

Date (Month, day, year) of Run

CRASHPC Vehicle Identification

Vehicle 1

1988

Ford

F 250

01

Vehicle 2

Year

Make

Model

NASS Veh. No.

GENERAL INFORMATION

VEHICLE 1

VEHICLE 2

Size

6

Size

11

Weight

$\frac{1774}{\text{Curb}} + \frac{66}{\text{Occupant(s)}} + \frac{181}{\text{Cargo}} = \underline{2314}$ kg

Weight

_____ + _____ + _____ = _____ kg

CDC

06B2LW1

CDC

PDOF (-180 to +180)

⊕ 180 °

PDOF (-180 to +180)

_____ ± _____ °

Stiffness

6

Stiffness

SCENE INFORMATION

Rest and Impact Positions No, Go To Damage Information Yes

VEHICLE 1

VEHICLE 2

Rest Position

X _____ m

Y _____ m

PSI _____ °

Rest Position

X _____ m

Y _____ m

PSI _____ °

Impact Position

X _____ m

Y _____ m

PSI _____ °

Impact Position

X _____ m

Y _____ m

PSI _____ °

Slip Angle(-180 to +180)

_____ °

Slip Angle (-180 to +180)

_____ °

VEHICLE MOTION

Sustained Contact No Yes

VEHICLE 1

VEHICLE 2

Vehicle Rotation

No Yes

Rotation Stop Before Rest

No Yes

End of Rotation Position

X _____ m

Y _____ m

PSI _____ °

Vehicle Rotation

No Yes

Rotation Stop Before Rest

No Yes

End of Rotation Position

X _____ m

Y _____ m

PSI _____ °

Curved Path

No Yes

Point on Path

X _____ m Y _____ m

Curved Path

No Yes

Point on Path

X _____ m Y _____ m

Rotation Direction None CW CCW

Rotation >360° No Yes

Rotation Direction None CW CCW

Rotation >360° No Yes

FRICITION INFORMATION **TRAJECTORY INFORMATION**

Coefficient of Friction _____

Rolling Resistance Option _____

Vehicle 1 Rolling Resistance

LF _____ RF _____

LR _____ RR _____

Vehicle 2 Rolling Resistance

LF _____ RF _____

LR _____ RR _____

Trajectory Data No Yes

If No, Go To Damage Information

Vehicle 1 Steer Angles

LF _____ ° RF _____ °

LR _____ ° RR _____ °

Vehicle 2 Steer Angles

LF _____ ° RF _____ °

LR _____ ° RR _____ °

Terrain Boundary No Yes

First Point

X _____ m Y _____ m

Second Point

X _____ m Y _____ m

Secondary Coefficient of Friction _____

DAMAGE INFORMATION

	VEHICLE 1		VEHICLE 2
Damage Length	L <u>168</u> cm		L _____ cm
Crush Depths	C ₁ <u>015</u> cm		C ₁ _____ cm
	C ₂ <u>021</u> cm		C ₂ _____ cm
	C ₃ <u>029</u> cm		C ₃ _____ cm
	C ₄ <u>020</u> cm		C ₄ _____ cm
	C ₅ <u>015</u> cm		C ₅ _____ cm
	C ₆ <u>008</u> cm		C ₆ _____ cm
Damage Offset	D <u>⊕</u> <u>52</u> cm		D <u>±</u> _____ cm

IF THIS COMMON IMPACT WAS WITH A MOTOR VEHICLE NOT IN TRANSPORT, FILL IN THE INFORMATION BELOW.

Model Year: _____

Make: _____

Model: _____

VIN: _____

The Weight, CDC, Scene Data and Damage Information for this vehicle should be recorded above.

Complete and ATTACH the appropriate vehicle damage sketch and dimensions to the Form.

SUMMARY OF CRASHPC RESULTS USING DAMAGE

CRASH3 RECONSTRUCTION

SPEED CHANGE
(DAMAGE)

VEHICLE #1

TOTAL	21 KPH (13 MPH)
LONGITUDINAL	21 KPH (13 MPH)
LATITUDINAL	0 KPH (0 MPH)
PDOF ANGLE	-180 DEGREES
ENERGY DISSIPATED =	43204 JOULES (31861 FT-LB)

VEHICLE #2

TOTAL	0 KPH (0 MPH)
LONGITUDINAL	0 KPH (0 MPH)
LATITUDINAL	0 KPH (0 MPH)
PDOF ANGLE	0 DEGREES
ENERGY DISSIPATED =	0 JOULES (0 FT-LB)

DAMAGE DATA

VEHICLE #1

VEHICLE #2

SIZE CATEGORY	6	11
STIFFNESS CATEGORY	8	0
VEHICLE WEIGHT	2314 KGS (5101 LBS)	***** KGS (2204586 LBS) *
CDC	06BZLW1	BARRIER
PDOF ANGLE	180 DEGREES	0 DEGREES *
CRUSH LENGTH	168 CM. (66 IN.)	0 CM. (0 IN.) *
C1	15 CM. (6 IN.)	0 CM. (0 IN.) *
C2	21 CM. (8 IN.)	0 CM. (0 IN.) *
C3	29 CM. (11 IN.)	0 CM. (0 IN.) *
C4	20 CM. (8 IN.)	0 CM. (0 IN.) *
C5	15 CM. (6 IN.)	0 CM. (0 IN.) *
C6	8 CM. (3 IN.)	0 CM. (0 IN.) *
D	52 CM. (20 IN.)	0 CM. (0 IN.) *
D'	45 CM. (18 IN.)	0 CM. (0 IN.) *


(* INDICATES DEFAULT VALUE)

DIMENSIONS AND INERTIAL PROPERTIES

	VEHICLE #1	VEHICLE #2
CG TO FRONT AXLE	153 CM. (60 IN.)	127 CM. (50 IN.)
CG TO REAR AXLE	165 CM. (65 IN.)	127 CM. (50 IN.)
TRACK	162 CM. (64 IN.)	127 CM. (50 IN.)
CG TO FRONT OF VEH	265 CM. (104 IN.)	127 CM. (50 IN.)
CG TO REAR OF VEH	-318 CM. (-125 IN.)	-127 CM. (-50 IN.)
CG TO SIDE OF VEH	101 CM. (40 IN.)	127 CM. (50 IN.)
MOMENT OF INERTIA	25444 KGS (56094 LBS)	***** KGS (***** LBS)
VEHICLE MASS	6 KGS (13 LBS)	2600 KGS (5732 LBS)

Printing Picture:

CRASH



DAMAGE DESCRIPTION



U.S. Department of Transportation
National Highway Traffic Safety
Administration

OLDMISS PROGRAM SUMMARY

(All Measurements in Metric)

NATIONAL ACCIDENT SAMPLING SYSTEM
CRASHWORTHINESS DATA SYSTEM

veh: 01
IMPACT: 01
EVENT: 01

Identifying Title	<u>45</u>	<u>100A</u>	<u>01</u>	_____
Primary Sampling Unit	Case No.-Stratum	Accident Event Sequence No.	Date (Month, day, year) of Run	

OLDMISS Vehicle Identification	Vehicle 1	<u>1988</u>	<u>Ford</u>	<u>F250</u>	<u>01</u>
	Vehicle 2	<u>1987</u>	<u>Ford</u>	<u>RANGER</u>	<u>02</u>
		Year	Make	Model	NASS Veh. No.

GENERAL INFORMATION

VEHICLE 1	VEHICLE 2
Size <u>6</u>	Size <u>3</u>
Weight $\frac{1994}{\text{Curb}} + \frac{66}{\text{Occupant(s)}} + \frac{181}{\text{Cargo}} = \underline{2314}$ kg	Weight $\frac{1139}{\text{Curb}} + \frac{106}{\text{Occupant(s)}} + \frac{\emptyset}{\text{Cargo}} = \underline{1358}$ kg
Damaged Area of Vehicle (F = Front, L = Left, R = Right, B = Back) <u>B</u> Vehicle 1	Damaged Area of Vehicle (F = Front, L = Left, R = Right, B = Back) <u>F</u> Vehicle 2
Vehicle Heading Angles At Impact, in Degrees <u>+ 180°</u> Vehicle 1	Vehicle Heading Angles At Impact, in Degrees <u>+ 180°</u> Vehicle 2
Stiffness Category for Vehicle <u>8</u> Vehicle 1	Stiffness Category for Vehicle <u>8</u> Vehicle 2

DAMAGE INFORMATION

For Which Vehicle Is The Damage Known <u>1</u>	Crush Measurements Known Vehicle	C ₁ <u>015</u> cm
		C ₂ <u>021</u> cm
		C ₃ <u>029</u> cm
		C ₄ <u>020</u> cm
		C ₅ <u>015</u> cm
		C ₆ <u>008</u> cm
PDOF for Known Vehicle in Degrees (-180 to +180) <u>+ 180°</u>	Damage Midpoint Offset for Known Vehicle	D <u>052</u> cm
Damage Length (L) for Known Vehicle <u>168</u> cm	Estimated Damage Midpoint Offset for Unknown Vehicle	D <u>070</u> cm



U.S. Department of Transportation
National Highway Traffic Safety
Administration

CRASHPC PROGRAM SUMMARY

(All Measurements In Metric)

NATIONAL ACCIDENT SAMPLING SYSTEM
CRASHWORTHINESS DATA SYSTEM

V. BARNETT
IMPACT 02
EVENT 02

Identifying Title <u>45</u>	<u>100A</u>	<u>02</u>	_____
Primary Sampling Unit	Case No.-Stratum	Accident Event Sequence No.	Date (Month, day, year) of Run

CRASHPC Vehicle Identification	<u>1988</u>	<u>Ford</u>	<u>F250</u>	<u>01</u>
Vehicle 1	Year	Make	Model	NASS Veh. No.
Vehicle 2	_____	_____	_____	_____

GENERAL INFORMATION

VEHICLE 1		VEHICLE 2	
Size	<u>6</u>	Size	<u>11</u>
Weight	$\frac{1494}{\text{Curb}} + \frac{66}{\text{Occupant(s)}} + \frac{181}{\text{Cargo}} = 2314$ kg	Weight	_____ kg
CDC	<u>02 F D E W 4</u>	CDC	_____
PDOF (-180 to +180)	<u>060</u> °	PDOF (-180 to +180)	_____ °
Stiffness	<u>8</u>	Stiffness	_____

SCENE INFORMATION

Rest and Impact Positions No, Go To Damage Information Yes

VEHICLE 1		VEHICLE 2	
Rest Position	X _____ m Y _____ m PSI _____ °	Rest Position	X _____ m Y _____ m PSI _____ °
Impact Position	X _____ m Y _____ m PSI _____ °	Impact Position	X _____ m Y _____ m PSI _____ °
Slip Angle(-180 to +180)	_____ °	Slip Angle (-180 to +180)	_____ °

VEHICLE MOTION

Sustained Contact No Yes

VEHICLE 1		VEHICLE 2	
Vehicle Rotation	<input type="checkbox"/> No <input type="checkbox"/> Yes	Vehicle Rotation	<input type="checkbox"/> No <input type="checkbox"/> Yes
Rotation Stop Before Rest	<input type="checkbox"/> No <input type="checkbox"/> Yes	Rotation Stop Before Rest	<input type="checkbox"/> No <input type="checkbox"/> Yes
End of Rotation Position	X _____ m Y _____ m PSI _____ °	End of Rotation Position	X _____ m Y _____ m PSI _____ °
Curved Path	<input type="checkbox"/> No <input type="checkbox"/> Yes	Curved Path	<input type="checkbox"/> No <input type="checkbox"/> Yes
Point on Path	X _____ m Y _____ m	Point on Path	X _____ m Y _____ m
Rotation Direction	<input type="checkbox"/> None <input type="checkbox"/> CW <input type="checkbox"/> CCW	Rotation Direction	<input type="checkbox"/> None <input type="checkbox"/> CW <input type="checkbox"/> CCW
Rotation >360°	<input type="checkbox"/> No <input type="checkbox"/> Yes	Rotation >360°	<input type="checkbox"/> No <input type="checkbox"/> Yes

FRICITION INFORMATION

TRAJECTORY INFORMATION

Coefficient of Friction _____
 Rolling Resistance Option _____

Vehicle 1 Rolling Resistance
 LF _____ RF _____
 LR _____ RR _____

Vehicle 2 Rolling Resistance
 LF _____ RF _____
 LR _____ RR _____

Trajectory Data No Yes
If No, Go To Damage Information

Vehicle 1 Steer Angles
 LF _____ ° RF _____ °
 LR _____ ° RR _____ °

Vehicle 2 Steer Angles
 LF _____ ° RF _____ °
 LR _____ ° RR _____ °

Terrain Boundary No Yes

First Point
 X _____ m Y _____ m

Second Point
 X _____ m Y _____ m

Secondary Coefficient of Friction _____

DAMAGE INFORMATION

VEHICLE 1

Damage Length L 168 cm

Crush Depths
 C₁ 127 cm
 C₂ 114 cm
 C₃ 127 cm
 C₄ 125 cm
 C₅ 090 cm
 C₆ 065 cm

Damage Offset D ± 000 cm

VEHICLE 2

Damage Length L _____ cm

Crush Depths
 C₁ _____ cm
 C₂ _____ cm
 C₃ _____ cm
 C₄ _____ cm
 C₅ _____ cm
 C₆ _____ cm

Damage Offset D ± _____ cm

IF THIS COMMON IMPACT WAS WITH A MOTOR VEHICLE NOT IN TRANSPORT, FILL IN THE INFORMATION BELOW.

Model Year: _____
 Make: _____
 Model: _____
 VIN: _____

The Weight, CDC, Scene Data and Damage Information for this vehicle should be recorded above.

Complete and ATTACH the appropriate vehicle damage sketch and dimensions to the Form.



OLDMISS PROGRAM SUMMARY

(All Measurements in Metric)

NATIONAL ACCIDENT SAMPLING SYSTEM
CRASHWORTHINESS DATA SYSTEM

Identifying Title			
<u>45</u> Primary Sampling Unit	<u>100A</u> Case No.-Stratum	<u>03</u> Accident Event Sequence No.	_____ Date (Month, day, year) of Run

OLDMISS Vehicle Identification				
Vehicle 1	<u>1994</u> Year	<u>Ford</u> Make	<u>F150</u> Model	<u>03</u> NASS Veh. No.
Vehicle 2	<u>1991</u> Year	<u>Ford</u> Make	<u>Explorer</u> Model	<u>04</u> NASS Veh. No.

GENERAL INFORMATION

VEHICLE 1	VEHICLE 2
Size <u>6</u>	Size <u>1</u>
Weight $\frac{2032}{\text{Curb}} + \frac{78}{\text{Occupant(s)}} + \frac{\emptyset}{\text{Cargo}} = \underline{2110}$ kg	Weight $\frac{1820}{\text{Curb}} + \frac{64}{17}{\text{Occupant(s)}} + \frac{\emptyset}{\text{Cargo}} = \underline{1925}$ kg
Damaged Area of Vehicle (F = Front, L = Left, R = Right, B = Back) <u>B</u> Vehicle 1	Damaged Area of Vehicle (F = Front, L = Left, R = Right, B = Back) <u>F</u> Vehicle 2
Vehicle Heading Angles At Impact, in Degrees <u>+ 340°</u> Vehicle 1	Vehicle Heading Angles At Impact, in Degrees <u>+ 020°</u> Vehicle 2
Stiffness Category for Vehicle <u>8</u> Vehicle 1	Stiffness Category for Vehicle <u>7</u> Vehicle 2

DAMAGE INFORMATION

For Which Vehicle Is The Damage Known <u>1</u>	Crush Measurements Known Vehicle	C ₁ <u>025</u> cm C ₂ <u>027</u> cm C ₃ <u>027</u> cm C ₄ <u>024</u> cm C ₅ <u>021</u> cm C ₆ <u>012</u> cm
PDOF for Known Vehicle in Degrees (-180 to +180) <u>±160°</u>	Damage Midpoint Offset for Known Vehicle	D <u>⊕023</u> cm
Damage Length (L) for Known Vehicle <u>192</u> cm	Estimated Damage Midpoint Offset for Unknown Vehicle	D <u>⊕040</u> cm

SUMMARY OF CRASHPC RESULTS USING DAMAGE

CRASH3 RECONSTRUCTION

SPEED CHANGE
(DAMAGE)

VEHICLE #1

TOTAL 68 KPH (43 MPH)
LONGITUDINAL -34 KPH (-21 MPH)
LATITUDINAL -59 KPH (-37 MPH)
PDOF ANGLE 60 DEGREES
ENERGY DISSIPATED =1072385 JOULES (790844 FT-LB)

VEHICLE #2

TOTAL 75 KPH (47 MPH)
LONGITUDINAL -71 KPH (-44 MPH)
LATITUDINAL 26 KPH (16 MPH)
PDOF ANGLE -20 DEGREES
ENERGY DISSIPATED = 353600 JOULES (260767 FT-LB)

DAMAGE DATA

	VEHICLE #1	VEHICLE #2
SIZE CATEGORY	6	6
STIFFNESS CATEGORY	8	8
VEHICLE WEIGHT	2314 KGS (5101 LBS)	2110 KGS (4652 LBS)
CDC	02FDEW4	11FDEW5
PDOF ANGLE	60 DEGREES	-20 DEGREES
CRUSH LENGTH	168 CM. (66 IN.)	192 CM. (76 IN.)
C1	127 CM. (50 IN.)	130 CM. (51 IN.)
C2	114 CM. (45 IN.)	100 CM. (39 IN.)
C3	127 CM. (50 IN.)	92 CM. (36 IN.)
C4	125 CM. (49 IN.)	48 CM. (19 IN.)
C5	90 CM. (35 IN.)	13 CM. (5 IN.)
C6	65 CM. (26 IN.)	0 CM. (0 IN.)
D	0 CM. (0 IN.)	0 CM. (0 IN.)
D'	-6 CM. (-2 IN.)	-35 CM. (-14 IN.)

(* INDICATES DEFAULT VALUE)

DIMENSIONS AND INERTIAL PROPERTIES


VEHICLE #1

VEHICLE #2

CG TO FRONT AXLE	153 CM. (60 IN.)	153 CM. (60 IN.)
CG TO REAR AXLE	165 CM. (65 IN.)	165 CM. (65 IN.)
TRACK	162 CM. (64 IN.)	162 CM. (64 IN.)
CG TO FRONT OF VEH	265 CM. (104 IN.)	265 CM. (104 IN.)
CG TO REAR OF VEH	-318 CM. (-125 IN.)	-318 CM. (-125 IN.)
CG TO SIDE OF VEH	101 CM. (40 IN.)	101 CM. (40 IN.)
MOMENT OF INERTIA	25444 KGS (56094 LBS)	23201 KGS (51149 LBS)
VEHICLE MASS	6 KGS (13 LBS)	5 KGS (12 LBS)

Printing Picture:

CRASH



DAMAGE DESCRIPTION

SUMMARY OF CRASHPC RESULTS USING DAMAGE

CRASH3 RECONSTRUCTION

SPEED CHANGE
(DAMAGE)

VEHICLE #1

TOTAL	73 KPH (45 MPH)
LONGITUDINAL	-37 KPH (-23 MPH)
LATITUDINAL	-63 KPH (-39 MPH)
PDOF ANGLE	60 DEGREES
ENERGY DISSIPATED =	1072385 JOULES (790844 FT-LB)

VEHICLE #2

TOTAL	0 KPH (0 MPH)
LONGITUDINAL	0 KPH (0 MPH)
LATITUDINAL	0 KPH (0 MPH)
PDOF ANGLE	0 DEGREES
ENERGY DISSIPATED =	0 JOULES (0 FT-LB)

DAMAGE DATA

VEHICLE #1

VEHICLE #2

SIZE CATEGORY	6	11
STIFFNESS CATEGORY	8	0
VEHICLE WEIGHT	2314 KGS (5101 LBS)	***** KGS (2204586 LBS) *
CDC	02FDEW4	BARRIER
PDOF ANGLE	60 DEGREES	0 DEGREES *
CRUSH LENGTH	168 CM. (66 IN.)	0 CM. (0 IN.) *
C1	127 CM. (50 IN.)	0 CM. (0 IN.) *
C2	114 CM. (45 IN.)	0 CM. (0 IN.) *
C3	127 CM. (50 IN.)	0 CM. (0 IN.) *
C4	125 CM. (49 IN.)	0 CM. (0 IN.) *
C5	90 CM. (35 IN.)	0 CM. (0 IN.) *
C6	65 CM. (26 IN.)	0 CM. (0 IN.) *
D	0 CM. (0 IN.)	0 CM. (0 IN.) *
D'	-6 CM. (-2 IN.)	0 CM. (0 IN.) *

(* INDICATES DEFAULT VALUE)

DIMENSIONS AND INERTIAL PROPERTIES


VEHICLE #1

VEHICLE #2

CG TO FRONT AXLE	153 CM. (60 IN.)	127 CM. (50 IN.)
CG TO REAR AXLE	165 CM. (65 IN.)	127 CM. (50 IN.)
TRACK	162 CM. (64 IN.)	127 CM. (50 IN.)
CG TO FRONT OF VEH	265 CM. (104 IN.)	127 CM. (50 IN.)
CG TO REAR OF VEH	-318 CM. (-125 IN.)	-127 CM. (-50 IN.)
CG TO SIDE OF VEH	101 CM. (40 IN.)	127 CM. (50 IN.)
MOMENT OF INERTIA	25444 KGS (56094 LBS)	***** KGS (***** LBS)
VEHICLE MASS	6 KGS (13 LBS)	2600 KGS (5732 LBS)

Printing Picture:

CRASH



DAMAGE DESCRIPTION



U.S. Department of Transportation
National Highway Traffic Safety
Administration

CRASHPC PROGRAM SUMMARY

(All Measurements In Metric)

V3 - Barrier
Impact = 01
Event = 03

NATIONAL ACCIDENT SAMPLING SYSTEM
CRASHWORTHINESS DATA SYSTEM

Identifying Title <u>45</u> Primary Sampling Unit	<u>100A</u> Case No.-Stratum	<u>03</u> Accident Event Sequence No.	_____ Date (Month, day, year) of Run
---	---------------------------------	--	---

CRASHPC Vehicle Identification				
Vehicle 1	<u>1994</u>	<u>Ford</u>	<u>F 150</u>	<u>03</u>
Vehicle 2	_____ Year	_____ Make	_____ Model	_____ NASS Veh. No.

GENERAL INFORMATION

VEHICLE 1		VEHICLE 2	
Size	<u>6</u>	Size	<u>11</u>
Weight	<u>2032 + 78 + 0 = 2110</u> kg	Weight	_____ kg
CDC	<u>06 B D E W 1</u>	CDC	_____
PDOF (-180 to +180)	<u>0 160</u> °	PDOF (-180 to +180)	<u>+</u> _____ °
Stiffness	<u>8</u>	Stiffness	_____

SCENE INFORMATION

Rest and Impact Positions No, Go To Damage Information Yes

	VEHICLE 1	VEHICLE 2
Rest Position	X _____ m Y _____ m PSI _____ °	X _____ m Y _____ m PSI _____ °
Impact Position	X _____ m Y _____ m PSI _____ °	X _____ m Y _____ m PSI _____ °
Slip Angle (-180 to +180)	_____ °	_____ °

VEHICLE MOTION

Sustained Contact No Yes

	VEHICLE 1	VEHICLE 2
Vehicle Rotation	<input type="checkbox"/> No <input type="checkbox"/> Yes	<input type="checkbox"/> No <input type="checkbox"/> Yes
Rotation Stop Before Rest	<input type="checkbox"/> No <input type="checkbox"/> Yes	<input type="checkbox"/> No <input type="checkbox"/> Yes
End of Rotation Position	X _____ m Y _____ m PSI _____ °	X _____ m Y _____ m PSI _____ °
Curved Path	<input type="checkbox"/> No <input type="checkbox"/> Yes	<input type="checkbox"/> No <input type="checkbox"/> Yes
Point on Path	X _____ m Y _____ m	X _____ m Y _____ m
Rotation Direction	<input type="checkbox"/> None <input type="checkbox"/> CW <input type="checkbox"/> CCW	<input type="checkbox"/> None <input type="checkbox"/> CW <input type="checkbox"/> CCW
Rotation >360°	<input type="checkbox"/> No <input type="checkbox"/> Yes	<input type="checkbox"/> No <input type="checkbox"/> Yes

FRICITION INFORMATION

Coefficient of Friction _____
 Rolling Resistance Option _____

Vehicle 1 Rolling Resistance

LF _____ RF _____
 LR _____ RR _____

Vehicle 2 Rolling Resistance

LF _____ RF _____
 LR _____ RR _____

TRAJECTORY INFORMATION

Trajectory Data No Yes

If No, Go To Damage Information

Vehicle 1 Steer Angles

LF _____ ° RF _____ °
 LR _____ ° RR _____ °

Vehicle 2 Steer Angles

LF _____ ° RF _____ °
 LR _____ ° RR _____ °

Terrain Boundary No Yes

First Point

X _____ m Y _____ m

Second Point

X _____ m Y _____ m

Secondary Coefficient of Friction _____

DAMAGE INFORMATION

VEHICLE 1

Damage Length L 192 cm

Crush Depths
 C₁ 025 cm
 C₂ 027 cm
 C₃ 027 cm
 C₄ 024 cm
 C₅ 021 cm
 C₆ 012 cm

Damage Offset D 023 cm

VEHICLE 2

Damage Length L _____ cm

Crush Depths
 C₁ _____ cm
 C₂ _____ cm
 C₃ _____ cm
 C₄ _____ cm
 C₅ _____ cm
 C₆ _____ cm

Damage Offset D ± _____ cm

IF THIS COMMON IMPACT WAS WITH A MOTOR VEHICLE NOT IN TRANSPORT, FILL IN THE INFORMATION BELOW.

Model Year: _____
 Make: _____
 Model: _____
 VIN: _____

The Weight, CDC, Scene Data and Damage Information for this vehicle should be recorded above.

Complete and ATTACH the appropriate vehicle damage sketch and dimensions to the Form.

SUMMARY OF CRASHPC RESULTS USING DAMAGE

CRASH3 RECONSTRUCTION

SPEED CHANGE
(DAMAGE)

VEHICLE #1

TOTAL 23 KPH (14 MPH)
LONGITUDINAL 21 KPH (13 MPH)
LATITUDINAL 8 KPH (5 MPH)
PDOF ANGLE -160 DEGREES
ENERGY DISSIPATED = 64575 JOULES (47622 FT-LB)

VEHICLE #2

TOTAL 0 KPH (0 MPH)
LONGITUDINAL 0 KPH (0 MPH)
LATITUDINAL 0 KPH (0 MPH)
PDOF ANGLE 0 DEGREES
ENERGY DISSIPATED = 0 JOULES (0 FT-LB)

DAMAGE DATA

VEHICLE #1

VEHICLE #2

SIZE CATEGORY	6	11
STIFFNESS CATEGORY	8	0
VEHICLE WEIGHT	2110 KGS (4652 LBS)	***** KGS (2204586 LBS) *
CDC	06BDEW1	BARRIER
PDOF ANGLE	-160 DEGREES	0 DEGREES *
CRUSH LENGTH	192 CM. (76 IN.)	0 CM. (0 IN.) *
C1	25 CM. (10 IN.)	0 CM. (0 IN.) *
C2	27 CM. (11 IN.)	0 CM. (0 IN.) *
C3	27 CM. (11 IN.)	0 CM. (0 IN.) *
C4	24 CM. (9 IN.)	0 CM. (0 IN.) *
C5	21 CM. (8 IN.)	0 CM. (0 IN.) *
C6	12 CM. (5 IN.)	0 CM. (0 IN.) *
D	23 CM. (9 IN.)	0 CM. (0 IN.) *
D'	15 CM. (6 IN.)	0 CM. (0 IN.) *


(* INDICATES DEFAULT VALUE)

DIMENSIONS AND INERTIAL PROPERTIES

	VEHICLE #1	VEHICLE #2
CG TO FRONT AXLE	153 CM. (60 IN.)	127 CM. (50 IN.)
CG TO REAR AXLE	165 CM. (65 IN.)	127 CM. (50 IN.)
TRACK	162 CM. (64 IN.)	127 CM. (50 IN.)
CG TO FRONT OF VEH	265 CM. (104 IN.)	127 CM. (50 IN.)
CG TO REAR OF VEH	-318 CM. (-125 IN.)	-127 CM. (-50 IN.)
CG TO SIDE OF VEH	101 CM. (40 IN.)	127 CM. (50 IN.)
MOMENT OF INERTIA	23201 KGS (51149 LBS)	***** KGS (***** LBS)
VEHICLE MASS	5 KGS (12 LBS)	2600 KGS (5732 LBS)

Printing Picture:

CRASH



DAMAGE DESCRIPTION

FRICITION INFORMATION **TRAJECTORY INFORMATION**

Coefficient of Friction _____
 Rolling Resistance Option _____

Vehicle 1 Rolling Resistance
 LF _____ RF _____
 LR _____ RR _____

Vehicle 2 Rolling Resistance
 LF _____ RF _____
 LR _____ RR _____

Trajectory Data No Yes
If No, Go To Damage Information

Vehicle 1 Steer Angles
 LF _____ ° RF _____ °
 LR _____ ° RR _____ °

Vehicle 2 Steer Angles
 LF _____ ° RF _____ °
 LR _____ ° RR _____ °

Terrain Boundary No Yes

First Point
 X _____ m Y _____ m

Second Point
 X _____ m Y _____ m

Secondary Coefficient of Friction _____

DAMAGE INFORMATION

	VEHICLE 1		VEHICLE 2
Damage Length	L <u>192</u> cm	Damage Length	L _____ cm
Crush Depths	C ₁ <u>130</u> cm	Crush Depths	C ₁ _____ cm
	C ₂ <u>100</u> cm		C ₂ _____ cm
	C ₃ <u>092</u> cm		C ₃ _____ cm
	C ₄ <u>048</u> cm		C ₄ _____ cm
	C ₅ <u>013</u> cm		C ₅ _____ cm
	C ₆ <u>000</u> cm		C ₆ _____ cm
Damage Offset	D ± <u>000</u> cm	Damage Offset	D ± _____ cm

IF THIS COMMON IMPACT WAS WITH A MOTOR VEHICLE NOT IN TRANSPORT, FILL IN THE INFORMATION BELOW.

Model Year: _____
 Make: _____
 Model: _____
 VIN: _____

The Weight, CDC, Scene Data and Damage Information for this vehicle should be recorded above.

Complete and ATTACH the appropriate vehicle damage sketch and dimensions to the Form.

SUMMARY OF CRASHPC RESULTS USING DAMAGE

CRASH3 RECONSTRUCTION

SPEED CHANGE
(DAMAGE)

VEHICLE #1

TOTAL	64 KPH (40 MPH)
LONGITUDINAL	-60 KPH (-37 MPH)
LATITUDINAL	22 KPH (14 MPH)
PDOF ANGLE	-20 DEGREES
ENERGY DISSIPATED =	353600 JOULES (260767 FT-LB)

VEHICLE #2

TOTAL	0 KPH (0 MPH)
LONGITUDINAL	0 KPH (0 MPH)
LATITUDINAL	0 KPH (0 MPH)
PDOF ANGLE	0 DEGREES
ENERGY DISSIPATED =	0 JOULES (0 FT-LB)

DAMAGE DATA

VEHICLE #1

VEHICLE #2

SIZE CATEGORY	6	11
STIFFNESS CATEGORY	8	0
VEHICLE WEIGHT	2110 KGS (4652 LBS)	***** KGS (2204586 LBS) *
CDC	11FDEW5	BARRIER
PDOF ANGLE	-20 DEGREES	0 DEGREES *
CRUSH LENGTH	192 CM. (76 IN.)	0 CM. (0 IN.) *
C1	130 CM. (51 IN.)	0 CM. (0 IN.) *
C2	100 CM. (39 IN.)	0 CM. (0 IN.) *
C3	92 CM. (36 IN.)	0 CM. (0 IN.) *
C4	48 CM. (19 IN.)	0 CM. (0 IN.) *
C5	13 CM. (5 IN.)	0 CM. (0 IN.) *
C6	0 CM. (0 IN.)	0 CM. (0 IN.) *
D	0 CM. (0 IN.)	0 CM. (0 IN.) *
D'	-35 CM. (-14 IN.)	0 CM. (0 IN.) *

(* INDICATES DEFAULT VALUE)

DIMENSIONS AND INERTIAL PROPERTIES


VEHICLE #1

VEHICLE #2

CG TO FRONT AXLE	153 CM. (60 IN.)	127 CM. (50 IN.)
CG TO REAR AXLE	165 CM. (65 IN.)	127 CM. (50 IN.)
TRACK	162 CM. (64 IN.)	127 CM. (50 IN.)
CG TO FRONT OF VEH	265 CM. (104 IN.)	127 CM. (50 IN.)
CG TO REAR OF VEH	-318 CM. (-125 IN.)	-127 CM. (-50 IN.)
CG TO SIDE OF VEH	101 CM. (40 IN.)	127 CM. (50 IN.)
MOMENT OF INERTIA	23201 KGS (51149 LBS)	***** KGS (***** LBS)
VEHICLE MASS	5 KGS (12 LBS)	2600 KGS (5732 LBS)

Printing Picture:

CRASH



45100A02010261 8.04 0000000007490402190043199
45100A02020051 8.04 00000000015216511321300000049999990000000000000000000 00
000000000009999999900000000000034100970000000002029013
45100A02020161 8.04 0000000007290402140013199
45100A02020261 8.04 0000000007290402180013199
45100A03000021 8.04 0000000009412481311FTEX14Y2RK [REDACTED] 0199908009600 [REDACTED] 12
0411211000990162999198
45100A03000022 8.04 000000000101011202039990000000000900014000001075-071+02
60353998106403
45100A03000031 8.04 000000000020111FDEW05030406BDEW01192130100092048013000
000192025027027024021012+02319219239499901000421151111101010
45100A03000041 8.04 00000000098330000000099999900199111009999990099999900
45100A03000042 8.04 000000000130532110222111522120312121512130412131512
220000099902120
45100A03010051 8.04 0000000003711880951119000092404911000005111001999021-07
12101012214005140110000000000041102623296000027142961
45100A03010161 8.04 0000000001297402120013100
45100A03010261 8.04 0000000001290202100013100
45100A03010361 8.04 0000000001290402100013100
45100A03010461 8.04 0000000001490402101522100
45100A03010561 8.04 0000000001490202101522100
45100A03010661 8.04 0000000001590402101523100
45100A03010761 8.04 0000000001590202101523100

45100A03010861 8.04 0000000001790202120543100
45100A03010961 8.04 0000000001790602126023300
45100A03011061 8.04 0000000001890402130142102
45100A03011161 8.04 0000000001544222221523100
45100A03011261 8.04 0000000001890602110142102
45100A03011361 8.04 0000000001890202130143102
45100A03011461 8.04 0000000001790202131703100
45100A03011561 8.04 0000000001790402131703100
45100A03011661 8.04 0000000001251099140013100
45100A03011761 8.04 0000000001450220231522100
45100A03011861 8.04 0000000001851814310142102
45100A03011961 8.04 0000000001853422310142102
45100A03012061 8.04 0000000001851606210142102
45100A03012161 8.04 0000000001544222221523100
45100A03012261 8.04 0000000001541822211523100
45100A03012361 8.04 0000000001541810211523100
45100A03012461 8.04 0000000001160410200013103
45100A03012561 8.04 0000000001590402120513100
45100A03012661 8.04 0000000002851812320142202
45100A03012761 8.04 0000000003490202120513100
45100A04000021 8.04 0000000009112401141FMDU34X2ML [REDACTED] 0199908009600 [REDACTED] 12
0411211000990150999198
45100A04000022 8.04 000000000103030001829990000000009000035000000999 999 99
999999990999990
45100A04010051 8.04 000000000322173064111000000240419900000500000000000 00
000000000009999999900000000000034100050000000004151012
45100A04010161 8.04 0000000007390402121523100
45100A04010261 8.04 0000000007390602121523100
45100A04010361 8.04 0000000003490402101523100
45100A04010461 8.04 0000000007790402121523100
45100A04020051 8.04 000000000061122024213000000399999900000500000000000 00
000000000009999999900000000000034200970000000002021013
45100A04020161 8.04 0000000007243204186979799
45100A04020261 8.04 0000000007890099116979799
45100A04030051 8.04 000000000032104017223000000399999900000600000000000 00
000000000009999999900000000000034200970000000004151012
45100A04030161 8.04 0000000003243204186979799

INTERIOR VEHICLE Vehicle: 1

INTRA ERRORS

CC0531 2 ***** THIS CASE SHOWS A DOOR OR HATCH OR GATE OPENING *****
CC0532 ***** CHECK YOUR DATA AND IF CORRECT, NOTIFY YOUR ZONE *****
CC0533 DOOR LEFT FRONT IV05 equals 2 or IV06 equals 2 or IV07 equals 2
CC0534 or IV08 equals 2 or IV09 equals 2.

CC0541 2 ***** THIS CASE SHOWS A POSSIBLE HOLED WINDSHIELD. *****
CC0542 ***** CHECK YOUR DATA AND IF CORRECT, NOTIFY YOUR ZONE *****
CC0543 GLAZING WINDSHIELD IV31 equals 3 or 5 or CONTACT WINDSHIELD IV39
CC0544 equals 4 or 6.

OCCUPANT ASSESSMENT Vehicle: 2 Occupant: 1

INTRA ERRORS

HH0071 2 Given OCCUPANT AGE OA05 and OCCUPANT SEX OA06, OCCUPANT WEIGHT
HH0072 OA08 is questionable. See Table A2.

HH0191 2 If OCCUPANT POSITION OA10 equals 11 or 13 and AUTOMATIC BELT
HH0192 AVAILABILITY OA23 does not equal 2, then MANUAL BELT
HH0193 AVAILABILITY OA18 should equal 3 or 4.

HH1091 2 If TREATMENT OA62 equals 0, 4 or 5, then WORKING DAYS LOST OA65
HH1092 should equal 00, 01, 97 or 99.

OCCUPANT ASSESSMENT Vehicle: 2 Occupant: 2

INTRA ERRORS

HH0071 2 Given OCCUPANT AGE OA05 and OCCUPANT SEX OA06, OCCUPANT WEIGHT
HH0072 OA08 is questionable. See Table A2.

HH0191 2 If OCCUPANT POSITION OA10 equals 11 or 13 and AUTOMATIC BELT
HH0192 AVAILABILITY OA23 does not equal 2, then MANUAL BELT
HH0193 AVAILABILITY OA18 should equal 3 or 4.

INTRA ERRORS

TT0541 2 ***** THIS IS A SPECIAL INTEREST CASE FOR NHTSA *****
 TT0542 ***** THIS CASE SHOWS A RESTRAINT AS THE INJURY SOURCE *****
 TT0543 ***** FOR AN AIS-2 (OR GREATER) INJURY. *****
 TT0544 ***** CHECK FOR ACCURATE AND COMPLETED DOCUMENTS & DATA *****
 TT0545 ***** IF GREATER THAN AIS-2, CALL [REDACTED] *****
 TT0546 INJURY SOURCE OI12(n) equals 152-154, 162 or 170-195 and A.I.S.
 TT0547 SEVERITY OI10(n) equals 2-6.

TT0541 2 ***** THIS IS A SPECIAL INTEREST CASE FOR NHTSA *****
 TT0542 ***** THIS CASE SHOWS A RESTRAINT AS THE INJURY SOURCE *****
 TT0543 ***** FOR AN AIS-2 (OR GREATER) INJURY. *****
 TT0544 ***** CHECK FOR ACCURATE AND COMPLETED DOCUMENTS & DATA *****
 TT0545 ***** IF GREATER THAN AIS-2, CALL [REDACTED] *****
 TT0546 INJURY SOURCE OI12(n) equals 152-154, 162 or 170-195 and A.I.S.
 TT0547 SEVERITY OI10(n) equals 2-6.

TT0541 2 ***** THIS IS A SPECIAL INTEREST CASE FOR NHTSA *****
 TT0542 ***** THIS CASE SHOWS A RESTRAINT AS THE INJURY SOURCE *****
 TT0543 ***** FOR AN AIS-2 (OR GREATER) INJURY. *****
 TT0544 ***** CHECK FOR ACCURATE AND COMPLETED DOCUMENTS & DATA *****
 TT0545 ***** IF GREATER THAN AIS-2, CALL [REDACTED] *****
 TT0546 INJURY SOURCE OI12(n) equals 152-154, 162 or 170-195 and A.I.S.
 TT0547 SEVERITY OI10(n) equals 2-6.

TT0541 2 ***** THIS IS A SPECIAL INTEREST CASE FOR NHTSA *****
 TT0542 ***** THIS CASE SHOWS A RESTRAINT AS THE INJURY SOURCE *****
 TT0543 ***** FOR AN AIS-2 (OR GREATER) INJURY. *****
 TT0544 ***** CHECK FOR ACCURATE AND COMPLETED DOCUMENTS & DATA *****
 TT0545 ***** IF GREATER THAN AIS-2, CALL [REDACTED] *****
 TT0546 INJURY SOURCE OI12(n) equals 152-154, 162 or 170-195 and A.I.S.
 TT0547 SEVERITY OI10(n) equals 2-6.

TT0541 2 ***** THIS IS A SPECIAL INTEREST CASE FOR NHTSA *****
 TT0542 ***** THIS CASE SHOWS A RESTRAINT AS THE INJURY SOURCE *****
 TT0543 ***** FOR AN AIS-2 (OR GREATER) INJURY. *****
 TT0544 ***** CHECK FOR ACCURATE AND COMPLETED DOCUMENTS & DATA *****
 TT0545 ***** IF GREATER THAN AIS-2, CALL [REDACTED] *****
 TT0546 INJURY SOURCE OI12(n) equals 152-154, 162 or 170-195 and A.I.S.
 TT0547 SEVERITY OI10(n) equals 2-6.

OCCUPANT ASSESSMENT Vehicle: 4 Occupant: 1

INTRA ERRORS

HH1091 2 If TREATMENT OA62 equals 0, 4 or 5, then WORKING DAYS LOST OA65
 HH1092 should equal 00, 01, 97 or 99.

OCCUPANT ASSESSMENT Vehicle: 4 Occupant: 2

INTRA ERRORS

HH0191 2 If OCCUPANT POSITION OA10 equals 11 or 13 and AUTOMATIC BELT
 HH0192 AVAILABILITY OA23 does not equal 2, then MANUAL BELT
 HH0193 AVAILABILITY OA18 should equal 3 or 4.

INTRA ERRORS

HH0761 2 If SAFETY SEAT MAKE OA55 equals 000, then REPORTED BELT USE OA28
 HH0762 should not equal 6.

INTER ERRORS

AG0671 2 If VEHICLE NUMBER AC13(n) = VEHICLE NUMBER GV03(p) and VEHICLE
 AG0672 CLASS AC14(n) = 01-49 and DAMAGE AREA AC15(n) = F and OBJECT
 AG0673 CONTACTED AC16(n) = VEHICLE NUMBER GV03(q) and
 AG0674 CONTACTED CLASS AC17(n) = 01-49 and CONTACTED AREA AC18(n) = F
 AG0675 and FRONT OVER/UNDERRIDE GV51(q) does not = 0, then FRONT
 AG0676 OVER/UNDERRIDE GV51(p) should not = 0. GV=01

AG0691 2 If VEHICLE NUMBER AC13(n) = VEHICLE NUMBER GV03(p) and VEHICLE
 AG0692 CLASS AC14(n) = 01-49 and DAMAGE AREA AC15(n) = B and OBJECT
 AG0693 CONTACTED AC16(n) = VEHICLE NUMBER GV03(q) and
 AG0694 CONTACTED CLASS AC17(n) = 01-49 and CONTACTED AREA AC18(n) = F
 AG0695 and FRONT OVER/UNDERRIDE GV51(q) does not = 0, then REAR
 AG0696 OVER/UNDERRIDE GV52(p) should not = 0. GV=01

GEO641 2 If OBJECT CONTACTED EV05(p) is less than 31 and EV05(p) equals
 GEO642 GV03(q) and BODY TYPE GV07(q) equals 22-25 or 40-49, then BASIS

*poss V1/23
 GV51 = 9*

V1 GV/52 = 9

V2 GV/51 = 9

V3 GV/52 = 9

V4 GV/51 = 9

GEO643 FOR DELTA V GV58(p) should equal 04. GV=03

CT0021 2 If INJURY SOURCE DI12(n) equals 001, then CONTACT WINDSHIELD
 CT0022 IV39 should equal 2-6. GV=03 OA=01 OI=01

CT0021 2 If INJURY SOURCE DI12(n) equals 001, then CONTACT WINDSHIELD
 CT0022 IV39 should equal 2-6. GV=03 OA=01 OI=02

CT0021 2 If INJURY SOURCE DI12(n) equals 001, then CONTACT WINDSHIELD
 CT0022 IV39 should equal 2-6. GV=03 OA=01 OI=03

CT0021 2 If INJURY SOURCE DI12(n) equals 001, then CONTACT WINDSHIELD
 CT0022 IV39 should equal 2-6. GV=03 OA=01 OI=16

CT0021 2 If INJURY SOURCE DI12(n) equals 001, then CONTACT WINDSHIELD
 CT0022 IV39 should equal 2-6. GV=03 OA=01 OI=24

MM0121 2 If VEHICLE CLASS AC14(n) equals 01-49 and CONTACTED CLASS
 MM0122 AC17(n) equals 01-49 and VEHICLE NUMBER EV03(p) equals VEHICLE
 MM0123 NUMBER AC13(n) and VEHICLE NUMBER EV03(q) equals OBJECT
 MM0124 CONTACTED AC16(n) and 1st ACCIDENT SEQUENCE EV04(p) equals
 MM0125 ACCIDENT SEQUENCE AC12(n) and EV04(q) equals AC12(n) and 1st
 MM0126 DIRECTION OF FORCE EV06(p)(mod 20) equals 1-12 and 1st DIRECTION
 MM0127 OF FORCE EV06(q)(mod 20) equals 1-12 and ANGLE THIS VEHICLE
 MM0128 GV53(p) equals 000-359 and ANGLE THIS VEHICLE GV53(q) equals
 MM0129 000-359, then the absolute value of ((GV53(p) + (30*(EV06(p)(mod
 MM012* 20))) - GV53(q) - (30*(EV06(q)(mod 20))))(mod 360)) should equal
 MM012* 135-225. ---IN ENGLISH THIS MEANS--- The relationship between
 MM012* ANGLE THIS VEHICLE GV53, ANGLE OTHER VEHICLE GV54 and the GV=01

FORM NAME	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Accident	0	0	0	Y
General Vehicle	0	0	0	Y
Vehicle Exterior	0	0	0	Y
Vehicle Interior	0	0	2	Y
Occupant Assessment	0	0	8	Y
Occupant Injury	0	0	5	Y
Total Inter Errors		0	9	
Total Case Errors	0	0	24	

45100A00000011[REDACTED]958.0500000000000409350000004[REDACTED]95[REDACTED]95[REDACTED]96[REDACTED]95033636000
00123700004160810 0509
45100A00010013[REDACTED]958.0510000000000145B0230F
45100A00020012[REDACTED]958.0510000000000145F0331F
45100A00030012[REDACTED]958.0510000000000331B0414F
45100A00040012[REDACTED]958.0510000000000145F0414F
45100A01000021 B.05 0000000008812481401FTHF2568JN[REDACTED]0199908009600[REDACTED]12
0411211000010253011198
45100A01000022 B.05 000000000102020001990180000000009914000000011999 999 99
99999999099983
45100A01000031 B.05 000000000020301FDEW0401020EBZLW01168127114127125090065
000168015021029020015008-05216816839499901100421151111101010
45100A01000041 B.05 00000000098210004000012200202122001023610060141100101
45100A01000042 B.05 000000000110242111542110532120532120322121522
100000003700020
45100A01010051 B.05 00000000036117506611100000024000010000000000000000000 00
000000000000051401100000000000033108990000000006151211
45100A01010161 B.05 0000000002290602170113105
45100A01010261 B.05 0000000002851814310112105
45100A01010361 B.05 0000000002852400210112105
45100A01010461 B.05 0000000002851812310112105
45100A01010561 B.05 0000000003590402112523100
45100A01010661 B.05 0000000002890600110112105
45100A01020051 B.05 00000000030117507321300000024000010000000000000000000 00
000000000000051401100000000000033102990000000005151241
45100A01020161 B.05 0000000002290602170012100
45100A01020261 B.05 0000000002790602126022300
45100A01020361 B.05 0000000002650630281513100
45100A01020461 B.05 0000000002297602110012100
45100A01020561 B.05 0000000003890202120122100
45100A02000021 B.05 0000000008812471301FTCR11T6JU[REDACTED]0199908009600[REDACTED]12
0411211000110152011198
45100A02000022 B.05 000000000102020001140000000000009018018000000999 999 99
99999999099990
45100A02010051 B.05 000000000352163106111000000499999900000000000000000000 00
00000000009999999900000000000034100350000000002029013
45100A02010161 B.05 0000000007790402120513199
45100A02010261 B.05 0000000007490402190043199
45100A02020051 B.05 00000000015216511321300000049999990000000000000000000 00
00000000009999999900000000000034100970000000002029013
45100A02020161 B.05 0000000007290402140013199
45100A02020261 B.05 0000000007290402180013199
45100A03000021 B.05 0000000009412481311FTEX14Y2RK[REDACTED]0199908009600[REDACTED]12
0411211000990162999198
45100A03000022 B.05 000000000101011202039990000000009900014000011999 999 99
99999999006403
45100A03000031 B.05 000000000020111FDEW05030406BDEW01192130100092048013000
000192025027027024021012+02319219239499901000421151111101010
45100A03000041 B.05 00000000098330000000099999900199111009999990099999900
45100A03000042 B.05 000000000130532110222111522120312121512130412131512
220000099902120
45100A03010051 B.05 0000000003711880951119000092404911000005111001999021-07
12101012214005140110000000000041102623296000027142961
45100A03010161 B.05 0000000001297402120013100
45100A03010261 B.05 0000000001290202100013100
45100A03010361 B.05 0000000001290402100013100
45100A03010461 B.05 0000000001490402101522100
45100A03010561 B.05 0000000001490202101522100
45100A03010661 B.05 0000000001590402101523100
45100A03010761 B.05 0000000001590202101523100

45100A03010861 8.05 0000000001790202120543100
45100A03010961 8.05 0000000001790602126023300
45100A03011061 8.05 0000000001890402130142102
45100A03011161 8.05 0000000001544222221523100
45100A03011261 8.05 0000000001890602110142102
45100A03011361 8.05 0000000001890202130143102
45100A03011461 8.05 0000000001790202131703100
45100A03011561 8.05 0000000001790402131703100
45100A03011661 8.05 0000000001251099140013100
45100A03011761 8.05 0000000001450220231522100
45100A03011861 8.05 0000000001851814310142102
45100A03011961 8.05 0000000001853422310142102
45100A03012061 8.05 0000000001851606210142102
45100A03012161 8.05 0000000001544222221523100
45100A03012261 8.05 0000000001541822211523100
45100A03012361 8.05 0000000001541810211523100
45100A03012461 8.05 0000000001160410200013103
45100A03012561 8.05 0000000001590402120513100
45100A03012661 8.05 0000000002851812320142202
45100A03012761 8.05 0000000003490202120513100
45100A04000021 8.05 0000000009112401141FMDU34X2MU[REDACTED]199908009600[REDACTED]12
0411211000990150999198
45100A04000022 8.05 0000000001030300018299900000000009000035000000999 999 99
9999999990999990
45100A04010051 8.05 0000000003221730641110000002404199000005000000000000 00
000000000099999999900000000000034100050000000004151012
45100A04010161 8.05 0000000007390402121523100
45100A04010261 8.05 0000000007390602121523100
45100A04010361 8.05 0000000003490402101523100
45100A04010461 8.05 0000000007790402121523100
45100A04020051 8.05 00000000006112202421300000039999999000005000000000000 00
000000000099999999900000000000034200970000000002021013
45100A04020161 8.05 0000000007243204186979799
45100A04020261 8.05 0000000007890099116979799
45100A04030051 8.05 0000000003210401722300000039999999000006000000000000 00
000000000099999999900000000000034200970000000004151012
45100A04030161 8.05 0000000003243204186979799
45100A04030261 8.05 0000000003243202186979799
45100A04030361 8.05 0000000003290202186979799
45100A04030461 8.05 0000000003790202126979799
45100A00000066 8.05 000000000LT TRK(X3)-LTUTLTY/HEAD ON
45100A00000171 8.05 000000000Vehicles one and two were southbound on a four
lane urban trafficway, in dry
45100A00000271 8.05 000000000daylight condition. Vehicles three and four
were northbound on same. V1
45100A00000371 8.05 000000000slowed to turn left, and V2 front struck V1 ba
ck, knocking V1 into the inside
45100A00000471 8.05 000000000northbound lane. V1 front struck V3 front. V
4 front struck V3 back, and V4
45100A00000571 8.05 000000000continued forward and V4 front struck V1 front
. V1 came to rest facing east,
45100A00000671 8.05 000000000near the point of impact. V2 continued forwar
d, and came to rest facing
~~45100A00000771 8.05 000000000south, several meters south of the point of is~~
t impact. V3 came to rest
45100A00000871 8.05 000000000fcing NE, at the point impact. V4 came to res
t facing ne, at the point of
45100A00000971 8.05 000000000its 2nd impact.
45100A00001071 8.05 000000000

INTERIOR VEHICLE Vehicle: 1

INTRA ERRORS

CC0531 2 ***** THIS CASE SHOWS A DOOR OR HATCH OR GATE OPENING *****
CC0532 ***** CHECK YOUR DATA AND IF CORRECT, NOTIFY YOUR ZONE *****
CC0533 DOOR LEFT FRONT IV05 equals 2 or IV06 equals 2 or IV07 equals 2
CC0534 or IV08 equals 2 or IV09 equals 2.

CC0541 2 ***** THIS CASE SHOWS A POSSIBLE HOLED WINDSHIELD. *****
CC0542 ***** CHECK YOUR DATA AND IF CORRECT, NOTIFY YOUR ZONE *****
CC0543 GLAZING WINDSHIELD IV31 equals 3 or 5 or CONTACT WINDSHIELD IV39
CC0544 equals 4 or 6.

OCCUPANT ASSESSMENT Vehicle: 2 Occupant: 1

INTRA ERRORS

HH0071 2 Given OCCUPANT AGE DA05 and OCCUPANT SEX DA06, OCCUPANT WEIGHT
HH0072 DA08 is questionable. See Table A2.

HH0191 2 If OCCUPANT POSITION DA10 equals 11 or 13 and AUTOMATIC BELT
HH0192 AVAILABILITY DA23 does not equal 2, then MANUAL BELT
HH0193 AVAILABILITY DA18 should equal 3 or 4.

HH1091 2 If TREATMENT DA62 equals 0, 4 or 5, then WORKING DAYS LOST DA65
HH1092 should equal 00, 01, 97 or 99.

OCCUPANT ASSESSMENT Vehicle: 2 Occupant: 2

INTRA ERRORS

HH0071 2 Given OCCUPANT AGE DA05 and OCCUPANT SEX DA06, OCCUPANT WEIGHT
HH0072 DA08 is questionable. See Table A2.

HH0191 2 If OCCUPANT POSITION DA10 equals 11 or 13 and AUTOMATIC BELT
HH0192 AVAILABILITY DA23 does not equal 2, then MANUAL BELT
HH0193 AVAILABILITY DA18 should equal 3 or 4.

INTRA ERRORS

TT0541 2 ***** THIS IS A SPECIAL INTEREST CASE FOR NHTSA *****
TT0542 ***** THIS CASE SHOWS A RESTRAINT AS THE INJURY SOURCE *****
TT0543 ***** FOR AN AIS-2 (OR GREATER) INJURY. *****
TT0544 ***** CHECK FOR ACCURATE AND COMPLETED DOCUMENTS & DATA *****
TT0545 ***** IF GREATER THAN AIS-2, CALL [REDACTED] *****
TT0546 INJURY SOURCE DI12(n) equals 152-154, 162 or 170-195 and A.I.S.
TT0547 SEVERITY DI10(n) equals 2-6.

TT0541 2 ***** THIS IS A SPECIAL INTEREST CASE FOR NHTSA *****
TT0542 ***** THIS CASE SHOWS A RESTRAINT AS THE INJURY SOURCE *****
TT0543 ***** FOR AN AIS-2 (OR GREATER) INJURY. *****
TT0544 ***** CHECK FOR ACCURATE AND COMPLETED DOCUMENTS & DATA *****
TT0545 ***** IF GREATER THAN AIS-2, CALL [REDACTED] *****
TT0546 INJURY SOURCE DI12(n) equals 152-154, 162 or 170-195 and A.I.S.
TT0547 SEVERITY DI10(n) equals 2-6.

TT0541 2 ***** THIS IS A SPECIAL INTEREST CASE FOR NHTSA *****
TT0542 ***** THIS CASE SHOWS A RESTRAINT AS THE INJURY SOURCE *****
TT0543 ***** FOR AN AIS-2 (OR GREATER) INJURY. *****
TT0544 ***** CHECK FOR ACCURATE AND COMPLETED DOCUMENTS & DATA *****
TT0545 ***** IF GREATER THAN AIS-2, CALL [REDACTED] *****
TT0546 INJURY SOURCE DI12(n) equals 152-154, 162 or 170-195 and A.I.S.
TT0547 SEVERITY DI10(n) equals 2-6.

TT0541 2 ***** THIS IS A SPECIAL INTEREST CASE FOR NHTSA *****
~~TT0542 ***** THIS CASE SHOWS A RESTRAINT AS THE INJURY SOURCE *****~~
TT0543 ***** FOR AN AIS-2 (OR GREATER) INJURY. *****
TT0544 ***** CHECK FOR ACCURATE AND COMPLETED DOCUMENTS & DATA *****
TT0545 ***** IF GREATER THAN AIS-2, CALL [REDACTED] *****
TT0546 INJURY SOURCE DI12(n) equals 152-154, 162 or 170-195 and A.I.S.
TT0547 SEVERITY DI10(n) equals 2-6.

TT0541 2 ***** THIS IS A SPECIAL INTEREST CASE FOR NHTSA *****
TT0542 ***** THIS CASE SHOWS A RESTRAINT AS THE INJURY SOURCE *****
TT0543 ***** FOR AN AIS-2 (OR GREATER) INJURY. *****
TT0544 ***** CHECK FOR ACCURATE AND COMPLETED DOCUMENTS & DATA *****
TT0545 ***** IF GREATER THAN AIS-2, CALL [REDACTED] *****
TT0546 INJURY SOURCE DI12(n) equals 152-154, 162 or 170-195 and A.I.S.
TT0547 SEVERITY DI10(n) equals 2-6.

OCCUPANT ASSESSMENT Vehicle: 4 Occupant: 1

INTRA ERRORS

HH1091 2 If TREATMENT OA62 equals 0, 4 or 5, then WORKING DAYS LOST OA65
HH1092 should equal 00, 01, 97 or 99.

OCCUPANT ASSESSMENT Vehicle: 4 Occupant: 2

INTRA ERRORS

HH0191 2 If OCCUPANT POSITION OA10 equals 11 or 13 and AUTOMATIC BELT
HH0192 AVAILABILITY OA23 does not equal 2, then MANUAL BELT
HH0193 AVAILABILITY OA18 should equal 3 or 4.

OCCUPANT ASSESSMENT Vehicle: 4 Occupant: 3

INTRA ERRORS

HH0761 2 If SAFETY SEAT MAKE OA55 equals 000, then REPORTED BELT USE OA28
HH0762 should not equal 6.

INTER ERRORS

GE0641 2 If OBJECT CONTACTED EV05(p) is less than 31 and EV05(p) equals
GE0642 GV03(q) and BODY TYPE GV07(q) equals 22-25 or 40-49, then BASIS
GE0643 FOR DELTA V GV58(p) should equal 04. GV=03

CT0021 2 If INJURY SOURCE DI12(n) equals 001, then CONTACT WINDSHIELD
CT0022 IV39 should equal 2-6. GV=03 OA=01 OI=01

CT0021 2 If INJURY SOURCE DI12(n) equals 001, then CONTACT WINDSHIELD
CT0022 IV39 should equal 2-6. GV=03 OA=01 OI=02

CT0021 2 If INJURY SOURCE DI12(n) equals 001, then CONTACT WINDSHIELD
CT0022 IV39 should equal 2-6. GV=03 OA=01 OI=03

CT0021 2 If INJURY SOURCE DI12(n) equals 001, then CONTACT WINDSHIELD
CT0022 IV39 should equal 2-6. GV=03 OA=01 OI=16

CT0021 2 If INJURY SOURCE DI12(n) equals 001, then CONTACT WINDSHIELD
CT0022 IV39 should equal 2-6. GV=03 OA=01 OI=24

PSU45
CASE 100A
CURRENT VERSION: 8.05

ERROR SUMMARY SCREEN

96

FORM NAME	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Accident	0	0	0	Y
General Vehicle	0	0	0	Y
Vehicle Exterior	0	0	0	Y
Vehicle Interior	0	0	2	Y
Occupant Assessment	0	0	8	Y
Occupant Injury	0	0	5	Y
Total Inter Errors		0	6	
Total Case Errors	0	0	21	



PSU 45-100A (1995) #1
Best Available



PSU 45-100A (1995) #2
Best Available



FSU 45-100A (1995) #3
Best Available



PSU 45-100A (1995) #4
Best Available



PSU 45-100A (1995) #5
Best Available



PSU 45-100A (1995) #6
Best Available



PSU 45-100A (1995) #7
Best Available



PSU 45-100A (1995) #8
Best Available



PSU 45-100A (1995) #9
Best Available



PSU 45-100A (1995) #10
Best Available



PSU 45-100A (1995) #11
Best Available



PSU 45-100A (1995) #12
Best Available



PSU 45-100A (1995) #13
Best Available



PSU 45-100A (1995) #14
Best Available



PSU 45-100A (1995) #15
Best Available



PSU 45-100A (1995) #16
Best Available



PSU 45-100A (1985) #17
Best Available



PSU 45-100A (1995) #18
Best Available



PSU 45-100A (1995) #19
Best Available



PSU 45-100A (1995) #20
Best Available



PSU 45-100A (1995) #21
Best Available



PSU 45-100A (1995) #22
Best Available



PSU 45-100A (1995) #23
Best Available



PSU 45-100A (1995) #24
Best Available



PSU 45-100A (1995) #25
Best Available



PSU 45-100A (1995) #26
Best Available



PSU 45-100A (1995) #27
Best Available



PSU 45-100A (1995) #28
Best Available



PSU 45-100A (1995) #29
Best Available



PSU 45-100A (1995) #30



PSU 45-100A (1996) #31
Best Available



PSU 45-100A (1995) #32
Best Available



PSU 45-100A (1995) #33
Best Available



PSU 45-100A (1995) #34
Best Available



**PSU 45-100A (1995) #35
Best Available**



PSU 45-100A (1995) #36
Best Available



PSU 45-100A (1995) #37
Best Available



PSU 45-100A (1995) #38
Best Available



PSU 45-100A (1995) #39
Best Available



PSU 45-100A (1995) #40



PSU 45-100A (1995) #41



PSU 45-100A (1995) #42



PSU 45-100A (1995) #43



PSU 45-100A (1995) #44



PSU 45-100A (1995) #45



PSU 45-100A (1995) #46
Best Available



PSU 45-100A (1995) #47
Best Available



PSU 45-100A (1995) #48



PSU 45-100A (1995) #49
Best Available




PSU 45-100A (1985) #50
Best Available



PSU 45-100A (1995) #51
Best Available



PSU 45-100A (1995) #52
Best Available



PSU 45-100A (1995) #53
Best Available



PSU 45-100A (1995) #54
Best Available



PSU 45-100A (1995) #55
Best Available



PSU 45-100A (1995) #56
Best Available



PSU 45-100A (1995) #57



PSU 45-100A (1995) #58



PSU 45-100A (1995) #59



PSU 45-100A (1995) #60



PSU 45-100A (1995) #61
Best Available



PSU 45-100A (1995) #62
Best Available



PSU 45-100A (1995) #63
Best Available



**PSU 45-100A (1995) #64
Best Available**



PSU 45-100A (1995) #65
Best Available



PSU 45-100A (1995) #66
Best Available



PSU 45-100A (1995) #67
Best Available



PSU 45-100A (1985) #68
Best Available



PSU 45-100A (1995) #69
Best Available



FSU 45-100A (1995) #70
Best Available



PSU 45-100A (1995) #71



PSU 45-100A (1995) #72
Best Available



PSU 45-100A (1995) #73
Best Available



**PSU 45-100A (1895) #74
Best Available**



**PSU 45-100A (1995) #75
Best Available**



PSU 45-100A (1995) #76
Best Available



**PSU 45-100A (1995) #77
Best Available**



PSU 45-100A (1995) #78

Best Available



PSU 45-100A (1995) #79
Best Available



**PSU 45-100A (1985) #80
Best Available**



PSU 45-100A (1995) #81



PSU 45-100A (1995) #82



PSU 45-100A (1995) #83



PSU 45-100A (1995) #84



**PSU 45-100A (1995) #85
Best Available**



PSU 45-100A (1995) #86
Best Available



PSU 45-100A (1995) #87
Best Available



PSU 45-100A (1995) #88
Best Available



PSU 45-100A (1995) #89
Best Available



PSU 45-100A (1995) #90
Best Available



PSU 45-100A (1995) #91
Best Available



PSU 45-100A (1995) #92



PSU 45-100A (1995) #93



PSU 45-100A (1995) #94



PSU 45-100A (1995) #95



PSU 45-100A (1995) #96



PSU 45-100A (1995) #97



PSU 45-100A (1995) #98



PSU 45-100A (1995) #99



PSU 45-100A (1995) #100