



400 Seventh Street, S.W.
Washington, D.C. 20590

U.S. Department
of Transportation

National Highway
Traffic Safety
Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



AUTO SAFETY HOTLINE
(800) 424-9393
Wash. D.C. Area 366-0123



CASE SUMMARY

PSU 43 CASE NO. 877A TYPE OF ACCIDENT CAR - RAN - OFF - ROAD

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Injury mechanism and vehicle crashworthiness is the focus, not driver culpability. Do not include any personal identifiers. Use reverse side if needed.)

VEHICLE #1 WAS TRAVELING SOUTH AND DEPARTED THE ROAD ON THE RIGHT. THE FRONT OF VEHICLE #1 STRUCK THE GROUND ABOVE A CULVERT. THEN THE LEFT SIDE OF VEHICLE #1 STRUCK A MAIL BOX & POLE. SUBSEQUENTLY VEHICLE #1 ROLLED OVER 1 QUARTER TURN AND SLID ON ITS RIGHT SIDE ON THE GROUND. THEN VEHICLE #1'S TOP STRUCK AN UTILITY POLE. VEHICLE #1'S FINAL REST WAS ON ITS TOP. THE UTILITY POLE YIELDED, (cont)

B. VEHICLE PROFILE(S)

Vehicle No.	Class of Vehicle	Year/Make/Model	Most Severe Damage		Component Failure
			Damage Plane	Severity Description	
1	COMPACT	91/BMW/325i	TOP	SEVERE	LATCH FAILURE TOTAL COLLAPSE OF ROOF STRUCTURE

C. PERSON PROFILE(S)

Vehicle No.	Person Role	Seat Position	Restraint Use	Most Severe Injury			
				Body Region	Lesion	AIS	Injury Source
1	DRIVER	FRONT LEFT	LAP AND SHOULDER	wholebody TO BE UPDATED	Burn	5	non contact

DO NOT SANITIZE THIS FORM

HAVING BEEN KNOCKED OUT OF THE GROUND. VEHICLE #1'S
GAS TANK WAS LEAKING COMBINED WITH DOWNED POWER LINES
CONTRIBUTED TO SEVERE FIRE DAMAGE TO VEHICLE #1



U.S. Department of Transportation

National Highway Traffic Safety
Administration

PSU No. 43

Case Number - Stratum 077A

NATIONAL ACCIDENT SAMPLING SYSTEM
CRASHWORTHINESS DATA SYSTEM

1 of 2


ACCIDENT COLLISION DIAGRAM


RL GEARW^E 195°

Indicate



North





*Completed by
Zone Center*

RP

RP

55 MPH


Event #4 & 5
(rollover & Fire)

← UTILITY POLE
FIRE FOX LOCATION
Event #3

Event #2

(POST & MAIL BOXES LOCATED
ON THE LEFT SIDE OF THE ROAD)

CURRENT
Event #1





U.S. Department of Transportation
National Highway Traffic Safety
Administration

ACCIDENT COLLISION MEASUREMENT TABLE

NATIONAL ACCIDENT SAMPLING SYSTEM
CRASHWORTHINESS DATA SYSTEM

Primary Sampling Unit Number 43

Case Number—Stratum

877A

ACCIDENT COLLISION DIAGRAM		CRASH DATA
LEVEL I PHYSICAL EVIDENCE ABSENT	LEVEL II (Cont'd) accomplished when physical evidence is present:	VEH. #1 VEH. #2 VEH. #3
To be accomplished when there is no physical evidence present at the scene: *approximate vehicle orientation at impact and final rest *applicable road/roadway delineation (e.g., curbs/edge lines, lane markings, median markings, pavement markings, etc.) *applicable traffic controls (e.g., speed limit) *north arrow placed on diagram *sketch required	*document reference point and reference line relative to physical features present at the scene *scaled documentation of all accident induced physical evidence *scaled documentation of all roadside objects contacted *roadway surface type and condition of applicable roadways *grade measurements for all applicable roadways *scaled representations of the vehicle(s) at pre-impact, impact, and final rest based upon either: a) physical evidence, or b) reconstructed accident dynamics	Heading Angle _____ Surface Type <u>GRASS</u> <u>PENALT</u> _____ Surface Condition <u>DRY</u> _____ Grade Measurement (v/h) _____
LEVEL II PHYSICAL EVIDENCE PRESENT In addition to the Level I tasks noted above, the following must be		

Reference Point: CP & L POLE Reference Line: WEST DELINEATION
(7 1/2" DIAM) LINE

Item	Distance and Direction from Reference Point	Distance and Direction from Reference Line
BEG RR	120' 10" N	3' 10" W
" RF	120' 10" N	4' 6" W
LF MARK (18"X7")	102' N	2' 10" W
END RF	98' N	7' 9" W
" RR	95' 10" N	6' 4" W
BEG LF	78' 9" N	6' 10" W
END LR	78' 9" N	7' 10" W
BEG RF	78' 9" N	10' 10" W
PT OF TANG. DRIVE (N)	73' 10" N	10" W
END RF	72' (6" N)	11' 9" N
CULVERT	66' 4" N	13' 6" W
BEG RF	66' 4" N	13' W

Item	Distance and Direction from Reference Point	Distance and Direction from Reference Line
END RF	63' 4" N	13' 2" W
N EDGE OF DRIVE	58' 10" N	20' W
END RR	58' 10" N	12' 6" W
BEG LR	36' 7" N	7' 8" W
S EDGE OF DRIVE	33' 9" N	16' 6" W
END LF	30' 8" N	12' 1" W
END LR	29' 2" N	7' 5" W
MAIL BOX	26' 11" N	9' 1" W
PT OF TANG. DRIVE (S)	25' 9" N	5" W
GOUVE #1	14' 1" N	8' 7" W
" #2	11' 6" N	11' 10" W
BEG GOUVE #3	5' 6" N	9' W
" " #4	4' 7" N	13' W
" " #5	2' 11" N	11' 9" W
END " #3	18" N	9' 9" W
" " #5	Ø	11' 5" W
RP	Ø	58' 3" E
END GOUVE #4	9" S	12' 10" W
BEG " #6	2' 1" S	13' 5" W
" " #7	2' 7" S	11' 9" W
END " #7	12' 6" S	11' 7" W
" " #7	22' 11" S	10' 10" W
APPROX PT (IMPACT WITH POLE)	30' 10" S	10' 9" W
RL BEARING 195°		
PAVEMENT WIDTH 19' 10"		
CURVATURE OF RD @ BEG (PHOTOGRAPH EVIDENCE →)	7" / 100'	



U.S. Department of Transportation
National Highway Traffic Safety
Administration

BEST AVAILABLE COPY

ACCIDENT FORM

NATIONAL ACCIDENT SAMPLING SYSTEM
CRASHWORTHINESS DATA SYSTEM

1. Primary Sampling Unit Number

43

2. Case Number – Stratum

Ø 7 7 A

IDENTIFICATION

3. Number of General Vehicle
Forms Submitted

Ø 1

4. Date of Accident
(Month, Day, Year)

9 1

5. Time of Accident

Ø Ø 1 Ø

Code reported military time of accident.

NOTE: Midnight – 2400
Unknown – 9999

SPECIAL STUDIES INDICATORS

Check (✓) each special study (SS12-SS16 below)
that has been completed; code 1 for the checked
special studies and 0 for the special studies not
checked.

6. SS12 Not Active 0

7. SS13 Not Active 0

8. SS14 _____

9. SS15 _____

10. SS16 _____

NUMBER OF EVENTS

11. Number of Recorded Events
in This Accident

Ø 5

NASS CODING CHANGE

Code the number of events which occurred in
this accident.
1st Review: 2G
2nd Review: _____

ACCIDENT EVENTS

For each event that occurred in the accident, code the lowest numbered vehicle in the left columns and the other involved vehicle or object on the right.

Accident Event Sequence Number	Vehicle Number	Class of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class of Vehicle	General Area of Damage
12. 0 1	<u>Ø 1</u>	13. <u>Ø 1</u>	14. <u>Ø 2</u>	15. <u>Ø R</u>	16. <u>Ø 1 6 0</u>	17. <u>Ø Ø</u>
				NASS CODING CHANGE 1st Review: 2G 2nd Review: _____		NASS CODING CHANGE 1st Review: 2G 2nd Review: _____
19. 0 2	<u>Ø 1</u>	20. <u>Ø 1</u>	21. <u>Ø 2</u>	22. <u>Ø R</u>	23. <u>Ø Ø</u>	24. <u>Ø Ø</u>
26. 0 3	<u>Ø 1</u>	27. <u>Ø 1</u>	28. <u>Ø 2</u>	29. <u>Ø T</u>	30. <u>Ø 1 5 1</u>	31. <u>Ø Ø</u>
33. 0 4	<u>Ø 1</u>	34. <u>Ø 1</u>	35. <u>Ø 2</u>	36. <u>Ø T</u>	37. <u>Ø 1</u>	38. <u>Ø Ø</u>
40. 0 5	<u>Ø 1</u>	41. <u>Ø 1</u>	42. <u>Ø 2</u>	43. <u>Ø N</u>	44. <u>Ø 1</u>	45. <u>Ø Ø</u>
						32. <u>Ø N</u>
						46. <u>Ø N</u>

IF GREATER THAN FIVE EVENTS, CONTINUE CODING ON THE ACCIDENT EVENTS SUPPLEMENT

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 100 ")
- (02) Compact (wheelbase = 100 " – 104 ")
- (03) Intermediate (wheelbase = 105 " – 109 ")
- (04) Full size (wheelbase = 110 " – 114 ")
- (05) Largest (wheelbase ≥ 115 ")
- (09) Unknown passenger car size
- (11) Short utility vehicle
- (12) Truck based utility (\leq 10,000 lbs GVWR)
- (13) Passenger van (\leq 10,000 lbs GVWR)
- (14) Other van (\leq 10,000 lbs GVWR)
- (15) Pickup truck (\leq 10,000 lbs GVWR)
- (18) Other truck (\leq 10,000 lbs GVWR)
- (19) Unknown light truck type
- (20) School bus
- (21) Other bus
- (22) Truck ($>$ 10,000 lbs GVWR)
- (23) Tractor without trailer
- (24) Tractor-trailer(s)
- (25) Motored cycle
- (28) Other vehicle
- (99) Unknown

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDC APPLICABLE AND OTHER VEHICLES

- (0) Not a motor vehicle
- (N) Noncollision
- (F) Front
- (R) Right side
- (L) Left side
- (B) Back
- (T) Top
- (U) Undercarriage
- (9) Unknown

TDC APPLICABLE VEHICLES

- (0) Not a motor vehicle
- (N) Noncollision
- (F) Front
- (R) Right side
- (L) Left side
- (B) Back of unit with cargo area (rear of trailer or straight truck)
- (D) Back (rear of tractor)
- (C) Rear of cab
- (V) Front of cargo area
- (T) Top
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

(01-30) – Vehicle number

Noncollision

- (31) Overturn – rollover
- (32) Fire or explosion
- (33) Jackknife
- (34) Other intraunit damage (specify):

(35) Noncollision injury

(38) Other noncollision (specify):

(39) Noncollision – details unknown

Collision with Fixed Object

- (41) Tree (\leq 4 inches in diameter)
- (42) Tree ($>$ 4 inches in diameter)
- (43) Shrubbery or bush
- (44) Embankment
- (45) Breakaway pole or post (any diameter)

Nonbreakaway Pole or Post

- (50) Pole or post (\leq 4 inches in diameter)
- (51) Pole or post ($>$ 4 but \leq 12 inches in diameter)
- (52) Pole or post ($>$ 12 inches in diameter)
- (53) Pole or post (diameter unknown)
- (54) Concrete traffic barrier
- (55) Impact attenuator
- (56) Other traffic barrier (specify):

(57) Fence

- (58) Wall
- (59) Building
- (60) Ditch or culvert
- (61) Ground
- (62) Fire hydrant
- (63) Curb
- (64) Bridge
- (68) Other fixed object (specify):

(69) Unknown fixed object

Collision with Nonfixed Object

- (71) Motor vehicle not in-transport
- (72) Pedestrian
- (73) Cyclist or cycle
- (74) Other nonmotorist or conveyance (specify):

(75) Vehicle occupant

- (76) Animal
- (77) Train
- (78) Trailer, disconnected in transport
- (88) Other nonfixed object (specify):

(89) Unknown nonfixed object

(98) Other event (specify):

(99) Unknown event or object

OCCUPANT RELATED**16. Driver Presence in Vehicle**

- (0) Driver not present
 (1) Driver present
 (9) Unknown

17. Number of Occupants This Vehicle

- (00-96) Code actual number of occupants for this vehicle
 (97) 97 or more
 (99) Unknown

18. Number of Occupant Forms Submitted10101**24. Rollover**

- (0) No rollover (no overturning)

Rollover (primarily about the longitudinal axis)

- (1) Rollover, 1 quarter turn only
 (2) Rollover, 2 quarter turns
 (3) Rollover, 3 quarter turns
 (4) Rollover, 4 or more quarter turns (specify):

(5) Rollover—end-over-end (i.e., primarily about the lateral axis)

- (9) Rollover (overturn), details unknown

2**VEHICLE WEIGHT ITEMS****19. Vehicle Curb Weight**22,800

~~7845~~ Code weight to nearest

~~2810~~ 100 pounds.

- (010) Less than 1050 pounds
 (135) 13,500 lbs or more
 (999) Unknown

Source: [REDACTED]

20. Vehicle Cargo Weight1900

~~19~~ Code weight to nearest

100 pounds.

- (00) Less than 50 pounds
 (97) 9,650 lbs or more
 (99) Unknown

RECONSTRUCTION DATA**21. Towed Trailing Unit**0

- (0) No towed unit
 (1) Yes—towed trailing unit
 (9) Unknown

22. Documentation of Trajectory Data

for This Vehicle

OK. due to some approximations with scene measurements.

- (0) No
 (1) Yes

**23. Post Collision Condition of Tree or Pole
(for Highest Delta V)**7

- (0) Not collision (for highest delta V) with tree or pole

- (1) Not damaged
 (2) Cracked/sheared
 (3) Tilted <45 degrees
 (4) Tilted ≥45 degrees
 (5) Uprooted tree
 (6) Separated pole from base
 (7) Pole replaced
 (8) Other (specify):
Pole knocked down

- (9) Unknown

OVERRIDE/UNDERRIDE (THIS VEHICLE)**25. Front Override/Underride (this vehicle)**0
0**26. Rear Override/Underride (this vehicle)**

- (0) No override/underride, or not an end-to-end impact

Override (see specific CDC)

- (1) 1st CDC
 (2) 2nd CDC
 (3) Other not automated CDC (specify):

Underride (see specific CDC)

- (4) 1st CDC
 (5) 2nd CDC
 (6) Other not automated CDC (specify):

- (7) Medium/heavy truck or bus override
 (9) Unknown

HEADING ANGLE AT IMPACT FOR HIGHEST DELTA V



























Values: (000)-(359) Code actual value

(997) Noncollision

(998) Impact with object

(999) Unknown

27. Heading Angle for This Vehicle998**28. Heading Angle for Other Vehicle**998

Category	Configuration	ACCIDENT TYPES (Includes Intent)							
I. Single Driver	A. Right Roadside Departure				04	05	SPECIFICS OTHER		
	B. Left Roadside Departure				09	10	SPECIFICS OTHER		
	C. Forward Impact					15	16	SPECIFICS OTHER	
II. Same Trafficway Same Direction	D. Rear-End					28	30	(EACH • 32) (EACH • 33)	
		STOPPED 21, 22, 23	SLOWER 25, 26, 27		DECEL. 29, 30, 31	29	31	SPECIFICS OTHER	
	E. Forward Impact					39	41	(EACH • 42) (EACH • 43)	
III. Same Trafficway Opposite Direction	F. Sideswipe/ Angle				(EACH • 48) SPECIFICS OTHER		(EACH • 49) SPECIFICS UNKNOWN		
	G. Head-On			(EACH • 52) SPECIFICS OTHER		(EACH • 53)	SPECIFICS UNKNOWN		
	H. Forward Impact					55	57	59	61
IV. Change Trafficway Vehicle Turning	I. Sideswipe/ Angle			(EACH • 66) SPECIFICS OTHER		(EACH • 67)	SPECIFICS UNKNOWN		
	J. Turn Across Path				71	73	72	(EACH • 74) (EACH • 75)	
	K. Turn Into Path				79	80	81	82	(EACH • 84) (EACH • 85)
V. Intersecting Paths (Vehicle Damage)	L. Straight Paths				88	89		(EACH • 90) SPECIFICS OTHER	(EACH • 91) SPECIFICS UNKNOWN
VI. Miscellaneous	M. Backing Etc.			98 Other Accident Type 99 Unknown Accident Type 00 No Impact					



**U.S. Department of Transportation
National Highway Traffic Safety
Administration**

EXTERIOR VEHICLE FORM

**NATIONAL ACCIDENT SAMPLING SYSTEM
CRASHWORTHINESS DATA SYSTEM**

VEHICLE DAMAGE SKETCH

TIRE—WHEEL DAMAGE

- a. Rotation physically restricted b. Tire deflated
- RF 2 LF 2
 RR 2 LR 2
- Fire DAMAGE { RR 1 LR 1
- (1) Yes (2) No (8) NA (9) Unk.

ORIGINAL SPECIFICATIONS

Wheelbase	<u>101.2</u>
Overall Length	<u>170.3</u>
Maximum Width	<u>64.8</u>
Curb Weight	<u>2845</u>
Average Track	<u>55.4 / 55.7</u>
Front Overhang	<u>33</u>
Rear Overhang	<u>42.5</u>
Engine Size: cyl./ displ.	<u>? 2.5 liter</u>
Undeformed End Width	<u>?</u>

WHEEL STEER ANGLES
(For locked front wheels or displaced rear axles only)

RF \pm _____ °
 LF \pm _____ °
 RR \pm _____ °
 LR \pm _____ °

Within ± 5 degrees


DRIVE WHEELS

FWD RWD 4WD

Approximate Cargo Weight ?





TYPE OF TRANSMISSION

Manual Automatic



Entire Body DESTROYED BY FIRE

Original Bumper height



NOTES: Sketch new perimeter and cross hatch direct damage and single hatch induced damage on all views. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewall, etc.). If pulling trailer, sketch type of trailer and damage received on the back of this page.

Annotate any damage caused by extrication such as component removal by torching, prying, or hydraulic shears.

- CDGs - 1 - nailbox - 99 9999 9
2 - Utility pole - 00 TPDN-08
3 - Rollover - 00 TDDO - ?
4 - Fire -



U.S. Department of Transportation
National Highway Traffic Safety
Administration

INTERIOR VEHICLE FORM

Form 435C (1/91)

NATIONAL ACCIDENT SAMPLING SYSTEM
CRASHWORTHINESS DATA SYSTEM

1. Primary Sampling Unit Number

43

077A

2. Case Number – Stratum

01

3. Vehicle Number

INTEGRITY

4. Passenger Compartment Integrity

98

(00) No integrity loss

Yes, Integrity Was Lost Through

(01) Windshield

(02) Door (side)

(03) Door/hatch (back door)

(04) Roof

(05) Roof glass

(06) Side window

(07) Rear window (backlight)

(08) Roof and roof glass

(09) Windshield and door (side)

(10) Windshield and roof

(11) Side and rear window (side window and backlight)

(12) Windshield and side window

(13) Door and side window

(98) Other combination of above (specify):

WINDSHIELD, SIDE GLASS, BACKLIGHT & ROOF GLASS

(99) Unknown

Door, Tailgate Or Hatch Opening

5. LF 1 6. RF 2 7. LR Ø 8. RR Ø 9. TG/H Ø

(0) No door/gate/hatch

(1) Door/gate/hatch remained closed and operational

(2) Door/gate/hatch came open during collision

(3) Door/gate/hatch jammed shut

(8) Other (specify):

(9) Unknown

Damage/Failure Associated with Door, Tailgate or Hatch Opening in Collision. If IV05-IV09 ≠ 2, Then Code 0.

10. LF Ø 11. RF 2 12. LR Ø 13. RR Ø 14. TG/H Ø

(0) No door/gate/hatch or door not opened

Door, Tailgate, or Hatch Came Open During Collision

(1) Door operational (no damage)

(2) Latch/striker failure due to damage

(3) Hinge failure due to damage

(4) Door structure failure due to damage

(5) Door support (i.e., pillar, sill, roof side rail, etc.) failure due to damage

(6) Latch/striker and hinge failure due to damage

(8) Other failure (specify):

(9) Unknown

GLAZING

Glazing Damage from Impact Forces

15. WS 9 16. LF 9 17. RF 9 18. LR 4 19. RR 9

20. BL 9 21. Roof 9 22. Other 8

- (0) No glazing damage from impact forces
- (2) Glazing in place and cracked from impact forces
- (3) Glazing in place and holed from impact forces
- (4) Glazing out-of-place (cracked or not) and not holed from impact forces
- (5) Glazing out-of-place and holed from impact forces
- (6) Glazing disintegrated from impact forces
- (7) Glazing removed prior to accident
- (8) No glazing
- (9) Unknown if damaged

Glazing Damage from Occupant Contact

23. WS 9 24. LF 9 25. RF 9 26. LR Ø 27. RR 9

28. BL 9 29. Roof 9 30. Other Ø

- (0) No occupant contact to glazing or no glazing
- (1) Glazing contacted by occupant but no glazing damage
- (2) Glazing in place and cracked by occupant contact
- (3) Glazing in place and holed by occupant contact
- (4) Glazing out-of-place (cracked or not) by occupant contact and not holed by occupant contact
- (5) Glazing out-of-place by occupant contact and holed by occupant contact
- (6) Glazing disintegrated by occupant contact
- (9) Unknown if contacted by occupant

If No Glazing Damage And No Occupant Contact or No Glazing, Then Code IV 31 Through IV 46 As 0

Type of Window/Windshield Glazing

31. WS 9 32. LF 2 33. RF 2 34. LR 2 35. RR 2

36. BL 9 37. Roof 9 38. Other Ø

- (0) No glazing contact and no damage, or no glazing
- (1) AS-1 – Laminated
- (2) AS-2 – Tempered
- (3) AS-3 – Tempered-tinted
- (4) AS-14 – Glass/Plastic
- (8) Other (specify):

(9) Unknown


Window Precrash Glazing Status

39. WS 9 40. LF 9 41. RF 9 42. LR 1 43. RR Ø

44. BL Ø 45. Roof 9 46. Other Ø

- (0) No glazing contact and no damage, or no glazing
- (1) Fixed
- (2) Closed
- (3) Partially opened
- (4) Fully opened
- (9) Unknown

INTRUSION WORK SHEET



LOCATION OF INTRUSION	INTRUDED COMPONENT	COMPARISION VALUE	-	INTRUDED VALUE	=	INTRUSION	DOMINANT CRUSH DIRECTION
11	SIDE RAIL		-		=	724"	VER?
13	SIDE RAIL		-		=	"	"
11	A-PILLAR		-		=	"	"
13	B-PILLAR		-		=	"	"
11	WINDSHIELD WIPER		-		=	"	"
12	"		-		=	"	"
13	"		-		=	"	"
11	ROOF		-		=	"	"
12	"		-		=	"	"
13	"		-		=	"	"
			-		=		
			-		=		
			-		=		
			-		=		

Document no more than the 15 most severe intrusions

OCCUPANT AREA INTRUSION

Note: If no intrusions, leave variables IV 47-IV 86 blank.

Location of Intrusion	Intruding Component	Magnitude of Intrusion	Dominant Crush Direction
1st 47.	11	48. 13	49. 6 50. 1 ✓
2nd 51.	13	52. 13	53. 6 54. 1 ✓
3rd 55.	11	56. 86	57. 6 58. 1 ✓
4th 59.	13	60. 86	61. 6 62. 1 ✓
5th 63.	11	64. 15	65. 6 66. 1 ✓
6th 67.	12	68. 15	69. 6 70. 1 ✓
7th 71.	13	72. 15	73. 6 74. 1 ✓
8th 75.	11	76. 12	77. 6 78. 1 ✓
9th 79.	12	80. 12	81. 6 82. 1 ✓
10th 83.	13	84. 12	85. 6 86. 1 ✓

LOCATION OF INTRUSION

Front Seat Fourth Seat
 (11) Left (41) Left
 (12) Middle (42) Middle
 (13) Right (43) Right

Second Seat (97) Catastrophic
 (21) Left (98) Other enclosed
 (22) Middle area (specify):
 (23) Right

Third Seat (99) Unknown
 (31) Left
 (32) Middle
 (33) Right

INTRUDING COMPONENT**Interior Components**

- (01) Steering assembly
- (02) Instrument panel left
- (03) Instrument panel center
- (04) Instrument panel right
- (05) Toe pan
- (06) A-pillar
- (07) B-pillar
- (08) C-pillar
- (09) D-pillar
- (10) Door panel (side)
- (12) Roof (or convertible top)
- (13) Roof side rail
- (14) Windshield
- (15) Windshield header
- (16) Window frame
- (17) Floor pan (includes sill)
- (18) Backlight header
- (19) Front seat back
- (20) Second seat back
- (21) Third seat back
- (22) Fourth seat back
- (23) Fifth seat back
- (24) Seat cushion
- (25) Back door/panel (e.g., tailgate)
- (26) Other interior component (specify):

- (27) Side panel - forward of the A-pillar
- (28) Side panel - rear of the A-pillar

Exterior Components

- (30) Hood
- (31) Outside surface of vehicle (specify):
- (32) Other exterior object in the environment (specify):
- (33) Unknown exterior object
- (97) Catastrophic
- (98) Intrusion of unlisted component(s) (specify):
- (99) Unknown

MAGNITUDE OF INTRUSION

- (1) ≥ 1 inch but < 3 inches
- (2) ≥ 3 inches but < 6 inches
- (3) ≥ 6 inches but < 12 inches
- (4) ≥ 12 inches but < 18 inches
- (5) ≥ 18 inches but < 24 inches
- (6) ≥ 24 inches
- (7) Catastrophic
- (9) Unknown

DOMINANT CRUSH DIRECTION

- (1) Vertical
- (2) Longitudinal
- (3) Lateral
- (7) Catastrophic
- (9) Unknown

STEERING RIM/SPOKE DEFORMATION

COMPARISON VALUE	DAMAGE VALUE	=	DEFORMATION
-	=		
-	=		
-	=		
-	=		

STEERING COLUMN**87. Steering Column Type**

- (1) Fixed column
 (2) Tilt column
 (3) Telescoping column
 (4) Tilt and telescoping column
 (8) Other column type (specify): _____
 (9) Unknown

9**88. Blank**

(This variable is left blank so that numbering consistency can be maintained with the 1988-90 CDS.)

XX**89. Blank**

(This variable is left blank so that numbering consistency can be maintained with the 1988-90 CDS.)

XXX**90. Blank**

(This variable is left blank so that numbering consistency can be maintained with the 1988-90 CDS.)

XXX**91. Blank**

(This variable is left blank so that numbering consistency can be maintained with the 1988-90 CDS.)

XXX**92. Steering Rim/Spoke Deformation**

- _____ Code actual measured deformation to the nearest inch.
 (0) No steering rim deformation
 (1-5) Actual measured value
 (6) 6 inches or more
 (8) Observed deformation cannot be measured
 (9) Unknown
- Rim deformation
is due to stability
pole contact not
occupant contact*
- 1st Review 20
 2nd Review 20

93. Location of Steering Rim/Spoke Deformation

- (00) No steering rim deformation

Quarter Sections

- (01) Section A
 (02) Section B
 (03) Section C
 (04) Section D

**Half Sections**

- (05) Upper half of rim/spoke
 (06) Lower half of rim/spoke
 (07) Left half of rim/spoke
 (08) Right half of rim/spoke



- (09) Complete steering wheel collapse
 (10) Undetermined location
 (99) Unknown

INSTRUMENT PANEL**94. Odometer Reading**9 9 9,000

- _____ miles — Code mileage to the nearest 1,000 miles
 (000) No odometer
 (001) Less than 1,500 miles
 (300) 299,500 miles or more
 (999) Unknown

Source: _____

95. Instrument Panel Damage from Occupant Contact?

- (0) No
 (1) Yes
 (9) Unknown

9**96. Knee Bolsters Deformed from Occupant Contact?**

- (0) No
 (1) Yes
 (8) Not present
 (9) Unknown



9**97. Did Glove Compartment Door Open During Collision(s)?**

- (0) No
 (1) Yes
 (8) Not present
 (9) Unknown


9

VEHICLE INTERIOR SKETCHES


Note area of ejection/entrapment



STEERING WHEEL COLLAPSE due
AIR BAG DEPLOYED to
roof impact



TOTAL COLLAPSE OF ROOF STRUCTURE



Sketch windshield contact(s) and the damaged area(s) on the instrument panel outline (e.g., radio, glove compartment, damage to instrument panel structure).

Cross hatch contact points, draw spider webs or use other annotation as may be appropriate.

Annotate the contacted area with a letter (begin with A) and list on the Points of Occupant Contact page.

POINTS OF OCCUPANT CONTACT					
Contact	Interior Component Contacted	Occupant No. If Known	Body Region If Known	Supporting Physical Evidence	Confidence Level of Contact Point
A					
B					
C					
D				INTERIOR DESTROYED	
E					
F				BY FIRE	
G					
H					
I					
J					
K					
L					
M					
N					
CODES FOR INTERIOR COMPONENTS					
FRONT					
(01) Windshield	(26) Left side window glass including one or more of the following: frame, window sill, A-pillar, B-pillar, or roof side rail				(48) Child safety seat (specify): _____
(02) Mirror	(27) Other left side object (specify): _____				(49) Other interior object (specify): _____
(03) Sunvisor					
(04) Steering wheel rim					
(05) Steering wheel hub/spoke					
(06) Steering wheel (combination of codes 04 and 05)					
(07) Steering column, transmission selector lever, other attachment					
(08) Add on equipment (e.g., CB, tape deck, air conditioner)					
(09) Left instrument panel and below					
(10) Center instrument panel and below					
(11) Right instrument panel and below					
(12) Glove compartment door					
(13) Knee bolster					
(14) Windshield including one or more of the following: front header, A-pillar, instrument panel, mirror, or steering assembly (driver side only)					
(15) Windshield including one or more of the following: front header, A-pillar, instrument panel, or mirror (passenger side only)					
(16) Other front object (specify): _____					
RIGHT SIDE					
	(30) Right side interior surface, excluding hardware or armrests				
	(31) Right side hardware or armrest				
	(32) Right A pillar				
	(33) Right B pillar				
	(34) Other right pillar (specify): _____				
	(35) Right side window glass or frame				
	(36) Right side window glass including one or more of the following: frame, window sill, A-pillar, B-pillar, or roof side rail				
	(37) Other right side object (specify): _____				
INTERIOR					
	(40) Seat, back support				
	(41) Belt restraint webbing/buckle				
	(42) Belt restraint B-pillar attachment point				
	(43) Other restraint system component (specify): _____				
	(44) Head restraint system				
	(45) Air bag				
	(46) Other occupants (specify): _____				
	(47) Interior loose objects				
LEFT SIDE					
(20) Left side interior surface, excluding hardware or armrests					
(21) Left side hardware or armrest					
(22) Left A pillar					
(23) Left B pillar					
(24) Other left pillar (specify): _____					
(25) Left side window glass or frame					
CONFIDENCE LEVEL OF CONTACT POINT					
(1) Certain					
(2) Probable					
(3) Possible					
(4) Unknown					

AUTOMATIC RESTRAINTS

NOTES: Encode the data for each applicable front seat position. The attributes for the variables may be found below. Restraint systems should be assessed during the vehicle inspection then coded on the Occupant Assessment Form.

		Left	Center	Right
F I R S T	Air Bag System Availability			
	Function			
	Failure			
AIR BAGS				
Air Bag System Availability Function <ul style="list-style-type: none"> (0) Not equipped/not available (1) Air bag <p>Non-functional</p> <ul style="list-style-type: none"> (2) Air bag disconnected (specify): _____ <ul style="list-style-type: none"> (3) Air bag not reinstalled (9) Unknown 				
Air Bag System Deployment <ul style="list-style-type: none"> (0) Not equipped/not available (1) Air bag deployed during accident (2) Air bag deployed inadvertently just prior to accident (3) Air bag deployed, accident sequence undetermined (4) Nondeployed (5) Unknown if deployed (9) Unknown 				
Did Air Bag System Fail? <ul style="list-style-type: none"> (0) Not equipped/not available (1) No (2) Yes (specify): _____ <ul style="list-style-type: none"> (9) Unknown 				
AUTOMATIC BELTS				
Automatic (Passive) Belt System Availability/Function <ul style="list-style-type: none"> (0) Not equipped/not available (1) 2 point automatic belts (2) 3 point automatic belts (3) Automatic belts—type unknown <p>Non-functional</p> <ul style="list-style-type: none"> (4) Automatic belts destroyed or rendered inoperative (9) Unknown 				
Automatic (Passive) Belt System Use <ul style="list-style-type: none"> (0) Not equipped/not available/destroyed or rendered inoperative (1) Automatic belt in use (2) Automatic belt not in use (manually disconnected, motorized track inoperative) (3) Automatic belt use unknown (9) Unknown 				
Automatic (Passive) Belt System Type <ul style="list-style-type: none"> (0) Not equipped/not available (1) Non-motorized system (2) Motorized system (9) Unknown 				
Proper Use of Automatic (Passive) Belt System <ul style="list-style-type: none"> (0) Not equipped/not available/not used (1) Automatic belt used properly (2) Automatic belt used properly with child safety seat 				
Automatic Belt Used Improperly <ul style="list-style-type: none"> (3) Automatic shoulder belt worn under arm (4) Automatic shoulder belt worn behind back (5) Automatic belt worn around more than one person (6) Lap portion of automatic belt worn on abdomen (7) Automatic lap and shoulder belt or automatic shoulder belt used improperly with child safety seat (specify): _____ 				
<ul style="list-style-type: none"> (8) Other improper use of automatic belt system (specify): _____ (9) Unknown 				
Automatic (Passive) Belt Failure Modes During Accident <ul style="list-style-type: none"> (0) Not equipped/not available/not in use (1) No automatic belt failure(s) (2) Torn webbing (stretched webbing not included) (3) Broken buckle or latchplate (4) Upper anchorage separated (5) Other anchorage separated (specify): _____ 				
<ul style="list-style-type: none"> (6) Broken retractor (7) Combination of above (specify): _____ (8) Other automatic belt failure (specify): _____ 				
<ul style="list-style-type: none"> (9) Unknown 				

AUTOMATIC RESTRAINTS

NOTES: Encode the data for each applicable front seat position. The attribute for the variables may be found below. Restraint systems should be assessed during the vehicle inspection then coded on the Occupant Assessment Form.

AIR BAGS

		Left	Right
F I R S T	Availability/Function		Ø
	Deployment		Ø
	Failure	1	Ø

Air Bag System Availability/Function

- (0) Not equipped/not available
- (1) Air bag

Non-functional

- (2) Air bag disconnected (specify):

- (3) Air bag not reinstalled

- (9) Unknown

Did Air Bag System Fail?

- (0) Not equipped/not available
- (1) No
- (2) Yes (specify):

- (9) Unknown

Air Bag System Deployment

- (0) Not equipped/not available
- (1) Air bag deployed during accident
- (2) Air bag deployed inadvertently just prior to accident
- (3) Air bag deployed, accident sequence undetermined
- (4) Nondeployed
- (5) Unknown if deployed
- (9) Unknown

AUTOMATIC BELTS

		Left	Right
F I R S T	Availability/Function		
	Use		
	Type		
	Proper Use		
	Failure Modes		

Automatic (Passive) Belt System Availability/Function

- (0) Not equipped/not available
- (1) 2 point automatic belts
- (2) 3 point automatic belts
- (3) Automatic belts - type unknown

Non-functional

- (4) Automatic belts destroyed or rendered inoperative
- (9) Unknown

Automatic (Passive) Belt System Use

- (0) Not equipped/not available/destroyed or rendered inoperative
- (1) Automatic belt in use
- (2) Automatic belt not in use (manually disconnected, motorized track inoperative)
- (3) Automatic belt use unknown
- (9) Unknown

Automatic (Passive) Belt System Type

- (0) Not equipped/not available
- (1) Non-motorized system
- (2) Motorized system
- (9) Unknown

Proper Use of Automatic (Passive) Belt System

- (0) Not equipped/not available/not used
- (1) Automatic belt used properly
- (2) Automatic belt used properly with child safety seat

Automatic Belt Used Improperly

- (3) Automatic shoulder belt worn under arm
- (4) Automatic shoulder belt worn behind back
- (5) Automatic belt worn around more than one person
- (6) Lap portion of automatic belt worn on abdomen
- (7) Automatic lap and shoulder belt or automatic shoulder belt used improperly with child safety seat (specify):
- (8) Other improper use of automatic belt system (specify):
- (9) Unknown

Automatic (Passive) Belt Failure Modes During Accident

- (0) Not equipped/not available/not in use
- (1) No automatic belt failure(s)
- (2) Torn webbing (stretched webbing not included)
- (3) Broken buckle or latchplate
- (4) Upper anchorage separated
- (5) Other anchorage separated (specify):
- (6) Broken retractor
- (7) Combination of above (specify):
- (8) Other automatic belt failure (specify):

- (9) Unknown

MANUAL RESTRAINTS

NOTES: Encode the applicable data for each seat position in the vehicle. The attributes for the variables may be found below. Restraint systems should be assessed during the vehicle inspection then coded on the Occupant Assessment Form.

If a child safety seat is present, encode the data on the back of this page.

If the vehicle has automatic restraints available, encode the appropriate data on the back of the previous page.

		Left	Center	Right
F I R S T	Availability	4		4
	Use	99		99
	Failure Modes	9		9
S E C O N D	Availability	4	9	4
	Use	99	99	99
	Failure Modes	9	9	9
T H I R D	Availability			
	Use			
	Failure Modes			
O T H E R	Availability			
	Use			
	Failure Modes			

Manual (Active) Belt System Availability

- (0) Not available
- (1) Belt removed/destroyed
- (2) Shoulder belt
- (3) Lap belt
- (4) Lap and shoulder belt
- (5) Belt available — type unknown
- (8) Other belt (specify):

BUCKLE NOT
IN ANCHOR
SEAT BELT
MATED ON
DEPLOYED
AIR BAG

- (9) Unknown

Manual (Active) Belt System Use

- (00) None used, not available, or belt removed/destroyed
- (01) Inoperative (specify):

 - (02) Shoulder belt
 - (03) Lap belt
 - (04) Lap and shoulder belt
 - (05) Belt used — type unknown

(08) Other belt used (specify):

- (12) Shoulder belt used with child safety seat
- (13) Lap belt used with child safety seat
- (14) Lap and shoulder belt used with child safety seat
- (15) Belt used with child safety seat — type unknown
- (18) Other belt used with child safety seat (specify):

(99) Unknown if belt used**Manual (Active) Belt Failure Modes During Accident**

- (0) No manual belt used or not available
- (1) No manual belt failure(s)
- (2) Torn webbing (stretched webbing not included)
- (3) Broken buckle or latchplate
- (4) Upper anchorage separated
- (5) Other anchorage separated (specify):
- (6) Broken retractor
- (7) Combination of above (specify):
- (8) Other manual belt failure (specify):
- (9) Unknown

CHILD SAFETY SEAT FIELD ASSESSMENT

When a child safety seat is present enter the occupant's number in the first row and complete the column below the occupant's number using the codes listed below. Complete a column for each child safety seat present.

Occupant Number						
1. Type of Child Safety Seat						
2. Child Safety Seat Orientation						
3. Child Safety Seat Harness Usage						
4. Child Safety Seat Shield Usage						
5. Child Safety Seat Tether Usage						
6. Child Safety Seat Make/Model	Specify Below for Each Child Safety Seat					

1. Type of Child Safety Seat

- (0) No child safety seat
- (1) Infant seat
- (2) Toddler seat
- (3) Convertible seat
- (4) Booster seat
- (7) Other type child safety seat (specify):

- (8) Unknown child safety seat type
- (9) Unknown if child safety seat used

2. Child Safety Seat Orientation

- (00) No child safety seat
- Designed for Rear Facing for This Age/Weight
- (01) Rear facing
- (02) Forward facing
- (03) Other orientation (specify):

- (04) Unknown orientation
- Designed for Forward Facing for This Age/Weight
- (11) Rear facing
- (12) Forward facing
- (18) Other orientation (specify):

- (19) Unknown orientation

Unknown Design or Orientation for This Age/Weight, or Unknown Age/Weight

- (21) Rear facing
- (22) Forward facing
- (28) Other orientation (specify):

(29) Unknown orientation

(99) Unknown if child safety seat used

3. Child Safety Seat Harness Usage

4. Child Safety Seat Shield Usage

5. Child Safety Seat Tether Usage

Note: Options Below Are Used for Variables 3-5.

- (00) No child safety seat

Not Designed with Harness/Shield/Tether

- (01) After market harness/shield/tether added, not used
- (02) After market harness/shield/tether used
- (03) Child safety seat used, but no after market harness/shield/tether added
- (09) Unknown if harness/shield/tether added or used

Designed with Harness/Shield/Tether

- (11) Harness/shield/tether not used
- (12) Harness/shield/tether used
- (19) Unknown if harness/shield/tether used

Unknown if Designed with Harness/Shield/Tether

- (21) Harness/shield/tether not used
- (22) Harness/shield/tether used
- (29) Unknown if harness/shield/tether used
- (99) Unknown if child safety seat used

6. Child Safety Seat Make/Model

(Specify make/model and occupant number)

HEAD RESTRAINTS/SEAT EVALUATION

NOTES: Encode the applicable data for each seat position in the vehicle. The attributes for these variables may be found at the bottom of the page. Head restraint type/damage and seat type/performance should be assessed during the vehicle inspection then coded on the Occupant Assessment Form.

		Left	Center	Right
F I R S T	Head Restraint Type/Damage	9		9
	Seat Type	99		99
	Seat Performance	9		9
S E C O N D	Head Restraint Type/Damage	9	9	9
	Seat Type	99	99	99
	Seat Performance	9	9	9
T H I R D	Head Restraint Type/Damage			
	Seat Type			
	Seat Performance			
O T H E R	Head Restraint Type/Damage			
	Seat Type			
	Seat Performance			

Head Restraint Type/Damage by Occupant at This Occupant Position

- (0) No head restraints
- (1) Integral — no damage
- (2) Integral — damaged during accident
- (3) Adjustable — no damage
- (4) Adjustable — damaged during accident
- (5) Add-on — no damage
- (6) Add-on — damaged during accident
- (8) Other (specify): _____
- (9) Unknown

Seat Performance (This Occupant Position)

- (0) No seat
- (1) No seat performance failure(s)
- (2) Seat adjusters failed
- (3) Seat back folding locks failed
- (4) Seat tracks/anchors failed
- (5) Deformed by impact of occupant
- (6) Deformed by passenger compartment intrusion (specify): _____

Seat Type (This Occupant Position)

- (00) No seat
- (01) Bucket
- (02) Bucket with folding back
- (03) Bench
- (04) Bench with separate back cushions
- (05) Bench with folding back(s)
- (06) Split bench with separate back cushions
- (07) Split bench with folding back(s)
- (08) Pedestal (i.e., van type)
- (09) Other seat type (specify): _____
- (99) Unknown

- (7) Combination of above (specify): _____

- (8) Other (specify): _____

- (9) Unknown

DESCRIBE ANY INDICATION OF ABNORMAL OCCUPANT POSTURE (I.E. UNUSUAL OCCUPANT CONTACT PATTERN)

UN known

EJECTION/ENTRAPMENT DATA

Complete the following if the researcher has any indications that an occupant was either ejected from or entrapped in the vehicle. Code the appropriate data on the Occupant Assessment Form.

EJECTION No [] Yes []

Describe indications of ejection and body parts involved in partial ejection(s):

Occupant Number						
Ejection						
(Note on Vehicle Interior Sketch) Ejection Area						
Ejection Medium						
Medium Status						

Ejection (1) Complete ejection (2) Partial ejection (3) Ejection, unknown degree (9) Unknown	(7) Roof (8) Other area (e.g., back of pickup, etc.) (specify): <hr/> (9) Unknown	(5) Integral structure (8) Other medium (specify): <hr/> (9) Unknown
Ejection Area (1) Windshield (2) Left front (3) Right front (4) Left rear (5) Right rear (6) Rear	Ejection Medium (1) Door hatch/tailgate (2) Nonfixed roof structure (3) Fixed glazing (4) Nonfixed glazing (specify): <hr/>	Medium Status (Immediately Prior to Impact) (1) Open (2) Closed (3) Integral structure (9) Unknown

ENTRAPMENT No [] Yes [] UNKNOWN

Describe entrapment mechanism: ROOF STRUCTURE COLLAPSE

Component(s): ROOF, SIDE RAILS, WINDSHIELD MIRROR & A-PILLAR

(Note in vehicle interior diagram)

National Accident Sampling System – Crashworthiness Data System: Occupant Assessment Form

<p>26. Seat Type (This Occupant Position) <u>99</u></p> <p>(00) Occupant not seated or no seat (01) Bucket (02) Bucket with folding back (03) Bench (04) Bench with separate back cushions (05) Bench with folding back(s) (06) Split bench with separate back cushions (07) Split bench with folding back(s) (08) Pedestal (i.e., van type) (09) Other seat type (specify): _____ (99) Unknown</p>	<p>30. Child Safety Seat Orientation <u>00</u></p> <p>(00) No child safety seat Designed for Rear Facing for This Age/Weight (01) Rear facing (02) Forward facing (08) Other orientation (specify): _____ (09) Unknown orientation Designed for Forward Facing for This Age/Weight (11) Rear facing (12) Forward facing (18) Other orientation (specify): _____ (19) Unknown orientation Unknown Design or Orientation for This Age/Weight, or Unknown Age/Weight (21) Rear facing (22) Forward facing (28) Other orientation (specify): _____ (29) Unknown orientation (99) Unknown if child safety seat used</p>
<p>27. Seat Performance (This Occupant Position) <u>9</u></p> <p>(0) Occupant not seated or no seat (1) No seat performance failure(s) (2) Seat adjusters failed (3) Seat back folding locks failed (4) Seat track/anchors failed (5) Deformed by impact of occupant (6) Deformed by passenger compartment intrusion (specify): _____ _____ _____ (7) Combination of above (specify): _____ (8) Other (specify): _____ (9) Unknown</p>	<p>31. Child Safety Seat Harness Usage <u>00</u></p> <p>32. Child Safety Seat Shield Usage <u>00</u></p> <p>33. Child Safety Seat Tether Usage <u>00</u></p> <p>Note: Options below applicable to Variables OA31-OA33. (00) No child safety seat Not Designed with Harness/Shield/Tether (01) After market harness/shield/tether added, not used (02) After market harness/shield/tether used (03) Child safety seat used, but no after market harness/shield/tether added (09) Unknown if harness/shield/tether added or used Designed with Harness/Shield/Tether (11) Harness/shield/tether not used (12) Harness/shield/tether used (19) Unknown if harness/shield/tether used Unknown If Designed with Harness/Shield/Tether (21) Harness/shield/tether not used (22) Harness/shield/tether used (29) Unknown if harness/shield/tether used (99) Unknown if child safety seat used</p>
<p>CHILD SAFETY SEAT</p> <p>28. Child Safety Seat Make/Model <u>000</u></p> <p>(000) No child safety seat Applicable codes are found in your NASS CDS Data Collection, Coding, and Editing Manual (997) Other make/model (specify): _____ (998) Unknown make/model (999) Unknown if child safety seat used</p> <p>29. Type of Child Safety Seat <u>0</u></p> <p>(0) No child safety seat (1) Infant seat (2) Toddler seat (3) Convertible seat (4) Booster seat (7) Other type child safety seat (specify): _____ (8) Unknown child safety seat type (9) Unknown if child safety seat used</p>	

PSU NUMBER	<u>43</u>
CASE NUMBER	<u>077A</u>
VEHICLE NUMBER	<u>01</u>
OCCUPANT NUMBER	<u>01</u>

OCCUPANT INJURY FORM

THE FOLLOWING DATA IS NOT INCLUDED IN THIS CASE:

ENTIRE FORM

PAGE NUMBER (S) _____



UPDATE FORM

1. Primary Sampling Unit Number	<u>43</u>
2. Case Number - Stratum	<u>471A</u>
3. Vehicle Number	<u>81</u>
4. Occupant Number	<u>81</u>
	<u>✓</u>
	<u>1991</u>

Driver or Occupant Name: _____

Address: _____

Other Information: _____

(Sanitize this section prior to Update submission.)

STATUS OF LOG INJURY INFORMATION

Injury Information

- (00) Not medically treated/record not required
- (01) No record of treatment at medical facility
- (02) Medical release required - not obtained
- (03) Injury not related to accident
- (04) Noncooperative hospital
- (05) Hospital out-of-study area
- (06) Private physician would not release data

- (07) Unknown if medically treated
- (08) To be updated
- (09) Record not received before file closeout
- (10) Record not obtained
- (11) Record obtained
- (12) Partial record obtained - not to be updated
- (13) Partial record obtained - to be updated

UPDATED CASE INFORMATION

	INITIAL SUBMISSION	UPDATED INFORMATION		INITIAL SUBMISSION	UPDATED INFORMATION
GV12. Alcohol Test Result Result for Driver	<u>91</u>	<u>27</u>	OA18. Manual (Active) Belt System Use	<u>04</u>	—
GV39. Other Drug Specimen Test Type for Driver	<u>8</u>	<u>1</u>	OA21. Air Bag System Availability/Function	<u>1</u>	—
GV40.-GV41. Narcotic Drug	<u>88</u>	<u>81</u>	OA22. Air Bag System Deployment	<u>3</u>	—
GV42.-GV43. Depressant Drug	<u>6</u>	<u>81</u>	OA35. Treatment - Mortality	<u>1</u>	—
GV44.-GV45. Stimulant Drug	<u>88</u>	<u>81</u>	OA36. Type of Medical Facility (for Initial Treatment)	<u>0</u>	—
GV46.-GV47. Hallucinogen Drug	<u>00</u>	<u>81</u>	OA37. Hospital Stay	<u>00</u>	—
GV48.-GV49. Cannabinoid Drug	<u>00</u>	<u>81</u>	OA38. Working Days Lost	<u>62</u>	—
GV50.-GV51. Phencyclidine (PCP)	<u>00</u>	<u>81</u>	OA39. Time to Death	<u>01</u>	—
GV52.-GV53. Inhalant Drug	<u>00</u>	<u>81</u>	OA40. 1st Medically Reported Cause of Death	<u>99</u>	<u>97</u>
GV54.-GV55. Other Drug (Excluding Nicotine, Aspirin, Alcohol, Drugs Administered Post-Crash)	<u>00</u>	<u>81</u>	OA41. 2nd Medically Reported Cause of Death	<u>04</u>	—
OA05. Occupant's Age	<u>32</u>	—	OA42. 3rd Medically Reported Cause of Death	<u>04</u>	—
OA06. Occupant's Sex	<u>2</u>	—	OA43. Number of Recorded Injuries for This Occupant	<u>91</u>	<u>66</u>
OA07. Occupant's Height	<u>99</u>	<u>62</u>	OA44. Automatic (Passive) Belt System Availability/Function	<u>0</u>	—
OA08. Occupant's Weight	<u>999</u>	<u>148</u>	OA45. Automatic (Passive) Belt System Use	<u>0</u>	—
OA17. Manual (Active) Belt System Availability	<u>4</u>	—			

CHEST
TRAUMA

INJURY DATA CODED ON INITIAL SUBMISSION

Source of Injury Data	O.I.C.-A.I.S						Injury Source Confidence Level	Direct/ Indirect Injury	Occupant Area Intrusion No.	
	Body Region	Aspect	Lesion	System Organ	A.I.S. Severity	Injury Source				
1st	5. ____	6. ____	7. ____	8. ____	9. ____	10. ____	11. _____	12. ____	13. ____	14. _____
2nd	15. ____	16. ____	17. ____	18. ____	19. ____	20. ____	21. _____	22. ____	23. ____	24. _____
3rd	25. ____	26. ____	27. ____	28. ____	29. ____	30. ____	31. _____	32. ____	33. ____	34. _____
4th	35. ____	36. ____	37. ____	38. ____	39. ____	40. ____	41. _____	42. ____	43. ____	44. _____
5th	45. ____	46. ____	47. ____	48. ____	49. ____	50. ____	51. _____	52. ____	53. ____	54. _____
6th	55. ____	56. ____	57. ____	58. ____	59. ____	60. ____	61. _____	62. ____	63. ____	64. _____
7th	65. ____	66. ____	67. ____	68. ____	69. ____	70. ____	71. _____	72. ____	73. ____	74. _____
8th	75. ____	76. ____	77. ____	78. ____	79. ____	80. ____	81. _____	82. ____	83. ____	84. _____
9th	85. ____	86. ____	87. ____	88. ____	89. ____	90. ____	91. _____	92. ____	93. ____	94. _____
10th	95. ____	96. ____	97. ____	98. ____	99. ____	100. ____	101. _____	102. ____	103. ____	104. _____
11th	105. ____	106. ____	107. ____	108. ____	109. ____	110. ____	111. _____	112. ____	113. ____	114. _____
12th	115. ____	116. ____	117. ____	118. ____	119. ____	120. ____	121. _____	122. ____	123. ____	124. _____
13th	125. ____	126. ____	127. ____	128. ____	129. ____	130. ____	131. _____	132. ____	133. ____	134. _____
14th	135. ____	136. ____	137. ____	138. ____	139. ____	140. ____	141. _____	142. ____	143. ____	144. _____
15th	145. ____	146. ____	147. ____	148. ____	149. ____	150. ____	151. _____	152. ____	153. ____	154. _____
16th	155. ____	156. ____	157. ____	158. ____	159. ____	160. ____	161. _____	162. ____	163. ____	164. _____
17th	165. ____	166. ____	167. ____	168. ____	169. ____	170. ____	171. _____	172. ____	173. ____	174. _____
18th	175. ____	176. ____	177. ____	178. ____	179. ____	180. ____	181. _____	182. ____	183. ____	184. _____
19th	185. ____	186. ____	187. ____	188. ____	189. ____	190. ____	191. _____	192. ____	193. ____	194. _____
20th	195. ____	196. ____	197. ____	198. ____	199. ____	200. ____	201. _____	202. ____	203. ____	204. _____

NOTE: Keep a photocopy of the following original submitted pages when applicable: Exterior Vehicle Form pages 2, 3, 4; Interior Vehicle Form pages 1-reverse, 2, 4, 5; Occupant Injury Form pages 2, 3, 3-reverse; Interview Form pages 3, 4, 5.

INJURY DATA

Record below the actual injuries sustained by this occupant that were identified from the unofficial and official prior to initial case submission **and from subsequently acquired medical data**. Remember not to double count an injury just because it was identified from two different sources.

Source of Injury Data	O.I.C.—A.I.S.					Injury Source Confidence Level	Direct/ Indirect Injury	Occupant Area Intrusion No.
	Body Region	Aspect	Lesion	System Organ	A.I.S. Severity			
1st	5. <u>I</u>	6. <u>O</u>	7. <u>W</u>	8. <u>B</u>	9. <u>I</u>	10. <u>5</u>	11. <u>90</u>	12. <u>1</u>
13. <u>3</u>	14. <u>X</u>							
2nd	15. <u>L</u>	16. <u>C</u>	17. <u>V</u>	18. <u>V</u>	19. <u>V</u>	20. <u>4</u>	21. <u>97</u>	22. <u>9</u>
23. <u>7</u>	24. <u>99</u>							
3rd	25. <u>I</u>	26. <u>T</u>	27. <u>L</u>	28. <u>F</u>	29. <u>S</u>	30. <u>3</u>	31. <u>97</u>	32. <u>9</u>
33. <u>1</u>	34. <u>99</u>							
4th	35. <u>I</u>	36. <u>T</u>	37. <u>R</u>	38. <u>F</u>	39. <u>S</u>	40. <u>3</u>	41. <u>91</u>	42. <u>9</u>
43. <u>7</u>	44. <u>99</u>							
5th	45. <u>I</u>	46. <u>M</u>	47. <u>R</u>	48. <u>L</u>	49. <u>L</u>	50. <u>Z</u>	51. <u>91</u>	52. <u>9</u>
53. <u>7</u>	54. <u>99</u>							
6th	55. <u>I</u>	56. <u>W</u>	57. <u>L</u>	58. <u>F</u>	59. <u>S</u>	60. <u>Z</u>	61. <u>97</u>	62. <u>9</u>
63. <u>1</u>	64. <u>99</u>							
7th	65. <u> </u>	66. <u> </u>	67. <u> </u>	68. <u> </u>	69. <u> </u>	70. <u> </u>	71. <u> </u>	72. <u> </u>
73. <u> </u>	74. <u> </u>							
8th	75. <u> </u>	76. <u> </u>	77. <u> </u>	78. <u> </u>	79. <u> </u>	80. <u> </u>	81. <u> </u>	82. <u> </u>
83. <u> </u>	84. <u> </u>							
9th	85. <u> </u>	86. <u> </u>	87. <u> </u>	88. <u> </u>	89. <u> </u>	90. <u> </u>	91. <u> </u>	92. <u> </u>
93. <u> </u>	94. <u> </u>							
10th	95. <u> </u>	96. <u> </u>	97. <u> </u>	98. <u> </u>	99. <u> </u>	100. <u> </u>	101. <u> </u>	102. <u> </u>
103. <u> </u>	104. <u> </u>							


If greater than 10 injuries, code additional on Occupant Injury Data Supplement.

OCCUPANT INJURY DATA

Source of Injury Data	O.I.C.—A.I.S.						Injury Source Confidence Level	Direct/ Indirect Injury	Occupant Area Intrusion No.
	Body Region	Aspect	Lesion	System Organ	A.I.S. Severity	Injury Source			
11th	—	—	—	—	—	—	—	—	—
12th	—	—	—	—	—	—	—	—	—
13th	—	—	—	—	—	—	—	—	—
14th	—	—	—	—	—	—	—	—	—
15th	—	—	—	—	—	—	—	—	—
16th	—	—	—	—	—	—	—	—	—
17th	—	—	—	—	—	—	—	—	—
18th	—	—	—	—	—	—	—	—	—
19th	—	—	—	—	—	—	—	—	—
20th	—	—	—	—	—	—	—	—	—
21st	—	—	—	—	—	—	—	—	—
22nd	—	—	—	—	—	—	—	—	—
23rd	—	—	—	—	—	—	—	—	—

OFFICIAL INJURY DATA – SOFT TISSUE INJURIES

Indicate the *Location*, *Lesion*, *Detail* (size, depth, fracture type, head injury clinical signs and neurological deficits), and *Source* of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



SOURCE OF INJURY DATA

OFFICIAL

- (1) Autopsy records with or without hospital medical records
 - (2) Hospital medical records other than emergency room (e.g., discharge summary)
 - (3) Emergency room records only (including associated X-rays or other lab reports)
 - (4) Private physician, walk-in or emergency clinic
- UNOFFICIAL**
- (5) Lay coroner report
 - (6) E.M.S. personnel
 - (7) Interviewee
 - (8) Other source (specify): _____
- (9) Police

INJURY SOURCE

FRONT

- (01) Windshield
- (02) Mirror
- (03) Sunvisor
- (04) Steering wheel rim
- (05) Steering wheel hub/spoke
- (06) Steering wheel (combination of codes 04 and 05)
- (07) Steering column, transmission selector lever, other attachment
- (08) Add-on equipment (e.g., CB, tape deck, air conditioner)
- (09) Left instrument panel and below
- (10) Center instrument panel and below
- (11) Right instrument panel and below
- (12) Glove compartment door
- (13) Knee bolster
- (14) Windshield including one or more of the following: front header, A-pillar, instrument panel, mirror, or steering assembly (driver side only)
- (15) Windshield including one or more of the following: front header, A-pillar, instrument panel, or mirror (passenger side only)
- (16) Other front object (specify): _____

LEFT SIDE

- (20) Left side interior surface, excluding hardware or armrests
 - (21) Left side hardware or armrest
 - (22) Left A pillar
 - (23) Left B pillar
 - (24) Other left pillar (specify): _____
- (25) Left side window glass or frame

- (26) Left side window glass including one or more of the following: frame, window sill, A-pillar, B-pillar, or roof side rail
- (27) Other left side object (specify): _____

RIGHT SIDE

- (30) Right side interior surface, excluding hardware or armrests
- (31) Right side hardware or armrest
- (32) Right A pillar
- (33) Right B pillar
- (34) Other right pillar (specify): _____
- (35) Right side window glass or frame
- (36) Right side window glass including one or more of the following: frame, window sill, A-pillar, B-pillar, roof side rail
- (37) Other right side object (specify): _____

INTERIOR

- (40) Seat, back support
- (41) Belt restraint webbing/buckle
- (42) Belt restraint B-pillar attachment point
- (43) Other restraint system component (specify): _____

- (44) Head restraint system
- (45) Air bag
- (46) Other occupants (specify): _____

- (47) Interior loose objects
- (48) Child safety seat (specify): _____

- (49) Other interior object (specify): _____

ROOF

- (50) Front header
- (51) Rear header
- (52) Roof left side rail
- (53) Roof right side rail
- (54) Roof or convertible top

FLOOR

- (56) Floor including toe pan
- (57) Floor or console mounted transmission lever, including console
- (58) Parking brake handle
- (59) Foot controls including parking brake

REAR

- (60) Backlight (rear window)
- (61) Backlight storage rack, door, etc.
- (62) Other rear object (specify): _____

EXTERIOR OF OCCUPANT'S VEHICLE

- (65) Hood
- (66) Outside hardware (e.g., outside mirror, antenna)
- (67) Other exterior surface or tires (specify): _____

- (68) Unknown exterior objects

EXTERIOR OF OTHER MOTOR VEHICLE

- (70) Front bumper
- (71) Hood edge
- (72) Other front of vehicle (specify): _____

- (73) Hood

- (74) Hood ornament
- (75) Windshield, roof rail, A-pillar

- (76) Side surface

- (77) Side mirrors

- (78) Other side protrusions (specify): _____

- (79) Rear surface

- (80) Undercarriage

- (81) Tires and wheels

- (82) Other exterior of other motor vehicle (specify): _____

- (83) Unknown exterior of other motor vehicle

OTHER VEHICLE OR OBJECT IN THE ENVIRONMENT

- (84) Ground
- (85) Other vehicle or object (specify): _____

- (86) Unknown vehicle or object

NONCONTACT INJURY

- (90) Fire in vehicle
- (91) Flying glass
- (92) Other noncontact injury source (specify): _____

- (97) Injured, unknown source

INJURY SOURCE CONFIDENCE LEVEL

- (1) Certain
- (2) Probable
- (3) Possible
- (9) Unknown

DIRECT/INDIRECT INJURY

- (1) Direct contact injury
- (2) Indirect contact injury
- (3) Noncontact injury
- (7) Injured, unknown source

OCCUPANT INJURY CLASSIFICATION

O.I.C. Body Region

- (M) Abdomen
- (Q) Ankle-foot
- (A) Arm (upper)
- (B) Back-thoracolumbar spine
- (C) Chest
- (E) Elbow
- (F) Face
- (R) Forearm
- (H) Head-skull
- (U) Injured, unknown region
- (K) Knee
- (L) Leg (lower)
- (Y) Lower limb(s) (whole or unknown part)
- (N) Neck-cervical spine
- (P) Pelvic-hip
- (S) Shoulder
- (T) Thigh
- (X) Upper limb(s) (whole or unknown part)
- (O) Whole body

(W) Aspect of Injury

- (A) Anterior-front
- (B) Bilateral (rib fracture only).
- (C) Central
- (I) Inferior-lower
- (U) Injured, unknown aspect
- (L) Left
- (P) Posterior-back
- (R) Right
- (S) Superior-upper
- (W) Whole region

(Lesion

- (A) Abrasion
- (M) Amputation
- (V) Avulsion
- (B) Burn
- (K) Concussion
- (C) Contusion
- (N) Crush

(G) System/Organ


- (G) Detachment, separation
- (D) Dislocation
- (F) Fracture
- (Z) Fracture and dislocation
- (U) Injured, unknown lesion
- (L) Laceration
- (O) Other
- (P) Perforation, puncture
- (R) Rupture
- (S) Sprain
- (T) Strain
- (E) Total severance, transection
- (W) All systems in region
- (A) Arteries-veins
- (B) Brain
- (D) Digestive
- (E) Ears
- (O) Eye
- (H) Heart
- (U) Injured, unknown system

(I) Abbreviated Injury Scale

- | |
|-------------------------------|
| (1) Minor injury |
| (2) Moderate injury |
| (3) Serious injury |
| (4) Severe injury |
| (5) Critical injury |
| (6) Maximum (untreatable) |
| (7) Injured, unknown severity |

OFFICIAL INJURY DATA – SKELETAL INJURIES


Indicate the *Location*, *Lesion*, *Detail* (size, depth, fracture type, head injury clinical signs and neurological deficits), and *Source* of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)




OFFICIAL INJURY DATA - INTERNAL INJURIES

EOTH-270mg/dl (.27g) OTHER VOLATILES - NONE DETECTED

Indicate the *Location, Lesion, Detail* (size, depth, fracture type, head injury clinical signs and neurological deficits), and *Source* of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



CAUSE OF DEATH
CHEST TRAUMA



CC0531 2 ***** THIS CASE SHOWS A DOOR OR HATCH OR GATE OPENING *****
CC0532 ***** CHECK YOUR DATA AND IF CORRECT, NOTIFY YOUR ZONE *****
CC0533 DOOR LEFT FRONT IVO5 equals 2 or IVO6 equals 2 or IVO7 equals 2
CC0534 or IVO8 equals 2 or IVO9 equals 2.

HH1281 2 ***** THIS VEHICLE IS INDICATED AS HAVING AN AIRBAG. *****
HH1282 ***** CHECK YOUR DATA AND IF CORRECT, NOTIFY YOUR ZONE *****
HH1283 AIR BAG AVAILABILITY/FUNCTION OA21 equals 1-3.

AE0281 2 If OBJECT CONTACTED AC16(n) equals 32, then FIRE OCCURRENCE EV30
AE0282 should equal 0.
VEH NUM = 01

1991 NATIONAL ACCIDENT SAMPLING SYSTEM

ERROR SUMMARY SCREEN

-1992

CURRENT VERSION: 4.03

FORM NAME	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Accident	0	0	0	Y
General Vehicle	0	0	1	Y
Vehicle Exterior	0	0	0	Y
Vehicle Interior	0	0	1	Y
Occupant Assessment	0	0	1	Y
Occupant Injury	0	0	0	Y
Total Inter Errors		0	1	
Total Case Errors	0	0	4	




SLIDE INDEX

Primary Sampling Unit Number <u>43</u>			Case Number—Stratum <u>877A</u>
Slide No.	Vehicle No.	Direction of Picture	Description of Slide Subject Matter
1-2	1	SW	APPROACH
3	"	"	ROAD DEPARTURE
4-8	"	"	APPROACH TO IMPACT #1
9	"	"	IMPACT #1
10-13	"	"	APPROACH TO IMPACT #2
14	"	"	IMPACT #2
15	N/A	"	DAMAGED MAIL BOX - ORIGINAL (POST DIFFERENT)
16	N/A	"	ORIGINAL DAMAGED POST FOR MAIL BOX
17	1	"	APPROACH IMPACT #3
18	"	"	IMPACT #3 (GROUND)
19-21	"	"	IMPACT #3 / APPROACH IMPACT #5
22	"	"	IMPACT #4
23	"	"	POLE REPLACED (UTILITY POLE KNOCKED OUT OF GROUND)
24	"	"	IMPACT #5 (GROUND)
25	"	NN	FINAL REST
26	"	NE	LOOK BACK FINAL REST
27	"	"	" " IMPACT #4
28	"	"	" " IMPACT #3
29	"	"	" " " " #2
30	"	"	" " " " " " #1
31	"	"	" " ROAD DEPARTURE
32	"	"	" " APPROACH
33-53	"		EXTERIOR SHOTS
			#50 - CLOSE UP RF DOOR STRIKER
			#51 - " " " " LATCH
54-57	"		CLOSE UPS STEERING WHEEL & AIR BAG
			#55 - NOTE SEAT BELT SERED ONTO AIRBAG



PSU 43-077A (1991) #1



PSU 43-077A (1991) #2



PSU 43-077A (1991) #3



PSU 43-077A (1991) #4



PSU 43-077A (1991) #5



PSU 43-077A (1991) #6



PSU 43-077A (1991) #7



PSU 43-077A (1991) #8



PSU 43-077A (1991) #9



PSU 43-077A (1991) #10

U.S. AIR FORCE

PSU 43-077A (1991) #11



PSU 43-077A (1991) #12



PSU 43-077A (1991) #13



PSU 43-077A (1991) #14



PSU 43-077A (1991) #15



PSU 43-077A (1991) #16



PSU 43-077A (1991) #17



PSU 43-077A (1991) #18



PSU 43-077A (1991) #19



PSU 43-077A (1991) #20



PSU 43-077A (1991) #21



PSU 43-077A (1991) #22



PSU 43-077A (1991) #23



PSU 43-077A (1991) #24



PSU 43-077A (1991) #26



PSU 43-077A (1991) #26



PSU 43-077A (1991) #27



PSU 43-077A (1991) #28



PSU 43-077A (1991) #29



PSU 43-077A (1991) #30



PSU 43-077A (1991) #31



PSU 43-077A (1991) #32



PSU 43-077A (1991) #33



PSU 43-077A (1991) #34



PSU 43-077A (1991) #35



PSU 43-077A (1991) #36



PSU 43-077A (1991) #37



PSU 43-077A (1991) #38



PSU 43-077A (1991) #39



PSU 43-077A (1991) #40



PSU 43-077A (1991) #41



PSU 43-077A (1991) #42



PSU 43-077A (1991) #43



PSU 43-077A (1991) #44




PSU 43-077A (1991) #45



PSU 43-077A (1991) #46



PSU 43-077A (1991) #47



PSU 43-077A (1991) #48
Best Available



PSU 43-077A (1991) #49



PSU 43-077A (1991) #50



PSU 43-077A (1991) #51



PSU 43-077A (1991) #52



PSU 43-077A (1991) #53



PSU 43-077A (1991) #54



PSU 43-077A (1991) #55



PSU 43-077A (1991) #56



PSU 43-077A (1991) #57