



U.S. Department
of Transportation

**National Highway
Traffic Safety
Administration**

400 Seventh Street, S.W.
Washington, D.C. 20590

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



AUTO SAFETY HOTLINE
(800) 424-9393
Wash. D.C. Area 366-0123



CASE SUMMARY

PSU 09

CASE NO. 0960

TYPE OF ACCIDENT CAR/VAN - RIGHT ANGLE

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Injury mechanism and vehicle crashworthiness is the focus, not driver culpability. Do not include any personal identifiers.)

VEHICLE ONE WAS TRAVELING SOUTH IN LANE NUMBER THREE OF A FOUR LANE DIVIDED ROADWAY (NO POSITIVE BARRIER) APPROACHING AN INTERSECTION. VEHICLE TWO WAS STOPPED AT THE SAME INTERSECTION HEADING WEST. BOTH VEHICLES ENTER THE INTERSECTION. VEHICLE ONE'S FRONT CONTACTS VEHICLE TWO'S RIGHT PLANE. VEHICLE TWO ROTATES COUNTER-CLOCKWISE AND THEN ROLLS ONTO ITS LEFT SIDE. BOTH VEHICLES ARE TOWED. THE DRIVER OF VEHICLE ONE IS TRANSPORTED WITH INCAPACITATING INJURIES. THE FOUR PASSENGERS OF VEHICLE TWO ARE TRANSPORTED AND RELEASED.

B. VEHICLE PROFILE(S)

| Vehicle No. | Class of Vehicle | Year/Make/Model | Most Severe Damage Based on Vehicle Inspection | | Component Failure |
|-------------|-------------------|---------------------------|--|----------------------|-------------------|
| | | | Damage Plane | Severity Description | |
| 01 | SUBCOMPACT / MINI | 1980 / TOYOTA / CELICA GT | FRONT | MODERATE | NONE |
| 02 | LARGE VAN | 1988 / DODGE / VAN | RIGHT | MODERATE | NONE |

DO NOT SANITIZE THIS FORM

C. PERSON PROFILE(S)

| Vehicle No. | Person Role | Seat Position | Restraint Use | Most Severe Injury (TO BE COMPLETED BY ZONE CENTER) | | | |
|-------------|-------------|---------------|---------------|--|-------------|-----|---------------|
| | | | | Body Region | Injury Type | AIS | Injury Source |
| 01 | DRIVER | LF-FRONT | LAP+SHOULDER | | | | |
| 02 | DRIVER | LF-FRONT | LAP+SHOULDER | | | | |
| | PASS | RT-FRONT | LAP+SHOULDER | | | | |
| | PASS | LF-REAR | NONE | | | | |
| | PASS | CNTA-REAR | NONE | | | | |
| | PASS | RF-REAR | NONE | | | | |

Body Region

| | | |
|--|---------------------------------------|------------------------------|
| Abdomen | Pelvic—hip | Fracture |
| Ankle—foot | Pulmonary—lungs | Fracture and dislocation |
| Arm (upper) | Shoulder | Laceration |
| Back-thoracolumbar spine | Spleen | Other |
| Brain | Thigh | Perforation, puncture |
| Chest | Thyroid, other endocrine gland | Rupture |
| Ears | Upper limb(s) (whole or unknown part) | Sprain |
| Eye | Vertebrae | Strain |
| Elbow | Whole body | Total severance, transection |
| Face | Wrist—hand | Unknown |
| Forearm | | |
| Head—skull | | |
| Heart | | |
| Kidneys | | |
| Knee | | |
| Leg (lower) | | |
| Liver | | |
| Lower limbs(s) (whole or unknown part) | | |
| Mouth | | |
| Neck—cervical spine | | |
| Nose | | |

Injury Type

- (1) Minor injury
- (2) Moderate injury
- (3) Serious injury
- (4) Severe injury
- (5) Critical injury
- (6) Maximum (untreatable)
- (7) Injured, unknown severity

DO NOT SANITIZE THIS FORM

PSU09
CASE 096D

National Accident Sampling System
1996 Case Summary Form

TYPE OF ACCIDENT: CAR/VAN- RIGHT ANGLE

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

VEHICLE ONE WAS TRAVELING SOUTH IN LANE NUMBER THREE OF A FOUR LANE DIVIDED ROADWAY (NO POSITIVE BARRIER) APPROACHING AN INTERSECTION. VEHICLE TWO WAS STOPPED AT THE SAME INTERSECTION HEADING WEST. BOTH VEHICLES ENTER THE INTERSECTION. VEHICLE ONE'S FRONT CONTACTS VEHICLE TWO'S RIGHT PLATE. VEHICLE TWO ROTATES COUNTER-CLOCKWISE AND THEN ROLLS ONTO IT'S LEFT SIDE. BOTH VEHICLES ARE TOWED. THE DRIVER OF VEHICLE ONE IS TRANSPORTED WITH INCAPACITATING INJURIES. THE FOUR PASSENGERS OF VEHICLE TWO ARE TRANSPORTED AND RELEASED.

row: 7 col: 13

Press F4 to edit the ACCIDENT TYPE.
Press F5 for key definitions. Press ESC to exit.

PSU09
CASE 096D

National Accident Sampling System
1996 Case Summary Form

TYPE OF ACCIDENT: CAR/VAN- RIGHT ANGLE

B. VEHICLE PROFILE(S)

Most Severe Damage Based
on Vehicle Inspection

| V e h. No | Class of Vehicle | Year/Make/ Model | Damage Plane | Severity Descr. | Component Failure |
|--------------------|---------------------|-----------------------|-----------------|--------------------|----------------------|
| 01 | SUBCOMPACT/MINI | 1980/TOYOTA/CELICA GT | FRONT | MODERATE | NONE |
| 02 | LARGE VAN | 1988/DODGE/VAN | RIGHT | MODERATE | NONE |

row: 3 col: 0

Press F4 to edit the ACCIDENT TYPE.
Press F5 for key definitions. Press ESC to exit.

PSU09
CASE 096D

National Accident Sampling System
1996 Case Summary Form

TYPE OF ACCIDENT: CAR/VAN- RIGHT ANGLE

C. PERSON PROFILE(S)

Most Severe Injury
(TO BE COMPLETED BY ZONE CENTER)

| V e h. No | Person Role | Seat Position | Restraint Use | Body Region | Injury Type | A I S | Injury Source |
|--------------------|-----------------------------------|---|--|----------------|--|-------------|------------------|
| 01 | DRIVER | LF-FRONT | LAP & SHOULDER | leg | contusion / instrument panel | | |
| 02 | DRIVER PASS. PASS. PASS. | LF-FRONT RT-FRONT LF-REAR CTR-REAR | LAP & SHOULDER LAP & SHOULDER NONE | arm head | laceration / @ side contusion / @ B-pillar injury severity unknown | | |
| | | RT-REAR | NONE | scalp abrasion | | 1 | seatback |

row: 7 col: 0

Press F4 to edit the ACCIDENT TYPE.
Press F5 for key definitions. Press ESC to exit.



U.S. Department of Transportation
National Highway Traffic Safety
Administration


ACCIDENT COLLISION DIAGRAM

NATIONAL ACCIDENT SAMPLING SYSTEM
CRASHWORTHINESS DATA SYSTEM

PSU No. 09

Case Number—Stratum 0960

Indicate
North





U.S. Department of Transportation
National Highway Traffic Safety
Administration

ACCIDENT COLLISION DIAGRAM


BEST AVAILABLE

NATIONAL ACCIDENT SAMPLING SYSTEM
CRASHWORTHINESS DATA SYSTEM

PSU No. 09

Case Number—Stratum 096 D

Indicate
North





ACCIDENT COLLISION MEASUREMENT TABLE

Primary Sampling Unit Number

8 9

Case Number—Stratum 0960

| ACCIDENT COLLISION DIAGRAM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--|---|---------------|-----|-----|--|--------------|-----|-----|--|-------------------|-----|-----|--|-------------------------|--|--|--|---|------|------|--|--|---|-----------|--|---|------|------------|--|
| <u>Document the physical plant:</u> | <u>Document vehicle dynamics including:</u> | CRASH DATA | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <ul style="list-style-type: none"> all road/roadway delineation (e.g., curbs/edge lines, lane markings, median markings, pavement markings, parked vehicles, poles, signs, etc.) all traffic controls (e.g., signs/signals, etc.) north arrow placed on diagram roadway surface type and condition of applicable roadways grade measurements for all applicable roadways and at location of rollover initiation roadway curvature (include measurement of precrash superelevation for each vehicle if applicable) | <ul style="list-style-type: none"> reference point and reference line relative to physical features present at the scene scaled documentation of all accident induced physical evidence scaled documentation of all roadside objects contacted scaled representations of the vehicle(s) at pre-impact, impact, and final rest based upon either: <ul style="list-style-type: none"> a) physical evidence, or b) reconstructed accident dynamics | <p>VEH. #1 VEH. #2 VEH. #3</p> <table> <tr> <td>Heading Angle</td> <td>180</td> <td>270</td> <td></td> </tr> <tr> <td>Surface Type</td> <td>BIT</td> <td>BIT</td> <td></td> </tr> <tr> <td>Surface Condition</td> <td>DRY</td> <td>DRY</td> <td></td> </tr> <tr> <td>Coefficient of Friction</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Grade (v/h) Measurement (between impact and final rest)</td> <td>3/61</td> <td>3/61</td> <td></td> </tr> <tr> <td>Grade (v/h) Measurement (at location of rollover initiation)</td> <td>—</td> <td>0.2 61</td> <td></td> </tr> <tr> <td>Grade (v/h) Measurement (at pre-crash location)</td> <td>3/61</td> <td>-2.0 61</td> <td></td> </tr> </table> | Heading Angle | 180 | 270 | | Surface Type | BIT | BIT | | Surface Condition | DRY | DRY | | Coefficient of Friction | | | | Grade (v/h) Measurement (between impact and final rest) | 3/61 | 3/61 | | Grade (v/h) Measurement (at location of rollover initiation) | — | 0.2 61 | | Grade (v/h) Measurement (at pre-crash location) | 3/61 | -2.0 61 | |
| Heading Angle | 180 | 270 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Surface Type | BIT | BIT | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Surface Condition | DRY | DRY | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Coefficient of Friction | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Grade (v/h) Measurement (between impact and final rest) | 3/61 | 3/61 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Grade (v/h) Measurement (at location of rollover initiation) | — | 0.2 61 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Grade (v/h) Measurement (at pre-crash location) | 3/61 | -2.0 61 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Reference Point: UTILITY POLE Reference line: FOG LINE WEST SIDE
WEST SIDE/SOUTH BOUND LNS LN #1 / SOUTH BOUND LNS



ACCIDENT FORM

1. Primary Sampling Unit Number 09

2. Case Number - Stratum 0960

IDENTIFICATION

3. Number of General Vehicle Forms Submitted 02

4. Date of Accident (Month, Day, Year) 9 6

5. Time of Accident 14 26

Code reported military time of accident.

NOTE: Midnight = 2400
Unknown = 9999

SPECIAL STUDIES - INDICATORS

Check (✓) each special study (SS15-SS18 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

- | | |
|--|----------|
| 6. <input type="checkbox"/> SS15 Administrative Use | <u>0</u> |
| 7. <input type="checkbox"/> SS16 Pedestrian Crash Data Study <i>(Data for this special study available in a separate file.)</i> | <u>0</u> |
| 8. <input type="checkbox"/> SS17 Impact Fires | <u>0</u> |
| 9. <input type="checkbox"/> SS18 Unsafe Driver Actions | <u>0</u> |
| 10. <input type="checkbox"/> SS19 Run Off Road | <u>0</u> |

NUMBER OF EVENTS

11. Number of Recorded Events in This Accident 02

Code the number of events which occurred in this accident.

ACCIDENT EVENTS

For each event that occurred in the accident, code the lowest numbered vehicle in the left columns and the other involved vehicle or object in the right columnns.

| Accident Event Sequence Number | Vehicle Number | Class Of Vehicle | General Area of Damage | Vehicle Number or Object Contacted | Class Of Vehicle | General Area of Damage |
|--------------------------------|----------------|------------------|------------------------|------------------------------------|------------------|------------------------|
| 12. <u>0 1</u> | 13. <u>01</u> | 14. <u>01</u> | 15. <u>E</u> | 16. <u>02</u> | 17. <u>21</u> | 18. <u>R</u> |
| 19. <u>0 2</u> | 20. <u>02</u> | 21. <u>21</u> | 22. <u>L</u> | 23. <u>31</u> | 24. <u>00</u> | 25. <u>N</u> |
| 26. <u>0 3</u> | 27. _____ | 28. _____ | 29. _____ | 30. _____ | 31. _____ | 32. _____ |
| 33. <u>0 4</u> | 34. _____ | 35. _____ | 36. _____ | 37. _____ | 38. _____ | 39. _____ |
| 40. <u>0 5</u> | 41. _____ | 42. _____ | 43. _____ | 44. _____ | 45. _____ | 46. _____ |

IF GREATER THAN FIVE EVENTS, CONTINUE CODING ON THE ACCIDENT EVENT SUPPLEMENT

CODES FOR CLASS OF VEHICLE

- | | |
|---|--|
| (00) Not a motor vehicle | (31) Large pickup truck (\leq 4,536 kgs GVWR) |
| (01) Subcompact/mini (wheelbase < 254 cm) | (38) Other pickup truck (\leq 4,536 kgs GVWR) |
| (02) Compact (wheelbase \geq 254 but < 265 cm) | (39) Unknown pickup truck type (\leq 4,536 kgs GVWR) |
| (03) Intermediate (wheelbase \geq 265 but < 278 cm) | (45) Other light truck (\leq 4,536 kgs GVWR) |
| (04) Full size (wheelbase \geq 278 but < 291 cm) | (48) Unknown light truck type (\leq 4,536 kgs GVWR) |
| (05) Largest (wheelbase \geq 291 cm) | (49) Unknown light vehicle type |
| (09) Unknown passenger car size | (50) School bus (excludes van based) ($>$ 4,536 kgs GVWR) |
| (14) Compact utility vehicle | (58) Other bus ($>$ 4,536 kgs GVWR) |
| (15) Large utility vehicle (\leq 4,536 kgs GVWR) | (59) Unknown bus type |
| (16) Utility station wagon (\leq 4,536 kgs GVWR) | (60) Truck ($>$ 4,536 kgs GVWR) |
| (19) Unknown utility type | (67) Tractor without trailer |
| (20) Minivan (\leq 4,536 kgs GVWR) | (68) Tractor-trailer(s) |
| (21) Large van (\leq 4,536 kgs GVWR) | (78) Unknown medium/heavy truck type |
| (24) Van Based school bus (\leq 4,536 kgs GVWR) | (79) Unknown light/medium/heavy truck type |
| (28) Other van type (\leq 4,536 kgs GVWR) | (80) Motored cycle |
| (29) Unknown van type (\leq 4,536 kgs GVWR) | (90) Other vehicle |
| (30) Compact pickup truck (\leq 4,536 kgs GVWR) | (99) Unknown |

CODES FOR GENERAL AREA OF DAMAGE (GAD)

| | | | |
|---|--|--|---|
| CDS APPLICABLE AND OTHER VEHICLES | (O) Not a motor vehicle (N) Noncollision (F) Front | (R) Right side (L) Left side (B) Back | (T) Top (U) Undercarriage (9) Unknown |
| TDC APPLICABLE VEHICLES | (O) Not a motor vehicle (N) Noncollision (F) Front (R) Right side | (L) Left side (B) Back of unit with cargo area (rear of trailer or straight truck) (D) Back (rear of tractor) | (C) Rear of cab (V) Front of cargo area (T) Top (U) Undercarriage (9) Unknown |

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

- | | |
|---|--|
| (01-30) — Vehicle Number | (57) Fence |
| Noncollision | (58) Wall |
| (31) Overturn — rollover (excludes end-over-end) | (59) Building |
| (32) Rollover — end-over-end | (60) Ditch or culvert |
| (33) Fire or explosion | (61) Ground |
| (34) Jackknife | (62) Fire hydrant |
| (35) Other intraunit damage (specify): | (63) Curb |
| (36) _____ | (64) Bridge |
| (38) Other noncollision (specify): | (68) Other fixed object (specify): |
| (39) _____ | (69) Unknown fixed object |
| Collision With Fixed Object | Collision with Nonfixed Object |
| (41) Tree (\leq 10 cm in diameter) | (70) Passenger car, light truck, van, or other vehicle not in-transport |
| (42) Tree ($>$ 10 cm in diameter) | (71) Medium/heavy truck or bus not in-transport |
| (43) Shrubbery or bush | (72) Pedestrian |
| (44) Embankment | (73) Cyclist or cycle |
| (45) Breakaway pole or post (any diameter) | (74) Other nonmotorist or conveyance |
| Nonbreakaway Pole or Post | (75) Vehicle occupant |
| (50) Pole or post (\leq 10 cm in diameter) | (76) Animal |
| (51) Pole or post ($>$ 10 cm but \leq 30 cm in diameter) | (77) Train |
| (52) Pole or post ($>$ 30 cm in diameter) | (78) Trailer, disconnected in transport |
| (53) Pole or post (diameter unknown) | (79) Object fell from vehicle in-transport |
| (54) Concrete traffic barrier | (88) Other nonfixed object (specify): |
| (55) Impact attenuator | (89) Unknown nonfixed object |
| (56) Other traffic barrier (includes guardrail) (specify): _____ | (98) Other event (specify): |
| | (99) Unknown event or object |

PRECRASH ENVIRONMENTAL DATA

19. Relation To Interchange Or Junction
 (0) Non-interchange area and non-junction
 (1) Interchange area related

Non-Interchange junctions

- (2) Intersection related
 - (3) Driveway, alley access related
 - (4) Other junction (specify)
- (5) _____
 (9) Unknown

20. Trafficway Flow

- (0) Not physically divided (two way traffic)
- (1) Divided trafficway-median strip without positive barrier
- (2) Divided trafficway-median strip with positive barrier
- (3) One way traffic
- (9) Unknown

21. Number Of Travel Lanes

- (1) One
- (2) Two
- (3) Three
- (4) Four
- (5) Five
- (6) Six
- (7) Seven or more
- (9) Unknown

22. Roadway Alignment

- (1) Straight
- (2) Curve right
- (3) Curve left
- (9) Unknown

23. Roadway Profile

- (1) Level
- (2) Uphill grade (> 2%)
- (3) Hill crest
- (4) Downhill grade (> 2%)
- (5) Sag
- (9) Unknown

24. Roadway Surface Type

- (1) Concrete
- (2) Bituminous (asphalt)
- (3) Brick or block
- (4) Slag, gravel, or stone
- (5) Dirt
- (8) Other (specify): _____
- (9) Unknown

25. Roadway Surface Condition

- (1) Dry
- (2) Wet
- (3) Snow or slush
- (4) Ice
- (5) Sand, dirt, or oil
- (8) Other (specify): _____
- (9) Unknown

26. Light Conditions

- (1) Daylight
- (2) Dark
- (3) Dark, but lighted
- (4) Dawn
- (5) Dusk
- (9) Unknown

27. Atmospheric Conditions

- (0) No adverse atmospheric-related driving conditions
- (1) Rain
- (2) Sleet/hail
- (3) Snow
- (4) Fog
- (5) Rain and fog
- (6) Sleet and fog
- (7) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): _____
- (9) Unknown

28. Traffic Control Device

- (0) No traffic control(s)
- (1) Traffic control signal (not RR crossing)

Regulatory

- (2) Stop sign
- (3) Yield sign
- (4) School zone sign
- (5) Other regulatory sign (specify): _____

- (6) Warning sign (not RR crossing)

- (7) Unknown sign
- (8) Miscellaneous/other controls including RR controls (specify): _____

- (9) Unknown

29. Traffic Control Device Functioning

- (0) No traffic control device
- (1) Traffic control device not functioning (specify): _____

- (2) Traffic control device functioning properly

- (9) Unknown

National Accident Sampling System-Crashworthiness Data System: General Vehicle Form

| | |
|---|-------|
| OCCUPANT RELATED | |
| 37. Driver Presence in Vehicle (0) Driver not present (1) Driver present (9) Unknown | 1 |
| 38. Number of Occupants This Vehicle (00-96) Code actual number of occupants for this vehicle (97) 97 or more (99) Unknown | 0 1 |
| 39. Number of Occupant Forms Submitted | 0 1 |
| AIR BAG RELATED | |
| 40. Is this an AOPS Vehicle? (0) No (includes unknown) (1) Yes - researcher determined (2) VIN determined air bag system (3) VIN determined automatic (passive) belts (4) VIN determined air bag and automatic (passive) belts | 0 |
| 41. Air Bag(s) Deployment, First Seat Frontal (0) Not equipped or not available (1) No air bags deployed <i>Single Air Bag Vehicle</i> (2) Driver air bag deployed (3) Driver air bag, unknown if deployed <i>Multiple Air Bag Vehicle</i> (4) Driver side only deployed (5) Passenger side only deployed (6) Driver and passenger side deployed (7) Driver and passenger side unknown if deployed (8) Air bag(s) deployed, details unknown (9) Unknown | 0 |
| 42. Air Bag(s) Deployment, Other Than First Seat Frontal (0) Not equipped with an "other" air bag (1) Deployed during accident (as a result of impact) (2) Deployed inadvertently just prior to accident (3) Deployed, details unknown (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical) (5) Unknown if deployed (7) Nondeployed (9) Unknown Specify type of "other" air bag present: _____ | 0 |
| VEHICLE WEIGHT ITEMS | |
| 43. Vehicle Curb Weight ____ Code weight to nearest ____ 10 kilograms. (045) Less than 454 kilograms (612) 6,124 kilograms or more (999) Unknown ____ 2,530 lbs X .4536 = / / 48 kgs | 1,150 |
| Source: _____ | |
| 44. Vehicle Cargo Weight ____ Code weight to nearest ____ 10 kilograms. (000) Less than 5 kilograms (454) 4,536 kilograms or more (999) Unknown ____ 100 lbs X .4536 = / / 45 kgs | 0,050 |
| Source: <u>INSPECTION</u> | |
| ROLLOVER DATA | |
| 45. Rollover (00) No rollover (no overturning) | 0 0 |
| <i>Rollover (primarily about the longitudinal axis)</i> | |
| (01-16) Code the number of quarter turns (17) Rollover, 17 or more quarter turns (specify): | |
| (98) Rollover--end-over-end (i.e., primarily about the lateral axis) | |
| (99) Rollover (overturn), details unknown | |
| 46. Rollover Initiation Type (00) No rollover (01) Trip-over (02) Flip-over (03) Turn-over (04) Climb-over (05) Fall-over (06) Bounce-over (07) Collision with another vehicle (08) Other rollover initiation type (specify): | 0 0 |
| (98) Rollover--end-over-end | |
| (99) Unknown rollover initiation type | |
| 47. Location of Rollover Initiation (0) No rollover (1) On roadway (2) On shoulder—paved (3) On shoulder—unpaved (4) On roadside or divided trafficway median (8) Rollover--end-over-end (9) Unknown | 0 |
| 48. Rollover Initiation Object Contacted (Note: Applicable codes on back of page) | 0 0 |
| 49. Location on Vehicle Where Initial Principal Tripping Force Is Applied (0) No rollover (1) Wheels/tires (2) Side plane (3) End plane (4) Undercarriage (5) Other location on vehicle (specify): (6) Non-contact rollover forces (specify): (8) Rollover--end-over-end (9) Unknown | 0 |
| 50. Direction of Initial Roll (0) No rollover (1) Roll right - primarily about the longitudinal axis (2) Roll left - primarily about the longitudinal axis (8) Rollover--end-over-end (9) Unknown roll direction | 0 |

CODES FOR ROLLOVER INITIATION OBJECT CONTACTED

(00) No rollover
 (01-30) — Vehicle Number

Noncollision

- (31) Turn-over — fall-over
- (32) No rollover impact initiation (end-over-end)
- (34) Jackknife

Collision With Fixed Object

- (41) Tree (\leq 10 cm in diameter)
- (42) Tree ($>$ 10 cm in diameter)
- (43) Shrubbery or bush
- (44) Embankment

(45) Breakaway pole or post (any diameter)

Nonbreakaway Pole or Post

- (50) Pole or post (\leq 10 cm in diameter)
- (51) Pole or post ($>$ 10 cm but \leq 30 cm in diameter)
- (52) Pole or post ($>$ 30 cm in diameter)
- (53) Pole or post (diameter unknown)

(54) Concrete traffic barrier

(55) Impact attenuator

(56) Other traffic barrier (includes guardrail)
 (specify): _____

- (57) Fence
- (58) Wall
- (59) Building
- (60) Ditch or culvert
- (61) Ground
- (62) Fire hydrant
- (63) Curb
- (64) Bridge
- (68) Other fixed object (specify):

(69) Unknown fixed object

Collision with Nonfixed Object

- (70) Passenger car, light truck, van, or other vehicle not in-transport
- (71) Medium/heavy truck or bus not in-transport
- (76) Animal
- (77) Train
- (78) Trailer, disconnected in transport
- (79) Object fell from vehicle in-transport
- (88) Other nonfixed object (specify):

(89) Unknown nonfixed object

(98) Other event (specify):

(99) Unknown event or object



EXTERIOR VEHICLE FORM

| | | | |
|---------------------------------|-------------|-------------------|-----------|
| 1. Primary Sampling Unit Number | <u>09</u> | 3. Vehicle Number | <u>01</u> |
| 2. Case Number - Stratum | <u>0960</u> | | |

VEHICLE IDENTIFICATION

VIN R A 4 2 6 3 9 3 8 6

Model Year 80

Vehicle Make (specify): TOYOTA

Vehicle Model (specify): CELICA GT

LOCATOR

Locate the end of the damage with respect to the vehicle's damaged center point or bumper corner for end impacts or an undamaged axle for side impacts.

| Specific Impact No. | Location of Direct Damage | Location of Field L | Location of Max Crush |
|---------------------|------------------------------|------------------------------|-----------------------|
| 01 | ACROSS FRONT CRNR TO CRNR | ACROSS FRONT CRNR TO CRNR | C, C |
| | | | |

CRUSH PROFILE IN CENTIMETERS

NOTES: Identify the plane at which the C-measurements are taken (e.g., at bumper, above bumper, at sill, above sill, etc.) and label adjustments (e.g., free space).

Measure C1 to C6 from driver to passenger side in front or rear impacts and rear to front in side impacts.

Free space value is defined as the distance between the baseline and the original body contour taken at the individual C locations. This may include the following: bumper lead, bumper taper, side protrusion, side taper, etc. Record the value for each C-measurement and maximum crush.

Use as many lines/columns as necessary to describe each damage profile.


| Specific Impact Number | Plane of Impact C-Measurements | Direct Damage | | Field L | C ₁ | C ₂ | C ₃ | C ₄ | C ₅ | C ₆ | ±D |
|------------------------|--------------------------------|---------------|----------------|---------|----------------|----------------|----------------|----------------|----------------|----------------|----|
| | | Width (CDC) | Max Crush | | | | | | | | |
| 01 | BUMPER | 147 | C ₁ | 147 | 13.5 | 8 | 4 | 4 | 7 | 13 | 0 |
| | TAPER | | | | (10) | (6) | (1) | (1) | (6) | (10) | |
| | ACTUAL | | C ₁ | | 4 | 2 | 3 | 3 | 1 | 3 | 0 |
| | | | | | 60 | | | | | | |
| | GRILL | 147 | C ₁ | 147 | 104 | 57 | 49.5 | 51 | 54 | 44 | 0 |
| | TAPER | | | | (10) | (6) | (1) | (1) | (6) | (10) | |
| | BUMPER | | | | (10) | (10) | (10) | (10) | (10) | (10) | |
| | | | | | 40 | 84 | 41 | 39 | 40 | 38 | 24 |
| | ACTUAL | | C ₁ | | | | | | | | |
| | AVERAGE | 147 | C ₁ | 147 | 44 | 22 | 21 | 22 | 20 | 14 | 0 |

ORIGINAL SPECIFICATIONS WORK SHEET





| | | | | | | |
|--------------------------|--------------|--------|---------|---|-------------|------------|
| Wheelbase | <u>98.4</u> | inches | x 2.54 | = | <u>250</u> | cm |
| Overall Length | <u>175.5</u> | inches | x 2.54 | = | <u>446</u> | cm |
| Maximum Width | <u>64.6</u> | inches | x 2.54 | = | <u>164</u> | cm |
| Curb Weight | <u>2530</u> | pounds | x .4536 | = | <u>1148</u> | kg |
| Average Track | <u>53.1</u> | inches | x 2.54 | = | <u>136</u> | cm |
| Front Overhang | — | inches | x 2.54 | = | — | cm |
| Rear Overhang | — | inches | x 2.54 | = | — | cm |
| Undeformed End Width | — | inches | x 2.54 | = | — | cm |
| Engine Size: cyl./displ. | — | cc | x .001 | = | — | L |
| | — | CID | x .0164 | = | <u>J-4</u> | <u>2.2</u> |
| | | | | | | L |

VEHICLE DAMAGE SKETCH

| | | | | | |
|---|------------------|--------------------------|----------|--|---|
| TIRE—WHEEL DAMAGE | | ORIGINAL SPECIFICATIONS | | WHEEL STEER ANGLES (For locked front wheels or displaced rear axles only) | |
| a. Rotation physically restricted | b. Tire deflated | Wheelbase | 250 | cm | RF <input checked="" type="checkbox"/> 05° |
| RF <u>1</u> | RF <u>2</u> | Overall Length | 446 | cm | LF <input checked="" type="checkbox"/> 05° |
| LF <u>1</u> | LF <u>2</u> | Maximum Width | 164 | cm | RR <input checked="" type="checkbox"/> 00° |
| RR <u>2</u> | RR <u>2</u> | Curb Weight | 1,148 | kg | LR <input checked="" type="checkbox"/> 00° |
| LR <u>2</u> | LR <u>2</u> | Average Track | 136 | cm | Within ± 5 degrees |
| (1) Yes (2) No (8) NA (9) Unk. | | Front Overhang | | cm | |
| | | Rear Overhang | | cm | |
| | | Undeformed End Width | | cm | |
| TYPE OF TRANSMISSION | | Engine Size: cyl./displ. | I-4/12.2 | L | DRIVE WHEELS |
| <input checked="" type="checkbox"/> Manual <input type="checkbox"/> Automatic | | | | | <input type="checkbox"/> FWD <input checked="" type="checkbox"/> RWD <input type="checkbox"/> 4WD |
| END SHIFT ≥ 10 CM | | | | | Approximate Cargo Weight 100/65 kg |
| <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | | | | | 45 kg |



MEASUREMENTS IN CENTIMETERS



NOTES: Sketch new perimeter and cross hatch direct damage and single hatch induced damage on all views. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.). If pulling trailer, sketch type of trailer and damage received on the back of this page.

Annotate any damage caused by extrication such as component removal by torching, prying, or hydraulic shears.

CDC WORKSHEET

CODES FOR OBJECT CONTACTED

(01-30) — Vehicle Number

- (57) Fence
 - (58) Wall
 - (59) Building
 - (60) Ditch or culvert
 - (61) Ground
 - (62) Fire hydrant
 - (63) Curb
 - (64) Bridge
 - (68) Other fixed object (specify):

Noncollision

- (31) Overturn – rollover (excludes end-over-end)
 - (32) Rollover—end-over-end
 - (33) Fire or explosion
 - (34) Jackknife
 - (35) Other intraunit damage (specify):

(36) Noncollision injury

(38) Other noncollision (specify):

(39) Noncollision – details unknown

Collision With Fixed Object

- (41) Tree (\leq 10 cm in diameter)
 - (42) Tree ($>$ 10 cm in diameter)
 - (43) Shrubbery or bush
 - (44) Embankment

(45) Breakaway pole or post (any diameter)

Nonbreakaway Pole or Post

- (50) Pole or post (\leq 10 cm in diameter)
 - (51) Pole or post ($>$ 10 cm but \leq 30 cm in diameter)
 - (52) Pole or post ($>$ 30 cm in diameter)
 - (53) Pole or post (diameter unknown)

(54) Concrete traffic barrier

(55) Impact attenuator

(56) Other traffic barrier (includes guardrail)
(specify):

- ### 155. Unknown fixed object

- Collision with Nonfixed Object**

 - (70) Passenger car, light truck, van, or other vehicle not in-transport
 - (71) Medium/heavy truck or bus not in-transport
 - (72) Pedestrian
 - (73) Cyclist or cycle
 - (74) Other nonmotorist or conveyance

(75) Vehicle occupant

(76) Animal

(77) Train

(78) Trailer, disconnected in transport
(79) Object fell from vehicle in-transport
(88) Other nonfixed object (specify):

(89) Unknown nonfixed object

(98) Other event (specify):

(99) Unknown event or object

DEFORMATION CLASSIFICATION BY EVENT NUMBER

COLLISION DEFORMATION CLASSIFICATION

HIGHEST DELTA "V"

| Accident Event Sequence Number | Object Contacted | (1) (2) Direction of Force | (3) Deformation Location | (4) Longitudinal or Lateral Location | (5) Vertical or Lateral Location | (6) Type of Damage Distribution | (7) Deformation Extent |
|--------------------------------|------------------|--------------------------------------|--------------------------|--------------------------------------|----------------------------------|---------------------------------|------------------------|
| 4. <u>01</u> | 5. <u>02</u> | 6. <u>12</u> <u>11</u> | 7. <u>F</u> | 8. <u>D</u> | 9. <u>E</u> | 10. <u>W</u> | 11. <u>02</u> |

Second Highest Delta "V"

12. _____ 13. _____ 14. _____ 15. _____ 16. _____ 17. _____ 18. _____ 19. _____

CRUSH PROFILE IN CENTIMETERS

The crush profile for the damage described in the CDC(s) above should be documented in the appropriate space below. (ALL MEASUREMENTS ARE IN CENTIMETERS.)

HIGHEST DELTA "V"

| | | | | | | | |
|--------------|--------------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------|
| 20. <u>L</u> | 21. <u>C₁</u> | <u>C₂</u> | <u>C₃</u> | <u>C₄</u> | <u>C₅</u> | <u>C₆</u> | 22. <u>± D</u> |
|--------------|--------------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------|

150 ~~044~~ 022 021 022 020 014 + 000
022

Second Highest Delta "V"

| | | | | | | | |
|--------------|--------------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------|
| 23. <u>L</u> | 24. <u>C₁</u> | <u>C₂</u> | <u>C₃</u> | <u>C₄</u> | <u>C₅</u> | <u>C₆</u> | 25. <u>± D</u> |
|--------------|--------------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------|

+
----- ----- ----- ----- ----- ----- ----- = -----

26. Undeformed End Width
(Coded when highest severity impact is an end plane impact.)
Code to the nearest centimeter
(250) 250 centimeters or more
(998) No highest severity end plane impact
(999) Unknown

150

27. Direct Damage Width
(For highest severity impact)
Code to the nearest centimeter
(250) 250 centimeters or more
(999) Unknown

147

28. Original Wheelbase
Code to the nearest centimeter
(650) 650 centimeters or more
(999) Unknown
98.4 inches X 2.54 = 250 centimeters

29. Original Average Track Width
Code to the nearest centimeter
(185) 185 centimeters or more
(999) Unknown
53.4 inches X 2.54 = 136 centimeters

| | | | |
|---|----------------------------|--|---|
| <p>30. Are CDCs Documented but Not Coded on The Automated File?</p> <p>(0) No (1) Yes</p> <p>31. Researcher's Assessment of Vehicle Disposition</p> <p>(0) Not towed due to vehicle damage (1) Towed due to vehicle damage (9) Unknown</p> <p>32. Is This A Multi-Stage Manufactured Vehicle And/Or A Certified Altered Vehicle?</p> <p>(0) No post manufacturer modifications (1) Yes - post manufacturer modifications (specify): _____ _____ (Include photograph of CERTIFICATION PLACARD in case report) (9) Unknown if vehicle is modified</p> | <p>○</p> <p>1</p> <p>○</p> | <p>FUEL SYSTEM</p> <p>35. Location of Fuel Tank-1 Filler Cap</p> <p>36. Location of Fuel Tank-2 Filler Cap</p> <p>(0) No fuel tank (1) On back plane (2) Aft of center of the rear wheels (rear axle) on left side plane (3) Aft of center of the rear wheels (rear axle) on right side plane (4) Forward of center of the rear wheels (rear axle) on left side plane (5) Forward of center of the rear wheels (rear axle) on right side plane (6) Over the center of the rear wheels (rear axle) on left side plane (7) Over the center of the rear wheels (rear axle) on right side plane (8) Other (specify): _____ (9) Unknown</p> <p>37. Type of Fuel Tank-1</p> <p>38. Type of Fuel Tank-2</p> <p>(0) No fuel tank (electrical vehicle) (1) Metallic (2) Non-metallic (9) Unknown</p> <p>39. Location of Fuel Tank-1</p> <p>40. Location of Fuel Tank-2</p> <p>(0) No fuel tank (1) Aft of center of the rear wheels (rear axle) centered (2) Aft of center of the rear wheels (rear axle) left side (3) Aft of center of the rear wheels (rear axle) right side (4) Forward of center of the rear wheels (rear axle) centered (5) Forward of center of the rear wheels (rear axle) left side (6) Forward of center of the rear wheels (rear axle) right side (7) Over center of the rear wheels (rear axle) (8) Other (specify): _____ (9) Unknown</p> <p>41. Damage to Fuel Tank-1</p> <p>42. Damage to Fuel Tank-2</p> <p>(0) No fuel tank (1) No damage to fuel tank (2) Deformed, no seam failure (3) Deformed, with a seam failure (4) Punctured (5) Lacerated (ripped) (6) Abraded (scraped) (7) Filler neck separation from the fuel tank (8) Other damage (specify): _____ (9) Unknown</p> | <p>3</p> <p>○</p> <p>1</p> <p>○</p> <p>3</p> <p>○</p> <p>1</p> <p>○</p> <p>1</p> <p>○</p> |
| <p>33. Fire Occurrence</p> <p>(0) No fire</p> <p>Yes, fire occurred</p> <p>(1) Minor (2) Major (9) Unknown</p> <p>34. Origin of Fire</p> <p>(0) No fire (1) Vehicle exterior (front, side, back, top) (2) Exhaust system (3) Fuel tank (and other fuel retention system parts) (4) Engine compartment (5) Cargo/trunk compartment (6) Instrument panel (7) Passenger compartment area (8) Other location (specify): _____ (9) Unknown</p> | <p>○</p> <p>○</p> <p>○</p> | | |

| | | | |
|--|--------|---|---|
| 43. Leakage Location of Fuel System-1 | 1 0 | 47. Is This Vehicle Equipped With More Than Two Fuel Tanks? | 0 |
| 44. Leakage Location of Fuel System-2 | | (0) No fuel tank | |
| | | (1) No fuel leakage | |
| Primary Area Of Leakage | | | |
| (2) Tank | | Yes - More Than Two Tanks | |
| (3) Filler neck | | (1) Yes -- <u>no damage</u> to any tank or filler cap and <u>no fuel system leakage</u> | |
| (4) Cap | | (2) Yes -- <u>no damage</u> to any tank or filler cap but <u>there is fuel system leakage</u> (specify leakage location): | |
| (5) Lines/pump/filter | | (3) Yes -- <u>damage</u> to an additional tank or filler cap and <u>there is fuel system leakage</u> (specify the following): | |
| (6) Vent/emission recovery | | Type of tank _____ | |
| (8) Other (specify): _____ | | Tank location _____ | |
| (9) Unknown | | Filler cap location _____ | |
| 45. Fuel Type-1 | 0 1 | Tank damage _____ | |
| 46. Fuel Type-2 | 0 0 | Location of leakage _____ | |
| Single Fuel Type | | Type of fuel _____ | |
| (00) No fuel tank | | (9) Unknown if more than two tanks | |
| (01) Gasoline | | COMMENTS | |
| (02) Diesel | | | |
| (03) CNG (Compressed Natural Gas) | | | |
| (04) LPG (Liquid Petroleum Gas) also known as Propane | | | |
| (05) LNG (Liquid Natural Gas) | | | |
| (06) Methanol (M100 or M85) | | | |
| (07) Ethanol (E100 or E85) | | | |
| (08) Other (Hydrogen or others) (specify): _____ | | | |
| Electric Powered or Electric/Solar Powered Vehicles | | | |
| (10) Lead Acid Battery | | | |
| (11) Nickel-Iron Battery | | | |
| (12) Nickel-Cadmium Battery | | | |
| (13) Sodium Metal Chloride Battery | | | |
| (14) Sodium Sulfur Battery | | | |
| (18) Other (Specify): _____ | | | |
| (98) Other Hybrid (specify): _____ | | | |
| (99) Unknown fuel type | | | |



INTERIOR VEHICLE FORM

GLAZING

Type of Window/Windshield Glazing

15. WS 16. LF 17. RF 18. LR 19. RR
20. BL 21. Roof 22. Other

- (0) No glazing
- (1) AS-1 — Laminated
- (2) AS-2 — Tempered
- (3) AS-3 — Tempered-tinted (original)
- (4) AS-2 — Tempered-with after market tint
- (5) AS-3 — Tempered-tinted (with additional after market tint)
- (6) AS-14 — Glass/Plastic
- (7) Glazing removed prior to accident
- (8) Other (specify): _____

(9) Unknown _____

Window Precrash Glazing Status

23. WS 24. LF 25. RF 26. LR 27. RR
28. BL 29. Roof 30. Other

- (0) No glazing
- (1) Fixed
- (2) Closed
- (3) Partially opened
- (4) Fully opened
- (7) Glazing removed prior to accident
- (9) Unknown

Glazing Damage from Impact Forces

31. WS 32. LF 33. RF 34. LR 35. RR
36. BL 37. Roof 38. Other

- (0) No glazing
- (1) No glazing damage from impact forces
- (2) Glazing in place and cracked from impact forces
- (3) Glazing in place and holed from impact forces
- (4) Glazing out-of-place (cracked or not) and not holed from impact forces
- (5) Glazing out-of-place and holed from impact forces
- (6) Glazing disintegrated from impact forces
- (7) Glazing removed prior to accident
- (9) Unknown if damaged

Glazing Damage from Occupant Contact

39. WS 40. LF 41. RF 42. LR 43. RR
44. BL 45. Roof 46. Other

- (0) No glazing
- (1) No occupant contact to glazing
- (2) Glazing contacted by occupant but no glazing damage
- (3) Glazing in place and cracked by occupant contact
- (4) Glazing in place and holed by occupant contact
- (5) Glazing out-of-place (cracked or not) by occupant contact and not holed by occupant contact
- (6) Glazing out-of-place by occupant contact and holed by occupant contact
- (7) Glazing removed prior to accident
- (8) Glazing disintegrated by occupant contact
- (9) Unknown if contacted by occupant

1. Primary Sampling Unit Number 09
 2. Case Number - Stratum 096
 3. Vehicle Number 01

INTEGRITY

4. Passenger Compartment Integrity 00

(00) No integrity loss

- Yes, Integrity Was Lost Through
- (01) Windshield
 - (02) Door (side)
 - (03) Door/hatch (back door)
 - (04) Roof
 - (05) Roof glass
 - (06) Side window
 - (07) Rear window (backlight)
 - (08) Roof and roof glass
 - (09) Windshield and door (side)
 - (10) Windshield and roof
 - (11) Side and rear window (side window and backlight)
 - (12) Windshield and side window
 - (13) Door and side window
 - (98) Other combination of above (specify): _____

(99) Unknown _____

Door, Tailgate or Hatch Opening

5. LF 6. RF 7. LR 8. RR 9. TG/H

- (0) No door/gate/hatch
- (1) Door/gate/hatch remained closed and operational
- (2) Door/gate/hatch came open during collision
- (3) Door/gate/hatch jammed shut
- (8) Other (specify): _____

(9) Unknown _____

Damage/Failure Associated with Door, Tailgate or Hatch Opening in Collision. If IV05-IV09 ≠ 2, Then code Ø

10. LF 11. RF 12. LR 13. RR 14. TG/H


- (0) No door/gate/hatch or door not opened

- Door, Tailgate or Hatch Came Open During Collision
- (1) Door operational (no damage)
 - (2) Latch/striker failure due to damage
 - (3) Hinge failure due to damage
 - (4) Door structure failure due to damage
 - (5) Door support (i.e., pillar, sill, roof side rail, etc.) failure due to damage
 - (6) Latch/striker and hinge failure due to damage
 - (8) Other failure (specify): _____

(9) Unknown _____

INTRUSION WORKSHEET

NOTE: SKETCH INTRUDED AREAS



| LOCATION OF INTRUSION | INTRUDED COMPONENT | COMPARISON VALUE | - | INTRUDED VALUE | = | INTRUSION | DOMINANT CRUSH DIRECTION |
|-----------------------|--------------------|------------------|---|----------------|---|-----------|--------------------------|
| 11 | FL PAN | 0 | - | 13 | = | 13 | Vert |
| 13 | FL PAN | 0 | - | 4 | = | 4 | Vert |
| | | | - | | = | | |
| | | | - | | = | | |
| | | | - | | = | | |
| | | | - | | = | | |
| | | | - | | = | | |
| | | | - | | = | | |
| | | | - | | = | | |
| | | | - | | = | | |
| | | | - | | = | | |
| | | | - | | = | | |
| | | | - | | = | | |
| | | | - | | = | | |
| | | | - | | = | | |

OCCUPANT AREA INTRUSION

Note: If no intrusions, leave variables IV47-IV86 blank.

| Location of Intrusion | Intruding Component | Magnitude of Intrusion | Dominant Crush Direction |
|-----------------------|---------------------|------------------------|--------------------------|
|-----------------------|---------------------|------------------------|--------------------------|

1st 47. 11 48. 18 49. 2 50. 12nd 51. 13 52. 18 53. 1 54. 1

3rd 55. ____ 56. ____ 57. ____ 58. ____

4th 59. ____ 60. ____ 61. ____ 62. ____

5th 63. ____ 64. ____ 65. ____ 66. ____

6th 67. ____ 68. ____ 69. ____ 70. ____

7th 71. ____ 72. ____ 73. ____ 74. ____

8th 75. ____ 76. ____ 77. ____ 78. ____

9th 79. ____ 80. ____ 81. ____ 82. ____

10th 83. ____ 84. ____ 85. ____ 86. ____

LOCATION OF INTRUSION

Front Seat Fourth Seat
 (11) Left (41) Left
 (12) Middle (42) Middle
 (13) Right (43) Right

Second Seat (97) Catastrophic
 (21) Left (98) Other enclosed
 (22) Middle area (specify)
 (23) Right (99) Unknown

Third Seat (31) Left
 (32) Middle (33) Right

INTRUDING COMPONENT*Interior Components*

- (01) Steering assembly
- (02) Instrument panel left
- (03) Instrument panel center
- (04) Instrument panel right
- (05) Toe pan
- (06) A (A1/A2)-pillar
- (07) B-pillar
- (08) C-pillar
- (09) D-pillar
- (10) Side panel - forward of the A1/A2-pillar
- (11) Door panel (side)
- (12) Side panel - rear of the B-pillar
- (13) Roof (or convertible top)
- (14) Roof side rail
- (15) Windshield
- (16) Windshield header
- (17) Window frame
- (18) Floor pan (includes sill)
- (19) Backlight header
- (20) Front seat back
- (21) Second seat back
- (22) Third seat back
- (23) Fourth seat back
- (24) Fifth seat back
- (25) Seat cushion
- (26) Back door/panel (e.g., tailgate)
- (27) Other interior component (specify): _____

Exterior Components

- (30) Hood
- (31) Outside surface of this vehicle (specify): _____
- (32) Other exterior object in the environment (specify): _____
- (33) Unknown exterior object
- (97) Catastrophic
- (98) Intrusion of unlisted component(s) (specify): _____
- (99) Unknown

MAGNITUDE OF INTRUSION

- (1) ≥ 3 centimeters but < 8 centimeters
- (2) ≥ 8 centimeters but < 15 centimeters
- (3) ≥ 15 centimeters but < 30 centimeters
- (4) ≥ 30 centimeters but < 46 centimeters
- (5) ≥ 46 centimeters but < 61 centimeters
- (6) ≥ 61 centimeters
- (7) Catastrophic
- (9) Unknown

DOMINANT CRUSH DIRECTION

- (1) Vertical
- (2) Longitudinal
- (3) Lateral
- (7) Catastrophic
- (9) Unknown

STEERING RIM/SPOKE DEFORMATION

(All Measurements Are in Centimeters)

| COMPARISON VALUE | - | DAMAGE VALUE | = | DEFORMATION |
|------------------|---|--------------|---|-------------|
|------------------|---|--------------|---|-------------|

| | | | | |
|---|---|---|---|--|
| - | - | - | = | |
|---|---|---|---|--|

| | | | | |
|---|---|---|---|--|
| - | - | - | = | |
|---|---|---|---|--|


| | | | | |
|---|---|---|---|--|
| - | - | - | = | |
|---|---|---|---|--|

| | | | | |
|---|---|---|---|--|
| - | - | - | = | |
|---|---|---|---|--|

| STEERING COLUMN | INSTRUMENT PANEL | | |
|--|------------------|--|----------|
| 87. Steering Column Type (1) Fixed column (2) Tilt column (3) Telescoping column (4) Tilt and telescoping column (8) Other column type (specify): (9) Unknown | 2 | 92. Odometer Reading _____ kilometers Code to the nearest 1,000 kilometers (000) No odometer (001) Less than 1,500 kilometers (500) 499,500 kilometers or more (999) Unknown $\underline{41162} \text{ miles} \times 1.6093 = \underline{66242} \text{ kilometers}$ Source: <u>Inspect OVER 100.</u> | 0 66,000 |
| 88. Tilt Steering Column Adjustment (0) No tilt steering column (1) Full up (2) Between full up and center (3) Center (4) Between center and full down (5) Full down (9) Unknown | 2 | 93. Instrument Panel Damage from Occupant Contact? (0) No (1) Yes (9) Unknown | 1 |
| 89. Telescoping Steering Column Adjustment (0) No telescoping steering column (1) Full back (2) Between full back and midpoint (3) Midpoint (4) Between midpoint and full forward (5) Full forward (9) Unknown | 0 | 94. Type of Knee Bolster Covering (0) No knee bolster (1) Padded (2) Rigid plastic (8) Other (specify): _____ (9) Unknown | 0 |
| 90. Steering Rim/Spoke Deformation _____ Code actual measured deformation to the nearest centimeter (00) No steering rim deformation (01-14) Actual measured value in centimeters (15) 15 centimeters or more (98) Observed deformation cannot be measured (99) Unknown | 00 | 95. Knee Bolsters Deformed from Occupant Contact? (0) No knee bolster (1) No deformation (2) Yes - deformation (9) Unknown | 0 |
| 91. Location of Steering Rim/Spoke Deformation (00) No steering rim deformation | 00 | 96. Did Glove Compartment Door Open During Collision(s)? (0) No glove compartment door (1) No - door did not open (2) Yes - door opened (9) Unknown | 1 |
| <i>Quarter Sections</i> (01) Section A (02) Section B (03) Section C (04) Section D | | <i>Half Sections</i> (05) Upper half of rim/spoke (06) Lower half of rim/spoke (07) Left half of rim/spoke (08) Right half of rim/spoke | |
| (09) Complete steering wheel collapse (10) Undetermined location (99) Unknown | | 97. Adaptive (Assistive) Driving Equipment (0) No adaptive driving equipment (1) Adaptive driving equipment installed (Check all that apply.) <input type="checkbox"/> Hand controls for braking/acceleration <input type="checkbox"/> Steering control devices (attached to OEM steering wheel) <input type="checkbox"/> Steering knob attached to steering wheel <input type="checkbox"/> Low effort power steering (unit or device) <input type="checkbox"/> Replacement steering wheel (i.e., reduced diameter) <input type="checkbox"/> Joy-stick steering controls <input type="checkbox"/> Wheelchair tie-downs <input type="checkbox"/> Modification to seat belts (specify): <input type="checkbox"/> Additional or relocated switches (specify): <input type="checkbox"/> Raised roof <input type="checkbox"/> Wall-mounted head rest (used behind wheelchair) <input type="checkbox"/> Other adaptive device (specify): (9) Unknown | 0 |

VEHICLE INTERIOR SKETCHES

Note area of ejection/entrapment



Sketch windshield contact(s) and the damaged area(s) on the instrument panel outline (e.g., radio, glove compartment, damage to instrument panel structure).

Cross hatch contact points, draw spider webs or use other annotation as may be appropriate.

Annotate the contacted area with a letter (begin with A) and list on the Points of Occupant Contact page.

POINTS OF OCCUPANT CONTACT

| Contact | Interior Component Contacted | Occupant No. If Known | Body Region If Known | Supporting Physical Evidence | Confidence Level of Contact Point |
|---------|------------------------------|-----------------------|----------------------|------------------------------|-----------------------------------|
| A | 205 | 01 | HEAD | DARK SMUDGE | 3 |
| B | 205 | 01 | HEAD | BLOOD STAINS | 2 |
| C | 007 | 01 | RHT KNEE/HAND | SCUFF | 2 |
| D | 010 | 01 | RHT KNEE | PANEL KNOCKED OFF | 2 |
| E | 052 | 01 | LEFT FOOT | LIGHT FIXTURE BROKEN | 3 |
| F | 010 | 01 | LEFT HAND | FUSE BOX PANEL KNOCKED OFF | 3 |
| G | 203 | 01 | HEAD | BLACK SMUDGE | 3 |
| H | 010 | 01 | ? | CRACKED DASH | 3 |
| I | | | | | |
| J | | | | | |
| K | | | | | |
| L | | | | | |
| M | | | | | |
| N | | | | | |

CODES FOR INTERIOR COMPONENTS

- FRONT**
- (001) Windshield
 - (002) Mirror
 - (003) Sunvisor
 - (004) Steering wheel rim
 - (005) Steering wheel hub/spoke
 - (006) Steering wheel (combination of codes 004 and 005)
 - (007) Steering column, transmission selector lever, other attachment
 - (008) Cellular telephone or CB radio
 - (009) Add on equipment(e.g., tapedeck, air conditioner)
 - (010) Left instrument panel and below
 - (011) Center instrument panel and below
 - (012) Right instrument panel and below
 - (013) Glove compartment door
 - (014) Knee bolster
 - (015) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, mirror, or steering assembly (driver side only)
 - (016) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, or mirror (passenger side only)
 - (017) Windshield reinforced by exterior object, (specify):
 - (019) Other front object (specify):

LEFT SIDE

- (051) Left side interior surface, excluding hardware or armrests
- (052) Left side hardware or armrest
- (053) Left A (A1/A2)-pillar
- (054) Left B-pillar
- (055) Other left pillar (specify):

(056) Left side window glass

- (057) Left side window frame
- (058) Left side window sill
- (059) Left side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail.

- (060) Other left side object (specify):

RIGHT SIDE

- (101) Right side interior surface, excluding hardware or armrests
- (102) Right side hardware or armrest
- (103) Right A (A1/A2)-pillar
- (104) Right B-pillar
- (105) Other right pillar (specify):

(106) Right side window glass

- (107) Right side window frame
- (108) Right side window sill
- (109) Right side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail.

- (110) Other right side object (specify):

INTERIOR

- (151) Seat, back support
- (152) Belt restraint webbing/buckle
- (153) Belt restraint B-pillar or door frame attachment point
- (154) Other restraint system component (specify):

(155) Head restraint system

- (160) Other occupants (specify):

(161) Interior loose objects

- (162) Child safety seat (specify):

- (163) Other interior object (specify):

AIR BAG

- (170) Air bag-driver side
- (175) Air bag compartment cover-driver side
- (180) Air bag-passenger side
- (185) Air bag compartment cover-passenger side
- (190) Other air bag (specify)

(195) Other air bag compartment cover (specify)

ROOF

- (201) Front header
- (202) Rear header
- (203) Roof left side rail
- (204) Roof right side rail
- (205) Roof or convertible top

FLOOR

- (251) Floor (including toe pan)
- (252) Floor or console mounted transmission lever, including console
- (253) Parking brake handle
- (254) Foot controls including parking brake

REAR

- (301) Backlight (rear window)
- (302) Backlight storage rack, door, etc.
- (303) Other rear object (specify):

ADAPTIVE (ASSISTIVE) DRIVING EQUIPMENT

- (401) Hand controls for braking/acceleration
- (402) Steering control devices (attached to OEM steering wheel)
- (403) Steering knob attached to steering wheel
- (405) Replacement steering wheel (i.e., reduced diameter)
- (406) Joy stick steering controls
- (407) Wheelchair tie-downs
- (408) Modification to seat belts, (specify):
- (409) Additional or relocated switches, (specify):

- (410) Raised roof
- (411) Wall mounted head rest (used behind wheel chair)
- (412) Other adaptive device (specify):

CONFIDENCE LEVEL OF CONTACT POINT

- (1) Certain
- (2) Probable
- (3) Possible
- (9) Unknown

MANUAL RESTRAINTS

NOTES: Encode the applicable data for each seat position in the vehicle. The attribute for the variable may be found below. Restraint systems should be assessed during the vehicle inspection then coded on the Occupant Assessment Form. If a child safety seat is present, encode the data on the back of this page 11. If the vehicle has automatic restraints available, encode the appropriate data on page 6.

| | | Left | Center | Right |
|----------------------------|------------------------|------|--------|-------|
| F I R S T | A-Availability | 4 | | |
| | B-Evidence of usage | 04 | | |
| | C-Used in this crash? | 04 | | |
| | D-Proper Use | 1 | | |
| | E-Failure Modes | 1 | | |
| | F-Anchorage Adjustment | 1 | | |
| S E C O N D | A-Availability | 3 | 0 | 3 |
| | B-Evidence of usage | 03 | 0 | 03 |
| | C-Used in this crash? | 0 | 0 | 0 |
| | D-Proper Use | 0 | 0 | 0 |
| | E-Failure Modes | 0 | 0 | 0 |
| | F-Anchorage Adjustment | 0 | 0 | 0 |
| O T H E R | A-Availability | | | |
| | B-Evidence of usage | | | |
| | C-Used in this crash? | | | |
| | D-Proper Use | | | |
| | E-Failure Modes | | | |
| | F-Anchorage Adjustment | | | |

A-Manual (Active) Belt System Availability

- (0) None available
- (1) Belt removed/destroyed
- (2) Shoulder belt
- (3) Lap belt
- (4) Lap and shoulder belt
- (5) Belt available - type unknown

Integral Belt Partially Destroyed

- (6) Shoulder belt (lap belt destroyed/removed)
- (7) Lap belt (shoulder belt destroyed/removed)
- (8) Other belt (specify): _____

(9) Unknown

B/C-Manual (Active) Belt System Use

- (00) None used, not available, or belt removed/destroyed
- (01) Inoperable (specify): _____
- (02) Shoulder belt
- (03) Lap belt
- (04) Lap and shoulder belt
- (05) Belt used - type unknown
- (08) Other belt used (specify): _____
- (12) Shoulder belt used with child safety seat
- (13) Lap belt used with child safety seat
- (14) Lap and shoulder belt used with child safety seat
- (15) Belt used with child safety seat - type unknown
- (18) Other belt used with child safety seat (specify): _____
- (99) Unknown if belt used

D-Proper Use of Manual (Active) Belts

- (0) None used or not available
- (1) Belt used properly
- (2) Belt used properly with child safety seat

Belt Used Improperly

- (3) Shoulder belt worn under arm
- (4) Shoulder belt worn behind back or seat
- (5) Belt worn around more than one person
- (6) Lap belt worn on abdomen
- (7) Lap belt or lap and shoulder belt used improperly with child safety seat (specify): _____
- (8) Other improper use of manual belt system (specify): _____

F-Shoulder Belt Upper Anchorage Adjustment

- (0) No shoulder belt
- (1) No upper anchorage adjustment for shoulder belt

Adjustable shoulder Belt Upper Anchorage

- (2) In full up position
- (3) In mid position
- (4) In full down position
- (5) Position unknown
- (9) Unknown if position has adjustable upper anchorage adjustment

E-Manual (Active) Belt Failure Modes During Accident

- (0) No manual belt used or not available
- (1) No manual belt failure(s)
- (2) Torn webbing (stretched webbing not included)
- (3) Broken buckle or latchplate
- (4) Upper anchorage separated
- (5) Other anchorage separated (specify): _____
- (6) Broken retractor
- (7) Combination of above (specify): _____
- (8) Other manual belt failure (specify): _____
- (9) Unknown

AUTOMATIC RESTRAINTS

NOTES: Encode the data for each applicable front seat position. The attribute for the variables may be found below. Restraint systems should be assessed during the vehicle inspection then coded on the Occupant Assessment Form.

AIR BAGS

| | Frontal Air Bags--Left Front | Frontal Air Bags--Right Front | Other Air Bag |
|-----------------------|------------------------------|-------------------------------|---------------|
| F I R S T | Availability/Function | | |
| | Deployment | | |
| | Failure | | |

Air Bag System Availability/Function

- (0) Not equipped/not available
(1) Air bag

Non-functional

- (2) Air bag disconnected (specify):
(3) Air bag not reinstalled
(9) Unknown

Air Bag System Deployment (This Occupant Position)

- (0) Not equipped/not available
(1) Deployed during accident (as a result of impact)
(2) Deployed inadvertently just prior to accident
(3) Deployed, accident sequence undetermined
(4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical)
(5) Unknown if deployed
(7) Nondeployed
(9) Unknown

Are There Indications of Air Bag System Failure? (This Occupant Position)

- (0) Not equipped/not available
(1) No
(2) Yes (specify):
(9) Unknown

AUTOMATIC BELTS

| | | Left | Right |
|-----------------------|--------------------------------|------|-------|
| F I R S T | A-Availability/Function | | |
| | B-Use | | |
| | C-Type | | |
| | D-Proper Use | | |
| | E-Failure Modes | | |

A-Automatic (Passive) Belt System Availability/Function

- (0) Not equipped/not available
(1) 2 point automatic belts
(2) 3 point automatic belts
(3) Automatic belts - type unknown

Non-functional

- (4) Automatic belts destroyed or rendered inoperative
(9) Unknown

B-Automatic (Passive) Belt System Use

- (0) Not equipped/not available/destroyed or rendered inoperative
(1) Automatic belt in use
(2) Automatic belt not in use (manually disconnected, motorized track inoperative)
(3) Automatic belt use unknown
(9) Unknown

C-Automatic (Passive) Belt System Type

- (0) Not equipped/not available
(1) Non-motorized system
(2) Motorized system
(9) Unknown

D-Proper Use of Automatic (Passive) Belt System

- (0) Not equipped/not available/not used
(1) Automatic belt used properly
(2) Automatic belt used properly with child safety seat

Automatic Belt Used Improperly

- (3) Automatic shoulder belt worn under arm
(4) Automatic shoulder belt worn behind back
(5) Automatic belt worn around more than one person
(6) Lap portion of automatic belt worn on abdomen
(7) Automatic lap and shoulder belt or automatic shoulder belt used improperly with child safety seat (specify):

- (8) Other improper use of automatic belt system
(specify):
(9) Unknown

E-Automatic (Passive) Belt Failure Modes During Accident



- (0) Not equipped/not available/not in use
(1) No automatic belt failure(s)
(2) Torn webbing (stretched webbing not included)
(3) Broken buckle or latchplate
(4) Upper anchorage separated
(5) Other anchorage separated (specify):
(6) Broken retractor
(7) Combination of above (specify):
(8) Other automatic belt failure (specify):
(9) Unknown

FIRST SEAT FRONTAL AIR BAGS

NOTES: Encode the applicable data *for the driver and first seat passenger* in the vehicle. The attribute for the variable may be found below. Restraint systems should be assessed during the vehicle inspection then coded on the Occupant Assessment Form.

| | Driver | Passenger |
|-----------------------------------|--------|-----------|
| A-Type of air bag? | | |
| B-Flaps open at tear points? | | |
| C-Flaps damaged? | | |
| D-Air bag damaged? | | |
| E-Source of air bag damage | | |
| F-Air bag tethered? | | |
| G-Air bag have vent ports? | | |
| H-Other occupant contact air bag? | | |
| I-Occupant wearing eyewear? | | |


- | | | |
|---|--|--|
| <p>A-Type of Air Bag</p> <ul style="list-style-type: none"> (0) Not equipped/not available (1) Original manufacturer installed system (2) Retrofitted air bag (3) Replacement air bag (8) Unknown type of air bag (9) Unknown <p>B-Did Air Bag Module Cover Flap(s) Open At Designated Tear Points?</p> <ul style="list-style-type: none"> (0) Not equipped/not available (1) No (2) Yes (3) Deployed, unknown if flap(s) opened at designated tear points (7) Not deployed (8) Unknown if deployed (9) Unknown <p>C-Were Air Bag Module Cover Flap(s) Damaged?</p> <ul style="list-style-type: none"> (0) Not equipped/not available (1) No (2) Yes (specify): (3) Deployed, unknown if air bag module cover flap(s) damaged (7) Not deployed (8) Unknown if deployed (9) Unknown | <p>D-Was There Damage To The Air Bag?</p> <ul style="list-style-type: none"> (00) Not equipped/not available (01) Not damaged <p style="text-align: center;">Yes - Air Bag Damage</p> <ul style="list-style-type: none"> (02) Ruptured (03) Cut (04) Torn (05) Holed (06) Burned (07) Abraded (88) Other damage (specify): <ul style="list-style-type: none"> (95) Damaged, details unknown (96) Deployed, unknown if damaged (97) Not deployed (98) Unknown if deployed (99) Unknown <p>E-Source of Air Bag Damage</p> <ul style="list-style-type: none"> (00) Not equipped/not available (01) Not damaged (02) Object worn by occupant, (specify): (03) Object carried by occupant, (specify): (04) Adaptive/assistive controls, (specify): (05) Fire in vehicle (06) Thermal burns (07) Rescue or emergency efforts (88) Other damage source (specify): (95) Damaged, unknown source (96) Deployed, unknown if damaged (97) Not deployed (98) Unknown if deployed (99) Unknown | <p>F-Was The Air Bag Tethered?</p> <ul style="list-style-type: none"> (0) Not equipped/not available (1) No (2) Yes (specify number of tether straps): (3) Deployed, unknown if tethered (7) Not deployed (8) Unknown if deployed (9) Unknown <p>G-Did The Air Bag Have Vent Ports?</p> <ul style="list-style-type: none"> (0) Not equipped/not available (1) No (2) Yes (specify number of vent ports): (3) Deployed, unknown if vent ports present (7) Not deployed (8) Unknown if deployed (9) Unknown <p>H-Was the Air Bag in this Occupant's Position Contacted by Another Occupant?</p> <ul style="list-style-type: none"> (0) Not equipped/not available (1) No (2) Yes (specify): (3) Deployed, unknown if other occupant contact to air bag (7) Not deployed (8) Unknown if deployed (9) Unknown <p>I-Was This Occupant Wearing Eye-wear?</p> <ul style="list-style-type: none"> (0) Not equipped/not available (1) No (2) Eyeglasses/sunglasses (3) Contact lenses (4) Deployed, unknown if eyewear worn (7) Not deployed (8) Unknown if deployed (9) Unknown |
|---|--|--|

DRIVER AIR BAG DAMAGE AND CONTACT SKETCHES**1. SKETCH DAMAGE AND CONTACT EVIDENCE ON DRIVER AIR BAG (Front)****2. SKETCH DAMAGE AND CONTACT EVIDENCE ON DRIVER AIR BAG (Back)**

DRIVER AIR BAG SKETCHES (Cont'd)

3. DRIVER AIR BAG MODULE COVER FLAP SIZE (SINGLE)

width (W_U) _____ width (W_L) _____
height (H) _____




4. DRIVER AIR BAG MODULE COVER FLAP SIZE (DOUBLE)

a. Upper Flap b. Lower Flap

width (W_U) _____ width (W_L) _____


height (H_U) _____ height (H_L) _____





5. SKETCH OF OTHER TYPE OF AIR BAG MODULE FLAP AND SIZE

6. SKETCH OF OTHER TYPE OF AIR BAG VENT PORTS


7. SKETCH LOCATION OF CIRCULAR AIR BAG VENT PORTS



PASSENGER AIR BAG DAMAGE AND CONTACT SKETCHES**1. SKETCH DAMAGE AND CONTACT EVIDENCE ON PASSENGER AIR BAG (Front)****2. SKETCH DAMAGE AND CONTACT EVIDENCE ON PASSENGER AIR BAG (Back)**

PASSENGER AIR BAG SKETCHES (Cont'd)

3. PASSENGER AIR BAG MODULE COVER FLAP SIZE (SINGLE)




4. PASSENGER AIR BAG MODULE COVER FLAP SIZE (DOUBLE)

a. Upper Flap b. Lower Flap

width (W_u) _____ width (W_L) _____


height (H_u) _____ height (H_L) _____



5. SKETCH OF OTHER TYPE OF AIR BAG MODULE FLAP AND SIZE

6. SKETCH OF OTHER TYPE OF AIR BAG VENT PORTS

7. SKETCH LOCATION OF RECTANGULAR AIR BAG VENT PORTS




"OTHER" AIR BAG DAMAGE AND CONTACT SKETCHES

1. SKETCH DAMAGE AND CONTACT EVIDENCE ON "OTHER" AIR BAG (Front)

2. SKETCH DAMAGE AND CONTACT EVIDENCE ON "OTHER" AIR BAG (Back)

"OTHER" AIR BAG SKETCHES (Cont'd)

3. SKETCH AIR BAG MODULE FLAP AND SIZE OR OPENING FOR AIRBAG



4. SKETCH AIR BAG VENT PORTS

HEAD RESTRAINTS/SEAT EVALUATION

NOTES: Encode the applicable data for each seat position in the vehicle. The attribute for these variables may be found at the bottom of the page. Head restraint type/damage and seat type/performance should be assessed during the vehicle inspection then coded on the Occupant Assessment Form.

| | | Left | Center | Right |
|----------------------------|-------------------------------------|------|--------|-------|
| F I R S T | A-Head Restraint Type/Damage | 03 | | 03 |
| | B-Seat Type | 02 | | 02 |
| | C-Seat Orientation | 1 | | 1 |
| | D-Seat Track Position | 6 | | 6 |
| | E-Seat Back Incline Pre/Post Impact | 14 | | 31 |
| | F-Seat Performance | 1 | | 1 |
| S E C O N D | A-Head Restraint Type/Damage | 0 | 0 | 0 |
| | B-Seat Type | 05 | 05 | 05 |
| | C-Seat Orientation | 1 | 1 | 1 |
| | D-Seat Track Position | 01 | 61 | 01 |
| | E-Seat Back Incline Pre/Post Impact | 01 | 01 | 01 |
| | F-Seat Performance | 1 | 1 | 1 |
| T H I R D | A-Head Restraint Type/Damage | | | |
| | B-Seat Type | | | |
| | C-Seat Orientation | | | |
| | D-Seat Track Position | | | |
| | E-Seat Back Incline Pre/Post Impact | | | |
| | F-Seat Performance | | | |
| O T H E R | A-Head Restraint Type/Damage | | | |
| | B-Seat Type | | | |
| | C-Seat Orientation | | | |
| | D-Seat Track Position | | | |
| | E-Seat Back Incline Pre/Post Impact | | | |
| | F-Seat Performance | | | |


DESCRIBE ANY INDICATION OF ABNORMAL OCCUPANT POSTURE

(I.E., UNUSUAL OCCUPANT CONTACT PATTERN)

HEAD RESTRAINTS/SEAT EVALUATION


- A-Head Restraint Type/Damage by Occupant at This Occupant Position**
- (0) No head restraints
 - (1) Integral — no damage
 - (2) Integral — damaged during accident
 - (3) Adjustable — no damage
 - (4) Adjustable — damaged during accident
 - (5) Add-on — no damage
 - (6) Add-on — damaged during accident
 - (8) Other
Specify): _____
 - (9) Unknown

- E-Seat Back Incline Prior and Post Impact**
- Upright prior to impact*
- (11) Moved to completely rearward position
 - (12) Moved to rearward midrange position
 - (13) Moved to slightly rearward position
 - (14) Retained pre-impact position
 - (15) Moved to slightly forward position
 - (16) Moved to forward midrange position
 - (17) Moved to completely forward position




- B-Seat Type (this Occupant Position)**
- (00) Occupant not seated or no seat
 - (01) Bucket
 - (02) Bucket with folding back
 - (03) Bench
 - (04) Bench with separate back cushions
 - (05) Bench with folding back(s)
 - (06) Split bench with separate back cushions
 - (07) Split bench with folding back(s)
 - (08) Pedestal (i.e., column supported)
 - (09) Box mounted seat (i.e., van type)
 - (10) Other seat type (specify): _____
 - (99) Unknown

- Slightly reclined prior to impact*
- (21) Moved to completely rearward position
 - (22) Moved to rearward midrange position
 - (23) Retained pre-impact position
 - (24) Moved to upright position
 - (25) Moved to slightly forward position
 - (26) Moved to forward midrange position
 - (27) Moved to completely forward position



- C-Seat Orientation (this Occupant Position)**
- (0) Occupant not seated or no seat
 - (1) Forward facing seat
 - (2) Rear facing seat
 - (3) Side facing seat (inward)
 - (4) Side facing seat (outward)
 - (8) Other (specify): _____
 - (9) Unknown

- Completely reclined prior to impact*
- (31) Retained pre-impact position
 - (32) Moved to rearward midrange position
 - (33) Moved to slightly rearward position
 - (34) Moved to upright position
 - (35) Moved to slightly forward position
 - (36) Moved to forward midrange position
 - (37) Moved to completely forward position



Coding diagrams for Seat Back Incline Position Prior and Post Impact

- D-Seat Track Adjusted Position Prior To Impact**
- (0) Occupant not seated or no seat
 - (1) Non-adjustable seat track
 - Adjustable Seat Track**
 - (2) Seat at forward most track position
 - (3) Seat between forward most and middle track positions
 - (4) Seat at middle track position
 - (5) Seat between middle and rear most track positions
 - (6) Seat at rear most track position
 - (9) Unknown

- F-Seat Performance (this Occupant Position)**
- (0) Occupant not seated or no seat
 - (1) No seat performance failure(s)
 - (2) Seat adjusters failed
 - (3) Seat back folding locks or "seat back" failed (specify): _____
 - (4) Seat tracks/anchors failed
 - (5) Deformed by impact of occupant
 - (6) Deformed by passenger compartment intrusion (specify): _____
 - (7) Combination of above (specify): _____
 - (8) Other (specify): _____
 - (9) Unknown

CHILD SAFETY SEAT FIELD ASSESSMENT

When a child safety seat is present enter the occupant's number in the first row and complete the column below the occupant's number using the codes listed below. Complete a column for each child safety seat present.

| | | | | | | |
|------------------------------------|--|--|--|--|--|--|
| Occupant Number | | | | | | |
| 1. Type of Child Safety Seat | | | | | | |
| 2. Child Safety Seat Orientation | | | | | | |
| 3. Child Safety Seat Harness Usage | | | | | | |
| 4. Child Safety Seat Shield Usage | | | | | | |
| 5. Child Safety Seat Tether Usage | | | | | | |
| 6. Child Safety Seat Make/Model | Specify Below for Each Child Safety Seat | | | | | |

1. Type of Child Safety Seat

- (0) No child safety seat
- (1) Infant seat
- (2) Toddler seat
- (3) Convertible seat
- (4) Booster seat
- (7) Other type child safety seat (specify):

- (8) Unknown child safety seat type
- (9) Unknown if child safety seat used

3. Child Safety Seat Harness Usage

4. Child Safety Seat Shield Usage

5. Child Safety Seat Tether Usage

Note: Options Below Are Used for Variables 3-5.

- (00) No child safety seat

Not Designed with Harness/Shield/Tether

- (01) After market harness/shield/tether added, not used
- (02) After market harness/shield/tether used
- (03) Child safety seat used, but no after market harness/shield/tether added
- (09) Unknown if harness/shield/tether added or used

Designed With Harness/Shield/Tether

- (11) Harness/shield/tether not used
- (12) Harness/shield/tether used
- (19) Unknown if harness/shield/tether used

Unknown If Designed With Harness/Shield/Tether

- (21) Harness/shield/tether not used
- (22) Harness/shield/tether used
- (29) Unknown if harness/shield/tether used

- (99) Unknown if child safety seat used

2. Child Safety Seat Orientation

- (00) No child safety seat
- Designed for Rear Facing for This Age/Weight
- (01) Rear facing
- (02) Forward facing
- (08) Other orientation (specify):

- (09) Unknown orientation

Designed for Forward Facing for This Age/Weight

- (11) Rear facing
- (12) Forward facing
- (18) Other orientation (specify):

- (19) Unknown orientation

Unknown Design or Orientation For This Age/Weight, or Unknown Age/Weight

- (21) Rear facing
- (22) Forward facing
- (28) Other orientation (specify):

- (29) Unknown orientation

- (99) Unknown if child safety seat used

6. Child Safety Seat Make/Model

(Specify make/model and occupant number)

EJECTION/ENTRAPMENT DATA

Complete the following if the researcher has any indication that an occupant was either ejected from or entrapped in the vehicle. Code the appropriate data on the Occupant Assessment Form.

EJECTION No [X] Yes []

Describe indications of ejection and body parts involved in partial ejection(s):

| | | | | | | |
|--|--|--|--|--|--|--|
| Occupant Number | | | | | | |
| Ejection | | | | | | |
| (Note on Vehicle Interior Sketch) Ejection Area | | | | | | |
| Ejection Medium | | | | | | |
| Medium Status | | | | | | |

Ejection
 (1) Complete ejection
 (2) Partial ejection
 (3) Ejection, Unknown degree
 (9) Unknown

(7) Roof
 (8) Other area (e.g., back of pickup, etc.) (specify):

 (9) Unknown

(5) Integral structure
 (8) Other medium (specify):

 (9) Unknown

Ejection Area
 (1) Windshield
 (2) Left front
 (3) Right front
 (4) Left rear
 (5) Right rear
 (6) Rear

Ejection Medium
 (1) Door/hatch/tailgate
 (2) Nonfixed roof structure
 (3) Fixed glazing
 (4) Nonfixed glazing (specify):

Medium Status (Immediately Prior to Impact)
 (1) Open
 (2) Closed
 (3) Integral structure
 (9) Unknown

ENTRAPMENT No [X] Yes []

Describe entrapment mechanism:

Component(s):

(Note on vehicle interior sketch)



OCCUPANT ASSESSMENT FORM

1. Primary Sampling Unit Number 09
 2. Case Number - Stratum 0960
 3. Vehicle Number 01
 4. Occupant Number 01

OCCUPANT'S CHARACTERISTICS

5. Occupant's Age 36
 Code actual age at time of accident.
 (00) Less than one year old (specify by month): _____

- (97) 97 years and older
 (99) Unknown

*Re
PAR*

6. Occupant's Sex 1
 (1) Male
 (2) Female-not reported pregnant
 (3) Female-pregnant-1st trimester(1st-3rd month)
 (4) Female-pregnant-2nd trimester(4th-6th month)
 (5) Female-pregnant-3rd trimester(7th-9th month)
 (6) Female-pregnant-term unknown
 (9) Unknown

7. Occupant's Height 999
 Code actual height to the nearest centimeter.
 (999) Unknown

_____ inches X 2.54 = _____ centimeters

8. Occupant's Weight 999
 Code actual weight to the nearest kilogram.
 (999) Unknown

_____ pounds X .4536 = _____ kilograms

9. Occupant's Role 1
 (1) Driver
 (2) Passenger
 (9) Unknown

10. Occupant's Seat Position 11
Front Seat
 (11) Left side
 (12) Middle
 (13) Right side
 (14) Other (specify): _____
 (15) On or in the lap of another occupant

Second Seat
 (21) Left side
 (22) Middle
 (23) Right side
 (24) Other (specify): _____
 (25) On or in the lap of another occupant

Third Seat
 (31) Left side
 (32) Middle
 (33) Right side
 (34) Other (specify): _____
 (35) On or in the lap of another occupant

Fourth Seat
 (41) Left side
 (42) Middle
 (43) Right side
 (44) Other (specify): _____
 (45) On or in the lap of another occupant

(97) In or on unenclosed area
 (98) Other seat (specify): _____
 (99) Unknown

11. Occupant's Posture 2
 (0) Normal posture

Abnormal posture
 (1) Kneeling or standing on seat
 (2) Lying on or across seat
 (3) Kneeling, standing or sitting in front of seat
 (4) Sitting sideways or turned to talk with another occupant or to look out a rear window
 (5) Sitting on a console
 (6) Lying back in a reclined seat position
 (7) Bracing with feet or hands on a surface in front of seat
 (8) Other abnormal posture (specify): _____
 (9) Unknown

EJECTION/ENTRAPMENT**12. Ejection**

- (0) No ejection
(1) Complete ejection
(2) Partial ejection
(3) Ejection, unknown degree
(9) Unknown

O**13. Ejection Area**

- (0) No ejection
(1) Windshield
(2) Left front
(3) Right front
(4) Left rear
(5) Right rear
(6) Rear
(7) Roof
(8) Other area (e.g., back of pickup, etc.)
(specify): _____
(9) Unknown

O**14. Ejection Medium**

- (0) No ejection
(1) Door/hatch/tailgate
(2) Nonfixed roof structure
(3) Fixed glazing
(4) Nonfixed glazing (specify):

(5) Integral structure
(8) Other medium (specify):

(9) Unknown

O**15. Medium Status (Immediately Prior To Impact)**

- (0) No ejection
(1) Open
(2) Closed
(3) Integral structure
(9) Unknown

O**16. Entrapment**

- (0) Not entrapped/exit not inhibited
(1) Entrapped/pinned - mechanically restrained
(2) Could not exit vehicle due to jammed doors, fire, etc.
(specify): _____
(9) Unknown

O**17. Occupant Mobility**

- (0) Occupant fatal before removed from vehicle
(1) Removed from vehicle while unconscious or not oriented to time or place
(2) Removed from vehicle due to perceived serious injuries
(3) Exited vehicle with some assistance
(4) Exited vehicle under own power
(5) Occupant fully ejected
(8) Removed from vehicle for other reasons
(specify): _____
(9) Unknown

9

BELT SYSTEM FUNCTION

- | | | | |
|---|----|---|---|
| <p>18. Manual (Active) Belt System Availability</p> <ul style="list-style-type: none"> (0) None available (1) Belt removed/destroyed (2) Shoulder belt (3) Lap belt (4) Lap and shoulder belt (5) Belt available—type unknown <p><i>Integral Belt Partially Destroyed</i></p> <ul style="list-style-type: none"> (6) Shoulder belt (lap belt destroyed/removed) (7) Lap belt (shoulder belt destroyed/removed) (8) Other belt (specify): _____ <p>(9) Unknown</p> | 4 | <p>22. Manual Shoulder Belt Upper Anchorage Adjustment</p> <ul style="list-style-type: none"> (0) No manual shoulder belt (1) No upper anchorage adjustment for manual shoulder belt <p><i>Adjustable shoulder Belt Upper Anchorage</i></p> <ul style="list-style-type: none"> (2) In full up position (3) In mid position (4) In full down position (5) Position unknown (9) Unknown if position has adjustable upper anchorage adjustment | + |
| <p>19. Manual (Active) Belt System Use</p> <ul style="list-style-type: none"> (00) None used, not available, or belt removed/destroyed (01) Inoperative (specify): _____ <ul style="list-style-type: none"> (02) Shoulder belt (03) Lap belt (04) Lap and shoulder belt (05) Belt used—type unknown (08) Other belt used (specify): _____ <ul style="list-style-type: none"> (12) Shoulder belt used with child safety seat (13) Lap belt used with child safety seat (14) Lap and shoulder belt used with child safety seat (15) Belt used with child safety seat—type unknown (18) Other belt used with child safety seat (specify): _____ <p>(99) Unknown if belt used</p> | 04 | <p>23. Automatic (Passive) Belt System Availability/Function</p> <ul style="list-style-type: none"> (0) Not equipped/not available (1) 2 point automatic belts (2) 3 point automatic belts (3) Automatic belts - type unknown <p><i>Non-functional</i></p> <ul style="list-style-type: none"> (4) Automatic belts destroyed or rendered inoperative (9) Unknown | 0 |
| <p>20. Proper Use of Manual (Active) Belts</p> <ul style="list-style-type: none"> (0) None used or not available (1) Belt used properly (2) Belt used properly with child safety seat <p><i>Belt Used Improperly</i></p> <ul style="list-style-type: none"> (3) Shoulder belt worn under arm (4) Shoulder belt worn behind back or seat (5) Belt worn around more than one person (6) Lap belt worn on abdomen (7) Lap belt or lap and shoulder belt used improperly with child safety seat (specify): _____ <ul style="list-style-type: none"> (8) Other improper use of manual belt system (specify): _____ <p>(9) Unknown</p> | 1 | <p>24. Automatic (Passive) Belt System Use</p> <ul style="list-style-type: none"> (0) Not equipped/not available/destroyed or rendered inoperative (1) Automatic belt in use (2) Automatic belt not in use (manually disconnected, motorized track inoperative) (specify): _____ (3) Automatic belt use unknown (9) Unknown | 6 |
| <p>25. Automatic (Passive) Belt System Type</p> <ul style="list-style-type: none"> (0) Not equipped/not available (1) Non-motorized system (2) Motorized system (9) Unknown | 0 | <p>26. Proper Use of Automatic (Passive) Belt System</p> <ul style="list-style-type: none"> (0) Not equipped/not available/not used (1) Automatic belt used properly (2) Automatic belt used properly with child safety seat <p><i>Automatic Belt Used Improperly</i></p> <ul style="list-style-type: none"> (3) Automatic shoulder belt worn under arm (4) Automatic shoulder belt worn behind back (5) Automatic belt worn around more than one person (6) Lap portion of automatic belt worn on abdomen (7) Automatic lap and shoulder belt or automatic shoulder belt used improperly with child safety seat (specify): _____ <ul style="list-style-type: none"> (8) Other improper use of automatic belt system (specify): _____ (9) Unknown | 0 |
| <p>27. Automatic (Passive) Belt Failure Modes During Accident</p> <ul style="list-style-type: none"> (0) No manual belt used or not available (1) No manual belt failure(s) (2) Torn webbing (stretched webbing not included) (3) Broken buckle or latchplate (4) Upper anchorage separated (5) Other anchorage separated (specify): _____ <ul style="list-style-type: none"> (6) Broken retractor (7) Combination of above (specify): _____ <ul style="list-style-type: none"> (8) Other manual belt failure (specify): _____ <p>(9) Unknown</p> | 1 | <p>27. Automatic (Passive) Belt Failure Modes During Accident</p> <ul style="list-style-type: none"> (0) Not equipped/not available/not in use (1) No automatic belt failure(s) (2) Torn webbing (stretched webbing not included) (3) Broken buckle or latchplate (4) Upper anchorage separated (5) Other anchorage separated (specify): _____ <ul style="list-style-type: none"> (6) Broken retractor (7) Combination of above (specify): _____ (8) Other automatic belt failure (specify): _____ <p>(9) Unknown</p> | 0 |

| POLICE REPORTED RESTRAINT USE | AIR BAG SYSTEM FUNCTION |
|---|--|
| <p>28. Police Reported Belt Use</p> <p>(0) None used (1) Police did not indicate belt use (2) Shoulder belt (3) Lap belt (4) Lap and shoulder belt (5) Belt used, type not specified (6) Child safety seat (7) Automatic belt (8) Other type belt, (specify): _____ (9) Police indicated "unknown"</p> | <p><u>4</u></p> <p>30. Frontal Air Bag System Availability/Function (This Occupant Position)</p> <p>(0) Not equipped/not available (1) Air bag <i>Non-functional</i> (2) Air bag disconnected (specify): _____ (3) Air bag not reinstalled (9) Unknown</p> |
| <p>29. Police Reported Air Bag Availability/Function</p> <p>(0) No air bag available (1) Police did not indicate air bag availability/function (2) Deployed (3) Not deployed (4) Unknown if deployed (9) Police indicated "unknown"</p> | <p><u>0</u></p> <p>31. Frontal Air Bag System Deployment (This Occupant Position)</p> <p>(0) Not equipped/not available (1) Deployed during accident (as a result of impact) (2) Deployed inadvertently just prior to accident (3) Deployed, details unknown (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical) (5) Unknown if deployed (7) Nondeployed (9) Unknown</p> |
| <p>Check the Primary Source Used In Determining Belt Use.</p> <p><input checked="" type="checkbox"/> Vehicle inspection <input type="checkbox"/> Official injury data <input type="checkbox"/> Driver/occupant interview <input type="checkbox"/> Other (specify): _____ <input type="checkbox"/> Unknown if belt used</p> <p>_____ _____ _____ _____</p> | <p>32. Other Than First Seat Frontal Air Bag Availability/Function (This Occupant Position)</p> <p>(0) Not equipped/not available (1) Air bag <i>Non-functional</i> (2) Air bag disconnected (specify): _____ (3) Air bag not reinstalled (9) Unknown <i>Specify type of "other" air bag present:</i> _____</p> |
| | <p>33. Air Bag(s) Deployment, Other Than First Seat Frontal (This Occupant Position)</p> <p>(0) Not equipped with an "other" air bag (1) Deployed during accident (as a result of impact) (2) Deployed inadvertently just prior to accident (3) Deployed, details unknown (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical) (5) Unknown if deployed (7) Nondeployed (9) Unknown</p> |
| | <p>34. Are There Indications of Air Bag System Failure? (This Occupant Position)</p> <p>(0) Not equipped/not available (1) No (2) Yes (specify): _____ (9) Unknown</p> |

FIRST SEAT FRONTAL AIR BAG SYSTEM EVALUATION

35. Had Vehicle Been in Previous Accident(s)? 0

- (0) Not equipped/not available
(1) No previous accidents

Yes

- (2) Previous accident(s) without deployment(s)
(3) One previous accident with deployment
(4) More than one previous accident with at least one deployment
(8) Previous accidents, unknown deployment status
(9) Unknown

36. Type of Air Bag 0

- (0) Not equipped/not available
(1) Original manufacturer installed system
(2) Retrofitted air bag
(3) Replacement air bag
(8) Unknown type of air bag
(9) Unknown

37. Had Any Prior Maintenance/Service Been Performed On This Air Bag System? 0

- (0) Not equipped/not available
(1) No prior maintenance
(2) Yes, prior maintenance (specify):

(9) Unknown

38. Air Bag Deployment Accident Event Sequence Number 00

- (00) Not equipped/not available

Code the accident event sequence number that initiated the air bag deployment
(96) Deployed, unknown event
(97) Not deployed
(98) Unknown if deployed
(99) Unknown

39. CDC For Air Bag Deployment Impact 0

- (0) Not equipped/not available
(1) Highest delta V
(2) Second highest delta V
(3) Other non-coded delta V (specify):

(6) Deployed, unknown event
(7) Not deployed
(8) Unknown if deployed
(9) Unknown

40. Longitudinal Component of 000

Delta V For Air Bag Deployment Impact

- (_000) Not equipped/not available
Code the value of the delta V for the impact that initiated the air bag deployment
(_996) Deployment, unknown longitudinal Delta V
(_997) Not deployed
(_998) Unknown if deployed
(_999) Unknown

41. Did Air Bag Module Cover Flap(s) Open At Designated Tear Points? 0

- (0) Not equipped/not available
(1) No
(2) Yes
(3) Deployed, unknown if flap(s) opened at designated tear points
(7) Not deployed
(8) Unknown if deployed
(9) Unknown

42. Were Air Bag Module Cover Flap(s) Damaged? 0

- (0) Not equipped/not available
(1) No
(2) Yes (specify): _____
(3) Deployed, unknown if air bag module cover flap(s) damaged
(7) Not deployed
(8) Unknown if deployed
(9) Unknown

43. Was There Damage To The Air Bag? 00

- (00) Not equipped/not available
(01) Not damaged

Yes - Air Bag Damage

- (02) Ruptured
(03) Cut
(04) Torn
(05) Holed
(06) Burned
(07) Abraded
(88) Other damage (specify):

(95) Damaged, details unknown
(96) Deployed, unknown if damaged
(97) Not deployed
(98) Unknown if deployed
(99) Unknown

**FIRST SEAT FRONTAL AIR BAG SYSTEM
EVALUATION *continued***

44. Source of Air Bag Damage 0 0
 (00) Not equipped/not available
 (01) Not damaged
 (02) Object worn by occupant, (specify):

 (03) Object carried by occupant, (specify):

 (04) Adaptive/assistive controls, (specify):

 (05) Fire in vehicle
 (06) Thermal burns
 (07) Rescue or emergency efforts
 (08) Other damage source (specify):

 (95) Damaged, unknown source
 (96) Deployed, unknown if damaged
 (97) Not deployed
 (98) Unknown if deployed
 (99) Unknown
45. Was The Air Bag Tethered? 0
 (0) Not equipped/not available
 (1) No
 (2) Yes (specify number of tether straps):

 (3) Deployed, unknown if tethered
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown
46. Did The Air Bag Have Vent Ports? 0
 (0) Not equipped/not available
 (1) No
 (2) Yes (specify number of vent ports):

 (3) Deployed, unknown if vent ports present
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown
47. Was the Air Bag in this Occupant's Position
Contacted by Another Occupant? 0
 (0) Not equipped/not available
 (1) No
 (2) Yes (specify):

 (3) Deployed, unknown if other occupant contact
to air bag
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown
48. Was This Occupant Wearing Eye-wear? 0
 (0) Not air bag equipped/air bag not available
 (1) No
 (2) Eyeglasses/sunglasses
 (3) Contact lenses
 (4) Deployed, unknown if eyewear worn
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown

HEAD RESTRAINT AND SEAT EVALUATION

49. Head Restraint Type/Damage by Occupant
at This Occupant Position 3
 (0) No head restraints
 (1) Integral—no damage
 (2) Integral—damaged during accident
 (3) Adjustable—no damage
 (4) Adjustable—damaged during accident
 (5) Add-on—no damage
 (6) Add-on—damaged during accident
 (8) Other (specify):

 (9) Unknown
50. Seat Type (this Occupant Position) 0 2
 (00) Occupant not seated or no seat
 (01) Bucket
 (02) Bucket with folding back
 (03) Bench
 (04) Bench with separate back cushions
 (05) Bench with folding back(s)
 (06) Split bench with separate back cushions
 (07) Split bench with folding back(s)
 (08) Pedestal (i.e., column supported)
 (09) Box mounted seat (i.e., van type)
 (10) Other seat type (specify):

 (99) Unknown
51. Seat Orientation (this Occupant Position) 1
 (0) Occupant not seated or no seat
 (1) Forward facing seat
 (2) Rear facing seat
 (3) Side facing seat (inward)
 (4) Side facing seat (outward)
 (8) Other (specify):


 (9) Unknown
52. Seat Track Adjusted Position Prior To Impact 6
 (0) Occupant not seated or no seat
 (1) Non-adjustable seat track
- Adjustable Seat Track*
 (2) Seat at forward most track position
 (3) Seat between forward most and middle track
positions
 (4) Seat at middle track position
 (5) Seat between middle and rear most track
positions
 (6) Seat at rear most track position
 (9) Unknown

HEAD RESTRAINT AND SEAT EVALUATION *continued*53. Seat Back Incline Prior and Post Impact 14


- (00) Occupant not seated or no seat
 (01) Not adjustable

Upright prior to impact


- (11) Moved to completely rearward position
- (12) Moved to rearward midrange position
- (13) Moved to slightly rearward position
- (14) Retained pre-impact position
- (15) Moved to slightly forward position
- (16) Moved to forward midrange position
- (17) Moved to completely forward position

***Slightly reclined prior to impact***

- (21) Moved to completely rearward position
- (22) Moved to rearward midrange position
- (23) Retained pre-impact position
- (24) Moved to upright position
- (25) Moved to slightly forward position
- (26) Moved to forward midrange position
- (27) Moved to completely forward position

***Completely reclined prior to impact***

- (31) Retained pre-impact position
 - (32) Moved to rearward midrange position
 - (33) Moved to slightly rearward position
 - (34) Moved to upright position
 - (35) Moved to slightly forward position
 - (36) Moved to forward midrange position
 - (37) Moved to completely forward position
- (99) Unknown

54. Seat Performance (this Occupant Position) 1

- (0) Occupant not seated or no seat
- (1) No seat performance failure(s)
- (2) Seat adjusters failed
- (3) Seat back folding locks or "seat back" failed
 (specify): _____
- (4) Seat track/anchors failed
- (5) Deformed by impact of occupant
- (6) Deformed by passenger compartment intrusion, (specify): _____
- (7) Combination of above (specify): _____
- (8) Other (specify): _____
- (9) Unknown

CHILD SAFETY SEAT

- | | |
|---|--|
| <p>55. Child Safety Seat Make/Model <u> O O O </u></p> <p>(000) No child safety seat Applicable codes are found in your NASS CDS Data Collection, Coding and Editing (950) Built-in child safety seat (997) Other make/model (specify): (998) Unknown make/model (999) Unknown if child safety seat used</p> <p>56. Type of Child Safety Seat <u> O </u></p> <p>(0) No child safety seat (1) Infant seat (2) Toddler seat (3) Convertible seat (4) Booster seat - with shield (5) Booster seat - without shield (7) Other type child safety seat (specify): (8) Unknown child safety seat type (9) Unknown if child safety seat used</p> <p>57. Child Safety Seat Orientation <u> O O </u></p> <p><i>Designed for Rear Facing for This Age/Weight</i> (01) Rear facing (02) Forward facing (08) Other orientation (specify): (09) Unknown orientation</p> <p><i>Designed For Forward Facing for This Age/Weight</i> (11) Rear facing (12) Forward facing (18) Other orientation (specify): (19) Unknown orientation</p> <p><i>Unknown Design or Orientation For This Age/Weight, or Unknown Age/Weight</i> (21) Rear facing (22) Forward facing (28) Other orientation (specify): (29) Unknown orientation</p> <p>(99) Unknown if child safety seat used</p> | <p>58. Child Safety Seat Harness Usage <u> O O </u></p> <p>59. Child Safety Seat Shield Usage <u> O O </u></p> <p>60. Child Safety Seat Tether Usage <u> O O </u></p> <p>Note: Options below applicable to Variables OA58-OA60. (00) No child safety seat</p> <p><i>Not Designed With Harness/Shield/Tether</i> (01) After market harness/shield/tether added, not used (02) After market harness/shield/tether used (03) Child safety seat used, but no after market harness/shield/tether added (09) Unknown if harness/shield/tether added or used</p> <p><i>Designed With Harness/Shield/Tether</i> (11) Harness/shield/tether not used (12) Harness/shield/tether used (19) Unknown if harness/shield/tether used</p> <p><i>Unknown If Designed With Harness/Shield/Tether</i> (21) Harness/shield/tether not used (22) Harness/shield/tether used (29) Unknown if harness/shield/tether used</p> <p>(99) Unknown if child safety seat used</p> |
|---|--|

INJURY CONSEQUENCES**61. Injury Severity (Police Rating)**

- (0) O - No injury
 (1) C - Possible injury
 (2) B - Nonincapacitating injury
 (3) A - Incapacitating injury
 (4) K - Killed
 (5) U - Injury, severity unknown
 (6) Died prior to accident
 (9) Unknown

3

62. Treatment - Mortality

- (0) No treatment
 (1) Fatal
 (2) Fatal - ruled disease (specify):

4

per med recd
Nonfatal

- (3) Hospitalization
 (4) Transported and released
 (5) Treatment at scene - nontransported
 (6) Treatment later
 (7) Treatment - other (specify):
 (8) Transported to a medical facility-unknown if treated
 (9) Unknown

63. Type Of Medical Facility (for Initial Treatment)

- (0) Not treated at a medical facility
 (1) Trauma center
 (2) Hospital
 (3) Medical clinic
 (4) Physician's office
 (5) Treatment later at medical facility
 (8) Other (specify):

(9) Unknown

64. Hospital Stay

- (00) Not Hospitalized

Code the number of days (up through 60) that the occupant stayed in hospital.

- (61) 61 days or more
 (99) Unknown

65. Working Days Lost

Code the number of days (up through 60) that the occupant lost from work due to the accident

- (00) No working days lost
 (61) 61 days or more
 (62) Fatally injured
 (97) Not working prior to accident
 (99) Unknown

3

OO

79

EMERGENCY RESPONSE INFORMATION**EMS Notification**

- (1) Not notified
 (2) Notified
 (9) Unknown

ROAD VEHICLE

EMS Type

FIRST UNIT TRANSPORTING UNIT

- (01) Fire department
 (02) Rescue squad
 (03) Police department
 (04) Trauma unit
 (05) Disaster unit
 (06) Ambulance service unit
 (07) Hospital
 (08) Mortuaries/funeral homes
 (98) Other, specify:
 (99) Unknown

ROAD VEHICLE AIR VEHICLE

EMS Notification Time (first unit)

- (9999) Unknown

ROAD VEHICLE

AIR VEHICLE

EMS Arrival Time (first unit)

- (9998) EMS cancelled or did not arrive
 (9999) Unknown

ROAD VEHICLE

AIR VEHICLE

EMS Care

ON-SCENE DURING TRANSPORT

- (01) No care administered
 (02) First aid
 (03) Resuscitation
 (04) CPR
 (05) Emergency cardiac care
 (06) Life support system monitoring (blood pressure, pulse rate, respiration, EKG)
 (07) Emergency burn care
 (08) Combination of above, specify:
 (98) Other, specify:
 (99) Unknown

ROAD VEHICLE AIR VEHICLE

EMS Departure Time To Treatment Facility (transporting unit)

- (9997) EMS arrived, provided treatment, but did not transport
 (9998) EMS arrived, but was not used
 (9999) Unknown

ROAD VEHICLE

AIR VEHICLE

EMS Arrival Time At Treatment Facility

- (9999) Unknown

ROAD VEHICLE

AIR VEHICLE

STOP WORK HERE VARIABLES 66-74 TO BE CODED BY THE ZONE CENTER

TO BE CODED BY THE ZONE CENTER

| INJURY CONSEQUENCES | | TRAUMA DATA |
|---|---|---|
| 66. Time to Death _____ Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, ... n days = 30 + n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown | 66. Time to Death _____ Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, ... n days = 30 + n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown | 71. Glasgow Coma Scale (GCS) Score (at Medical Facility) <u>02</u> (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured |
| 67. 1st Medically Reported Cause of Death <u>00</u> | 67. 1st Medically Reported Cause of Death <u>00</u> | 72. Was the Occupant Given Blood? <u>1</u> (1) No - blood not given (2) Yes - blood given (specify units): _____ (9) Unknown if blood given |
| 68. 2nd Medically Reported Cause of Death <u>00</u> | 68. 2nd Medically Reported Cause of Death <u>00</u> | 73. Arterial Blood Gases (ABG) - HCO ₃ <u>01</u> (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃ (96) ABGs reported , HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured |
| 69. 3rd Medically Reported Cause of Death _____ Code the Occupant Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this occupant's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease) (specify): (99) Unknown | 69. 3rd Medically Reported Cause of Death _____ Code the Occupant Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this occupant's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease) (specify): (99) Unknown | 74. Primary Source of Belt Use Determination <u>1</u> (0) Not equipped/not available/destroyed or rendered inoperative (1) Vehicle inspection (2) Official injury data (3) Driver/occupant interview (8) Other (specify): _____ (9) Unknown if belt used |
| 70. Number of Recorded Injuries for This Occupant _____ Code the actual number of injuries recorded for this occupant. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured | 70. Number of Recorded Injuries for This Occupant _____ Code the actual number of injuries recorded for this occupant. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured | 74. Primary Source of Belt Use Determination <u>1</u> (0) Not equipped/not available/destroyed or rendered inoperative (1) Vehicle inspection (2) Official injury data (3) Driver/occupant interview (8) Other (specify): _____ (9) Unknown if belt used |



U.S. Department of Transportation
National Highway Traffic Safety
Administration

Form Approved
O.M.B. No. 2127-0021

OCCUPANT INJURY FORM

NATIONAL ACCIDENT SAMPLING SYSTEM
CRASHWORTHINESS DATA SYSTEM

1. Primary Sampling Unit Number 09

3. Vehicle Number 01

2. Case Number - Stratum 096D

4. Occupant Number 01

INJURY DATA

Record below the actual injuries sustained by this occupant that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than ten injuries have been documented, encode the balance on the Occupant Injury Supplement.

| A.I.S. - 90 | | | | | | | | Injury Source | Direct/Indirect Injury | Occupant Area Intrusion Number | |
|-----------------------|------------------|----------------------------|-----------------------------|-----------------|-----------------|----------------|--------------------------------|----------------|------------------------|--------------------------------|----------------|
| Source of Injury Data | Body Region | Type of Anatomic Structure | Specific Anatomic Structure | Level of Injury | A.I.S. Severity | Aspect | Injury Source Confidence Level | | | | |
| (R) leg cont | 1st 5. <u>3</u> | 6. <u>8</u> | 7. <u>9</u> | 8. <u>04</u> | 9. <u>02</u> | 10. <u>1</u> | 11. <u>1</u> | 12. <u>010</u> | 13. <u>1</u> | 14. <u>1</u> | 15. <u>00</u> |
| (R) leg alse | 2nd 16. <u>3</u> | 17. <u>8</u> | 18. <u>9</u> | 19. <u>02</u> | 20. <u>02</u> | 21. <u>1</u> | 22. <u>1</u> | 23. <u>010</u> | 24. <u>1</u> | 25. <u>1</u> | 26. <u>02</u> |
| 3rd | 27. <u> </u> | 28. <u> </u> | 29. <u> </u> | 30. <u> </u> | 31. <u> </u> | 32. <u> </u> | 33. <u> </u> | 34. <u> </u> | 35. <u> </u> | 36. <u> </u> | 37. <u> </u> |
| 4th | 38. <u> </u> | 39. <u> </u> | 40. <u> </u> | 41. <u> </u> | 42. <u> </u> | 43. <u> </u> | 44. <u> </u> | 45. <u> </u> | 46. <u> </u> | 47. <u> </u> | 48. <u> </u> |
| 5th | 49. <u> </u> | 50. <u> </u> | 51. <u> </u> | 52. <u> </u> | 53. <u> </u> | 54. <u> </u> | 55. <u> </u> | 56. <u> </u> | 57. <u> </u> | 58. <u> </u> | 59. <u> </u> |
| 6th | 60. <u> </u> | 61. <u> </u> | 62. <u> </u> | 63. <u> </u> | 64. <u> </u> | 65. <u> </u> | 66. <u> </u> | 67. <u> </u> | 68. <u> </u> | 69. <u> </u> | 70. <u> </u> |
| 7th | 71. <u> </u> | 72. <u> </u> | 73. <u> </u> | 74. <u> </u> | 75. <u> </u> | 76. <u> </u> | 77. <u> </u> | 78. <u> </u> | 79. <u> </u> | 80. <u> </u> | 81. <u> </u> |
| 8th | 82. <u> </u> | 83. <u> </u> | 84. <u> </u> | 85. <u> </u> | 86. <u> </u> | 87. <u> </u> | 88. <u> </u> | 89. <u> </u> | 90. <u> </u> | 91. <u> </u> | 92. <u> </u> |
| 9th | 93. <u> </u> | 94. <u> </u> | 95. <u> </u> | 96. <u> </u> | 97. <u> </u> | 98. <u> </u> | 99. <u> </u> | 100. <u> </u> | 101. <u> </u> | 102. <u> </u> | 103. <u> </u> |
| 10th | 104. <u> </u> | 105. <u> </u> | 106. <u> </u> | 107. <u> </u> | 108. <u> </u> | 109. <u> </u> | 110. <u> </u> | 111. <u> </u> | 112. <u> </u> | 113. <u> </u> | 114. <u> </u> |

OCCUPANT INJURY DATA

OCCUPANT INJURY CLASSIFICATION

| Body Region | Specific Anatomic Structure | Level of Injury | Aspect |
|---|---|--|---------------------------------|
| (1) Head | | Specific injuries are assigned consecutive two-digit numbers beginning with 02. | (1) Right |
| (2) Face | | | (2) Left |
| (3) Neck | | | (3) Bilateral |
| (4) Thorax | <u>Vessels, Nerves, Organs, Bones, Joints</u> are assigned consecutive two digit numbers beginning with 02. | | (4) Central |
| (5) Abdomen | | | (5) Anterior |
| (6) Spine | | To the extent possible, within the organizational framework of the AIS, 00 | (6) Posterior |
| (7) Upper Extremity | | is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. | (7) Superior |
| (8) Lower Extremity | | 99 is assigned to any injury NFS as to lesion or severity. | (8) Inferior |
| (9) Unspecified | The exceptions to this rule apply to: | NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. | (9) Unknown (0) Whole region |
| Type of Anatomic Structure | <u>Whole Area</u> | <u>Abbreviated Injury Scale</u> | |
| (1) Whole Area | (02) Skin - Abrasion | (1) Minor Injury | |
| (2) Vessels | (04) Skin - Contusion | (2) Moderate Injury | |
| (3) Nerves | (06) Skin - Laceration | (3) Serious Injury | |
| (4) Organs (includes Muscles/ligaments) | (08) Skin - Avulsion | (4) Severe Injury | |
| (5) Skeletal (includes joints) | (10) Amputation | (5) Critical Injury | |
| (6) Head - LOC | (20) Burn | (6) Maximum (untreatable) | |
| (9) Skin | (30) Crush | (7) Injured, unknown severity | |
| | <u>Head - LOC</u> | | |
| | (02) Length of LOC | | |
| | (04) Level of | | |
| | (06) Consciousness | | |
| | (08) Concussion | | |
| | <u>Spine</u> | | |
| | (02) Cervical | | |
| | (04) Thoracic | | |
| | (06) Lumbar | | |

| SOURCE OF INJURY DATA | INJURY SOURCE CONFIDENCE LEVEL | DIRECT/INDIRECT INJURY |
|---|---|---|
| <p><u>OFFICIAL RECORDS</u></p> <p>(1) Autopsy records with or without hospital/medical records</p> <p>(2) Hospital/medical records other than emergency room (e.g., discharge summary)</p> <p>(3) Emergency room records only (including associated X-rays or other lab reports)</p> <p>(4) Private physician, walk-in or emergency clinic</p> <p><u>UNOFFICIAL RECORDS</u></p> <p>(5) Lay coroner report</p> <p>(6) E.M.S. personnel</p> <p>(7) Interviewee</p> <p>(8) Other source (specify):</p> <p>(9) Police</p> | <p>(1) Certain</p> <p>(2) Probable</p> <p>(3) Possible</p> <p>(9) Unknown</p> | <p>(1) Direct contact injury</p> <p>(2) Indirect contact injury</p> <p>(3) Noncontact injury</p> <p>(7) Injured, unknown source</p> |

INJURY SOURCES

| | | | |
|--|--|--|--|
| FRONT | (102) Right side hardware or armrest | (183) Air bag-passenger side and object held | (411) Wall mounted head rest (used behind wheel chair) |
| (001) Windshield | (103) Right A (A1/A2)-pillar | (184) Air bag-passenger side and object in mouth | (412) Other adaptive device (specify): _____ |
| (002) Mirror | (104) Right B-pillar | (185) Air bag compartment cover-passenger side | |
| (003) Sunvisor | (105) Other right pillar (specify): | (186) Air bag compartment cover-passenger side and eyewear | EXTERIOR of OCCUPANT'S VEHICLE |
| (004) Steering wheel rim | (106) Right side window glass | (187) Air bag compartment cover-passenger side and jewelry | (451) Hood |
| (005) Steering wheel hub/spoke | (107) Right side window frame | (188) Air bag compartment cover-passenger side and object held | (452) Outside hardware (e.g., outside mirror, antenna) |
| (006) Steering wheel (combination of codes 004 and 005) | (108) Right side window sill | (189) Air bag compartment cover-passenger side and object in mouth | (453) Other exterior surface or tires (specify): _____ |
| (007) Steering column, transmission selector lever, other attachment | (109) Right side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail. | (190) Other air bag (specify) | |
| (008) Cellular telephone or CB radio | (110) Other right side object (specify): | | (454) Unknown exterior objects |
| (009) Add on equipment (e.g., tape deck, air conditioner) | | | EXTERIOR OF OTHER MOTOR VEHICLE |
| (010) Left instrument panel and below | | | (501) Front bumper |
| (011) Center instrument panel and below | INTERIOR | | (502) Hood edge |
| (012) Right instrument panel and below | (151) Seat, back support | | (503) Other front of vehicle (specify): _____ |
| (013) Glove compartment door | (152) Belt restraint webbing/buckle | | |
| (014) Knee bolster | (153) Belt restraint B-pillar or door frame attachment point | | |
| (015) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, mirror, or steering assembly (driver side only) | (154) Other restraint system component (specify): | | |
| (016) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, or mirror (passenger side only) | (155) Head restraint system | | |
| (017) Windshield reinforced by exterior object (specify) | (160) Other occupants (specify): | | |
| (019) Other front object (specify): | (161) Interior loose objects | | |
| | (162) Child safety seat (specify): | | |
| | (163) Other interior object (specify): | | |
| LEFT SIDE | AIR BAG | | |
| (051) Left side interior surface, excluding hardware or armrests | (170) Air bag-driver side | (251) Floor (including toe pan) | |
| (052) Left side hardware or armrest | (171) Air bag-driver side and eyewear | (252) Floor or console mounted transmission lever, including console | |
| (053) Left A (A1/A2)-pillar | (172) Air bag-driver side and jewelry | (253) Parking brake handle | |
| (054) Left B-pillar | (173) Air bag-driver side and object held | (254) Foot controls including parking brake | |
| (055) Other left pillar (specify): | (174) Air bag-driver side and object in mouth | | |
| (056) Left side window glass | (175) Air bag compartment cover-driver side | REAR | |
| (057) Left side window frame | (176) Air bag compartment cover-driver side and eyewear | (301) Backlight (rear window) | |
| (058) Left side window sill | (177) Air bag compartment cover-driver side and jewelry | (302) Backlight storage rack, door, etc. | |
| (059) Left side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail. | (178) Air bag compartment cover-driver side and object held | (303) Other rear object (specify): | |
| (060) Other left side object (specify): | (179) Air bag compartment cover-driver side and object in mouth | | |
| | (180) Air bag-passenger side | ADAPTIVE (ASSISTIVE) DRIVING EQUIPMENT | |
| | (181) Air bag-passenger side and eyewear | (401) Hand controls for braking/acceleration | |
| RIGHT SIDE | (182) Air bag-passenger side and jewelry | (402) Steering control devices (attached to OEM steering wheel) | |
| (101) Right side interior surface, excluding hardware or armrests | | (403) Steering knob attached to steering wheel | |
| | | (405) Replacement steering wheel (i.e., reduced diameter) | |
| | | (406) Joy stick steering controls | |
| | | (407) Wheelchair tie-downs | |
| | | (408) Modification to seat belts, (specify): _____ | |
| | | (409) Additional or relocated switches, (specify): _____ | |
| | | (410) Raised roof | |

OFFICIAL INJURY DATA – SOFT TISSUE INJURIES

Restrained?

 No
 YesBlood Alcohol Level
(mg/dl)BAL = NRGlasgow Coma
Scale ScoreGCSS = NRUnits of Blood
GivenUnits = 0

Arterial Blood Gases



pH = 7PO₂ = 100PCO₂ = 40HCO₃ = 24

END

Record

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)

ER LOC




ER

(R) PROXIMAL

TIBIA -
ABRASION /
CONTUSION



OFFICIAL INJURY DATA — SKELETAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



OFFICIAL INJURY DATA – INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



National Accident Sampling System-Crashworthiness Data System: General Vehicle Form

PRECRASH ENVIRONMENTAL DATA

19. Relation To Interchange Or Junction
 (0) Non-interchange area and non-junction
 (1) Interchange area related

Non-Interchange junctions

- (2) Intersection related
 (3) Driveway, alley access related
 (4) Other junction (specify)

(5) _____

(9) Unknown

20. Trafficway Flow

- (0) Not physically divided (two way traffic)
 (1) Divided trafficway-median strip without positive barrier
 (2) Divided trafficway-median strip with positive barrier
 (3) One way traffic
 (9) Unknown

21. Number Of Travel Lanes

- (1) One
 (2) Two
 (3) Three
 (4) Four
 (5) Five
 (6) Six
 (7) Seven or more
 (9) Unknown

22. Roadway Alignment

- (1) Straight
 (2) Curve right
 (3) Curve left
 (9) Unknown

23. Roadway Profile

- (1) Level
 (2) Uphill grade (> 2%)
 (3) Hill crest
 (4) Downhill grade (> 2%)
 (5) Sag
 (9) Unknown

24. Roadway Surface Type

- (1) Concrete
 (2) Bituminous (asphalt)
 (3) Brick or block
 (4) Slag, gravel, or stone
 (5) Dirt
 (8) Other (specify): _____
 (9) Unknown

25. Roadway Surface Condition

- (1) Dry
 (2) Wet
 (3) Snow or slush
 (4) Ice
 (5) Sand, dirt, or oil
 (8) Other (specify): _____
 (9) Unknown

26. Light Conditions

- (1) Daylight
 (2) Dark
 (3) Dark, but lighted
 (4) Dawn
 (5) Dusk
 (9) Unknown

27. Atmospheric Conditions

- (0) No adverse atmospheric-related driving conditions
 (1) Rain
 (2) Sleet/hail
 (3) Snow
 (4) Fog
 (5) Rain and fog
 (6) Sleet and fog
 (7) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): _____
 (9) Unknown

28. Traffic Control Device

- (0) No traffic control(s)
 (1) Traffic control signal (not RR crossing)

Regulatory

- (2) Stop sign
 (3) Yield sign
 (4) School zone sign
 (5) Other regulatory sign (specify): _____

(6) Warning sign (not RR crossing)

(7) Unknown sign

(8) Miscellaneous/other controls including RR controls (specify): _____

(9) Unknown

29. Traffic Control Device Functioning

- (0) No traffic control device
 (1) Traffic control device not functioning (specify): _____

(2) Traffic control device functioning properly

(9) Unknown

National Accident Sampling System-Crashworthiness Data System: General Vehicle Form

| | | | |
|---|--|-------|--|
| OCCUPANT RELATED | | | |
| 37. Driver Presence in Vehicle (0) Driver not present (1) Driver present (9) Unknown | | 1 | 44. Vehicle Cargo Weight Code weight to nearest 10 kilograms. (000) Less than 5 kilograms (454) 4,536 kilograms or more (999) Unknown |
| 38. Number of Occupants This Vehicle (00-96) Code actual number of occupants for this vehicle (97) 97 or more (99) Unknown | | 05 | $\text{lbs} \times .4536 = \text{kgs}$ Source: <u>Inspected - Involved</u> |
| 39. Number of Occupant Forms Submitted | | 05 | |
| AIR BAG RELATED | | | |
| 40. Is this an AOPS Vehicle? (0) No (includes unknown) (1) Yes - researcher determined (2) VIN determined air bag system (3) VIN determined automatic (passive) belts (4) VIN determined air bag and automatic (passive) belts | | 0 | 45. Rollover (00) No rollover (no overturning) <i>Rollover (primarily about the longitudinal axis)</i> (01-16) Code the number of quarter turns (17) Rollover, 17 or more quarter turns (specify): (98) Rollover--end-over-end (i.e., primarily about the lateral axis) (99) Rollover (overturn), details unknown |
| 41. Air Bag(s) Deployment, First Seat Frontal (0) Not equipped or not available (1) No air bags deployed <i>Single Air Bag Vehicle</i> (2) Driver air bag deployed (3) Driver air bag, unknown if deployed <i>Multiple Air Bag Vehicle</i> (4) Driver side only deployed (5) Passenger side only deployed (6) Driver and passenger side deployed (7) Driver and passenger side unknown if deployed (8) Air bag(s) deployed, details unknown (9) Unknown | | 0 | 46. Rollover Initiation Type (00) No rollover (01) Trip-over (02) Flip-over (03) Turn-over (04) Climb-over (05) Fall-over (06) Bounce-over (07) Collision with another vehicle (08) Other rollover initiation type (specify): (98) Rollover--end-over-end (99) Unknown rollover initiation type |
| 42. Air Bag(s) Deployment, Other Than First Seat Frontal (0) Not equipped with an "other" air bag (1) Deployed during accident (as a result of impact) (2) Deployed inadvertently just prior to accident (3) Deployed, details unknown (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical) (5) Unknown if deployed (7) Nondeployed (9) Unknown Specify type of "other" air bag present: _____ | | 0 | 47. Location of Rollover Initiation (0) No rollover (1) On roadway (2) On shoulder—paved (3) On shoulder—unpaved (4) On roadside or divided trafficway median (8) Rollover--end-over-end (9) Unknown |
| | | 0 | 48. Rollover Initiation Object Contacted (Note: Applicable codes on back of page) |
| | | 0 | 49. Location on Vehicle Where Initial Principal Tripping Force Is Applied (0) No rollover (1) Wheels/tires (2) Side plane (3) End plane (4) Undercarriage (5) Other location on vehicle (specify): (6) Non-contact rollover forces (specify): (8) Rollover--end-over-end (9) Unknown |
| | | 2 | 50. Direction of Initial Roll (0) No rollover (1) Roll right - primarily about the longitudinal axis (2) Roll left - primarily about the longitudinal axis (8) Rollover--end-over-end (9) Unknown roll direction |
| VEHICLE WEIGHT ITEMS | | | |
| 43. Vehicle Curb Weight Code weight to nearest 10 kilograms. (045) Less than 454 kilograms (612) 6,124 kilograms or more (999) Unknown $\text{lbs} \times .4536 = \text{kgs}$ | | 1,640 | |
| Source: _____ | | | |

CODES FOR ROLLOVER INITIATION OBJECT CONTACTED

(00) No rollover
(01-30) — Vehicle Number

Noncollision

(31) Turn-over — fall-over
(32) No rollover impact initiation (end-over-end)
(34) Jackknife

Collision With Fixed Object

(41) Tree (\leq 10 cm in diameter)
(42) Tree ($>$ 10 cm in diameter)
(43) Shrubbery or bush
(44) Embankment

(45) Breakaway pole or post (any diameter)

Nonbreakaway Pole or Post
(50) Pole or post (\leq 10 cm in diameter)
(51) Pole or post ($>$ 10 cm but \leq 30 cm in diameter)
(52) Pole or post ($>$ 30 cm in diameter)
(53) Pole or post (diameter unknown)

(54) Concrete traffic barrier
(55) Impact attenuator
(56) Other traffic barrier (includes guardrail)
(specify): _____

(57) Fence
(58) Wall
(59) Building
(60) Ditch or culvert
(61) Ground
(62) Fire hydrant
(63) Curb
(64) Bridge
(68) Other fixed object (specify):

(69) Unknown fixed object

Collision with Nonfixed Object

(70) Passenger car, light truck, van, or other vehicle not in-transport
(71) Medium/heavy truck or bus not in-transport
(76) Animal
(77) Train
(78) Trailer, disconnected in transport
(79) Object fell from vehicle in-transport
(88) Other nonfixed object (specify):

(89) Unknown nonfixed object

(98) Other event (specify):

(99) Unknown event or object



**U.S. Department of Transportation
National Highway Traffic Safety
Administration**

EXTERIOR VEHICLE FORM

**NATIONAL ACCIDENT SAMPLING SYSTEM
CRASHWORTHINESS DATA SYSTEM**

| | | | |
|---------------------------------|-------------|-------------------|-----------|
| 1. Primary Sampling Unit Number | <u>09</u> | 3. Vehicle Number | <u>02</u> |
| 2. Case Number - Stratum | <u>096D</u> | | |

VEHICLE IDENTIFICATION

VIN 2B7H B23Y6JK

Model Year 88

Vehicle Make (specify): Do DGE

Vehicle Model (specify): VAN B230

LOCATOR

Locate the end of the damage with respect to the vehicle's damaged center point or bumper corner for end impacts or an undamaged axle for side impacts.

| Specific Impact No. | Location of Direct Damage | Location of Field L | Location of Max Crush |
|---------------------|---|--|-----------------------|
| 01 | RHT SIDE / 10cm FR RHT REAR CRNR EXTS 17cm | RHT SIDE / 20cm FR RHT REAR CRNR EXTS 350 cm up | 30cm FR M C3 |
| 02 | ROLL OVER | | |

CRUSH PROFILE IN CENTIMETERS

NOTES: Identify the plane at which the C-measurements are taken (e.g., at bumper, above bumper, at sill, above sill, etc.) and label adjustments (e.g., free space).

Measure C1 to C6 from driver to passenger side in front or rear impacts and rear to front in side impacts.

Free space value is defined as the distance between the baseline and the original body contour taken at the individual C locations. This may include the following: bumper lead, bumper taper, side protrusion, side taper, etc. Record the value for each C-measurement and maximum crush.


Use as many lines/columns as necessary to describe each damage profile.

ORIGINAL SPECIFICATIONS WORK SHEET

| | | | | | | | |
|--------------------------|---------------|--------|----------|-------|---|---------------|-----------------|
| Wheelbase | <u>109.6</u> | inches | \times | 2.54 | = | <u>278</u> | cm |
| Overall Length | <u>178.9</u> | inches | \times | 2.54 | = | <u>454</u> | cm |
| Maximum Width | <u>UNK</u> | inches | \times | 2.54 | = | <u> </u> | cm |
| Curb Weight | <u>3,620</u> | pounds | \times | .4536 | = | <u>1,642</u> | kg |
| Average Track | <u>UNK</u> | inches | \times | 2.54 | = | <u> </u> | cm |
| Front Overhang | <u> </u> | inches | \times | 2.54 | = | <u> </u> | cm |
| Rear Overhang | <u> </u> | inches | \times | 2.54 | = | <u> </u> | cm |
| Undeformed End Width | <u> </u> | inches | \times | 2.54 | = | <u> </u> | cm |
| Engine Size: cyl./displ. | <u> </u> | cc | \times | .001 | = | <u>V-6</u> | <u> </u> L |
| | <u> </u> | CID | \times | .0164 | = | <u>3.9</u> | L |

VEHICLE DAMAGE SKETCH

| | | | | | |
|---|------------------|--------------------------|-----------|--------------------|---|
| TIRE—WHEEL DAMAGE | | ORIGINAL SPECIFICATIONS | | WHEEL STEER ANGLES | |
| a. Rotation physically restricted | b. Tire deflated | Wheelbase | 278 | cm | (For locked front wheels or displaced rear axles only) |
| RF <u>2</u> | RF <u>2</u> | Overall Length | 454 | cm | RF <u>0</u> <u>5</u> ° |
| LF <u>2</u> | LF <u>2</u> | Maximum Width | UNK | cm | LF <u>0</u> <u>5</u> ° |
| RR <u>2</u> | RR <u>2</u> | Curb Weight | 1642 | kg | RR <u>0</u> <u>0</u> ° |
| LR <u>2</u> | LR <u>2</u> | Average Track | UNK | cm | LR <u>0</u> <u>0</u> ° |
| (1) Yes (2) No (8) NA (9) Unk. | | Front Overhang | | cm | Within ± 5 degrees |
| TYPE OF TRANSMISSION | | Rear Overhang | | cm | DRIVE WHEELS |
| <input type="checkbox"/> Manual <input checked="" type="checkbox"/> Automatic | | Undeformed End Width | | cm | <input type="checkbox"/> FWD <input checked="" type="checkbox"/> RWD <input type="checkbox"/> 4WD |
| END SHIFT > 10 CM | | Engine Size: cyl./displ. | V-6 / 3.9 | L | Approximate Cargo Weight <u>0</u> kg |
| <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | | | | | |



NOTES: Sketch new perimeter and cross hatch direct damage and single hatch induced damage on all views. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.). If pulling trailer, sketch type of trailer and damage received on the back of this page.

Annotate any damage caused by extrication such as component removal by torching, prying, or hydraulic shears.

COLLISION DEFORMATION CLASSIFICATION

HIGHEST DELTA "V"

| Accident Event Sequence Number | Object Contacted | (1) (2) Direction of Force | (3) Deformation Location | (4) Longitudinal or Lateral Location | (5) Vertical or Lateral Location | (6) Type of Damage Distribution | (7) Deformation Extent |
|--------------------------------|------------------|----------------------------|--------------------------|--------------------------------------|----------------------------------|---------------------------------|------------------------|
| 4. <u>01</u> | 5. <u>01</u> | 6. <u>03</u> <u>02</u> | 7. <u>R</u> | 8. <u>P</u> | 9. <u>E</u> | 10. <u>W</u> | 11. <u>03</u> |

Second Highest Delta "V"

12. 02 13. 31 14. 00 15. L 16. D 17. A 18. O 19. 02

CRUSH PROFILE IN CENTIMETERS

The crush profile for the damage described in the CDC(s) above should be documented in the appropriate space below. (ALL MEASUREMENTS ARE IN CENTIMETERS.)

HIGHEST DELTA "V"

| | | | | | | | |
|--------------|--------------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------|
| 20. <u>L</u> | 21. <u>C₁</u> | <u>C₂</u> | <u>C₃</u> | <u>C₄</u> | <u>C₅</u> | <u>C₆</u> | 22. <u>± D</u> |
| <u>350</u> | <u>000</u> | <u>003</u> | <u>031</u> | <u>028</u> | <u>014</u> | <u>000</u> | <u>± 012</u> |

Second Highest Delta "V"

| | | | | | | | |
|--------------|--------------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------|
| 23. <u>L</u> | 24. <u>C₁</u> | <u>C₂</u> | <u>C₃</u> | <u>C₄</u> | <u>C₅</u> | <u>C₆</u> | 25. <u>± D</u> |
| ----- | ----- | ----- | ----- | ----- | ----- | ----- | <u>+</u> |

| | | | |
|---|---|--|--|
| 26. Undeformed End Width (Coded when highest severity impact is an end plane impact.) ____ Code to the nearest centimeter (250) 250 centimeters or more (998) No highest severity end plane impact (999) Unknown | 27. Direct Damage Width (For highest severity impact) ____ Code to the nearest centimeter (250) 250 centimeters or more (999) Unknown | 28. Original Wheelbase ____ Code to the nearest centimeter (650) 650 centimeters or more (999) Unknown <u>109.6</u> inches X 2.54 = <u>278</u> centimeters | 29. Original Average Track Width ____ Code to the nearest centimeter (185) 185 centimeters or more (999) Unknown <u>171</u> inches X 2.54 = <u>434</u> centimeters |
|---|---|--|--|

| | | | |
|--|---|--|---|
| <p>30. Are CDCs Documented but Not Coded on The Automated File?</p> <p>(0) No (1) Yes</p> <p>31. Researcher's Assessment of Vehicle Disposition</p> <p>(0) Not towed due to vehicle damage (1) Towed due to vehicle damage (9) Unknown</p> <p>32. Is This A Multi-Stage Manufactured Vehicle And/Or A Certified Altered Vehicle?</p> <p>(0) No post manufacturer modifications (1) Yes - post manufacturer modifications (specify): _____ _____ (Include photograph of CERTIFICATION PLACARD in case report)</p> <p>(9) Unknown if vehicle is modified</p> | <p><u>1</u></p> <p><u>1</u></p> <p><u>1</u></p> | <p>FUEL SYSTEM</p> <p>35. Location of Fuel Tank-1 Filler Cap</p> <p>36. Location of Fuel Tank-2 Filler Cap</p> <p>(0) No fuel tank (1) On back plane (2) Aft of center of the rear wheels (rear axle) on left side plane (3) Aft of center of the rear wheels (rear axle) on right side plane (4) Forward of center of the rear wheels (rear axle) on left side plane (5) Forward of center of the rear wheels (rear axle) on right side plane (6) Over the center of the rear wheels (rear axle) on left side plane (7) Over the center of the rear wheels (rear axle) on right side plane (8) Other (specify): _____ (9) Unknown</p> <p>37. Type of Fuel Tank-1</p> <p>38. Type of Fuel Tank-2</p> <p>(0) No fuel tank (electrical vehicle) (1) Metallic (2) Non-metallic (9) Unknown</p> <p>39. Location of Fuel Tank-1</p> <p>40. Location of Fuel Tank-2</p> <p>(0) No fuel tank (1) Aft of center of the rear wheels (rear axle) centered (2) Aft of center of the rear wheels (rear axle) left side (3) Aft of center of the rear wheels (rear axle) right side (4) Forward of center of the rear wheels (rear axle) centered (5) Forward of center of the rear wheels (rear axle) left side (6) Forward of center of the rear wheels (rear axle) right side (7) Over center of the rear wheels (rear axle) (8) Other (specify): _____ (9) Unknown</p> <p>41. Damage to Fuel Tank-1</p> <p>42. Damage to Fuel Tank-2</p> <p>(0) No fuel tank (1) No damage to fuel tank (2) Deformed, no seam failure (3) Deformed, with a seam failure (4) Punctured (5) Lacerated (ripped) (6) Abraded (scraped) (7) Filler neck separation from the fuel tank (8) Other damage (specify): _____ (9) Unknown</p> | <p><u>1</u></p> <p><u>1</u></p> <p><u>1</u></p> |
| <p>FIRE OCCURRENCE</p> | | <p>33. Fire Occurrence</p> <p>(0) No fire</p> <p>Yes, fire occurred</p> <p>(1) Minor (2) Major (9) Unknown</p> <p>34. Origin of Fire</p> <p>(0) No fire (1) Vehicle exterior (front, side, back, top) (2) Exhaust system (3) Fuel tank (and other fuel retention system parts) (4) Engine compartment (5) Cargo/trunk compartment (6) Instrument panel (7) Passenger compartment area (8) Other location (specify): _____ (9) Unknown</p> | <p><u>1</u></p> <p><u>1</u></p> |

***** STOP: IF THE CDS APPLICABLE VEHICLE WAS NOT TOWED *****

(GV10=0)

DO NOT COMPLETE THE INTERIOR VEHICLE FORM.

INTERIOR VEHICLE FORM

1. Primary Sampling Unit Number 09
 2. Case Number - Stratum 09 6 D
 3. Vehicle Number 0d

INTEGRITY

4. Passenger Compartment Integrity 06
 (00) No integrity loss

Yes, Integrity Was Lost Through
 (01) Windshield.

*RT W IN DOW
EM S*

(02) Door (side)

(03) Door/hatch (back door)

(04) Roof

(05) Roof glass

(06) Side window

*WS EM S
CFTS*

(07) Rear window (backlight)

(08) Roof and roof glass

(09) Windshield and door (side)

(10) Windshield and roof

(11) Side and rear window (side window and backlight)

(12) Windshield and side window

(13) Door and side window

(98) Other combination of above (specify):

(99) Unknown

Door, Tailgate or Hatch Opening

5. LF 3 6. RF 3 7. LR 0 8. RR 3 9. TG/H 1

(0) No door/gate/hatch

(1) Door/gate/hatch remained closed and operational

(2) Door/gate/hatch came open during collision

(3) Door/gate/hatch jammed shut

(8) Other (specify):

(9) Unknown

Damage/Failure Associated with Door, Tailgate or Hatch Opening in Collision. If IV05-IV09 ≠ 2, Then code Ø

10. LF Ø 11. RF Ø 12. LR Ø 13. RR Ø 14. TG/H Ø

(0) No door/gate/hatch or door not opened

Door, Tailgate or Hatch Came Open During Collision

(1) Door operational (no damage)

(2) Latch/striker failure due to damage

(3) Hinge failure due to damage

(4) Door structure failure due to damage

(5) Door support (i.e., pillar, sill, roof side rail, etc.) failure due to damage

(6) Latch/striker and hinge failure due to damage

(8) Other failure (specify):

(9) Unknown

GLAZING

Type of Window/Windshield Glazing

15. WS 1 16. LF 2 17. RF 2 18. LR Ø 19. RR 2

20. BL 2 21. Roof Ø 22. Other 2

- (0) No glazing
 - (1) AS-1 — Laminated
 - (2) AS-2 — Tempered
 - (3) AS-3 — Tempered-tinted (original)
 - (4) AS-2 — Tempered-with after market tint
 - (5) AS-3 — Tempered-tinted (with additional after market tint)
 - (6) AS-14 — Glass/Plastic
 - (7) Glazing removed prior to accident
 - (8) Other (specify): _____
- (9) Unknown

Window Precrash Glazing Status

23. WS 1 24. LF 4 25. RF 4 26. LR Ø 27. RR 3

28. BL 1 29. Roof Ø 30. Other 2

- (0) No glazing
- (1) Fixed
- (2) Closed
- (3) Partially opened
- (4) Fully opened
- (7) Glazing removed prior to accident
- (9) Unknown

Glazing Damage from Impact Forces

31. WS 2 32. LF 1 33. RF 1 34. LR Ø 35. RR 1

36. BL 1 37. Roof Ø 38. Other 6

- (0) No glazing
- (1) No glazing damage from impact forces
- (2) Glazing in place and cracked from impact forces
- (3) Glazing in place and holed from impact forces
- (4) Glazing out-of-place (cracked or not) and not holed from impact forces
- (5) Glazing out-of-place and holed from impact forces
- (6) Glazing disintegrated from impact forces
- (7) Glazing removed prior to accident
- (9) Unknown if damaged

Glazing Damage from Occupant Contact


39. WS 1 40. LF 1 41. RF 1 42. LR Ø 43. RR 1

44. BL 1 45. Roof Ø 46. Other 1

- (0) No glazing
- (1) No occupant contact to glazing
- (2) Glazing contacted by occupant but no glazing damage
- (3) Glazing in place and cracked by occupant contact
- (4) Glazing in place and holed by occupant contact
- (5) Glazing out-of-place (cracked or not) by occupant contact and not holed by occupant contact
- (6) Glazing out-of-place by occupant contact and holed by occupant contact
- (7) Glazing removed prior to accident
- (8) Glazing disintegrated by occupant contact
- (9) Unknown if contacted by occupant

INTRUSION WORKSHEET

NOTE: SKETCH INTRUDED AREAS



| LOCATION OF INTRUSION | INTRUDED COMPONENT | COMPARISON VALUE | - | INTRUDED VALUE | = | INTRUSION | DOMINANT CRUSH DIRECTION |
|-----------------------|--------------------|------------------|---|----------------|---|-----------|--------------------------|
| 13 | Door Panel | 3 | - | 1 | = | 2 | LAT |
| 13 | B Pillar | 4 | - | 1 | = | 3 | LAT |
| 23 | Sill | | - | | = | | LAT |
| 23 | Door Panel | 30 | - | 25 | = | 5 | LAT |
| 23 | Floor Pan | 0 | - | 12 | = | 12 | Vert |
| | | | - | | = | | |
| | | | - | | = | | |
| | | | - | | = | | |
| | | | - | | = | | |
| | | | - | | = | | |
| | | | - | | = | | |
| | | | - | | = | | |
| | | | - | | = | | |
| | | | - | | = | | |

Document no more than the 15 most severe intrusions

OCCUPANT AREA INTRUSION

Note: If no intrusions, leave variables IV47-IV86 blank.

| | Location of Intrusion | Intruding Component | Magnitude of intrusion | Dominant Crush Direction |
|------|------------------------------|----------------------------|-------------------------------|---------------------------------|
| 1st | 47. <u>2</u> <u>3</u> | 48. <u>1</u> <u>8</u> | 49. <u>2</u> | 50. <u>1</u> |
| 2nd | 51. <u>2</u> <u>3</u> | 52. <u>1</u> <u>1</u> | 53. <u>1</u> | 54. <u>3</u> |
| 3rd | 55. <u>1</u> <u>3</u> | 56. <u>0</u> <u>7</u> | 57. <u>1</u> | 58. <u>3</u> |
| 4th | 59. _____ | 60. _____ | 61. _____ | 62. _____ |
| 5th | 63. _____ | 64. _____ | 65. _____ | 66. _____ |
| 6th | 67. _____ | 68. _____ | 69. _____ | 70. _____ |
| 7th | 71. _____ | 72. _____ | 73. _____ | 74. _____ |
| 8th | 75. _____ | 76. _____ | 77. _____ | 78. _____ |
| 9th | 79. _____ | 80. _____ | 81. _____ | 82. _____ |
| 10th | 83. _____ | 84. _____ | 85. _____ | 86. _____ |

LOCATION OF INTRUSION

Front Seat
 (11) Left
 (12) Middle
 (13) Right

Fourth Seat
 (41) Left
 (42) Middle
 (43) Right

Second Seat
 (21) Left
 (22) Middle
 (23) Right

(97) Catastrophic
 (98) Other enclosed area (specify)
 (99) Unknown

Third Seat
 (31) Left
 (32) Middle
 (33) Right

INTRUDING COMPONENT*Interior Components*

- (01) Steering assembly
- (02) Instrument panel left
- (03) Instrument panel center
- (04) Instrument panel right
- (05) Toe pan
- (06) A (A1/A2)-pillar
- (07) B-pillar
- (08) C-pillar
- (09) D-pillar
- (10) Side panel - forward of the A1/A2-pillar
- (11) Door panel (side)
- (12) Side panel - rear of the B-pillar
- (13) Roof (or convertible top)
- (14) Roof side rail
- (15) Windshield
- (16) Windshield header
- (17) Window frame
- (18) Floor pan (includes sill)
- (19) Backlight header
- (20) Front seat back
- (21) Second seat back
- (22) Third seat back
- (23) Fourth seat back
- (24) Fifth seat back
- (25) Seat cushion
- (26) Back door/panel (e.g., tailgate)
- (27) Other interior component (specify): _____

Exterior Components

- (30) Hood
- (31) Outside surface of this vehicle (specify): _____
- (32) Other exterior object in the environment (specify): _____
- (33) Unknown exterior object
- (97) Catastrophic
- (98) Intrusion of unlisted component(s) (specify): _____
- (99) Unknown

MAGNITUDE OF INTRUSION

- (1) ≥ 3 centimeters but < 8 centimeters
- (2) ≥ 8 centimeters but < 15 centimeters
- (3) ≥ 15 centimeters but < 30 centimeters
- (4) ≥ 30 centimeters but < 46 centimeters
- (5) ≥ 46 centimeters but < 61 centimeters
- (6) ≥ 61 centimeters
- (7) Catastrophic
- (9) Unknown

DOMINANT CRUSH DIRECTION

- (1) Vertical
- (2) Longitudinal
- (3) Lateral
- (7) Catastrophic
- (9) Unknown

STEERING RIM/SPOKE DEFORMATION

(All Measurements Are in Centimeters)

| COMPARISON VALUE | - | DAMAGE VALUE | = | DEFORMATION |
|------------------|---|--------------|---|-------------|
|------------------|---|--------------|---|-------------|

| | | | | |
|---|---|---|---|--|
| - | - | - | = | |
|---|---|---|---|--|


| | | | | |
|---|---|---|---|--|
| - | - | - | = | |
|---|---|---|---|--|

| | | | | |
|---|---|---|---|--|
| - | - | - | = | |
|---|---|---|---|--|

| | | | | |
|---|---|---|---|--|
| - | - | - | = | |
|---|---|---|---|--|

| STEERING COLUMN | INSTRUMENT PANEL | | |
|--|------------------|--|----------------|
| 87. Steering Column Type (1) Fixed column (2) Tilt column (3) Telescoping column (4) Tilt and telescoping column (8) Other column type (specify): _____ (9) Unknown | 1 | 92. Odometer Reading _____ kilometers Code to the nearest 1,000 kilometers (000) No odometer (001) Less than 1,500 kilometers (500) 499,500 kilometers or more (999) Unknown $93,340 \text{ miles} \times 1.6093 = 150,212 \text{ kilometers}$ Source: <u>Inspector</u> | <u>150,000</u> |
| 88. Tilt Steering Column Adjustment (0) No tilt steering column (1) Full up (2) Between full up and center (3) Center (4) Between center and full down (5) Full down (9) Unknown | D | 93. Instrument Panel Damage from Occupant Contact? (0) No (1) Yes (9) Unknown | 1 |
| 89. Telescoping Steering Column Adjustment (0) No telescoping steering column (1) Full back (2) Between full back and midpoint (3) Midpoint (4) Between midpoint and full forward (5) Full forward (9) Unknown | D | 94. Type of Knee Bolster Covering (0) No knee bolster (1) Padded (2) Rigid plastic (8) Other (specify): _____ (9) Unknown | O |
| 90. Steering Rim/Spoke Deformation Code actual measured deformation to the nearest centimeter (00) No steering rim deformation (01-14) Actual measured value in centimeters (15) 15 centimeters or more (98) Observed deformation cannot be measured (99) Unknown | O O | 95. Knee Bolsters Deformed from Occupant Contact? (0) No knee bolster (1) No deformation (2) Yes - deformation (9) Unknown | O |
| 91. Location of Steering Rim/Spoke Deformation (00) No steering rim deformation | O O | 96. Did Glove Compartment Door Open During Collision(s)? (0) No glove compartment door (1) No - door did not open (2) Yes - door opened (9) Unknown | O |
| <i>Quarter Sections</i> (01) Section A (02) Section B (03) Section C (04) Section D | | <i>Half Sections</i> (05) Upper half of rim/spoke (06) Lower half of rim/spoke (07) Left half of rim/spoke (08) Right half of rim/spoke | |
| (09) Complete steering wheel collapse (10) Undetermined location (99) Unknown | | 97. Adaptive (Assistive) Driving Equipment (0) No adaptive driving equipment (1) Adaptive driving equipment installed (Check all that apply.) <input type="checkbox"/> Hand controls for braking/acceleration <input type="checkbox"/> Steering control devices (attached to OEM steering wheel) <input type="checkbox"/> Steering knob attached to steering wheel <input type="checkbox"/> Low effort power steering (unit or device) <input type="checkbox"/> Replacement steering wheel (i.e., reduced diameter) <input type="checkbox"/> Joy-stick steering controls <input type="checkbox"/> Wheelchair tie-downs <input type="checkbox"/> Modification to seat belts (specify): _____ <input type="checkbox"/> Additional or relocated switches (specify): _____ <input type="checkbox"/> Raised roof <input type="checkbox"/> Wall-mounted head rest (used behind wheelchair) <input type="checkbox"/> Other adaptive device (specify): _____ | O |
| | | (9) Unknown | |

VEHICLE INTERIOR SKETCHES



O

205

05 HEAD?

SCUFF

3

P

205

63

HEAD?

BLOOD

3

Q

205

04

HEAD?

INTERIOR
LIGHT
COVER
MISSING

3

POINTS OF OCCUPANT CONTACT

| Contact | Interior Component Contacted | Occupant No. If Known | Body Region If Known | Supporting Physical Evidence | Confidence Level of Contact Point |
|---------|------------------------------|-----------------------|-----------------------------|------------------------------|-----------------------------------|
| A | 052 | 01 | ARM/CHest | LOOSE ARM REST | 2 |
| B | 051 | 01 | ? | BLOOD STAINS | 2 |
| C | 007 | 02/01 | ? | BLOOD STAINS | 2 |
| D | 004 | 01 | HANDS | SCUFFS ON RIM | 2 |
| E | 012 | 02 | ? | PNT SCUFFS/SCRATCHES | 2 |
| F | 101 | 02 | ? | SCRATCHES | 3 |
| G | 102 | 02 | ARM/CHest | ARM REST DENTED | 1 |
| H | 203 | 03 | ? | BLOOD | 2 |
| I | 051 | 03 | ? | AQUA PNT TRANSFER/SCRATCH | 3 |
| J | 151 | 03 | KNEE | SCUFF | 2 |
| K | 151 | 04/05 | KNEE | SCUFFS/DENTS/SCRATCHS | 2 |
| L | 204 | 05 | ? | PNT TRANSFER | 3 |
| M | 101 | 05 | ARM BODY CHest/SCUFFS/DENTS | | 2 |
| N | 151 | 05 | ? | BLOOD STAINS | 3 |

FRONT

- (001) Windshield
(002) Mirror
(003) Sunvisor
(004) Steering wheel rim
(005) Steering wheel hub/spoke
(006) Steering wheel (combination of codes 004 and 005)
(007) Steering column/transmission selector lever, other attachment
(008) Cellular telephone or CB radio
(009) Add on equipment(e.g., tapedeck, air conditioner)
(010) Left instrument panel and below
(011) Center instrument panel and below
(012) Right instrument panel and below
(013) Glove compartment door
(014) Knee bolster
(015) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, mirror, or steering assembly (driver side only)
(016) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, or mirror (passenger side only)
(017) Windshield reinforced by exterior object, (specify):
(019) Other front object (specify):

BACK OF CODES FOR INTERIOR COMPONENTS

P. 4

- LEFT SIDE
(051) Left side interior surface, excluding hardware or armrests
(052) Left side hardware or armrest
(053) Left A (A1/A2)-pillar
(054) Left B-pillar
(055) Other left pillar (specify):
(056) Left side window glass
(057) Left side window frame
(058) Left side window sill
(059) Left side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail.
(060) Other left side object (specify):
- RIGHT SIDE
(101) Right side interior surface, excluding hardware or armrests
(102) Right side hardware or armrest
(103) Right A (A1/A2)-pillar
(104) Right B-pillar
(105) Other right pillar (specify):
(106) Right side window glass
(107) Right side window frame
(108) Right side window sill
(109) Right side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail.
(110) Other right side object (specify):

- INTERIOR
(151) Seat, back support
(152) Belt restraint webbing/buckle
(153) Belt restraint B-pillar or door frame attachment point
(154) Other restraint system component (specify):
(155) Head restraint system
(160) Other occupants (specify):

- (161) Interior loose objects
(162) Child safety seat (specify):
(163) Other interior object (specify):

- AIR BAG
(170) Air bag-driver side
(175) Air bag compartment cover-driver side
(180) Air bag-passenger side
(185) Air bag compartment cover-passenger side
(190) Other air bag (specify)
(195) Other air bag compartment cover (specify)

- ROOF
(201) Front header
(202) Rear header
(203) Roof left side rail
(204) Roof right side rail
(205) Roof or convertible top

- FLOOR
(251) Floor (including toe pan)
(252) Floor or console mounted transmission lever, including console
(253) Parking brake handle
(254) Foot controls including parking brake

REAR

- (301) Backlight (rear window)
(302) Backlight storage rack, door, etc.
(303) Other rear object (specify):

ADAPTIVE (ASSISTIVE) DRIVING EQUIPMENT

- (401) Hand controls for braking/acceleration
(402) Steering control devices (attached to OEM steering wheel)
(403) Steering knob attached to steering wheel
(405) Replacement steering wheel (i.e., reduced diameter)
(406) Joy stick steering controls
(407) Wheelchair tie-downs
(408) Modification to seat belts, (specify):
(409) Additional or relocated switches, (specify):

- (410) Raised roof
(411) Wall mounted head rest (used behind wheel chair)
(412) Other adaptive device (specify):

CONFIDENCE LEVEL OF CONTACT POINT

- (1) Certain
(2) Probable
(3) Possible
(9) Unknown

MANUAL RESTRAINTS

NOTES: Encode the applicable data for each seat position in the vehicle. The attribute for the variable may be found below. Restraint systems should be assessed during the vehicle inspection then coded on the Occupant Assessment Form.

If a child safety seat is present, encode the data on the back of this page 11.

If the vehicle has automatic restraints available, encode the appropriate data on page 6.

| | | Left | Center | Right |
|----------------------------|------------------------|------|--------|-------|
| F I R S T | A-Availability | 4 | | 4 |
| | B-Evidence of usage | 04 | | 04 |
| | C-Used in this crash? | 04 | | 04 |
| | D-Proper Use | 1 | | 1 |
| | E-Failure Modes | 1 | | 1 |
| | F-Anchorage Adjustment | 1 | | 1 |
| S E C O N D | A-Availability | 3 | 03 | 3 |
| | B-Evidence of usage | 03 | 03 | 03 |
| | C-Used in this crash? | 0 | 0 | 0 |
| | D-Proper Use | 0 | 0 | 0 |
| | E-Failure Modes | 0 | 0 | 0 |
| | F-Anchorage Adjustment | 0 | 0 | 0 |
| O T H E R | A-Availability | | | |
| | B-Evidence of usage | | | |
| | C-Used in this crash? | | | |
| | D-Proper Use | | | |
| | E-Failure Modes | | | |
| | F-Anchorage Adjustment | | | |

- A-Manual (Active) Belt System Availability**

 - (0) None available
 - (1) Belt removed/destroyed
 - (2) Shoulder belt
 - (3) Lap belt
 - (4) Lap and shoulder belt
 - (5) Belt available - type unknown

Integral Belt Partially Destroyed

 - (6) Shoulder belt (lap belt destroyed/removed)
 - (7) Lap belt (shoulder belt destroyed/removed)
 - (8) Other belt (specify):

 - (9) Unknown

- B/C-Manual (Active) Belt System Use**

 - (00) None used, not available, or belt removed/destroyed
 - (01) Inoperable (specify):
 - (02) Shoulder belt
 - (03) Lap belt
 - (04) Lap and shoulder belt
 - (05) Belt used - type unknown
 - (08) Other belt used (specify):
 - (12) Shoulder belt used with child safety seat
 - (13) Lap belt used with child safety seat
 - (14) Lap and shoulder belt used with child safety seat
 - (15) Belt used with child safety seat - type unknown
 - (18) Other belt used with child safety seat (specify):
 - (99) Unknown if belt used

- D-Proper Use of Manual (Active) Belts**

 - (O) None used or not available
 - (1) Belt used properly
 - (2) Belt used properly with child safety seat

Belt Used Improperly

 - (3) Shoulder belt worn under arm
 - (4) Shoulder belt worn behind back or seat
 - (5) Belt worn around more than one person
 - (6) Lap belt worn on abdomen
 - (7) Lap belt or lap and shoulder belt used improperly with child safety seat (specify): _____
 - (8) Other improper use of manual belt system (specify): _____

- E-Manual (Active) Belt Failure Modes During Accident**

 - (0) No manual belt used or not available
 - (1) No manual belt failure(s)
 - (2) Torn webbing (stretched webbing not included)
 - (3) Broken buckle or latchplate
 - (4) Upper anchorage separated
 - (5) Other anchorage separated
(specify): _____
 - (6) Broken retractor
 - (7) Combination of above (specify): _____

 - (8) Other manual belt failure (specify): _____

 - (9) Unknown

- F-Shoulder Belt Upper Anchorage Adjustment**

 - (0) No shoulder belt
 - (1) No upper anchorage adjustment for shoulder belt

Adjustable shoulder Belt Upper Anchorage

- (2) In full up position
 - (3) In mid position
 - (4) In full down position
 - (5) Position unknown
 - (9) Unknown if position has adjustable upper anchorage adjustment

AUTOMATIC RESTRAINTS

NOTES: Encode the data for each applicable front seat position. The attribute for the variables may be found below. Restraint systems should be assessed during the vehicle inspection then coded on the Occupant Assessment Form.

AIR BAGS

| | | Frontal Air Bags--Left Front | Frontal Air Bags-Right Front | OtherAir Bag |
|---|-----------------------|------------------------------|------------------------------|--------------|
| F | Availability/Function | | | |
| I | Deployment | | | |
| R | Failure | | | |

Air Bag System Availability/Function

- (0) Not equipped/not available
- (1) Air bag

Non-functional

- (2) Air bag disconnected (specify): _____
- (3) Air bag not reinstalled
- (9) Unknown

**Air Bag System Deployment
(This Occupant Position)**

- (0) Not equipped/not available
- (1) Deployed during accident (as a result of impact)
- (2) Deployed inadvertently just prior to accident
- (3) Deployed, accident sequence undetermined
- (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical)
- (5) Unknown if deployed
- (7) Nondeployed
- (9) Unknown

Are There Indications of Air Bag System Failure? (This Occupant Position)

- (0) Not equipped/not available
- (1) No
- (2) Yes (specify): _____
- (9) Unknown

AUTOMATIC BELTS

| | | Left | Right |
|---|-------------------------|------|-------|
| F | A-Availability/Function | | |
| I | B-Use | | |
| R | C-Type | | |
| S | D-Proper Use | | |
| T | E-Failure Modes | | |

A-Automatic (Passive) Belt System Availability/Function

- (0) Not equipped/not available
- (1) 2 point automatic belts
- (2) 3 point automatic belts
- (3) Automatic belts - type unknown

Non-functional

- (4) Automatic belts destroyed or rendered inoperative
- (9) Unknown

D-Proper Use of Automatic (Passive) Belt System

- (0) Not equipped/not available/not used
- (1) Automatic belt used properly
- (2) Automatic belt used properly with child safety seat

Automatic Belt Used Improperly

- (3) Automatic shoulder belt worn under arm
- (4) Automatic shoulder belt worn behind back
- (5) Automatic belt worn around more than one person
- (6) Lap portion of automatic belt worn on abdomen
- (7) Automatic lap and shoulder belt or automatic shoulder belt used improperly with child safety seat (specify): _____

E-Automatic (Passive) Belt Failure Modes During Accident

- (0) Not equipped/not available/not in use
- (1) No automatic belt failure(s)
- (2) Torn webbing (stretched webbing not included)
- (3) Broken buckle or latchplate
- (4) Upper anchorage separated
- (5) Other anchorage separated (specify): _____
- (6) Broken retractor
- (7) Combination of above (specify): _____
- (8) Other automatic belt failure (specify): _____
- (9) Unknown

B-Automatic (Passive) Belt System Use

- (0) Not equipped/not available/destroyed or rendered inoperative
- (1) Automatic belt in use
- (2) Automatic belt not in use (manually disconnected, motorized track inoperative)
- (3) Automatic belt use unknown
- (9) Unknown

- (8) Other improper use of automatic belt system
(specify): _____
- (9) Unknown

C-Automatic (Passive) Belt System Type

- (0) Not equipped/not available
- (1) Non-motorized system
- (2) Motorized system
- (9) Unknown

FIRST SEAT FRONTAL AIR BAGS

NOTES: Encode the applicable data *for the driver and first seat passenger* in the vehicle. The attribute for the variable may be found below. Restraint systems should be assessed during the vehicle inspection then coded on the Occupant Assessment Form.

| | Driver | Passenger |
|-----------------------------------|--------|-----------|
| A-Type of air bag? | | |
| B-Flaps open at tear points? | | |
| C-Flaps damaged? | | |
| D-Air bag damaged? | | |
| E-Source of air bag damage | | |
| F-Air bag tethered? | | |
| G-Air bag have vent ports? | | |
| H-Other occupant contact air bag? | | |
| I-Occupant wearing eyewear? | | |

A-Type of Air Bag

- (0) Not equipped/not available
- (1) Original manufacturer installed system
- (2) Retrofitted air bag
- (3) Replacement air bag
- (8) Unknown type of air bag
- (9) Unknown

B-Did Air Bag Module Cover Flap(s) Open At Designated Tear Points?

- (0) Not equipped/not available
- (1) No
- (2) Yes
- (3) Deployed, unknown if flap(s) opened at designated tear points
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

C-Were Air Bag Module Cover Flap(s) Damaged?

- (0) Not equipped/not available
- (1) No
- (2) Yes (specify):
- (3) Deployed, unknown if air bag module cover flap(s) damaged
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

D-Was There Damage To The Air Bag?

- (00) Not equipped/not available
- (01) Not damaged
- Yes Air Bag Damage**
- (02) Ruptured
- (03) Cut
- (04) Torn
- (05) Holed
- (06) Burned
- (07) Abraded
- (88) Other damage (specify):
- (95) Damaged, details unknown
- (96) Deployed, unknown if damaged
- (97) Not deployed
- (98) Unknown if deployed
- (99) Unknown

E-Source of Air Bag Damage

- (00) Not equipped/not available
- (01) Not damaged
- (02) Object worn by occupant, (specify):
- (03) Object carried by occupant, (specify):
- (04) Adaptive/assistive controls, (specify):
- (05) Fire in vehicle
- (06) Thermal burns
- (07) Rescue or emergency efforts
- (88) Other damage source (specify):
- (95) Damaged, unknown source
- (96) Deployed, unknown if damaged
- (97) Not deployed
- (98) Unknown if deployed
- (99) Unknown

F-Was The Air Bag Tethered?

- (0) Not equipped/not available
- (1) No
- (2) Yes (specify number of tether straps):
- (3) Deployed, unknown if tethered
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

G-Did The Air Bag Have Vent Ports?

- (0) Not equipped/not available
- (1) No
- (2) Yes (specify number of vent ports):
- (3) Deployed, unknown if vent ports present
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

H-Was the Air Bag in this Occupant's Position Contacted by Another Occupant?


- (0) Not equipped/not available
- (1) No
- (2) Yes (specify):
- (3) Deployed, unknown if other occupant contact to air bag
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

I-Was This Occupant Wearing Eye-wear?


- (0) Not equipped/not available
- (1) No
- (2) Eyeglasses/sunglasses
- (3) Contact lenses
- (4) Deployed, unknown if eyewear worn
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

DRIVER AIR BAG DAMAGE AND CONTACT SKETCHES

1. SKETCH DAMAGE AND CONTACT EVIDENCE ON DRIVER AIR BAG (Front)




2. SKETCH DAMAGE AND CONTACT EVIDENCE ON DRIVER AIR BAG (Back)



DRIVER AIR BAG SKETCHES (Cont'd)

3. DRIVER AIR BAG MODULE COVER FLAP SIZE (SINGLE)

width (W_U) _____ width (W_L) _____
height (H) _____




4. DRIVER AIR BAG MODULE COVER FLAP SIZE (DOUBLE)

a. Upper Flap b. Lower Flap

width (W_U) _____ width (W_L) _____


height (H_U) _____ height (H_L) _____





5. SKETCH OF OTHER TYPE OF AIR BAG MODULE FLAP AND SIZE

6. SKETCH OF OTHER TYPE OF AIR BAG VENT PORTS

7. SKETCH LOCATION OF CIRCULAR AIR BAG VENT PORTS




PASSENGER AIR BAG DAMAGE AND CONTACT SKETCHES**1. SKETCH DAMAGE AND CONTACT EVIDENCE ON PASSENGER AIR BAG (Front)****2. SKETCH DAMAGE AND CONTACT EVIDENCE ON PASSENGER AIR BAG (Back)**

PASSENGER AIR BAG SKETCHES (Cont'd)

3. PASSENGER AIR BAG MODULE COVER FLAP SIZE (SINGLE)

width (W) _____

height (H) _____




4. PASSENGER AIR BAG MODULE COVER FLAP SIZE (DOUBLE)

a. Upper Flap

width (W_U) _____ width (W_L) _____

height (H_U) _____ height (H_L) _____



5. SKETCH OF OTHER TYPE OF AIR BAG MODULE FLAP AND SIZE

6. SKETCH OF OTHER TYPE OF AIR BAG VENT PORTS

7. SKETCH LOCATION OF RECTANGULAR AIR BAG VENT PORTS

| | | | | |
|----|----|----|---|---|
| 10 | 11 | 12 | 1 | 2 |
| 9 | | | | 3 |
| 8 | 7 | 6 | 5 | 4 |


"OTHER" AIR BAG DAMAGE AND CONTACT SKETCHES

1. SKETCH DAMAGE AND CONTACT EVIDENCE ON "OTHER" AIR BAG (Front)

2. SKETCH DAMAGE AND CONTACT EVIDENCE ON "OTHER" AIR BAG (Back)

"OTHER" AIR BAG SKETCHES (Cont'd)

3. SKETCH AIR BAG MODULE FLAP AND SIZE OR OPENING FOR AIRBAG



4. SKETCH AIR BAG VENT PORTS

HEAD RESTRAINTS/SEAT EVALUATION

NOTES: Encode the applicable data for each seat position in the vehicle. The attribute for these variables may be found at the bottom of the page. Head restraint type/damage and seat type/performance should be assessed during the vehicle inspection then coded on the Occupant Assessment Form.

| | | Left | Center | Right |
|----------------------------|-------------------------------------|------|---------|-------|
| F I R S T | A-Head Restraint Type/Damage | / | | / |
| | B-Seat Type | 09 | | 09 |
| | C-Seat Orientation | / | | / |
| | D-Seat Track Position | 2 | | 6 |
| | E-Seat Back Incline Pre/Post Impact | 01 | | 01 |
| | F-Seat Performance | / | | / |
| S E C O N D | A-Head Restraint Type/Damage | 0 | 0 | 0 |
| | B-Seat Type | 03 | 03 | 03 |
| | C-Seat Orientation | / | / | / |
| | D-Seat Track Position | 01 | 01 | 01 |
| | E-Seat Back Incline Pre/Post Impact | 01 | 01 | 01 |
| | F-Seat Performance | / | / | / |
| T H I R D | A-Head Restraint Type/Damage | | | |
| | B-Seat Type | | No SEAT | |
| | C-Seat Orientation | | CARGO | |
| | D-Seat Track Position | | AREA | |
| | E-Seat Back Incline Pre/Post Impact | | | |
| | F-Seat Performance | | | |
| O T H E R | A-Head Restraint Type/Damage | | | |
| | B-Seat Type | | | |
| | C-Seat Orientation | | | |
| | D-Seat Track Position | | | |
| | E-Seat Back Incline Pre/Post Impact | | | |
| | F-Seat Performance | | | |

DESCRIBE ANY INDICATION OF ABNORMAL OCCUPANT POSTURE


(I.E., UNUSUAL OCCUPANT CONTACT PATTERN)

HEAD RESTRAINTS/SEAT EVALUATION

- A-Head Restraint Type/Damage by Occupant at This Occupant Position**
- (0) No head restraints
 - (1) Integral — no damage
 - (2) Integral — damaged during accident
 - (3) Adjustable — no damage
 - (4) Adjustable — damaged during accident
 - (5) Add-on — no damage
 - (6) Add-on — damaged during accident
 - (8) Other
Specify): _____
 - (9) Unknown


E-Seat Back Incline Prior and Post Impact

- (00) Occupant not seated or no seat
- (01) Not adjustable
- Upright prior to impact**
- (11) Moved to completely rearward position
- (12) Moved to rearward midrange position
- (13) Moved to slightly rearward position
- (14) Retained pre-impact position
- (15) Moved to slightly forward position
- (16) Moved to forward midrange position
- (17) Moved to completely forward position




- B-Seat Type (this Occupant Position)**
- (00) Occupant not seated or no seat
 - (01) Bucket
 - (02) Bucket with folding back
 - (03) Bench
 - (04) Bench with separate back cushions
 - (05) Bench with folding back(s)
 - (06) Split bench with separate back cushions
 - (07) Split bench with folding back(s)
 - (08) Pedestal (i.e., column supported)
 - (09) Box mounted seat (i.e., van type)
 - (10) Other seat type (specify): _____
 - (99) Unknown

- Slightly reclined prior to impact**
- (21) Moved to completely rearward position
- (22) Moved to rearward midrange position
- (23) Retained pre-impact position
- (24) Moved to upright position
- (25) Moved to slightly forward position
- (26) Moved to forward midrange position
- (27) Moved to completely forward position



- C-Seat Orientation (this Occupant Position)**
- (0) Occupant not seated or no seat
 - (1) Forward facing seat
 - (2) Rear facing seat
 - (3) Side facing seat (inward)
 - (4) Side facing seat (outward)
 - (8) Other (specify): _____
 - (9) Unknown

- Completely reclined prior to impact**
- (31) Retained pre-impact position
- (32) Moved to rearward midrange position
- (33) Moved to slightly rearward position
- (34) Moved to upright position
- (35) Moved to slightly forward position
- (36) Moved to forward midrange position
- (37) Moved to completely forward position
- (99) Unknown



Coding diagrams for *Seat Back Incline Position Prior and Post Impact*

- D-Seat Track Adjusted Position Prior To Impact**
- (0) Occupant not seated or no seat
 - (1) Non-adjustable seat track
 - Adjustable Seat Track**
 - (2) Seat at forward most track position
 - (3) Seat between forward most and middle track positions
 - (4) Seat at middle track position
 - (5) Seat between middle and rear most track positions
 - (6) Seat at rear most track position
 - (9) Unknown

F-Seat Performance (this Occupant Position)

- (0) Occupant not seated or no seat
- (1) No seat performance failure(s)
- (2) Seat adjusters failed
- (3) Seat back folding locks or "seat back" failed (specify): _____
- (4) Seat tracks/anchors failed
- (5) Deformed by impact of occupant
- (6) Deformed by passenger compartment intrusion (specify): _____
- (7) Combination of above (specify): _____
- (8) Other (specify): _____
- (9) Unknown

CHILD SAFETY SEAT FIELD ASSESSMENT

When a child safety seat is present enter the occupant's number in the first row and complete the column below the occupant's number using the codes listed below. Complete a column for each child safety seat present.

| | | | | | | |
|------------------------------------|--|--|--|--|--|--|
| Occupant Number | | | | | | |
| 1. Type of Child Safety Seat | | | | | | |
| 2. Child Safety Seat Orientation | | | | | | |
| 3. Child Safety Seat Harness Usage | | | | | | |
| 4. Child Safety Seat Shield Usage | | | | | | |
| 5. Child Safety Seat Tether Usage | | | | | | |
| 6. Child Safety Seat Make/Model | Specify Below for Each Child Safety Seat | | | | | |

1. Type of Child Safety Seat

- (0) No child safety seat
- (1) Infant seat
- (2) Toddler seat
- (3) Convertible seat
- (4) Booster seat
- (7) Other type child safety seat (specify):

- (8) Unknown child safety seat type
- (9) Unknown if child safety seat used

2. Child Safety Seat Orientation

- (00) No child safety seat
- Designed for Rear Facing for This Age/Weight
- (01) Rear facing
- (02) Forward facing
- (08) Other orientation (specify):

- (09) Unknown orientation

Designed for Forward Facing for This Age/Weight

- (11) Rear facing
- (12) Forward facing
- (18) Other orientation (specify):

(19) Unknown orientation

Unknown Design or Orientation For This Age/Weight, or Unknown Age/Weight

- (21) Rear facing
- (22) Forward facing
- (28) Other orientation (specify):

(29) Unknown orientation

(99) Unknown if child safety seat used

3. Child Safety Seat Harness Usage

4. Child Safety Seat Shield Usage

5. Child Safety Seat Tether Usage

Note: Options Below Are Used for Variables 3-5.

- (00) No child safety seat

Not Designed with Harness/Shield/Tether

- (01) After market harness/shield/tether added, not used
- (02) After market harness/shield/tether used
- (03) Child safety seat used, but no after market harness/shield/tether added
- (09) Unknown if harness/shield/tether added or used

Designed With Harness/Shield/Tether

- (11) Harness/shield/tether not used
- (12) Harness/shield/tether used
- (19) Unknown if harness/shield/tether used

Unknown If Designed With Harness/Shield/Tether

- (21) Harness/shield/tether not used
- (22) Harness/shield/tether used
- (29) Unknown if harness/shield/tether used

(99) Unknown if child safety seat used

6. Child Safety Seat Make/Model

(Specify make/model and occupant number)

EJECTION/ENTRAPMENT DATA

Complete the following if the researcher has any indication that an occupant was either ejected from or entrapped in the vehicle. Code the appropriate data on the Occupant Assessment Form.

EJECTION No [] Yes []

POSSIBLE

Describe indications of ejection and body parts involved in partial ejection(s):

driver driver window/folder
ASK @ Int

| | | | | | | |
|--|--|--|--|--|--|--|
| Occupant Number | | | | | | |
| Ejection | | | | | | |
| (Note on Vehicle Interior Sketch) Ejection Area | | | | | | |
| Ejection Medium | | | | | | |
| Medium Status | | | | | | |

Ejection

- (1) Complete ejection
- (2) Partial ejection
- (3) Ejection, Unknown degree
- (9) Unknown

Ejection Area

- (1) Windshield
- (2) Left front
- (3) Right front
- (4) Left rear
- (5) Right rear
- (6) Rear

(7) Roof

(8) Other area (e.g., back of pickup, etc.) (specify): _____

(9) Unknown

Ejection Medium

- (1) Door/hatch/tailgate
- (2) Nonfixed roof structure
- (3) Fixed glazing
- (4) Nonfixed glazing (specify): _____

(5) Integral structure

(8) Other medium (specify): _____

(9) Unknown

Medium Status (Immediately Prior to Impact)

- (1) Open
- (2) Closed
- (3) Integral structure
- (9) Unknown

ENTRAPMENTNo [] Yes []

Describe entrapment mechanism:

Component(s): _____

(Note on vehicle interior sketch)



OCCUPANT ASSESSMENT FORM

1. Primary Sampling Unit Number 09
2. Case Number - Stratum 0960
3. Vehicle Number 02
4. Occupant Number 01

OCCUPANT'S CHARACTERISTICS

5. Occupant's Age 44
Code actual age at time of accident.
(00) Less than one year old (specify by month):

(97) 97 years and older
(99) Unknown

6. Occupant's Sex 1
(1) Male
(2) Female-not reported pregnant
(3) Female-pregnant-1st trimester(1st-3rd month)
(4) Female-pregnant-2nd trimester(4th-6th month)
(5) Female-pregnant-3rd trimester(7th-9th month)
(6) Female-pregnant-term unknown
(9) Unknown

7. Occupant's Height 180
Code actual height to the nearest centimeter.
(999) Unknown

71 inches X 2.54 = 180 centimeters

8. Occupant's Weight 076
Code actual weight to the nearest kilogram.
(999) Unknown

168 pounds X .4536 = 076 kilograms

9. Occupant's Role 1
(1) Driver
(2) Passenger
(9) Unknown

OCCUPANT'S SEATING

10. Occupant's Seat Position 11

Front Seat

- (11) Left side

- (12) Middle

- (13) Right side

- (14) Other (specify): _____

- (15) On or in the lap of another occupant

Second Seat

- (21) Left side

- (22) Middle

- (23) Right side

- (24) Other (specify): _____

- (25) On or in the lap of another occupant

Third Seat

- (31) Left side

- (32) Middle

- (33) Right side

- (34) Other (specify): _____

- (35) On or in the lap of another occupant

Fourth Seat

- (41) Left side

- (42) Middle

- (43) Right side

- (44) Other (specify): _____

- (45) On or in the lap of another occupant

- (97) In or on unenclosed area

- (98) Other seat (specify): _____

- (99) Unknown

11. Occupant's Posture 0
(0) Normal posture

Abnormal posture.

- (1) Kneeling or standing on seat

- (2) Lying on or across seat

- (3) Kneeling, standing or sitting in front of seat

- (4) Sitting sideways or turned to talk with another occupant or to look out a rear window

- (5) Sitting on a console

- (6) Lying back in a reclined seat position

- (7) Bracing with feet or hands on a surface in front of seat

- (8) Other abnormal posture (specify): _____

- (9) Unknown

EJECTION/ENTRAPMENT

12. Ejection

- (0) No ejection
(1) Complete ejection
(2) Partial ejection
(3) Ejection, unknown degree
(9) Unknown

13. Ejection Area

- (0) No ejection
(1) Windshield
(2) Left front
(3) Right front
(4) Left rear
(5) Right rear
(6) Rear
(7) Roof
(8) Other area (e.g., back of pickup, etc.)
(specify): _____
(9) Unknown

14. Ejection Medium

- (0) No ejection
(1) Door/hatch/tailgate
(2) Nonfixed roof structure
(3) Fixed glazing
(4) Nonfixed glazing (specify):

(5) Integral structure
(8) Other medium (specify):

(9) Unknown

15. Medium Status (Immediately Prior To Impact)

- (0) No ejection
(1) Open
(2) Closed
(3) Integral structure
(9) Unknown

16. Entrapment

- (0) Not entrapped/exit not inhibited
(1) Entrapped/pinned - mechanically restrained
(2) Could not exit vehicle due to jammed doors, fire, etc.
(specify): _____
(9) Unknown

17. Occupant Mobility

- (0) Occupant fatal before removed from vehicle
(1) Removed from vehicle while unconscious or not oriented to time or place
(2) Removed from vehicle due to perceived serious injuries
(3) Exited vehicle with some assistance
(4) Exited vehicle under own power
(5) Occupant fully ejected
(8) Removed from vehicle for other reasons
(specify): _____
(9) Unknown

BELT SYSTEM FUNCTION

- | | | | |
|--|-----|--|---|
| <p>18. Manual (Active) Belt System Availability</p> <p>(0) None available (1) Belt removed/destroyed (2) Shoulder belt (3) Lap belt (4) Lap and shoulder belt (5) Belt available—type unknown</p> <p><i>Integral Belt Partially Destroyed</i></p> <p>(6) Shoulder belt (lap belt destroyed/removed) (7) Lap belt (shoulder belt destroyed/removed) (8) Other belt (specify): _____</p> <p>(9) Unknown</p> | 4 | <p>22. Manual Shoulder Belt Upper Anchorage Adjustment</p> <p>(0) No manual shoulder belt (1) No upper anchorage adjustment for manual shoulder belt</p> <p><i>Adjustable shoulder Belt Upper Anchorage</i></p> <p>(2) In full up position (3) In mid position (4) In full down position (5) Position unknown (9) Unknown if position has adjustable upper anchorage adjustment</p> | 1 |
| <p>19. Manual (Active) Belt System Use</p> <p>(00) None used, not available, or belt removed/destroyed (01) Inoperative (specify): _____</p> <p>(02) Shoulder belt (03) Lap belt (04) Lap and shoulder belt (05) Belt used—type unknown (08) Other belt used (specify): _____</p> <p>(12) Shoulder belt used with child safety seat (13) Lap belt used with child safety seat (14) Lap and shoulder belt used with child safety seat (15) Belt used with child safety seat—type unknown (18) Other belt used with child safety seat (specify): _____ (99) Unknown if belt used</p> | 0 4 | <p>23. Automatic (Passive) Belt System Availability/Function</p> <p>(0) Not equipped/not available (1) 2 point automatic belts (2) 3 point automatic belts (3) Automatic belts - type unknown</p> <p><i>Non-functional</i></p> <p>(4) Automatic belts destroyed or rendered inoperative (9) Unknown</p> | 0 |
| <p>20. Proper Use of Manual (Active) Belts</p> <p>(0) None used or not available (1) Belt used properly (2) Belt used properly with child safety seat</p> <p><i>Belt Used Improperly</i></p> <p>(3) Shoulder belt worn under arm (4) Shoulder belt worn behind back or seat (5) Belt worn around more than one person (6) Lap belt worn on abdomen (7) Lap belt or lap and shoulder belt used improperly with child safety seat (specify): _____ (8) Other improper use of manual belt system (specify): _____ (9) Unknown</p> | 1 | <p>24. Automatic (Passive) Belt System Use</p> <p>(0) Not equipped/not available/destroyed or rendered inoperative (1) Automatic belt in use (2) Automatic belt not in use (manually disconnected, motorized track inoperative) (specify): _____ (3) Automatic belt use unknown (9) Unknown</p> | 0 |
| <p>21. Manual (Active) Belt Failure Modes During Accident</p> <p>(0) No manual belt used or not available (1) No manual belt failure(s) (2) Torn webbing (stretched webbing not included) (3) Broken buckle or latchplate (4) Upper anchorage separated (5) Other anchorage separated (specify): _____ (6) Broken retractor (7) Combination of above (specify): _____ (8) Other manual belt failure (specify): _____ (9) Unknown</p> | 1 | <p>25. Automatic (Passive) Belt System Type</p> <p>(0) Not equipped/not available (1) Non-motorized system (2) Motorized system (9) Unknown</p> | 0 |
| <p>26. Proper Use of Automatic (Passive) Belt System</p> <p>(0) Not equipped/not available/not used (1) Automatic belt used properly (2) Automatic belt used properly with child safety seat</p> <p><i>Automatic Belt Used Improperly</i></p> <p>(3) Automatic shoulder belt worn under arm (4) Automatic shoulder belt worn behind back (5) Automatic belt worn around more than one person (6) Lap portion of automatic belt worn on abdomen (7) Automatic lap and shoulder belt or automatic shoulder belt used improperly with child safety seat (specify): _____ (8) Other improper use of automatic belt system (specify): _____ (9) Unknown</p> | 0 | <p>27. Automatic (Passive) Belt Failure Modes During Accident</p> <p>(0) Not equipped/not available/not in use (1) No automatic belt failure(s) (2) Torn webbing (stretched webbing not included) (3) Broken buckle or latchplate (4) Upper anchorage separated (5) Other anchorage separated (specify): _____ (6) Broken retractor (7) Combination of above (specify): _____ (8) Other automatic belt failure (specify): _____ (9) Unknown</p> | 0 |

| POLICE REPORTED RESTRAINT USE | AIR BAG SYSTEM FUNCTION |
|--|---|
| <p>28. Police Reported Belt Use 4</p> <p>(0) None used (1) Police did not indicate belt use (2) Shoulder belt (3) Lap belt (4) Lap and shoulder belt (5) Belt used, type not specified (6) Child safety seat (7) Automatic belt (8) Other type belt, (specify): (9) Police indicated "unknown"</p> | <p>30. Frontal Air Bag System Availability/Function (This Occupant Position) 0</p> <p>(0) Not equipped/not available (1) Air bag <i>Non-functional</i> (2) Air bag disconnected (specify): (3) Air bag not reinstalled (9) Unknown</p> |
| <p>29. Police Reported Air Bag Availability/Function 0</p> <p>(0) No air bag available (1) Police did not indicate air bag availability/function (2) Deployed (3) Not deployed (4) Unknown if deployed (9) Police indicated "unknown"</p> | <p>31. Frontal Air Bag System Deployment (This Occupant Position) 0</p> <p>(0) Not equipped/not available (1) Deployed during accident (as a result of impact) (2) Deployed inadvertently just prior to accident (3) Deployed, details unknown (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical) (5) Unknown if deployed (7) Nondeployed (9) Unknown</p> |
| <p>Check the Primary Source Used In Determining Belt Use.</p> <p><input checked="" type="checkbox"/> Vehicle inspection <input checked="" type="checkbox"/> Official injury data <input type="checkbox"/> Driver/occupant interview <input type="checkbox"/> Other (specify): <input type="checkbox"/> Unknown if belt used</p> <hr/> <hr/> <hr/> | <p>32. Other Than First Seat Frontal Air Bag Availability/Function (This Occupant Position) 0</p> <p>(0) Not equipped/not available (1) Air bag <i>Non-functional</i> (2) Air bag disconnected (specify): (3) Air bag not reinstalled (9) Unknown <i>Specify type of "other" air bag present:</i> <hr/> </p> |
| | <p>33. Air Bag(s) Deployment, Other Than First Seat Frontal (This Occupant Position) 0</p> <p>(0) Not equipped with an "other" air bag (1) Deployed during accident (as a result of impact) (2) Deployed inadvertently just prior to accident (3) Deployed, details unknown (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical) (5) Unknown if deployed (7) Nondeployed (9) Unknown</p> |
| | <p>34. Are There Indications of Air Bag System Failure? (This Occupant Position) 0</p> <p>(0) Not equipped/not available (1) No (2) Yes (specify): (9) Unknown</p> |

FIRST SEAT FRONTAL AIR BAG SYSTEM EVALUATION

35. Had Vehicle Been in Previous Accident(s)?

- (0) Not equipped/not available
(1) No previous accidents

Yes

- (2) Previous accident(s) without deployment(s)
(3) One previous accident with deployment
(4) More than one previous accident with at least one deployment
(8) Previous accidents, unknown deployment status
(9) Unknown

0

40. Longitudinal Component of

Delta V For Air Bag

Deployment Impact

(_000) Not equipped/not available

Code the value of the delta V for the impact that initiated the air bag deployment

- (_996) Deployment, unknown longitudinal Delta V
(_997) Not deployed
(_998) Unknown if deployed
(_999) Unknown

+

- 0 0 0

36. Type of Air Bag

- (0) Not equipped/not available
(1) Original manufacturer installed system
(2) Retrofitted air bag
(3) Replacement air bag
(8) Unknown type of air bag
(9) Unknown

0

41. Did Air Bag Module Cover Flap(s) Open At Designated Tear Points?

- (0) Not equipped/not available
(1) No
(2) Yes
(3) Deployed, unknown if flap(s) opened at designated tear points
(7) Not deployed
(8) Unknown if deployed
(9) Unknown

0

37. Had Any Prior Maintenance/Service

Been Performed On This Air Bag System?

- (0) Not equipped/not available
(1) No prior maintenance
(2) Yes, prior maintenance (specify):

(9) Unknown

0

42. Were Air Bag Module Cover Flap(s) Damaged?

- (0) Not equipped/not available
(1) No
(2) Yes (specify): _____
(3) Deployed, unknown if air bag module cover flap(s) damaged
(7) Not deployed
(8) Unknown if deployed
(9) Unknown

0

38. Air Bag Deployment Accident Event

Sequence Number

- (00) Not equipped/not available

Code the accident event sequence number that initiated the air bag deployment
(96) Deployed, unknown event
(97) Not deployed
(98) Unknown if deployed
(99) Unknown

0 0

43. Was There Damage To The Air Bag?

- (00) Not equipped/not available
(01) Not damaged

0 0

Yes - Air Bag Damage

- (02) Ruptured
(03) Cut
(04) Torn
(05) Holed
(06) Burned
(07) Abraded
(88) Other damage (specify):

(95) Damaged, details unknown
(96) Deployed, unknown if damaged
(97) Not deployed
(98) Unknown if deployed
(99) Unknown

39. CDC For Air Bag Deployment Impact

- (0) Not equipped/not available
(1) Highest delta V
(2) Second highest delta V
(3) Other non-coded delta V (specify):

(6) Deployed, unknown event
(7) Not deployed
(8) Unknown if deployed
(9) Unknown

0

**FIRST SEAT FRONTAL AIR BAG SYSTEM
EVALUATION *continued***

44. Source of Air Bag Damage 00
 (00) Not equipped/not available
 (01) Not damaged
 (02) Object worn by occupant, (specify):

 (03) Object carried by occupant, (specify):

 (04) Adaptive/assistive controls, (specify):

 (05) Fire in vehicle
 (06) Thermal burns
 (07) Rescue or emergency efforts
 (08) Other damage source (specify):

 (95) Damaged, unknown source
 (96) Deployed, unknown if damaged
 (97) Not deployed
 (98) Unknown if deployed
 (99) Unknown
45. Was The Air Bag Tethered? 0
 (0) Not equipped/not available
 (1) No
 (2) Yes (specify number of tether straps):

 (3) Deployed, unknown if tethered
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown
46. Did The Air Bag Have Vent Ports? 0
 (0) Not equipped/not available
 (1) No
 (2) Yes (specify number of vent ports):

 (3) Deployed, unknown if vent ports present
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown
47. Was the Air Bag in this Occupant's Position
Contacted by Another Occupant? 0
 (0) Not equipped/not available
 (1) No
 (2) Yes (specify):

 (3) Deployed, unknown if other occupant contact
to air bag
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown
48. Was This Occupant Wearing Eye-wear? 0
 (0) Not air bag equipped/air bag not available
 (1) No
 (2) Eyeglasses/sunglasses
 (3) Contact lenses
 (4) Deployed, unknown if eyewear worn
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown

HEAD RESTRAINT AND SEAT EVALUATION

49. Head Restraint Type/Damage by Occupant
at This Occupant Position 1
 (0) No head restraints
 (1) Integral—no damage
 (2) Integral—damaged during accident
 (3) Adjustable—no damage
 (4) Adjustable—damaged during accident
 (5) Add-on—no damage
 (6) Add-on—damaged during accident
 (8) Other (specify):

 (9) Unknown
50. Seat Type (this Occupant Position) 09
 (00) Occupant not seated or no seat
 (01) Bucket
 (02) Bucket with folding back
 (03) Bench
 (04) Bench with separate back cushions
 (05) Bench with folding back(s)
 (06) Split bench with separate back cushions
 (07) Split bench with folding back(s)
 (08) Pedestal (i.e., column supported)
 (09) Box mounted seat (i.e., van type)
 (10) Other seat type (specify):

 (99) Unknown
51. Seat Orientation (this Occupant Position) 1
 (0) Occupant not seated or no seat
 (1) Forward facing seat
 (2) Rear facing seat
 (3) Side facing seat (inward)
 (4) Side facing seat (outward)
 (8) Other (specify):


 (9) Unknown
52. Seat Track Adjusted Position Prior To Impact 2
 (0) Occupant not seated or no seat
 (1) Non-adjustable seat track
- Adjustable Seat Track*
 (2) Seat at forward most track position
 (3) Seat between forward most and middle track
positions
 (4) Seat at middle track position
 (5) Seat between middle and rear most track
positions
 (6) Seat at rear most track position
 (9) Unknown

HEAD RESTRAINT AND SEAT EVALUATION *continued***53. Seat Back Incline Prior and Post Impact**


- (00) Occupant not seated or no seat
 (01) Not adjustable

01***Upright prior to impact***


- (11) Moved to completely rearward position
- (12) Moved to rearward midrange position
- (13) Moved to slightly rearward position
- (14) Retained pre-impact position
- (15) Moved to slightly forward position
- (16) Moved to forward midrange position
- (17) Moved to completely forward position

***Slightly reclined prior to impact***

- (21) Moved to completely rearward position
- (22) Moved to rearward midrange position
- (23) Retained pre-impact position
- (24) Moved to upright position
- (25) Moved to slightly forward position
- (26) Moved to forward midrange position
- (27) Moved to completely forward position

***Completely reclined prior to impact***

- (31) Retained pre-impact position
- (32) Moved to rearward midrange position
- (33) Moved to slightly rearward position
- (34) Moved to upright position
- (35) Moved to slightly forward position
- (36) Moved to forward midrange position
- (37) Moved to completely forward position
- (99) Unknown

**54. Seat Performance (this Occupant Position)**

- (0) Occupant not seated or no seat
- (1) No seat performance failure(s)
- (2) Seat adjusters failed
- (3) Seat back folding locks or "seat back" failed
 (specify): _____
- (4) Seat track/anchors failed
- (5) Deformed by impact of occupant
- (6) Deformed by passenger compartment intrusion, (specify): _____

1

- (7) Combination of above (specify): _____

- (8) Other (specify): _____
- (9) Unknown

CHILD SAFETY SEAT

55. Child Safety Seat Make/Model

(000) No child safety seat

Applicable codes are found in your NASS CDS

Data Collection, Coding and Editing

(950) Built-in child safety seat

(997) Other make/model (specify):

(998) Unknown make/model

(999) Unknown if child safety seat used

56. Type of Child Safety Seat

(0) No child safety seat

(1) Infant seat

(2) Toddler seat

(3) Convertible seat

(4) Booster seat - with shield

(5) Booster seat - without shield

(7) Other type child safety seat (specify):

(8) Unknown child safety seat type

(9) Unknown if child safety seat used

57. Child Safety Seat Orientation

(00) No child safety seat

Designed for Rear Facing for This Age/Weight

(01) Rear facing

(02) Forward facing

(08) Other orientation (specify):

(09) Unknown orientation

Designed For Forward Facing for This Age/Weight

(11) Rear facing

(12) Forward facing

(18) Other orientation (specify):

(19) Unknown orientation

Unknown Design or Orientation For This Age/Weight, or Unknown Age/Weight

(21) Rear facing

(22) Forward facing

(28) Other orientation (specify):

(29) Unknown orientation

(99) Unknown if child safety seat used

58. Child Safety Seat Harness Usage

00

59. Child Safety Seat Shield Usage

00

60. Child Safety Seat Tether Usage

00Note: Options below applicable to
Variables OA58-OA60.

(00) No child safety seat

Not Designed With Harness/Shield/Tether

(01) After market harness/shield/tether

added, not used

(02) After market harness/shield/tether used

(03) Child safety seat used, but no after market
harness/shield/tether added(09) Unknown if harness/shield/tether
added or used*Designed With Harness/Shield/Tether*

(11) Harness/shield/tether not used

(12) Harness/shield/tether used

(19) Unknown if harness/shield/tether used

Unknown If Designed With Harness/Shield/Tether

(21) Harness/shield/tether not used

(22) Harness/shield/tether used

(29) Unknown if harness/shield/tether used

(99) Unknown if child safety seat used

INJURY CONSEQUENCES**61. Injury Severity (Police Rating)**

- (0) O - No injury
 (1) C - Possible injury
 (2) B - Nonincapacitating injury
 (3) A - Incapacitating injury
 (4) K - Killed
 (5) U - Injury, severity unknown
 (6) Died prior to accident
 (9) Unknown

62. Treatment - Mortality

- (0) No treatment
 (1) Fatal
 (2) Fatal - ruled disease (specify): _____

Nonfatal

- (3) Hospitalization
 (4) Transported and released
 (5) Treatment at scene - nontransported
 (6) Treatment later
 (7) Treatment - other (specify): _____
 (8) Transported to a medical facility-unknown if treated
 (9) Unknown

63. Type Of Medical Facility (for Initial Treatment)

- (0) Not treated at a medical facility
 (1) Trauma center
 (2) Hospital
 (3) Medical clinic
 (4) Physician's office
 (5) Treatment later at medical facility
 (8) Other (specify): _____

(9) Unknown

64. Hospital Stay

- (00) Not Hospitalized

_____ Code the number of days (up through 60) that the occupant stayed in hospital.

- (61) 61 days or more
 (99) Unknown

65. Working Days Lost

_____ Code the number of days (up through 60) that the occupant lost from work due to the accident

- (00) No working days lost
 (61) 61 days or more
 (62) Fatally injured
 (97) Not working prior to accident
 (99) Unknown

EMERGENCY RESPONSE INFORMATION**EMS Notification**

- (1) Not notified
 (2) Notified
 (9) Unknown

ROAD VEHICLE

AIR VEHICLE

EMS Type

- (01) Fire department
 (02) Rescue squad
 (03) Police department
 (04) Trauma unit
 (05) Disaster unit
 (06) Ambulance service unit
 (07) Hospital
 (08) Mortuaries/funeral homes
 (98) Other, specify: _____
 (99) Unknown

FIRST UNIT TRANSPORTING UNIT

ROAD VEHICLE

AIR VEHICLE

EMS Notification Time (first unit)

- (9999) Unknown

ROAD VEHICLE

AIR VEHICLE

EMS Arrival Time (first unit)

- (9998) EMS cancelled or did not arrive
 (9999) Unknown

ROAD VEHICLE

AIR VEHICLE

EMS Care

- (01) No care administered
 (02) First aid
 (03) Resuscitation
 (04) CPR
 (05) Emergency cardiac care
 (06) Life support system monitoring (blood pressure, pulse rate, respiration, EKG)
 (07) Emergency burn care
 (08) Combination of above, specify: _____
 (98) Other, specify: _____
 (99) Unknown

ON-SCENE DURING TRANSPORT

ROAD VEHICLE

AIR VEHICLE

EMS Departure Time To Treatment Facility (transporting unit)

- (9997) EMS arrived, provided treatment, but did not transport
 (9998) EMS arrived, but was not used
 (9999) Unknown

ROAD VEHICLE

AIR VEHICLE

EMS Arrival Time At Treatment Facility

- (9999) Unknown

ROAD VEHICLE

AIR VEHICLE

STOP WORK HERE VARIABLES 66-74 TO BE CODED BY THE ZONE CENTER

TO BE CODED BY THE ZONE CENTER

| INJURY CONSEQUENCES | | TRAUMA DATA | |
|---|----|--|----|
| 66. Time to Death _____ Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, ... n days = 30 + n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown | 00 | 71. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured | 01 |
| 67. 1st Medically Reported Cause of Death | 00 | 72. Was the Occupant Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): _____ (9) Unknown if blood given | 1 |
| 68. 2nd Medically Reported Cause of Death | 00 | | |
| 69. 3rd Medically Reported Cause of Death _____ Code the Occupant Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this occupant's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease) (specify): (99) Unknown | 00 | 73. Arterial Blood Gases (ABG) – HCO ₃ (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃ (96) ABGs reported , HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured | 01 |
| 70. Number of Recorded Injuries for This Occupant _____ Code the actual number of injuries recorded for this occupant. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured | 03 | BELT USE DETERMINATION | |
| | | 74. Primary Source of Belt Use Determination (0) Not equipped/not available/destroyed or rendered inoperative (1) Vehicle inspection (2) Official injury data (3) Driver/occupant interview (8) Other (specify): _____ (9) Unknown if belt used | 1 |



U.S. Department of Transportation
National Highway Traffic Safety
Administration

Form Approved
O.M.B. No. 2127-0021

OCCUPANT INJURY FORM

NATIONAL ACCIDENT SAMPLING SYSTEM
CRASHWORTHINESS DATA SYSTEM

| | | | |
|---------------------------------|--------------|--------------------|-----------|
| 1. Primary Sampling Unit Number | <u>09</u> | 3. Vehicle Number | <u>02</u> |
| 2. Case Number - Stratum | <u>096 D</u> | 4. Occupant Number | <u>01</u> |

INJURY DATA

Record below the actual injuries sustained by this occupant that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than ten injuries have been documented, encode the balance on the Occupant Injury Supplement.

| A.I.S. - 90 | | | | | | | | Injury Source | Direct/Indirect | Occupant Area | |
|-----------------------|----------------|----------------------------|-----------------------------|-----------------|-----------------|----------------|----------------|------------------|-----------------|-----------------------|----------------|
| Source of Injury Data | Body Region | Type of Anatomic Structure | Specific Anatomic Structure | Level of Injury | A.I.S. Severity | Aspect | Injury Source | Confidence Level | Injury | Area Intrusion Number | |
| ① | elbow cont | | | | | | | | | | |
| 1st | 5. <u>7</u> | 6. <u>7</u> | 7. <u>9</u> | 8. <u>04</u> | 9. <u>02</u> | 10. <u>1</u> | 11. <u>2</u> | 12. <u>051</u> | 13. <u>2</u> | 14. <u>1</u> | 15. <u>02</u> |
| ② | elbow loc | | | | | | | | | | |
| 2nd | 16. <u>1</u> | 17. <u>7</u> | 18. <u>9</u> | 19. <u>06</u> | 20. <u>02</u> | 21. <u>1</u> | 22. <u>2</u> | 23. <u>051</u> | 24. <u>2</u> | 25. <u>1</u> | 26. <u>00</u> |
| ③ | knee loc | | | | | | | | | | |
| 3rd | 27. <u>7</u> | 28. <u>8</u> | 29. <u>9</u> | 30. <u>06</u> | 31. <u>02</u> | 32. <u>1</u> | 33. <u>2</u> | 34. <u>602</u> | 35. <u>2</u> | 36. <u>3</u> | 37. <u>00</u> |
| 4th | 38. <u> </u> | 39. <u> </u> | 40. <u> </u> | 41. <u> </u> | 42. <u> </u> | 43. <u> </u> | 44. <u> </u> | 45. <u> </u> | 46. <u> </u> | 47. <u> </u> | 48. <u> </u> |
| 5th | 49. <u> </u> | 50. <u> </u> | 51. <u> </u> | 52. <u> </u> | 53. <u> </u> | 54. <u> </u> | 55. <u> </u> | 56. <u> </u> | 57. <u> </u> | 58. <u> </u> | 59. <u> </u> |
| 6th | 60. <u> </u> | 61. <u> </u> | 62. <u> </u> | 63. <u> </u> | 64. <u> </u> | 65. <u> </u> | 66. <u> </u> | 67. <u> </u> | 68. <u> </u> | 69. <u> </u> | 70. <u> </u> |
| 7th | 71. <u> </u> | 72. <u> </u> | 73. <u> </u> | 74. <u> </u> | 75. <u> </u> | 76. <u> </u> | 77. <u> </u> | 78. <u> </u> | 79. <u> </u> | 80. <u> </u> | 81. <u> </u> |
| 8th | 82. <u> </u> | 83. <u> </u> | 84. <u> </u> | 85. <u> </u> | 86. <u> </u> | 87. <u> </u> | 88. <u> </u> | 89. <u> </u> | 90. <u> </u> | 91. <u> </u> | 92. <u> </u> |
| 9th | 93. <u> </u> | 94. <u> </u> | 95. <u> </u> | 96. <u> </u> | 97. <u> </u> | 98. <u> </u> | 99. <u> </u> | 100. <u> </u> | 101. <u> </u> | 102. <u> </u> | 103. <u> </u> |
| 10th | 104. <u> </u> | 105. <u> </u> | 106. <u> </u> | 107. <u> </u> | 108. <u> </u> | 109. <u> </u> | 110. <u> </u> | 111. <u> </u> | 112. <u> </u> | 113. <u> </u> | 114. <u> </u> |

OCCUPANT INJURY DATA

OCCUPANT INJURY CLASSIFICATION

| Body Region | Specific Anatomic Structure | Level of Injury | Aspect |
|---|---|---|---|
| (1) Head (2) Face (3) Neck (4) Thorax (5) Abdomen (6) Spine (7) Upper Extremity (8) Lower Extremity (9) Unspecified | <u>Vessels, Nerves, Organs,</u> <u>Bones, Joints</u> are assigned consecutive two digit numbers beginning with 02. | Specific injuries are assigned consecutive two-digit numbers beginning with 02. To the extent possible, within the organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity. | (1) Right (2) Left (3) Bilateral (4) Central (5) Anterior (6) Posterior (7) Superior (8) Inferior (9) Unknown (0) Whole region |
| Type of Anatomic Structure | <u>Whole Area</u> (02) Skin - Abrasion (04) Skin - Contusion (06) Skin - Laceration (08) Skin - Avulsion (10) Amputation (20) Burn (30) Crush (40) Degloving (50) Injury - NFS (90) Trauma, other than mechanical | <u>Abbreviated Injury Scale</u> (1) Minor Injury (2) Moderate Injury (3) Serious Injury (4) Severe Injury (5) Critical Injury (6) Maximum (untreatable) (7) Injured, unknown severity | |
| | <u>Head - LOC</u> (02) Length of LOC (04) Level (06) of (08) Consciousness (10) Concussion | | |
| | <u>Spine</u> (02) Cervical (04) Thoracic (06) Lumbar | | |

| SOURCE OF INJURY DATA | INJURY SOURCE CONFIDENCE LEVEL | DIRECT/INDIRECT INJURY |
|---|--|--|
| <u>OFFICIAL RECORDS</u> (1) Autopsy records with or without hospital/medical records (2) Hospital/medical records other than emergency room (e.g., discharge summary) (3) Emergency room records only (including associated X-rays or other lab reports) (4) Private physician, walk-in or emergency clinic | (1) Certain (2) Probable (3) Possible (9) Unknown | (1) Direct contact injury (2) Indirect contact injury (3) Noncontact injury (7) Injured, unknown source |
| <u>UNOFFICIAL RECORDS</u> (5) Lay coroner report (6) E.M.S. personnel (7) Interviewee (8) Other source (specify): (9) Police | | |

INJURY SOURCES

| | | | |
|--|--|--|--|
| FRONT | (102) Right side hardware or armrest | (183) Air bag-passenger side and object held | (411) Wall mounted head rest (used behind wheel chair) |
| (001) Windshield | (103) Right A (A1/A2)-pillar | (184) Air bag-passenger side and object in mouth | (412) Other adaptive device (specify): _____ |
| (002) Mirror | (104) Right B-pillar | (185) Air bag compartment cover-passenger side | |
| (003) Sunvisor | (105) Other right pillar (specify): | (186) Air bag compartment cover-passenger side and eyewear | EXTERIOR of OCCUPANT'S VEHICLE |
| (004) Steering wheel rim | (106) Right side window glass | (187) Air bag compartment cover-passenger side and jewelry | (451) Hood |
| (005) Steering wheel hub/spoke | (107) Right side window frame | (188) Air bag compartment cover-passenger side and object held | (452) Outside hardware (e.g., outside mirror, antenna) |
| (006) Steering wheel (combination of codes 004 and 005) | (108) Right side window sill | (189) Air bag compartment cover-passenger side and object in mouth | (453) Other exterior surface or tires (specify): _____ |
| (007) Steering column, transmission selector lever, other attachment | (109) Right side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail. | (190) Other air bag (specify) | |
| (008) Cellular telephone or CB radio | (110) Other right side object (specify): | | (454) Unknown exterior objects |
| (009) Add on equipment (e.g., tape deck, air conditioner) | | | |
| (010) Left instrument panel and below | | | |
| (011) Center instrument panel and below | INTERIOR | | EXTERIOR OF OTHER MOTOR VEHICLE |
| (012) Right instrument panel and below | (151) Seat, back support | | (501) Front bumper |
| (013) Glove compartment door | (152) Belt restraint webbing/buckle | | (502) Hood edge |
| (014) Knee bolster | (153) Belt restraint B-pillar or door frame attachment point | | (503) Other front of vehicle (specify): _____ |
| (015) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, mirror, or steering assembly (driver side only) | (154) Other restraint system component (specify): | | |
| (016) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, or mirror (passenger side only) | (155) Head restraint system | | (504) Hood |
| (017) Windshield reinforced by exterior object (specify) | (160) Other occupants (specify): | | (505) Hood ornament |
| (019) Other front object (specify): | (161) Interior loose objects | | (506) Windshield, roof rail, A-pillar |
| | (162) Child safety seat (specify): | | (507) Side surface |
| | (163) Other interior object (specify): | | (508) Side mirrors |
| | | | (509) Other side protrusions (specify): _____ |
| LEFT SIDE | AIR BAG | | |
| (051) Left side interior surface, excluding hardware or armrests | (170) Air bag-driver side | (251) Floor (including toe pan) | (510) Rear surface |
| (052) Left side hardware or armrest | (171) Air bag-driver side and eyewear | (252) Floor or console mounted transmission lever, including console | (511) Undercarriage |
| (053) Left A (A1/A2)-pillar | (172) Air bag-driver side and jewelry | (253) Parking brake handle | (512) Tires and wheels |
| (054) Left B-pillar | (173) Air bag-driver side and object held | (254) Foot controls including parking brake | (513) Other exterior of other motor vehicle (specify): _____ |
| (055) Other left pillar (specify): | (174) Air bag-driver side and object in mouth | | |
| (056) Left side window glass | (175) Air bag compartment cover-driver side | | (514) Unknown exterior of other motor vehicle |
| (057) Left side window frame | (176) Air bag compartment cover-driver side and eyewear | | |
| (058) Left side window sill | (177) Air bag compartment cover-driver side and jewelry | | OTHER VEHICLE OR OBJECT IN THE ENVIRONMENT |
| (059) Left side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail. | (178) Air bag compartment cover-driver side and object held | (301) Backlight (rear window) | (551) Ground |
| (060) Other left side object (specify): | (179) Air bag compartment cover-driver side and object in mouth | (302) Backlight storage rack, door, etc. | (598) Other vehicle or object (specify): _____ |
| | (180) Air bag-passenger side | (303) Other rear object (specify): | |
| | (181) Air bag-passenger side and eyewear | | |
| | (182) Air bag-passenger side and jewelry | | |
| RIGHT SIDE | | | |
| (101) Right side interior surface, excluding hardware or armrests | | | (599) Unknown vehicle or object |

OFFICIAL INJURY DATA – SOFT TISSUE INJURIES

Restrained?

 No YesBlood Alcohol Level
(mg/dl)

BAL = _____

Glasgow Coma
Scale Score

GCSS = _____

Units of Blood
Given



Units = _____

Arterial Blood Gases

pH = ____



PO₂ = ____PCO₂ ____HCO₃ ____

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





OFFICIAL INJURY DATA – SKELETAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



OFFICIAL INJURY DATA – INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





OCCUPANT ASSESSMENT FORM

| | |
|---------------------------------|---------------|
| 1. Primary Sampling Unit Number | <u>09</u> |
| 2. Case Number - Stratum | <u>09 6 0</u> |
| 3. Vehicle Number | <u>02</u> |
| 4. Occupant Number | <u>02</u> |

OCCUPANT'S CHARACTERISTICS

| | |
|--|------------|
| 5. Occupant's Age | <u>51</u> |
| Code actual age at time of accident. | |
| (00) Less than one year old (specify by month): | |
| (97) 97 years and older | |
| (99) Unknown | |
| 6. Occupant's Sex | <u>2</u> |
| (1) Male | |
| (2) Female-not reported pregnant | |
| (3) Female-pregnant-1st trimester(1st-3rd month) | |
| (4) Female-pregnant-2nd trimester(4th-6th month) | |
| (5) Female-pregnant-3rd trimester(7th-9th month) | |
| (6) Female-pregnant-term unknown | |
| (9) Unknown | |
| 7. Occupant's Height | <u>157</u> |
| Code actual height to the nearest centimeter. | |
| (999) Unknown | |
| <u>62</u> inches X 2.54 = <u>157</u> centimeters | |
| 8. Occupant's Weight | <u>047</u> |
| Code actual weight to the nearest kilogram. | |
| (999) Unknown | |
| <u>104</u> pounds X .4536 = <u>047</u> kilograms | |
| 9. Occupant's Role | <u>2</u> |
| (1) Driver | |
| (2) Passenger | |
| (9) Unknown | |

| | |
|---|--|
| 10. Occupant's Seat Position | |
| <i>Front Seat</i> | |
| (11) Left side | |
| (12) Middle | |
| (13) Right side | |
| (14) Other (specify): _____ | |
| (15) On or in the lap of another occupant | |
| <i>Second Seat</i> | |
| (21) Left side | |
| (22) Middle | |
| (23) Right side | |
| (24) Other (specify): _____ | |
| (25) On or in the lap of another occupant | |
| <i>Third Seat</i> | |
| (31) Left side | |
| (32) Middle | |
| (33) Right side | |
| (34) Other (specify): _____ | |
| (35) On or in the lap of another occupant | |
| <i>Fourth Seat</i> | |
| (41) Left side | |
| (42) Middle | |
| (43) Right side | |
| (44) Other (specify): _____ | |
| (45) On or in the lap of another occupant | |
| (97) In or on unenclosed area | |
| (98) Other seat (specify): _____ | |
| (99) Unknown | |
| 11. Occupant's Posture | |
| (0) Normal posture | |
| <i>Abnormal posture</i> | |
| (1) Kneeling or standing on seat | |
| (2) Lying on or across seat | |
| (3) Kneeling, standing or sitting in front of seat | |
| (4) Sitting sideways or turned to talk with another occupant or to look out a rear window | |
| (5) Sitting on a console | |
| (6) Lying back in a reclined seat position | |
| (7) Bracing with feet or hands on a surface in front of seat | |
| (8) Other abnormal posture (specify): _____ | |
| (9) Unknown | |

EJECTION/ENTRAPMENT

12. Ejection

- (0) No ejection
(1) Complete ejection
(2) Partial ejection
(3) Ejection, unknown degree
(9) Unknown

13. Ejection Area

- (0) No ejection
(1) Windshield
(2) Left front
(3) Right front
(4) Left rear
(5) Right rear
(6) Rear
(7) Roof
(8) Other area (e.g., back of pickup, etc.)
(specify): _____
(9) Unknown

14. Ejection Medium

- (0) No ejection
(1) Door/hatch/tailgate
(2) Nonfixed roof structure
(3) Fixed glazing
(4) Nonfixed glazing (specify):

(5) Integral structure
(8) Other medium (specify):

(9) Unknown

0

15. Medium Status (Immediately Prior To Impact)

- (0) No ejection
(1) Open
(2) Closed
(3) Integral structure
(9) Unknown

0

16. Entrapment

- (0) Not entrapped/exit not inhibited
(1) Entrapped/pinned - mechanically restrained
(2) Could not exit vehicle due to jammed doors, fire, etc.
(specify): _____
(9) Unknown

0

17. Occupant Mobility

- (0) Occupant fatal before removed from vehicle
(1) Removed from vehicle while unconscious or not oriented to time or place
(2) Removed from vehicle due to perceived serious injuries
(3) Exited vehicle with some assistance
(4) Exited vehicle under own power
(5) Occupant fully ejected
(8) Removed from vehicle for other reasons
(specify): _____
(9) Unknown

300

BELT SYSTEM FUNCTION

18. Manual (Active) Belt System Availability

- (0) None available
 (1) Belt removed/destroyed
 (2) Shoulder belt
 (3) Lap belt
 (4) Lap and shoulder belt
 (5) Belt available—type unknown

Integral Belt Partially Destroyed

- (6) Shoulder belt (lap belt destroyed/removed)
 (7) Lap belt (shoulder belt destroyed/removed)
 (8) Other belt (specify):

(9) Unknown

4

22. Manual Shoulder Belt Upper Anchorage Adjustment

- (0) No manual shoulder belt
 (1) No upper anchorage adjustment for manual shoulder belt

Adjustable shoulder Belt Upper Anchorage

- (2) In full up position
 (3) In mid position
 (4) In full down position
 (5) Position unknown
 (9) Unknown if position has adjustable upper anchorage adjustment

1

19. Manual (Active) Belt System Use

- (00) None used, not available, or belt removed/destroyed
 (01) Inoperative (specify):

04

- (02) Shoulder belt

- (03) Lap belt

- (04) Lap and shoulder belt

- (05) Belt used—type unknown

- (08) Other belt used (specify):

- (12) Shoulder belt used with child safety seat

- (13) Lap belt used with child safety seat

- (14) Lap and shoulder belt used with child safety seat

- (15) Belt used with child safety seat—type unknown

- (18) Other belt used with child safety seat (specify):

- (99) Unknown if belt used

1

20. Proper Use of Manual (Active) Belts

- (0) None used or not available
 (1) Belt used properly
 (2) Belt used properly with child safety seat

Belt Used Improperly

- (3) Shoulder belt worn under arm
 (4) Shoulder belt worn behind back or seat
 (5) Belt worn around more than one person
 (6) Lap belt worn on abdomen
 (7) Lap belt or lap and shoulder belt used improperly with child safety seat (specify):

- (8) Other improper use of manual belt system (specify):

- (9) Unknown

1

21. Manual (Active) Belt Failure Modes

During Accident

- (0) No manual belt used or not available
 (1) No manual belt failure(s)
 (2) Torn webbing (stretched webbing not included)
 (3) Broken buckle or latchplate
 (4) Upper anchorage separated
 (5) Other anchorage separated (specify):

- (6) Broken retractor

- (7) Combination of above (specify):

- (8) Other manual belt failure (specify):

- (9) Unknown

1

22. Manual Shoulder Belt Upper Anchorage Adjustment

- (0) No manual shoulder belt
 (1) No upper anchorage adjustment for manual shoulder belt

Adjustable shoulder Belt Upper Anchorage

- (2) In full up position
 (3) In mid position
 (4) In full down position
 (5) Position unknown
 (9) Unknown if position has adjustable upper anchorage adjustment

1

23. Automatic (Passive) Belt System Availability/Function

- (0) Not equipped/not available
 (1) 2 point automatic belts
 (2) 3 point automatic belts
 (3) Automatic belts - type unknown

Non-functional

- (4) Automatic belts destroyed or rendered inoperative
 (9) Unknown

24. Automatic (Passive) Belt System Use

- (0) Not equipped/not available/destroyed or rendered inoperative
 (1) Automatic belt in use
 (2) Automatic belt not in use (manually disconnected, motorized track inoperative) (specify):
 (3) Automatic belt use unknown
 (9) Unknown

0

25. Automatic (Passive) Belt System Type

- (0) Not equipped/not available
 (1) Non-motorized system
 (2) Motorized system
 (9) Unknown

0

26. Proper Use of Automatic (Passive) Belt System

- (0) Not equipped/not available/not used
 (1) Automatic belt used properly
 (2) Automatic belt used properly with child safety seat

Automatic Belt Used Improperly

- (3) Automatic shoulder belt worn under arm
 (4) Automatic shoulder belt worn behind back
 (5) Automatic belt worn around more than one person
 (6) Lap portion of automatic belt worn on abdomen
 (7) Automatic lap and shoulder belt or

- automatic shoulder belt used improperly with child safety seat (specify):

- (8) Other improper use of automatic belt system (specify):
 (9) Unknown

0

27. Automatic (Passive) Belt Failure Modes

During Accident

- (0) Not equipped/not available/not in use
 (1) No automatic belt failure(s)
 (2) Torn webbing (stretched webbing not included)
 (3) Broken buckle or latchplate
 (4) Upper anchorage separated
 (5) Other anchorage separated (specify):

- (6) Broken retractor

- (7) Combination of above (specify):

- (8) Other automatic belt failure (specify):

- (9) Unknown

0

| POLICE REPORTED RESTRAINT USE | AIR BAG SYSTEM FUNCTION |
|---|---|
| <p>28. Police Reported Belt Use 3</p> <p>(0) None used (1) Police did not indicate belt use (2) Shoulder belt (3) Lap belt (4) Lap and shoulder belt (5) Belt used, type not specified (6) Child safety seat (7) Automatic belt (8) Other type belt, (specify): _____ (9) Police indicated "unknown" 0</p> <p>29. Police Reported Air Bag Availability/Function 0</p> <p>(0) No air bag available (1) Police did not indicate air bag availability/function (2) Deployed (3) Not deployed (4) Unknown if deployed (9) Police indicated "unknown"</p> | <p>30. Frontal Air Bag System Availability/Function (This Occupant Position) 0</p> <p>(0) Not equipped/not available (1) Air bag <i>Non-functional</i> (2) Air bag disconnected (specify): _____ (3) Air bag not reinstalled (9) Unknown</p> <p>31. Frontal Air Bag System Deployment (This Occupant Position) 0</p> <p>(0) Not equipped/not available (1) Deployed during accident (as a result of impact) (2) Deployed inadvertently just prior to accident (3) Deployed, details unknown (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical) (5) Unknown if deployed (7) Nondeployed (9) Unknown</p> <p>32. Other Than First Seat Frontal Air Bag Availability/Function (This Occupant Position) 0</p> <p>(0) Not equipped/not available (1) Air bag <i>Non-functional</i> (2) Air bag disconnected (specify): _____ (3) Air bag not reinstalled (9) Unknown <i>Specify type of "other" air bag present:</i> _____</p> <p>33. Air Bag(s) Deployment, Other Than First Seat Frontal (This Occupant Position) 0</p> <p>(0) Not equipped with an "other" air bag (1) Deployed during accident (as a result of impact) (2) Deployed inadvertently just prior to accident (3) Deployed, details unknown (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical) (5) Unknown if deployed (7) Nondeployed (9) Unknown</p> <p>34. Are There Indications of Air Bag System Failure? (This Occupant Position) 0</p> <p>(0) Not equipped/not available (1) No (2) Yes (specify): _____ (9) Unknown</p> |

Check the Primary Source Used In Determining Belt Use.

Vehicle inspection
 Official injury data
 Driver/occupant interview
 Other (specify): _____

 Unknown if belt used

FIRST SEAT FRONTAL AIR BAG SYSTEM EVALUATION

35. Had Vehicle Been in Previous Accident(s)? 0

- (0) Not equipped/not available
(1) No previous accidents

Yes

- (2) Previous accident(s) without deployment(s)
(3) One previous accident with deployment
(4) More than one previous accident with at least one deployment
(8) Previous accidents, unknown deployment status
(9) Unknown

36. Type of Air Bag 0

- (0) Not equipped/not available
(1) Original manufacturer installed system
(2) Retrofitted air bag
(3) Replacement air bag
(8) Unknown type of air bag
(9) Unknown

37. Had Any Prior Maintenance/Service Been Performed On This Air Bag System? 0

- (0) Not equipped/not available
(1) No prior maintenance
(2) Yes, prior maintenance (specify):

(9) Unknown

38. Air Bag Deployment Accident Event Sequence Number 00

- (00) Not equipped/not available

Code the accident event sequence number that initiated the air bag deployment
(96) Deployed, unknown event
(97) Not deployed
(98) Unknown if deployed
(99) Unknown

39. CDC For Air Bag Deployment Impact 0

- (0) Not equipped/not available
(1) Highest delta V
(2) Second highest delta V
(3) Other non-coded delta V (specify):

(6) Deployed, unknown event
(7) Not deployed
(8) Unknown if deployed
(9) Unknown

40. Longitudinal Component of

Delta V For Air Bag Deployment Impact

- (_000) Not equipped/not available
Code the value of the delta V for the impact that initiated the air bag deployment
(_996) Deployment, unknown longitudinal Delta V
(_997) Not deployed
(_998) Unknown if deployed
(_999) Unknown

41. Did Air Bag Module Cover Flap(s) Open At Designated Tear Points? 0

- (0) Not equipped/not available
(1) No
(2) Yes
(3) Deployed, unknown if flap(s) opened at designated tear points
(7) Not deployed
(8) Unknown if deployed
(9) Unknown

42. Were Air Bag Module Cover Flap(s) Damaged? 0

- (0) Not equipped/not available
(1) No
(2) Yes (specify): _____
(3) Deployed, unknown if air bag module cover flap(s) damaged
(7) Not deployed
(8) Unknown if deployed
(9) Unknown

43. Was There Damage To The Air Bag? 00

- (00) Not equipped/not available
(01) Not damaged

Yes - Air Bag Damage

- (02) Ruptured
(03) Cut
(04) Torn
(05) Holed
(06) Burned
(07) Abraded
(88) Other damage (specify):

(95) Damaged, details unknown
(96) Deployed, unknown if damaged
(97) Not deployed
(98) Unknown if deployed
(99) Unknown

**FIRST SEAT FRONTAL AIR BAG SYSTEM
EVALUATION *continued***

44. Source of Air Bag Damage (D) O
 (00) Not equipped/not available
 (01) Not damaged
 (02) Object worn by occupant, (specify):

 (03) Object carried by occupant, (specify):

 (04) Adaptive/assistive controls, (specify):

 (05) Fire in vehicle
 (06) Thermal burns
 (07) Rescue or emergency efforts
 (08) Other damage source (specify):

 (95) Damaged, unknown source
 (96) Deployed, unknown if damaged
 (97) Not deployed
 (98) Unknown if deployed
 (99) Unknown
45. Was The Air Bag Tethered? (O)
 (0) Not equipped/not available
 (1) No
 (2) Yes (specify number of tether straps):

 (3) Deployed, unknown if tethered
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown
46. Did The Air Bag Have Vent Ports? (O)
 (0) Not equipped/not available
 (1) No
 (2) Yes (specify number of vent ports):

 (3) Deployed, unknown if vent ports present
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown
47. Was the Air Bag in this Occupant's Position Contacted by Another Occupant? (O)
 (0) Not equipped/not available
 (1) No
 (2) Yes (specify):

 (3) Deployed, unknown if other occupant contact to air bag
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown
48. Was This Occupant Wearing Eye-wear? (O)
 (0) Not air bag equipped/air bag not available
 (1) No
 (2) Eyeglasses/sunglasses
 (3) Contact lenses
 (4) Deployed, unknown if eyewear worn
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown

HEAD RESTRAINT AND SEAT EVALUATION

49. Head Restraint Type/Damage by Occupant at This Occupant Position (I)
 (0) No head restraints
 (1) Integral—no damage
 (2) Integral—damaged during accident
 (3) Adjustable—no damage
 (4) Adjustable—damaged during accident
 (5) Add-on—no damage
 (6) Add-on—damaged during accident
 (8) Other (specify):

 (9) Unknown
50. Seat Type (this Occupant Position) (O) 9
 (00) Occupant not seated or no seat
 (01) Bucket
 (02) Bucket with folding back
 (03) Bench
 (04) Bench with separate back cushions
 (05) Bench with folding back(s)
 (06) Split bench with separate back cushions
 (07) Split bench with folding back(s)
 (08) Pedestal (i.e., column supported)
 (09) Box mounted seat (i.e., van type)
 (10) Other seat type (specify):

 (99) Unknown

51. Seat Orientation (this Occupant Position) (I)
 (0) Occupant not seated or no seat
 (1) Forward facing seat
 (2) Rear facing seat
 (3) Side facing seat (inward)
 (4) Side facing seat (outward)
 (8) Other (specify):

 (9) Unknown


52. Seat Track Adjusted Position Prior To Impact (2)
 (0) Occupant not seated or no seat
 (1) Non-adjustable seat track
- Adjustable Seat Track*
 (2) Seat at forward most track position
 (3) Seat between forward most and middle track positions
 (4) Seat at middle track position
 (5) Seat between middle and rear most track positions
 (6) Seat at rear most track position
 (9) Unknown

HEAD RESTRAINT AND SEAT EVALUATION *continued*53. Seat Back Incline Prior and Post Impact 01


- (00) Occupant not seated or no seat
 (01) Not adjustable

Upright prior to impact


- (11) Moved to completely rearward position
 (12) Moved to rearward midrange position
 (13) Moved to slightly rearward position
 (14) Retained pre-impact position
 (15) Moved to slightly forward position
 (16) Moved to forward midrange position
 (17) Moved to completely forward position

***Slightly reclined prior to impact***

- (21) Moved to completely rearward position
 (22) Moved to rearward midrange position
 (23) Retained pre-impact position
 (24) Moved to upright position
 (25) Moved to slightly forward position
 (26) Moved to forward midrange position
 (27) Moved to completely forward position

***Completely reclined prior to impact***

- (31) Retained pre-impact position
 (32) Moved to rearward midrange position
 (33) Moved to slightly rearward position
 (34) Moved to upright position
 (35) Moved to slightly forward position
 (36) Moved to forward midrange position
 (37) Moved to completely forward position
 (99) Unknown



54. Seat Performance (this Occupant Position)

- (0) Occupant not seated or no seat
 (1) No seat performance failure(s)
 (2) Seat adjusters failed
 (3) Seat back folding locks or "seat back" failed
 (specify): _____
 (4) Seat track/anchors failed
 (5) Deformed by impact of occupant
 (6) Deformed by passenger compartment
 intrusion, (specify): _____
 (7) Combination of above (specify): _____
 (8) Other (specify): _____
 (9) Unknown

1

CHILD SAFETY SEAT

- | | |
|--|--|
| <p>55. Child Safety Seat Make/Model <u> 000 </u> (000) No child safety seat Applicable codes are found in your NASS CDS Data Collection, Coding and Editing (950) Built-in child safety seat (997) Other make/model (specify): <u>(998) Unknown make/model</u> <u>(999) Unknown if child safety seat used</u></p> <p>56. Type of Child Safety Seat <u> 0 </u> (0) No child safety seat (1) Infant seat (2) Toddler seat (3) Convertible seat (4) Booster seat - with shield (5) Booster seat - without shield (7) Other type child safety seat (specify): <u>(8) Unknown child safety seat type</u> <u>(9) Unknown if child safety seat used</u></p> <p>57. Child Safety Seat Orientation <u> 00 </u> <i>Designed for Rear Facing for This Age/Weight</i> (01) Rear facing (02) Forward facing (08) Other orientation (specify): <u>(09) Unknown orientation</u> <i>Designed For Forward Facing for This Age/Weight</i> (11) Rear facing (12) Forward facing (18) Other orientation (specify): <u>(19) Unknown orientation</u> <i>Unknown Design or Orientation For This Age/Weight, or Unknown Age/Weight</i> (21) Rear facing (22) Forward facing (28) Other orientation (specify): <u>(29) Unknown orientation</u> <u>(99) Unknown if child safety seat used</u></p> | <p>58. Child Safety Seat Harness Usage <u> 00 </u></p> <p>59. Child Safety Seat Shield Usage <u> 00 </u></p> <p>60. Child Safety Seat Tether Usage <u> 00 </u></p> <p>Note: Options below applicable to Variables OA58-OA60. (00) No child safety seat</p> <p><i>Not Designed With Harness/Shield/Tether</i> (01) After market harness/shield/tether added, not used (02) After market harness/shield/tether used (03) Child safety seat used, but no after market harness/shield/tether added (09) Unknown if harness/shield/tether added or used</p> <p><i>Designed With Harness/Shield/Tether</i> (11) Harness/shield/tether not used (12) Harness/shield/tether used (19) Unknown if harness/shield/tether used</p> <p><i>Unknown If Designed With Harness/Shield/Tether</i> (21) Harness/shield/tether not used (22) Harness/shield/tether used (29) Unknown if harness/shield/tether used</p> <p>(99) Unknown if child safety seat used</p> |
|--|--|

INJURY CONSEQUENCES**61. Injury Severity (Police Rating)**

- (0) O - No injury
 (1) C - Possible injury
 (2) B - Nonincapacitating injury
 (3) A - Incapacitating injury
 (4) K - Killed
 (5) U - Injury, severity unknown
 (6) Died prior to accident
 (9) Unknown

2

62. Treatment - Mortality

- (0) No treatment
 (1) Fatal
 (2) Fatal - ruled disease (specify): _____

4

Nonfatal

- (3) Hospitalization
 (4) Transported and released
 (5) Treatment at scene - nontransported
 (6) Treatment later
 (7) Treatment - other (specify): _____
 (8) Transported to a medical facility-unknown if treated
 (9) Unknown

63. Type Of Medical Facility (for Initial Treatment)

- (0) Not treated at a medical facility
 (1) Trauma center
 (2) Hospital
 (3) Medical clinic
 (4) Physician's office
 (5) Treatment later at medical facility
 (8) Other (specify): _____

(9) Unknown

3

64. Hospital Stay

- (00) Not Hospitalized

_____ Code the number of days (up through 60) that the occupant stayed in hospital.

- (61) 61 days or more
 (99) Unknown

00

65. Working Days Lost

- _____ Code the number of days (up through 60) that the occupant lost from work due to the accident
 (00) No working days lost
 (61) 61 days or more
 (62) Fatally injured
 (97) Not working prior to accident
 (99) Unknown

00

EMERGENCY RESPONSE INFORMATION**EMS Notification**

- (1) Not notified
 (2) Notified
 (9) Unknown

ROAD VEHICLE

AIR VEHICLE

FIRST UNIT

TRANSPORTING UNIT

ROAD VEHICLE

AIR VEHICLE

EMS Notification Time (first unit)
(9999) Unknown

ROAD VEHICLE

AIR VEHICLE

EMS Arrival Time (first unit)
(9998) EMS cancelled or did not arrive
(9999) Unknown

ROAD VEHICLE

AIR VEHICLE

EMS Type

- (01) Fire department
 (02) Rescue squad
 (03) Police department
 (04) Trauma unit
 (05) Disaster unit
 (06) Ambulance service unit
 (07) Hospital
 (08) Mortuaries/funeral homes
 (98) Other, specify: _____
 (99) Unknown

ROAD VEHICLE

AIR VEHICLE

EMS Departure Time To

- Treatment Facility (transporting unit)
 (9997) EMS arrived, provided treatment, but did not transport
 (9998) EMS arrived, but was not used
 (9999) Unknown

ROAD VEHICLE

AIR VEHICLE

ON-SCENE

DURING TRANSPORT

ROAD VEHICLE

AIR VEHICLE

EMS Arrival Time At Treatment Facility
(9999) Unknown

ROAD VEHICLE

AIR VEHICLE

EMS Care

- (01) No care administered
 (02) First aid
 (03) Resuscitation
 (04) CPR
 (05) Emergency cardiac care
 (06) Life support system monitoring (blood pressure, pulse rate, respiration, EKG)
 (07) Emergency burn care
 (08) Combination of above, specify: _____
 (98) Other, specify: _____
 (99) Unknown

STOP WORK HERE VARIABLES 66-74 TO BE CODED BY THE ZONE CENTER

TO BE CODED BY THE ZONE CENTER

| INJURY CONSEQUENCES | | TRAUMA DATA |
|--|-----------|---|
| 66. Time to Death Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, ... n days = 30 + n up through 30 days = 60) | <u>00</u> | 71. Glasgow Coma Scale (GCS) Score (at Medical Facility) <u>02</u> (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured |
| (00) Not fatal (96) Fatal - ruled disease (99) Unknown | | |
| 67. 1st Medically Reported Cause of Death | <u>00</u> | 72. Was the Occupant Given Blood? <u>1</u> (1) No - blood not given (2) Yes - blood given (specify units): _____ (9) Unknown if blood given |
| 68. 2nd Medically Reported Cause of Death | <u>00</u> | |
| 69. 3rd Medically Reported Cause of Death Code the Occupant Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this occupant's death | <u>00</u> | 73. Arterial Blood Gases (ABG) - HCO ₃ <u>01</u> (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃ (96) ABGs reported , HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured |
| (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease) (specify): (99) Unknown | | |
| 70. Number of Recorded Injuries for This Occupant Code the actual number of injuries recorded for this occupant. | <u>03</u> | BELT USE DETERMINATION |
| (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured | | 74. Primary Source of Belt Use Determination <u>1</u> (0) Not equipped/not available/destroyed or rendered inoperative (1) Vehicle inspection (2) Official injury data (3) Driver/occupant interview (8) Other (specify): _____ (9) Unknown if belt used |



U.S. Department of Transportation
National Highway Traffic Safety
Administration

OCCUPANT INJURY FORM

Form Approved
O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM
CRASHWORTHINESS DATA SYSTEM

1. Primary Sampling Unit Number 09

3. Vehicle Number 02

2. Case Number - Stratum 096D

4. Occupant Number 02

INJURY DATA

Record below the actual injuries sustained by this occupant that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than ten injuries have been documented, encode the balance on the Occupant Injury Supplement.

| A.I.S. - 90 | | | | | | | | Injury Source Confidence Level | Direct/Indirect Injury | Occupant Area Intrusion Number | |
|-----------------------|---------------|----------------------------|-----------------------------|-----------------|-----------------|---------------|---------------|--------------------------------|------------------------|--------------------------------|---------------|
| Source of Injury Data | Body Region | Type of Anatomic Structure | Specific Anatomic Structure | Level of Injury | A.I.S. Severity | Aspect | Injury Source | | | | |
| 1st | 5. <u>3</u> | 6. <u>8</u> | 7. <u>9</u> | 8. <u>02</u> | 9. <u>02</u> | 10. <u>1</u> | 11. <u>1</u> | 12. <u>101</u> | 13. <u>3</u> | 14. <u>1</u> | 15. <u>00</u> |
| 2nd | 16. <u>3</u> | 17. <u>8</u> | 18. <u>9</u> | 19. <u>08</u> | 20. <u>02</u> | 21. <u>1</u> | 22. <u>1</u> | 23. <u>101</u> | 24. <u>3</u> | 25. <u>1</u> | 26. <u>00</u> |
| (R) 3rd | 27. <u>3</u> | 28. <u>1</u> | 29. <u>9</u> | 30. <u>04</u> | 31. <u>02</u> | 32. <u>1</u> | 33. <u>1</u> | 34. <u>104</u> | 35. <u>3</u> | 36. <u>1</u> | 37. <u>03</u> |
| 4th | 38. <u> </u> | 39. <u> </u> | 40. <u> </u> | 41. <u> </u> | 42. <u> </u> | 43. <u> </u> | 44. <u> </u> | 45. <u> </u> | 46. <u> </u> | 47. <u> </u> | 48. <u> </u> |
| 5th | 49. <u> </u> | 50. <u> </u> | 51. <u> </u> | 52. <u> </u> | 53. <u> </u> | 54. <u> </u> | 55. <u> </u> | 56. <u> </u> | 57. <u> </u> | 58. <u> </u> | 59. <u> </u> |
| 6th | 60. <u> </u> | 61. <u> </u> | 62. <u> </u> | 63. <u> </u> | 64. <u> </u> | 65. <u> </u> | 66. <u> </u> | 67. <u> </u> | 68. <u> </u> | 69. <u> </u> | 70. <u> </u> |
| 7th | 71. <u> </u> | 72. <u> </u> | 73. <u> </u> | 74. <u> </u> | 75. <u> </u> | 76. <u> </u> | 77. <u> </u> | 78. <u> </u> | 79. <u> </u> | 80. <u> </u> | 81. <u> </u> |
| 8th | 82. <u> </u> | 83. <u> </u> | 84. <u> </u> | 85. <u> </u> | 86. <u> </u> | 87. <u> </u> | 88. <u> </u> | 89. <u> </u> | 90. <u> </u> | 91. <u> </u> | 92. <u> </u> |
| 9th | 93. <u> </u> | 94. <u> </u> | 95. <u> </u> | 96. <u> </u> | 97. <u> </u> | 98. <u> </u> | 99. <u> </u> | 100. <u> </u> | 101. <u> </u> | 102. <u> </u> | 103. <u> </u> |
| 10th | 104. <u> </u> | 105. <u> </u> | 106. <u> </u> | 107. <u> </u> | 108. <u> </u> | 109. <u> </u> | 110. <u> </u> | 111. <u> </u> | 112. <u> </u> | 113. <u> </u> | 114. <u> </u> |

OCCUPANT INJURY DATA

OCCUPANT INJURY CLASSIFICATION

| Body Region | Specific Anatomic Structure | Level of Injury | Aspect |
|--|---|---|---|
| (1) Head (2) Face (3) Neck (4) Thorax (5) Abdomen (6) Spine (7) Upper Extremity (8) Lower Extremity (9) Unspecified | <u>Vessels, Nerves, Organs,</u> <u>Bones, Joints</u> are assigned consecutive two digit numbers beginning with 02. The exceptions to this rule apply to: | Specific injuries are assigned consecutive two-digit numbers beginning with 02. To the extent possible, within the organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity. | (1) Right (2) Left (3) Bilateral (4) Central (5) Anterior (6) Posterior (7) Superior (8) Inferior (9) Unknown (0) Whole region |
| Type of Anatomic Structure | <u>Whole Area</u> (02) Skin - Abrasion (04) Skin - Contusion (06) Skin - Laceration (08) Skin - Avulsion (10) Amputation (20) Burn (30) Crush (40) Degloving (50) Injury - NFS (90) Trauma, other than mechanical | Abbreviated Injury Scale | |
| (1) Whole Area (2) Vessels (3) Nerves (4) Organs (includes Muscles/ligaments) (5) Skeletal (includes joints) (6) Head - LOC (9) Skin | <u>Head - LOC</u> (02) Length of LOC (04) Level of (06) of (08) Consciousness (10) Concussion <u>Spine</u> (02) Cervical (04) Thoracic (06) Lumbar | (1) Minor Injury (2) Moderate Injury (3) Serious Injury (4) Severe Injury (5) Critical Injury (6) Maximum (untreatable) (7) Injured, unknown severity | |
| SOURCE OF INJURY DATA | INJURY SOURCE CONFIDENCE LEVEL | DIRECT/INDIRECT INJURY | |
| <u>OFFICIAL RECORDS</u> (1) Autopsy records with or without hospital/medical records (2) Hospital/medical records other than emergency room (e.g., discharge summary) (3) Emergency room records only (including associated X-rays or other lab reports) (4) Private physician, walk-in or emergency clinic <u>UNOFFICIAL RECORDS</u> (5) Lay coroner report (6) E.M.S. personnel (7) Interviewee (8) Other source (specify): (9) Police | (1) Certain (2) Probable (3) Possible (9) Unknown | (1) Direct contact injury (2) Indirect contact injury (3) Noncontact injury (7) Injured, unknown source | |

INJURY SOURCES

FRONT

- (001) Windshield
 (002) Mirror
 (003) Sunvisor
 (004) Steering wheel rim
 (005) Steering wheel hub/spoke
 (006) Steering wheel (combination of codes 004 and 005)
 (007) Steering column, transmission selector lever, other attachment
 (008) Cellular telephone or CB radio
 (009) Add on equipment (e.g., tape deck, air conditioner)
 (010) Left instrument panel and below
 (011) Center instrument panel and below
 (012) Right instrument panel and below
 (013) Glove compartment door
 (014) Knee bolster
 (015) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, mirror, or steering assembly (driver side only)
 (016) Windshield including one or more of the following: front header, A (A1/A2)-pillar, instrument panel, or mirror (passenger side only)
 (017) Windshield reinforced by exterior object (specify)
 (019) Other front object (specify): _____
- LEFT SIDE**
- (051) Left side interior surface, excluding hardware or armrests
 (052) Left side hardware or armrest
 (053) Left A (A1/A2)-pillar
 (054) Left B-pillar
 (055) Other left pillar (specify): _____
 (056) Left side window glass
 (057) Left side window frame
 (058) Left side window sill
 (059) Left side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail.
 (060) Other left side object (specify): _____
- RIGHT SIDE**
- (101) Right side interior surface, excluding hardware or armrests
- (102) Right side hardware or armrest
 (103) Right A (A1/A2)-pillar
 (104) Right B-pillar
 (105) Other right pillar (specify): _____
 (106) Right side window glass
 (107) Right side window frame
 (108) Right side window sill
 (109) Right side window glass including one or more of the following: frame, window sill, A (A1/A2)-pillar, B-pillar, or roof side rail.
 (110) Other right side object (specify): _____
- INTERIOR**
- (151) Seat, back support
 (152) Belt restraint webbing/buckle
 (153) Belt restraint B-pillar or door frame attachment point
 (154) Other restraint system component (specify): _____
 (155) Head restraint system
 (160) Other occupants (specify): _____
 (161) Interior loose objects
 (162) Child safety seat (specify): _____
 (163) Other interior object (specify): _____
- AIR BAG**
- (170) Air bag-driver side
 (171) Air bag-driver side and eyewear
 (172) Air bag-driver side and jewelry
 (173) Air bag-driver side and object held
 (174) Air bag-driver side and object in mouth
 (175) Air bag compartment cover-driver side
 (176) Air bag compartment cover-driver side and eyewear
 (177) Air bag compartment cover-driver side and jewelry
 (178) Air bag compartment cover-driver side and object held
 (179) Air bag compartment cover-driver side and object in mouth
 (180) Air bag-passenger side
 (181) Air bag-passenger side and eyewear
 (182) Air bag-passenger side and jewelry
- REAR**
- (301) Backlight (rear window)
 (302) Backlight storage rack, door, etc.
 (303) Other rear object (specify): _____
- ADAPTIVE (ASSISTIVE) DRIVING EQUIPMENT**
- (401) Hand controls for braking/acceleration
 (402) Steering control devices (attached to OEM steering wheel)
 (403) Steering knob attached to steering wheel
 (405) Replacement steering wheel (i.e., reduced diameter)
 (406) Joy stick steering controls
 (407) Wheelchair tie-downs
 (408) Modification to seat belts, (specify): _____
 (409) Additional or relocated switches, (specify): _____
 (410) Raised roof
- EXTERIOR of OCCUPANT'S VEHICLE**
- (451) Hood
 (452) Outside hardware (e.g., outside mirror, antenna)
 (453) Other exterior surface or tires (specify): _____
- EXTERIOR OF OTHER MOTOR VEHICLE**
- (501) Front bumper
 (502) Hood edge
 (503) Other front of vehicle (specify): _____
 (504) Hood
 (505) Hood ornament
 (506) Windshield, roof rail, A-pillar
 (507) Side surface
 (508) Side mirrors
 (509) Other side protrusions (specify): _____
- FLOOR**
- (251) Floor (including toe pan)
 (252) Floor or console mounted transmission lever, including console
 (253) Parking brake handle
 (254) Foot controls including parking brake
 (510) Rear surface
 (511) Undercarriage
 (512) Tires and wheels
 (513) Other exterior of other motor vehicle (specify): _____
 (514) Unknown exterior of other motor vehicle
- OTHER VEHICLE OR OBJECT IN THE ENVIRONMENT**
- (551) Ground
 (598) Other vehicle or object (specify): _____
- NONCONTACT INJURY**
- (601) Fire in vehicle
 (602) Flying glass
 (603) Other noncontact injury source (specify): _____
 (604) Air bag exhaust gases
 (697) Injured, unknown source

OFFICIAL INJURY DATA – SOFT TISSUE INJURIES



Restrained?

 No YesBlood Alcohol Level
(mg/dl)BAL = NRGlasgow Coma
Scale ScoreGCSS = NRUnits of Blood
GivenUnits = 0

Arterial Blood Gases

pH = -PO₂ = -PCO₂ = -HCO₃ = -NO
RECORD



Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



ER
TOP OF ♂ Foot
ABRASION
SKIN AVULSION



OFFICIAL INJURY DATA – SKELETAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



OFFICIAL INJURY DATA – INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



OCCUPANT ASSESSMENT FORM

1. Primary Sampling Unit Number 09
2. Case Number - Stratum 0960
3. Vehicle Number 02
4. Occupant Number 03

OCCUPANT'S CHARACTERISTICS

5. Occupant's Age 43
Code actual age at time of accident.
(00) Less than one year old (specify by month):

(97) 97 years and older
(99) Unknown

pp AR
6. Occupant's Sex 2
(1) Male
(2) Female-not reported pregnant
(3) Female-pregnant-1st trimester(1st-3rd month)
(4) Female-pregnant-2nd trimester(4th-6th month)
(5) Female-pregnant-3rd trimester(7th-9th month)
(6) Female-pregnant-term unknown
(9) Unknown

7. Occupant's Height 999
Code actual height to the nearest centimeter.
(999) Unknown

____ inches X 2.54 = ____ centimeters

8. Occupant's Weight 999
Code actual weight to the nearest kilogram.
(999) Unknown

____ pounds X .4536 = ____ kilograms

9. Occupant's Role 2
(1) Driver
(2) Passenger
(9) Unknown

10. Occupant's Seat Position 21

Front Seat

- (11) Left side
- (12) Middle
- (13) Right side
- (14) Other (specify): _____
- (15) On or in the lap of another occupant

Second Seat

- (21) Left side
- (22) Middle
- (23) Right side
- (24) Other (specify): _____
- (25) On or in the lap of another occupant

Third Seat

- (31) Left side
- (32) Middle
- (33) Right side
- (34) Other (specify): _____
- (35) On or in the lap of another occupant

Fourth Seat

- (41) Left side
- (42) Middle
- (43) Right side
- (44) Other (specify): _____
- (45) On or in the lap of another occupant

(97) In or on unenclosed area

(98) Other seat (specify): _____

(99) Unknown

11. Occupant's Posture 0

Normal posture

- (0) Normal posture

- ### Abnormal posture
- (1) Kneeling or standing on seat
 - (2) Lying on or across seat
 - (3) Kneeling, standing or sitting in front of seat
 - (4) Sitting sideways or turned to talk with another occupant or to look out a rear window
 - (5) Sitting on a console
 - (6) Lying back in a reclined seat position
 - (7) Bracing with feet or hands on a surface in front of seat
 - (8) Other abnormal posture (specify): _____
 - (9) Unknown

EJECTION/ENTRAPMENT**12. Ejection**

- (0) No ejection
(1) Complete ejection
(2) Partial ejection
(3) Ejection, unknown degree
(9) Unknown

13. Ejection Area

- (0) No ejection
(1) Windshield
(2) Left front
(3) Right front
(4) Left rear
(5) Right rear
(6) Rear
(7) Roof
(8) Other area (e.g., back of pickup, etc.)
(specify): _____
(9) Unknown

14. Ejection Medium

- (0) No ejection
(1) Door/hatch/tailgate
(2) Nonfixed roof structure
(3) Fixed glazing
(4) Nonfixed glazing (specify):

(5) Integral structure
(8) Other medium (specify):

(9) Unknown

0**15. Medium Status (Immediately Prior To Impact)**

- (0) No ejection
(1) Open
(2) Closed
(3) Integral structure
(9) Unknown

0**16. Entrapment**

- (0) Not entrapped/exit not inhibited
(1) Entrapped/pinned - mechanically restrained
(2) Could not exit vehicle due to jammed doors, fire, etc.
(specify): _____
(9) Unknown

0**17. Occupant Mobility**

- (0) Occupant fatal before removed from vehicle
(1) Removed from vehicle while unconscious or not oriented to time or place
(2) Removed from vehicle due to perceived serious injuries
(3) Exited vehicle with some assistance
(4) Exited vehicle under own power
(5) Occupant fully ejected
(8) Removed from vehicle for other reasons
(specify): _____
(9) Unknown

3

BELT SYSTEM FUNCTION

18. Manual (Active) Belt System Availability 3
- (0) None available
 - (1) Belt removed/destroyed
 - (2) Shoulder belt
 - (3) Lap belt
 - (4) Lap and shoulder belt
 - (5) Belt available—type unknown
- Integral Belt Partially Destroyed*
- (6) Shoulder belt (lap belt destroyed/removed)
 - (7) Lap belt (shoulder belt destroyed/removed)
 - (8) Other belt (specify): _____
- (9) Unknown _____
19. Manual (Active) Belt System Use 00
- (00) None used, not available, or belt removed/destroyed
 - (01) Inoperative (specify): _____
 - (02) Shoulder belt
 - (03) Lap belt
 - (04) Lap and shoulder belt
 - (05) Belt used—type unknown
 - (08) Other belt used (specify): _____
 - (12) Shoulder belt used with child safety seat
 - (13) Lap belt used with child safety seat
 - (14) Lap and shoulder belt used with child safety seat
 - (15) Belt used with child safety seat—type unknown
 - (18) Other belt used with child safety seat (specify): _____
 - (99) Unknown if belt used
20. Proper Use of Manual (Active) Belts 0
- (0) None used or not available
 - (1) Belt used properly
 - (2) Belt used properly with child safety seat
- Belt Used Improperly*
- (3) Shoulder belt worn under arm
 - (4) Shoulder belt worn behind back or seat
 - (5) Belt worn around more than one person
 - (6) Lap belt worn on abdomen
 - (7) Lap belt or lap and shoulder belt used improperly with child safety seat (specify): _____
 - (8) Other improper use of manual belt system (specify): _____
 - (9) Unknown
21. Manual (Active) Belt Failure Modes During Accident 0
- (0) No manual belt used or not available
 - (1) No manual belt failure(s)
 - (2) Torn webbing (stretched webbing not included)
 - (3) Broken buckle or latchplate
 - (4) Upper anchorage separated
 - (5) Other anchorage separated (specify): _____
 - (6) Broken retractor
 - (7) Combination of above (specify): _____
 - (8) Other manual belt failure (specify): _____
 - (9) Unknown
22. Manual Shoulder Belt Upper Anchorage Adjustment 0
- (0) No manual shoulder belt
 - (1) No upper anchorage adjustment for manual shoulder belt
- Adjustable shoulder Belt Upper Anchorage*
- (2) In full up position
 - (3) In mid position
 - (4) In full down position
 - (5) Position unknown
 - (9) Unknown if position has adjustable upper anchorage adjustment
23. Automatic (Passive) Belt System Availability/Function 0
- (0) Not equipped/not available
 - (1) 2 point automatic belts
 - (2) 3 point automatic belts
 - (3) Automatic belts - type unknown
- Non-functional*
- (4) Automatic belts destroyed or rendered inoperative
 - (9) Unknown
24. Automatic (Passive) Belt System Use 0
- (0) Not equipped/not available/destroyed or rendered inoperative
 - (1) Automatic belt in use
 - (2) Automatic belt not in use (manually disconnected, motorized track inoperative) (specify): _____
 - (3) Automatic belt use unknown
 - (9) Unknown
25. Automatic (Passive) Belt System Type 0
- (0) Not equipped/not available
 - (1) Non-motorized system
 - (2) Motorized system
 - (9) Unknown
26. Proper Use of Automatic (Passive) Belt System 0
- (0) Not equipped/not available/not used
 - (1) Automatic belt used properly
 - (2) Automatic belt used properly with child safety seat
- Automatic Belt Used Improperly*
- (3) Automatic shoulder belt worn under arm
 - (4) Automatic shoulder belt worn behind back
 - (5) Automatic belt worn around more than one person
 - (6) Lap portion of automatic belt worn on abdomen
 - (7) Automatic lap and shoulder belt or automatic shoulder belt used improperly with child safety seat (specify): _____
 - (8) Other improper use of automatic belt system (specify): _____
 - (9) Unknown
27. Automatic (Passive) Belt Failure Modes During Accident 0
- (0) Not equipped/not available/not in use
 - (1) No automatic belt failure(s)
 - (2) Torn webbing (stretched webbing not included)
 - (3) Broken buckle or latchplate
 - (4) Upper anchorage separated
 - (5) Other anchorage separated (specify): _____
 - (6) Broken retractor
 - (7) Combination of above (specify): _____
 - (8) Other automatic belt failure (specify): _____
 - (9) Unknown

| POLICE REPORTED RESTRAINT USE | AIR BAG SYSTEM FUNCTION |
|--|---|
| <p>28. Police Reported Belt Use 3</p> <p>(0) None used (1) Police did not indicate belt use (2) Shoulder belt (3) Lap belt (4) Lap and shoulder belt (5) Belt used, type not specified (6) Child safety seat (7) Automatic belt (8) Other type belt, (specify): (9) Police indicated "unknown"</p> | <p>30. Frontal Air Bag System Availability/Function (This Occupant Position) 0</p> <p>(0) Not equipped/not available (1) Air bag <i>Non-functional</i> (2) Air bag disconnected (specify): (3) Air bag not reinstalled (9) Unknown</p> |
| <p>29. Police Reported Air Bag Availability/Function 0</p> <p>(0) No air bag available (1) Police did not indicate air bag availability/function (2) Deployed (3) Not deployed (4) Unknown if deployed (9) Police indicated "unknown"</p> | <p>31. Frontal Air Bag System Deployment (This Occupant Position) 0</p> <p>(0) Not equipped/not available (1) Deployed during accident (as a result of impact) (2) Deployed inadvertently just prior to accident (3) Deployed, details unknown (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical) (5) Unknown if deployed (7) Nondeployed (9) Unknown</p> |
| <p>Check the Primary Source Used In Determining Belt Use.</p> <p><input checked="" type="checkbox"/> Vehicle inspection <input type="checkbox"/> Official injury data <input type="checkbox"/> Driver/occupant interview <input type="checkbox"/> Other (specify): <input type="checkbox"/> Unknown if belt used</p> <hr/> <hr/> <hr/> | <p>32. Other Than First Seat Frontal Air Bag Availability/Function (This Occupant Position) 0</p> <p>(0) Not equipped/not available (1) Air bag <i>Non-functional</i> (2) Air bag disconnected (specify): (3) Air bag not reinstalled (9) Unknown <i>Specify type of "other" air bag present:</i> <hr/> </p> |
| | <p>33. Air Bag(s) Deployment, Other Than First Seat Frontal (This Occupant Position) 0</p> <p>(0) Not equipped with an "other" air bag (1) Deployed during accident (as a result of impact) (2) Deployed inadvertently just prior to accident (3) Deployed, details unknown (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical) (5) Unknown if deployed (7) Nondeployed (9) Unknown</p> |
| | <p>34. Are There Indications of Air Bag System Failure? (This Occupant Position) 0</p> <p>(0) Not equipped/not available (1) No (2) Yes (specify): (9) Unknown</p> |

FIRST SEAT FRONTAL AIR BAG SYSTEM EVALUATION

35. Had Vehicle Been in Previous Accident(s)? O

- (0) Not equipped/not available
(1) No previous accidents

Yes

- (2) Previous accident(s) without deployment(s)
(3) One previous accident with deployment
(4) More than one previous accident with at least one deployment
(8) Previous accidents, unknown deployment status
(9) Unknown

36. Type of Air Bag O

- (0) Not equipped/not available
(1) Original manufacturer installed system
(2) Retrofitted air bag
(3) Replacement air bag
(8) Unknown type of air bag
(9) Unknown

37. Had Any Prior Maintenance/Service
Been Performed On This Air Bag System? O

- (0) Not equipped/not available
(1) No prior maintenance
(2) Yes, prior maintenance (specify):

(9) Unknown

38. Air Bag Deployment Accident Event
Sequence Number 00

- (00) Not equipped/not available
____ Code the accident event sequence number that initiated the air bag deployment
(96) Deployed, unknown event
(97) Not deployed
(98) Unknown if deployed
(99) Unknown

39. CDC For Air Bag Deployment Impact O

- (0) Not equipped/not available
(1) Highest delta V
(2) Second highest delta V
(3) Other non-coded delta V (specify):

(6) Deployed, unknown event
(7) Not deployed
(8) Unknown if deployed
(9) Unknown

40. Longitudinal Component of

Delta V For Air Bag
Deployment Impact

- + - 000
(_000) Not equipped/not available
Code the value of the delta V for the impact that initiated the air bag deployment
(_996) Deployment, unknown longitudinal Delta V
(_997) Not deployed
(_998) Unknown if deployed
(_999) Unknown

41. Did Air Bag Module Cover Flap(s) Open At
Designated Tear Points? O

- (0) Not equipped/not available
(1) No
(2) Yes
(3) Deployed, unknown if flap(s) opened at designated tear points
(7) Not deployed
(8) Unknown if deployed
(9) Unknown

42. Were Air Bag Module Cover Flap(s) Damaged? O

- (0) Not equipped/not available
(1) No
(2) Yes (specify):
(3) Deployed, unknown if air bag module cover flap(s) damaged
(7) Not deployed
(8) Unknown if deployed
(9) Unknown

43. Was There Damage To The Air Bag? O

- (00) Not equipped/not available
(01) Not damaged

Yes - Air Bag Damage

- (02) Ruptured
(03) Cut
(04) Torn
(05) Holed
(06) Burned
(07) Abraded
(88) Other damage (specify):

(95) Damaged, details unknown
(96) Deployed, unknown if damaged
(97) Not deployed
(98) Unknown if deployed
(99) Unknown

**FIRST SEAT FRONTAL AIR BAG SYSTEM
EVALUATION *continued***

44. Source of Air Bag Damage 00
 (00) Not equipped/not available
 (01) Not damaged
 (02) Object worn by occupant, (specify):

 (03) Object carried by occupant, (specify):

 (04) Adaptive/assistive controls, (specify):

 (05) Fire in vehicle
 (06) Thermal burns
 (07) Rescue or emergency efforts
 (08) Other damage source (specify):

 (95) Damaged, unknown source
 (96) Deployed, unknown if damaged
 (97) Not deployed
 (98) Unknown if deployed
 (99) Unknown
45. Was The Air Bag Tethered? D
 (0) Not equipped/not available
 (1) No
 (2) Yes (specify number of tether straps):

 (3) Deployed, unknown if tethered
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown
46. Did The Air Bag Have Vent Ports? D
 (0) Not equipped/not available
 (1) No
 (2) Yes (specify number of vent ports):

 (3) Deployed, unknown if vent ports present
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown
47. Was the Air Bag in this Occupant's Position
Contacted by Another Occupant? D
 (0) Not equipped/not available
 (1) No
 (2) Yes (specify):

 (3) Deployed, unknown if other occupant contact
to air bag
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown
48. Was This Occupant Wearing Eye-wear? D
 (0) Not air bag equipped/air bag not available
 (1) No
 (2) Eyeglasses/sunglasses
 (3) Contact lenses
 (4) Deployed, unknown if eyewear worn
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown

HEAD RESTRAINT AND SEAT EVALUATION

49. Head Restraint Type/Damage by Occupant
at This Occupant Position 0
 (0) No head restraints
 (1) Integral—no damage
 (2) Integral—damaged during accident
 (3) Adjustable—no damage
 (4) Adjustable—damaged during accident
 (5) Add-on—no damage
 (6) Add-on—damaged during accident
 (8) Other (specify):

 (9) Unknown
50. Seat Type (this Occupant Position) 03
 (00) Occupant not seated or no seat
 (01) Bucket
 (02) Bucket with folding back
 (03) Bench
 (04) Bench with separate back cushions
 (05) Bench with folding back(s)
 (06) Split bench with separate back cushions
 (07) Split bench with folding back(s)
 (08) Pedestal (i.e., column supported)
 (09) Box mounted seat (i.e., van type)
 (10) Other seat type (specify):

 (99) Unknown
51. Seat Orientation (this Occupant Position) 1
 (0) Occupant not seated or no seat
 (1) Forward facing seat
 (2) Rear facing seat
 (3) Side facing seat (inward)
 (4) Side facing seat (outward)
 (8) Other (specify):


 (9) Unknown
52. Seat Track Adjusted Position Prior To Impact 1
 (0) Occupant not seated or no seat
 (1) Non-adjustable seat track
Adjustable Seat Track
 (2) Seat at forward most track position
 (3) Seat between forward most and middle track
positions
 (4) Seat at middle track position
 (5) Seat between middle and rear most track
positions
 (6) Seat at rear most track position
 (9) Unknown

HEAD RESTRAINT AND SEAT EVALUATION *continued*53. Seat Back Incline Prior and Post Impact 61


- (00) Occupant not seated or no seat
 (01) Not adjustable

Upright prior to impact


- (11) Moved to completely rearward position
- (12) Moved to rearward midrange position
- (13) Moved to slightly rearward position
- (14) Retained pre-impact position
- (15) Moved to slightly forward position
- (16) Moved to forward midrange position
- (17) Moved to completely forward position

***Slightly reclined prior to impact***

- (21) Moved to completely rearward position
- (22) Moved to rearward midrange position
- (23) Retained pre-impact position
- (24) Moved to upright position
- (25) Moved to slightly forward position
- (26) Moved to forward midrange position
- (27) Moved to completely forward position

***Completely reclined prior to impact***

- (31) Retained pre-impact position
 - (32) Moved to rearward midrange position
 - (33) Moved to slightly rearward position
 - (34) Moved to upright position
 - (35) Moved to slightly forward position
 - (36) Moved to forward midrange position
 - (37) Moved to completely forward position
- (99) Unknown



54. Seat Performance (this Occupant Position)

- (0) Occupant not seated or no seat
- (1) No seat performance failure(s)
- (2) Seat adjusters failed
- (3) Seat back folding locks or "seat back" failed
 (specify): _____
- (4) Seat track/anchors failed
- (5) Deformed by impact of occupant
- (6) Deformed by passenger compartment intrusion, (specify): _____

(7) Combination of above (specify): _____

(8) Other (specify): _____
 (9) Unknown

CHILD SAFETY SEAT

55. Child Safety Seat Make/Model

(000) No child safety seat

Applicable codes are found in your NASS CDS
Data Collection, Coding and Editing

(950) Built-in child safety seat

(997) Other make/model (specify):

(998) Unknown make/model

(999) Unknown if child safety seat used

56. Type of Child Safety Seat

(0) No child safety seat

(1) Infant seat

(2) Toddler seat

(3) Convertible seat

(4) Booster seat - with shield

(5) Booster seat - without shield

(7) Other type child safety seat (specify):

(8) Unknown child safety seat type

(9) Unknown if child safety seat used

57. Child Safety Seat Orientation

(00) No child safety seat

 Designed for Rear Facing for This Age/Weight

(01) Rear facing

(02) Forward facing

(08) Other orientation (specify):

(09) Unknown orientation

Designed For Forward Facing for This Age/Weight

(11) Rear facing

(12) Forward facing

(18) Other orientation (specify):

(19) Unknown orientation

Unknown Design or Orientation For This Age/Weight, or Unknown Age/Weight

(21) Rear facing

(22) Forward facing

(28) Other orientation (specify):

(29) Unknown orientation

(99) Unknown if child safety seat used

58. Child Safety Seat Harness Usage

59. Child Safety Seat Shield Usage

60. Child Safety Seat Tether Usage

 Note: Options below applicable to
Variables OA58-OA60.

(00) No child safety seat

Not Designed With Harness/Shield/Tether(01) After market harness/shield/tether
added, not used

(02) After market harness/shield/tether used

(03) Child safety seat used, but no after market
harness/shield/tether added(09) Unknown if harness/shield/tether
added or used*Designed With Harness/Shield/Tether*

(11) Harness/shield/tether not used

(12) Harness/shield/tether used

(19) Unknown if harness/shield/tether used

Unknown If Designed With Harness/Shield/Tether

(21) Harness/shield/tether not used

(22) Harness/shield/tether used

(29) Unknown if harness/shield/tether used

(99) Unknown if child safety seat used

INJURY CONSEQUENCES**61. Injury Severity (Police Rating)**

- (0) O - No injury
 (1) C - Possible injury
 (2) B - Nonincapacitating injury
 (3) A - Incapacitating injury
 (4) K - Killed
 (5) U - Injury, severity unknown
 (6) Died prior to accident
 (9) Unknown

62. Treatment - Mortality

- (0) No treatment
 (1) Fatal
 (2) Fatal - ruled disease (specify):

Nonfatal

- (3) Hospitalization
 (4) Transported and released
 (5) Treatment at scene - nontransported
 (6) Treatment later
 (7) Treatment - other (specify):

 (8) Transported to a medical facility-unknown if treated
 (9) Unknown

63. Type Of Medical Facility (for Initial Treatment)

- (0) Not treated at a medical facility
 (1) Trauma center
 (2) Hospital
 (3) Medical clinic
 (4) Physician's office
 (5) Treatment later at medical facility
 (8) Other (specify):

(9) Unknown

64. Hospital Stay

- (00) Not Hospitalized
 _____ Code the number of days (up through 60) that the occupant stayed in hospital.
 (61) 61 days or more
 (99) Unknown

65. Working Days Lost

- _____ Code the number of days (up through 60) that the occupant lost from work due to the accident
 (00) No working days lost
 (61) 61 days or more
 (62) Fatally injured
 (97) Not working prior to accident
 (99) Unknown

EMERGENCY RESPONSE INFORMATION**EMS Notification**

- (1) Not notified
 (2) Notified
 (9) Unknown

ROAD VEHICLE

AIR VEHICLE

EMS Type

- | | | |
|-------------------------------|-------------------|--------------------------|
| (01) Fire department | <u>FIRST UNIT</u> | <u>TRANSPORTING UNIT</u> |
| (02) Rescue squad | ROAD VEHICLE | |
| (03) Police department | AIR VEHICLE | |
| (04) Trauma unit | | |
| (05) Disaster unit | | |
| (06) Ambulance service unit | | |
| (07) Hospital | | |
| (08) Mortuaries/funeral homes | | |
| (98) Other, specify: _____ | | |
| (99) Unknown | | |

EMS Notification Time (first unit)

- (9999) Unknown

ROAD VEHICLE

AIR VEHICLE

EMS Arrival Time (first unit)

- (9998) EMS cancelled or did not arrive
 (9999) Unknown

ROAD VEHICLE

AIR VEHICLE

EMS Departure Time To**Treatment Facility (transporting unit)**

- (9997) EMS arrived, provided treatment, but did not transport
 (9998) EMS arrived, but was not used
 (9999) Unknown

ROAD VEHICLE

AIR VEHICLE

EMS Care

- | | | |
|--|-----------------|-------------------------|
| (01) No care administered | <u>ON-SCENE</u> | <u>DURING TRANSPORT</u> |
| (02) First aid | ROAD VEHICLE | |
| (03) Resuscitation | AIR VEHICLE | |
| (04) CPR | | |
| (05) Emergency cardiac care | | |
| (06) Life support system monitoring (blood pressure, pulse rate, respiration, EKG) | | |
| (07) Emergency burn care | | |
| (08) Combination of above, specify: _____ | | |
| (98) Other, specify: _____ | | |
| (99) Unknown | | |

EMS Arrival Time At**Treatment Facility**

- (9999) Unknown

ROAD VEHICLE

AIR VEHICLE

STOP WORK HERE VARIABLES 66-74 TO BE CODED BY THE ZONE CENTER

TO BE CODED BY THE ZONE CENTER

| INJURY CONSEQUENCES | | TRAUMA DATA | |
|---|---|---|--|
| 66. Time to Death _____ Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, ... n days = 30 + n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown | 66. Time to Death _____ <i>00</i> | 71. Glasgow Coma Scale (GCS) Score (at Medical Facility) _____ (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured | 71. Glasgow Coma Scale (GCS) Score (at Medical Facility) _____ <i>97</i> |
| 67. 1st Medically Reported Cause of Death _____ 68. 2nd Medically Reported Cause of Death _____ 69. 3rd Medically Reported Cause of Death _____ Code the Occupant Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this occupant's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease) (specify): (99) Unknown | 67. 1st Medically Reported Cause of Death _____ <i>00</i> 68. 2nd Medically Reported Cause of Death _____ <i>00</i> 69. 3rd Medically Reported Cause of Death _____ <i>00</i> | 72. Was the Occupant Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): _____ (9) Unknown if blood given | 72. Was the Occupant Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): _____ (9) Unknown if blood given |
| 70. Number of Recorded Injuries for This Occupant _____ Code the actual number of injuries recorded for this occupant. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured | 70. Number of Recorded Injuries for This Occupant _____ <i>97</i> | 73. Arterial Blood Gases (ABG) – HCO ₃ (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃ (96) ABGs reported , HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured | 73. Arterial Blood Gases (ABG) – HCO ₃ _____ <i>97</i> |
| | | BELT USE DETERMINATION | |
| | | 74. Primary Source of Belt Use Determination (0) Not equipped/not available/destroyed or rendered inoperative (1) Vehicle inspection (2) Official injury data (3) Driver/occupant interview (8) Other (specify): _____ (9) Unknown if belt used | 74. Primary Source of Belt Use Determination _____ <i>1</i> |

| | |
|-----------------|-------------|
| PSU NUMBER | <u>09</u> |
| CASE NUMBER | <u>096D</u> |
| VEHICLE NUMBER | <u>02</u> |
| OCCUPANT NUMBER | <u>03</u> |

OCCUPANT INJURY FORM

THE FOLLOWING DATA IS NOT INCLUDED IN THIS CASE:

ENTIRE FORM

PAGE NUMBER (S) _____



OCCUPANT ASSESSMENT FORM

| | |
|---------------------------------|-------------|
| 1. Primary Sampling Unit Number | <u>09</u> |
| 2. Case Number - Stratum | <u>0960</u> |
| 3. Vehicle Number | <u>02</u> |
| 4. Occupant Number | <u>04</u> |

OCCUPANT'S CHARACTERISTICS

5. Occupant's Age 40

Code actual age at time of accident.

(00) Less than one year old (specify by month):

(97) 97 years and older

(99) Unknown

in part

6. Occupant's Sex 2

(1) Male

(2) Female-not reported pregnant

(3) Female-pregnant-1st trimester(1st-3rd month)

(4) Female-pregnant-2nd trimester(4th-6th month)

(5) Female-pregnant-3rd trimester(7th-9th month)

(6) Female-pregnant-term unknown

(9) Unknown

7. Occupant's Height 999

Code actual height to the nearest centimeter.

(999) Unknown

 inches X 2.54 = centimeters

999

8. Occupant's Weight 999

Code actual weight to the nearest kilogram.

(999) Unknown

 pounds X .4536 = kilograms

999

9. Occupant's Role 2

(1) Driver

(2) Passenger

(9) Unknown

OCCUPANT'S SEATING

10. Occupant's Seat Position 22

Front Seat

(11) Left side

(12) Middle

(13) Right side

(14) Other (specify): _____

(15) On or in the lap of another occupant

Second Seat

(21) Left side

(22) Middle

(23) Right side

(24) Other (specify): _____

(25) On or in the lap of another occupant

Third Seat

(31) Left side

(32) Middle

(33) Right side

(34) Other (specify): _____

(35) On or in the lap of another occupant

Fourth Seat

(41) Left side

(42) Middle

(43) Right side

(44) Other (specify): _____

(45) On or in the lap of another occupant

(97) In or on unenclosed area

(98) Other seat (specify): _____

(99) Unknown

11. Occupant's Posture 0

Abnormal posture

(1) Kneeling or standing on seat

(2) Lying on or across seat

(3) Kneeling, standing or sitting in front of seat

(4) Sitting sideways or turned to talk with another occupant or to look out a rear window

(5) Sitting on a console

(6) Lying back in a reclined seat position

(7) Bracing with feet or hands on a surface in front of seat

(8) Other abnormal posture (specify): _____

(9) Unknown

EJECTION/ENTRAPMENT

12. Ejection

- (0) No ejection
(1) Complete ejection
(2) Partial ejection
(3) Ejection, unknown degree
(9) Unknown

13. Ejection Area

- (0) No ejection
(1) Windshield
(2) Left front
(3) Right front
(4) Left rear
(5) Right rear
(6) Rear
(7) Roof
(8) Other area (e.g., back of pickup, etc.)
(specify): _____
(9) Unknown

14. Ejection Medium

- (0) No ejection
(1) Door/hatch/tailgate
(2) Nonfixed roof structure
(3) Fixed glazing
(4) Nonfixed glazing (specify):

(5) Integral structure
(8) Other medium (specify):

(9) Unknown

Q

15. Medium Status (Immediately Prior To Impact)

- (0) No ejection
(1) Open
(2) Closed
(3) Integral structure
(9) Unknown

Q

16. Entrapment

- (0) Not entrapped/exit not inhibited
(1) Entrapped/pinned - mechanically restrained
(2) Could not exit vehicle due to jammed doors, fire, etc.
(specify): _____
(9) Unknown

Q

17. Occupant Mobility

- (0) Occupant fatal before removed from vehicle
(1) Removed from vehicle while unconscious or not oriented to time or place
(2) Removed from vehicle due to perceived serious injuries
(3) Exited vehicle with some assistance
(4) Exited vehicle under own power
(5) Occupant fully ejected
(8) Removed from vehicle for other reasons
(specify): _____
(9) Unknown

3

BELT SYSTEM FUNCTION**18. Manual (Active) Belt System Availability**

- (0) None available
 (1) Belt removed/destroyed
 (2) Shoulder belt
 (3) Lap belt
 (4) Lap and shoulder belt
 (5) Belt available—type unknown

Integral Belt Partially Destroyed

- (6) Shoulder belt (lap belt destroyed/removed)
 (7) Lap belt (shoulder belt destroyed/removed)
 (8) Other belt (specify): _____

(9) Unknown _____

19. Manual (Active) Belt System Use

- (00) None used, not available, or belt removed/destroyed
 (01) Inoperative (specify): _____

(02) Shoulder belt _____

(03) Lap belt _____

(04) Lap and shoulder belt _____

(05) Belt used—type unknown _____

(08) Other belt used (specify): _____

(12) Shoulder belt used with child safety seat _____

(13) Lap belt used with child safety seat _____

(14) Lap and shoulder belt used with child safety seat _____

(15) Belt used with child safety seat—type unknown _____

(18) Other belt used with child safety seat (specify): _____

(99) Unknown if belt used _____

20. Proper Use of Manual (Active) Belts

- (0) None used or not available
 (1) Belt used properly
 (2) Belt used properly with child safety seat

Belt Used Improperly

- (3) Shoulder belt worn under arm _____
 (4) Shoulder belt worn behind back or seat _____
 (5) Belt worn around more than one person _____
 (6) Lap belt worn on abdomen _____
 (7) Lap belt or lap and shoulder belt used improperly with child safety seat (specify): _____
 (8) Other improper use of manual belt system (specify): _____
 (9) Unknown _____

21. Manual (Active) Belt Failure Modes During Accident

- (0) No manual belt used or not available
 (1) No manual belt failure(s)
 (2) Torn webbing (stretched webbing not included)
 (3) Broken buckle or latchplate
 (4) Upper anchorage separated
 (5) Other anchorage separated (specify): _____
 (6) Broken retractor _____
 (7) Combination of above (specify): _____
 (8) Other manual belt failure (specify): _____
 (9) Unknown _____

3

22. Manual Shoulder Belt Upper Anchorage Adjustment

- (0) No manual shoulder belt
 (1) No upper anchorage adjustment for manual shoulder belt

Adjustable shoulder Belt Upper Anchorage

- (2) In full up position _____
 (3) In mid position _____
 (4) In full down position _____
 (5) Position unknown _____
 (9) Unknown if position has adjustable upper anchorage adjustment _____

23. Automatic (Passive) Belt System Availability/Function

- (0) Not equipped/not available
 (1) 2 point automatic belts
 (2) 3 point automatic belts
 (3) Automatic belts - type unknown

Non-functional

- (4) Automatic belts destroyed or rendered inoperative _____
 (9) Unknown _____

24. Automatic (Passive) Belt System Use

- (0) Not equipped/not available/destroyed or rendered inoperative
 (1) Automatic belt in use _____
 (2) Automatic belt not in use (manually disconnected, motorized track inoperative) (specify): _____
 (3) Automatic belt use unknown _____
 (9) Unknown _____

25. Automatic (Passive) Belt System Type

- (0) Not equipped/not available
 (1) Non-motorized system
 (2) Motorized system
 (9) Unknown

26. Proper Use of Automatic (Passive) Belt System

- (0) Not equipped/not available/not used
 (1) Automatic belt used properly
 (2) Automatic belt used properly with child safety seat

Automatic Belt Used Improperly

- (3) Automatic shoulder belt worn under arm _____
 (4) Automatic shoulder belt worn behind back _____
 (5) Automatic belt worn around more than one person _____
 (6) Lap portion of automatic belt worn on abdomen _____
 (7) Automatic lap and shoulder belt or

automatic shoulder belt used improperly with child safety seat (specify): _____

- (8) Other improper use of automatic belt system (specify): _____
 (9) Unknown _____

27. Automatic (Passive) Belt Failure Modes During Accident

- (0) Not equipped/not available/not in use
 (1) No automatic belt failure(s)
 (2) Torn webbing (stretched webbing not included)
 (3) Broken buckle or latchplate
 (4) Upper anchorage separated
 (5) Other anchorage separated (specify): _____
 (6) Broken retractor _____
 (7) Combination of above (specify): _____
 (8) Other automatic belt failure (specify): _____
 (9) Unknown _____

0

0

0

0

0

0

| POLICE REPORTED RESTRAINT USE | AIR BAG SYSTEM FUNCTION |
|--|--|
| <p>28. Police Reported Belt Use 3</p> <p>(0) None used (1) Police did not indicate belt use (2) Shoulder belt (3) Lap belt (4) Lap and shoulder belt (5) Belt used, type not specified (6) Child safety seat (7) Automatic belt (8) Other type belt, (specify): (9) Police indicated "unknown"</p> <p>29. Police Reported Air Bag Availability/Function 0</p> <p>(0) No air bag available (1) Police did not indicate air bag availability/function (2) Deployed (3) Not deployed (4) Unknown if deployed (9) Police indicated "unknown"</p> | <p>30. Frontal Air Bag System Availability/Function 0 (This Occupant Position) (0) Not equipped/not available (1) Air bag <i>Non-functional</i> (2) Air bag disconnected (specify): (3) Air bag not reinstalled (9) Unknown</p> <p>31. Frontal Air Bag System Deployment 0 (This Occupant Position) (0) Not equipped/not available (1) Deployed during accident (as a result of impact) (2) Deployed inadvertently just prior to accident (3) Deployed, details unknown (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical) (5) Unknown if deployed (7) Nondeployed (9) Unknown</p> <p>32. Other Than First Seat Frontal Air Bag Availability/Function 0 (This Occupant Position) (0) Not equipped/not available (1) Air bag <i>Non-functional</i> (2) Air bag disconnected (specify): (3) Air bag not reinstalled (9) Unknown <i>Specify type of "other" air bag present:</i> _____ _____ _____</p> <p>33. Air Bag(s) Deployment, Other Than First Seat Frontal (This Occupant Position) 0 (0) Not equipped with an "other" air bag (1) Deployed during accident (as a result of impact) (2) Deployed inadvertently just prior to accident (3) Deployed, details unknown (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical) (5) Unknown if deployed (7) Nondeployed (9) Unknown</p> <p>34. Are There Indications of Air Bag System Failure? 0 (This Occupant Position) (0) Not equipped/not available (1) No (2) Yes (specify): (9) Unknown</p> |

FIRST SEAT FRONTAL AIR BAG SYSTEM EVALUATION

| | |
|---|--|
| <p>35. Had Vehicle Been in Previous Accident(s)?</p> <p>(0) Not equipped/not available (1) No previous accidents</p> | <p>40. Longitudinal Component of Delta V For Air Bag Deployment Impact</p> <p><u> </u> + <u> </u> - <u> </u></p> <p>(_000) Not equipped/not available <i>Code the value of the delta V for the impact that initiated the air bag deployment</i> (_996) Deployment, unknown longitudinal Delta V (_997) Not deployed (_998) Unknown if deployed (_999) Unknown</p> |
| <p>Yes</p> <p>(2) Previous accident(s) without deployment(s) (3) One previous accident with deployment (4) More than one previous accident with at least one deployment (8) Previous accidents, unknown deployment status (9) Unknown</p> | |
| <p>36. Type of Air Bag</p> <p>(0) Not equipped/not available (1) Original manufacturer installed system (2) Retrofitted air bag (3) Replacement air bag (8) Unknown type of air bag (9) Unknown</p> | <p>41. Did Air Bag Module Cover Flap(s) Open At Designated Tear Points?</p> <p><u> </u></p> <p>(0) Not equipped/not available (1) No (2) Yes (3) Deployed, unknown if flap(s) opened at designated tear points (7) Not deployed (8) Unknown if deployed (9) Unknown</p> |
| <p>37. Had Any Prior Maintenance/Service Been Performed On This Air Bag System?</p> <p>(0) Not equipped/not available (1) No prior maintenance (2) Yes, prior maintenance (specify): <hr/> (9) Unknown</p> | <p>42. Were Air Bag Module Cover Flap(s) Damaged?</p> <p><u> </u></p> <p>(0) Not equipped/not available (1) No (2) Yes (specify): _____ (3) Deployed, unknown if air bag module cover flap(s) damaged (7) Not deployed (8) Unknown if deployed (9) Unknown</p> |
| <p>38. Air Bag Deployment Accident Event Sequence Number</p> <p>(00) Not equipped/not available <hr/>Code the accident event sequence number that initiated the air bag deployment (96) Deployed, unknown event (97) Not deployed (98) Unknown if deployed (99) Unknown</p> | <p>43. Was There Damage To The Air Bag?</p> <p><u> </u></p> <p>(00) Not equipped/not available (01) Not damaged</p> <p>Yes - Air Bag Damage</p> <p>(02) Ruptured (03) Cut (04) Torn (05) Holed (06) Burned (07) Abraded (88) Other damage (specify): <hr/> (95) Damaged, details unknown (96) Deployed, unknown if damaged (97) Not deployed (98) Unknown if deployed (99) Unknown</p> |
| <p>39. CDC For Air Bag Deployment Impact</p> <p>(0) Not equipped/not available (1) Highest delta V (2) Second highest delta V (3) Other non-coded delta V (specify): <hr/> (6) Deployed, unknown event (7) Not deployed (8) Unknown if deployed (9) Unknown</p> | |

**FIRST SEAT FRONTAL AIR BAG SYSTEM
EVALUATION *continued***

44. Source of Air Bag Damage OO
 (00) Not equipped/not available
 (01) Not damaged
 (02) Object worn by occupant, (specify):
 (03) Object carried by occupant, (specify):
 (04) Adaptive/assistive controls, (specify):
 (05) Fire in vehicle
 (06) Thermal burns
 (07) Rescue or emergency efforts
 (08) Other damage source (specify):
 (09) Damaged, unknown source
 (10) Deployed, unknown if damaged
 (11) Not deployed
 (12) Unknown if deployed
 (13) Unknown
45. Was The Air Bag Tethered? O
 (0) Not equipped/not available
 (1) No
 (2) Yes (specify number of tether straps):
 (3) Deployed, unknown if tethered
 (4) Not deployed
 (5) Unknown if deployed
 (6) Unknown
46. Did The Air Bag Have Vent Ports? O
 (0) Not equipped/not available
 (1) No
 (2) Yes (specify number of vent ports):
 (3) Deployed, unknown if vent ports present
 (4) Not deployed
 (5) Unknown if deployed
 (6) Unknown
47. Was the Air Bag in this Occupant's Position
Contacted by Another Occupant? O
 (0) Not equipped/not available
 (1) No
 (2) Yes (specify):
 (3) Deployed, unknown if other occupant contact
to air bag
 (4) Not deployed
 (5) Unknown if deployed
 (6) Unknown
48. Was This Occupant Wearing Eye-wear? O
 (0) Not air bag equipped/air bag not available
 (1) No
 (2) Eyeglasses/sunglasses
 (3) Contact lenses
 (4) Deployed, unknown if eyewear worn
 (5) Not deployed
 (6) Unknown if deployed
 (7) Unknown

HEAD RESTRAINT AND SEAT EVALUATION

49. Head Restraint Type/Damage by Occupant
at This Occupant Position O
 (0) No head restraints
 (1) Integral—no damage
 (2) Integral—damaged during accident
 (3) Adjustable—no damage
 (4) Adjustable—damaged during accident
 (5) Add-on—no damage
 (6) Add-on—damaged during accident
 (7) Other (specify):
 (8) Unknown
50. Seat Type (this Occupant Position) O3
 (00) Occupant not seated or no seat
 (01) Bucket
 (02) Bucket with folding back
 (03) Bench
 (04) Bench with separate back cushions
 (05) Bench with folding back(s)
 (06) Split bench with separate back cushions
 (07) Split bench with folding back(s)
 (08) Pedestal (i.e., column supported)
 (09) Box mounted seat (i.e., van type)
 (10) Other seat type (specify):
 (11) Unknown

51. Seat Orientation (this Occupant Position) 1
 (0) Occupant not seated or no seat
 (1) Forward facing seat
 (2) Rear facing seat
 (3) Side facing seat (inward)
 (4) Side facing seat (outward)
 (5) Other (specify):
 (6) Unknown

52. Seat Track Adjusted Position Prior To Impact 1
 (0) Occupant not seated or no seat
 (1) Non-adjustable seat track

Adjustable Seat Track


- (2) Seat at forward most track position
 (3) Seat between forward most and middle track
positions
 (4) Seat at middle track position
 (5) Seat between middle and rear most track
positions
 (6) Seat at rear most track position
 (7) Unknown

HEAD RESTRAINT AND SEAT EVALUATION *continued*


53. Seat Back Incline Prior and Post Impact 0 /
 (00) Occupant not seated or no seat
 (01) Not adjustable

Upright prior to impact


- (11) Moved to completely rearward position
- (12) Moved to rearward midrange position
- (13) Moved to slightly rearward position
- (14) Retained pre-impact position
- (15) Moved to slightly forward position
- (16) Moved to forward midrange position
- (17) Moved to completely forward position

***Slightly reclined prior to impact***

- (21) Moved to completely rearward position
- (22) Moved to rearward midrange position
- (23) Retained pre-impact position
- (24) Moved to upright position
- (25) Moved to slightly forward position
- (26) Moved to forward midrange position
- (27) Moved to completely forward position

***Completely reclined prior to impact***

- (31) Retained pre-impact position
 - (32) Moved to rearward midrange position
 - (33) Moved to slightly rearward position
 - (34) Moved to upright position
 - (35) Moved to slightly forward position
 - (36) Moved to forward midrange position
 - (37) Moved to completely forward position
- (99) Unknown



54. Seat Performance (this Occupant Position)

- (0) Occupant not seated or no seat
- (1) No seat performance failure(s)
- (2) Seat adjusters failed
- (3) Seat back folding locks or "seat back" failed
 (specify): _____
- (4) Seat track/anchors failed
- (5) Deformed by impact of occupant
- (6) Deformed by passenger compartment intrusion, (specify): _____
- (7) Combination of above (specify): _____
- (8) Other (specify): _____
- (9) Unknown

CHILD SAFETY SEAT

| | |
|---|--|
| <p>55. Child Safety Seat Make/Model <u> 0 0 0 </u> (000) No child safety seat Applicable codes are found in your NASS CDS Data Collection, Coding and Editing (950) Built-in child safety seat (997) Other make/model (specify): <u>(998) Unknown make/model</u> <u>(999) Unknown if child safety seat used</u></p> <p>56. Type of Child Safety Seat <u> 0 </u> (0) No child safety seat (1) Infant seat (2) Toddler seat (3) Convertible seat (4) Booster seat - with shield (5) Booster seat - without shield (7) Other type child safety seat (specify): <u>(8) Unknown child safety seat type</u> <u>(9) Unknown if child safety seat used</u></p> <p>57. Child Safety Seat Orientation <u> 0 0 </u> <i>Designed for Rear Facing for This Age/Weight</i> (01) Rear facing (02) Forward facing (08) Other orientation (specify): <u>(09) Unknown orientation</u> <i>Designed For Forward Facing for This Age/Weight</i> (11) Rear facing (12) Forward facing (18) Other orientation (specify): <u>(19) Unknown orientation</u> <i>Unknown Design or Orientation For This Age/Weight, or Unknown Age/Weight</i> (21) Rear facing (22) Forward facing (28) Other orientation (specify): <u>(29) Unknown orientation</u> <u>(99) Unknown if child safety seat used</u></p> | <p>58. Child Safety Seat Harness Usage <u> 0 0 </u> 59. Child Safety Seat Shield Usage <u> 0 0 </u> 60. Child Safety Seat Tether Usage <u> 0 0 </u></p> <p>Note: Options below applicable to Variables OA58-OA60. (00) No child safety seat</p> <p><i>Not Designed With Harness/Shield/Tether</i> (01) After market harness/shield/tether added, not used (02) After market harness/shield/tether used (03) Child safety seat used, but no after market harness/shield/tether added (09) Unknown if harness/shield/tether added or used</p> <p><i>Designed With Harness/Shield/Tether</i> (11) Harness/shield/tether not used (12) Harness/shield/tether used (19) Unknown if harness/shield/tether used</p> <p><i>Unknown If Designed With Harness/Shield/Tether</i> (21) Harness/shield/tether not used (22) Harness/shield/tether used (29) Unknown if harness/shield/tether used</p> <p>(99) Unknown if child safety seat used</p> |
|---|--|

INJURY CONSEQUENCES**61. Injury Severity (Police Rating)**

- (0) O - No injury
 (1) C - Possible injury
 (2) B - Nonincapacitating injury
 (3) A - Incapacitating injury
 (4) K - Killed
 (5) U - Injury, severity unknown
 (6) Died prior to accident
 (9) Unknown

62. Treatment - Mortality

- (0) No treatment
 (1) Fatal
 (2) Fatal - ruled disease (specify):

Nonfatal

- (3) Hospitalization
 (4) Transported and released
 (5) Treatment at scene - nontransported
 (6) Treatment later
 (7) Treatment - other (specify):

 (8) Transported to a medical facility-unknown if treated
 (9) Unknown

63. Type Of Medical Facility (for Initial Treatment)

- (0) Not treated at a medical facility
 (1) Trauma center
 (2) Hospital
 (3) Medical clinic
 (4) Physician's office
 (5) Treatment later at medical facility
 (8) Other (specify):

 (9) Unknown

64. Hospital Stay

- (00) Not Hospitalized
 _____ Code the number of days (up through 60) that the occupant stayed in hospital.
 (61) 61 days or more
 (99) Unknown

65. Working Days Lost

- _____ Code the number of days (up through 60) that the occupant lost from work due to the accident
 (00) No working days lost
 (61) 61 days or more
 (62) Fatally injured
 (97) Not working prior to accident
 (99) Unknown

EMERGENCY RESPONSE INFORMATION**EMS Notification**

- (1) Not notified
 (2) Notified
 (9) Unknown

ROAD VEHICLE

AIR VEHICLE

EMS Notification Time (first unit)
(9999) Unknown

ROAD VEHICLE

AIR VEHICLE

EMS Arrival Time (first unit)

- (9998) EMS cancelled or did not arrive
 (9999) Unknown

ROAD VEHICLE

AIR VEHICLE

EMS Departure Time To Treatment Facility (transporting unit)

- (9997) EMS arrived, provided treatment, but did not transport
 (9998) EMS arrived, but was not used
 (9999) Unknown

ROAD VEHICLE

AIR VEHICLE

EMS Arrival Time At Treatment Facility
(9999) Unknown

ROAD VEHICLE

AIR VEHICLE

EMS Type

- (01) Fire department
 (02) Rescue squad
 (03) Police department
 (04) Trauma unit
 (05) Disaster unit
 (06) Ambulance service unit
 (07) Hospital
 (08) Mortuaries/funeral homes
 (98) Other, specify: _____
 (99) Unknown

FIRST UNIT

TRANSPORTING UNIT

ROAD VEHICLE

AIR VEHICLE

EMS Care

- (01) No care administered
 (02) First aid
 (03) Resuscitation
 (04) CPR
 (05) Emergency cardiac care
 (06) Life support system monitoring (blood pressure, pulse rate, respiration, EKG)
 (07) Emergency burn care
 (08) Combination of above, specify:
 (98) Other, specify: _____
 (99) Unknown

ON-SCENE

DURING TRANSPORT

ROAD VEHICLE

AIR VEHICLE

STOP WORK HERE VARIABLES 66-74 TO BE CODED BY THE ZONE CENTER

TO BE CODED BY THE ZONE CENTER

| INJURY CONSEQUENCES | | TRAUMA DATA | |
|---|-----------|---|-----------|
| 66. Time to Death <small>Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, ... n days = 30 + n up through 30 days = 60)</small> | <u>00</u> | 71. Glasgow Coma Scale (GCS) Score <small>(at Medical Facility)</small> | <u>97</u> |
| (OO) Not injured (96) Fatal - ruled disease (99) Unknown | | (OO) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured | |
| 67. 1st Medically Reported Cause of Death | <u>00</u> | 72. Was the Occupant Given Blood? | <u>9</u> |
| 68. 2nd Medically Reported Cause of Death | <u>00</u> | (1) No - blood not given (2) Yes - blood given <small>(specify units): _____</small> (9) Unknown if blood given | |
| 69. 3rd Medically Reported Cause of Death <small>Code the Occupant Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this occupant's death</small> | <u>00</u> | 73. Arterial Blood Gases (ABG) – HCO ₃ | <u>97</u> |
| (OO) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease) (specify): (99) Unknown | | (OO) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃ (96) ABGs reported , HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured | |
| 70. Number of Recorded Injuries for This Occupant <small>Code the actual number of injuries recorded for this occupant.</small> | <u>97</u> | BELT USE DETERMINATION | |
| (OO) No recorded injuries (97) Injured, details unknown (99) Unknown if injured | | 74. Primary Source of Belt Use Determination | <u>1</u> |
| | | (1) Vehicle inspection (2) Official injury data (3) Driver/occupant interview (8) Other (specify): _____ (9) Unknown if belt used | |

| | |
|-----------------|-------------|
| PSU NUMBER | <u>09</u> |
| CASE NUMBER | <u>096D</u> |
| VEHICLE NUMBER | <u>02</u> |
| OCCUPANT NUMBER | <u>04</u> |

OCCUPANT INJURY FORM

THE FOLLOWING DATA IS NOT INCLUDED IN THIS CASE:

ENTIRE FORM

PAGE NUMBER (S) _____



OCCUPANT ASSESSMENT FORM

1. Primary Sampling Unit Number 09

2. Case Number - Stratum 0960

3. Vehicle Number 02

4. Occupant Number 05

OCCUPANT'S CHARACTERISTICS

5. Occupant's Age 33

Code actual age at time of accident.

(00) Less than one year old (specify by month):

(97) 97 years and older

(99) Unknown

6. Occupant's Sex 2

(1) Male

(2) Female-not reported pregnant

(3) Female-pregnant-1st trimester(1st-3rd month)

(4) Female-pregnant-2nd trimester(4th-6th month)

(5) Female-pregnant-3rd trimester(7th-9th month)

(6) Female-pregnant-term unknown

(9) Unknown

7. Occupant's Height 165

Code actual height to the nearest centimeter.

(999) Unknown

65 inches X 2.54 = 165 centimeters

8. Occupant's Weight 080

Code actual weight to the nearest kilogram.

(999) Unknown

176 pounds X .4536 = 080 kilograms

9. Occupant's Role 2

(1) Driver

(2) Passenger

(9) Unknown

OCCUPANT'S SEATING

10. Occupant's Seat Position 23

Front Seat

(11) Left side

(12) Middle

(13) Right side

(14) Other (specify): _____

(15) On or in the lap of another occupant

Second Seat

(21) Left side

(22) Middle

(23) Right side

(24) Other (specify): _____

(25) On or in the lap of another occupant

Third Seat

(31) Left side

(32) Middle

(33) Right side

(34) Other (specify): _____

(35) On or in the lap of another occupant

Fourth Seat

(41) Left side

(42) Middle

(43) Right side

(44) Other (specify): _____

(45) On or in the lap of another occupant

(97) In or on unenclosed area

(98) Other seat (specify): _____

(99) Unknown

11. Occupant's Posture 0

(0) Normal posture

Abnormal posture

(1) Kneeling or standing on seat

(2) Lying on or across seat

(3) Kneeling, standing or sitting in front of seat

(4) Sitting sideways or turned to talk with another occupant or to look out a rear window

(5) Sitting on a console

(6) Lying back in a reclined seat position

(7) Bracing with feet or hands on a surface in front of seat

(8) Other abnormal posture (specify): _____

(9) Unknown

EJECTION/ENTRAPMENT

12. Ejection

- (0) No ejection
(1) Complete ejection
(2) Partial ejection
(3) Ejection, unknown degree
(9) Unknown

O

13. Ejection Area

- (0) No ejection
(1) Windshield
(2) Left front
(3) Right front
(4) Left rear
(5) Right rear
(6) Rear
(7) Roof
(8) Other area (e.g., back of pickup, etc.)
(specify): _____
(9) Unknown

O

14. Ejection Medium

- (0) No ejection
(1) Door/hatch/tailgate
(2) Nonfixed roof structure
(3) Fixed glazing
(4) Nonfixed glazing (specify):

(5) Integral structure
(8) Other medium (specify):

(9) Unknown

O

15. Medium Status (Immediately Prior To Impact)

- (0) No ejection
(1) Open
(2) Closed
(3) Integral structure
(9) Unknown

O

16. Entrapment

- (0) Not entrapped/exit not inhibited
(1) Entrapped/pinned - mechanically restrained
(2) Could not exit vehicle due to jammed doors,
fire, etc.
(specify): _____
(9) Unknown

O

17. Occupant Mobility

- (0) Occupant fatal before removed from
vehicle
(1) Removed from vehicle while unconscious or
not oriented to time or place
(2) Removed from vehicle due to perceived
serious injuries
(3) Exited vehicle with some assistance
(4) Exited vehicle under own power
(5) Occupant fully ejected
(8) Removed from vehicle for other reasons
(specify): _____
(9) Unknown

3

BELT SYSTEM FUNCTION

- | | | | |
|--|----|--|---|
| <p>18. Manual (Active) Belt System Availability</p> <p>(0) None available (1) Belt removed/destroyed (2) Shoulder belt (3) Lap belt (4) Lap and shoulder belt (5) Belt available—type unknown</p> <p><i>Integral Belt Partially Destroyed</i></p> <p>(6) Shoulder belt (lap belt destroyed/removed) (7) Lap belt (shoulder belt destroyed/removed) (8) Other belt (specify): _____</p> <p>(9) Unknown</p> | 3 | <p>22. Manual Shoulder Belt Upper Anchorage Adjustment</p> <p>(0) No manual shoulder belt (1) No upper anchorage adjustment for manual shoulder belt</p> <p><i>Adjustable shoulder Belt Upper Anchorage</i></p> <p>(2) In full up position (3) In mid position (4) In full down position (5) Position unknown (9) Unknown if position has adjustable upper anchorage adjustment</p> | 2 |
| <p>19. Manual (Active) Belt System Use</p> <p>(00) None used, not available, or belt removed/destroyed (01) Inoperative (specify): _____ (02) Shoulder belt (03) Lap belt (04) Lap and shoulder belt (05) Belt used—type unknown (08) Other belt used (specify): _____ (12) Shoulder belt used with child safety seat (13) Lap belt used with child safety seat (14) Lap and shoulder belt used with child safety seat (15) Belt used with child safety seat—type unknown (18) Other belt used with child safety seat (specify): _____ (99) Unknown if belt used</p> | OO | <p>23. Automatic (Passive) Belt System Availability/Function</p> <p>(0) Not equipped/not available (1) 2 point automatic belts (2) 3 point automatic belts (3) Automatic belts - type unknown</p> <p><i>Non-functional</i></p> <p>(4) Automatic belts destroyed or rendered inoperative (9) Unknown</p> | O |
| <p>20. Proper Use of Manual (Active) Belts</p> <p>(0) None used or not available (1) Belt used properly (2) Belt used properly with child safety seat</p> <p><i>Belt Used Improperly</i></p> <p>(3) Shoulder belt worn under arm (4) Shoulder belt worn behind back or seat (5) Belt worn around more than one person (6) Lap belt worn on abdomen (7) Lap belt or lap and shoulder belt used improperly with child safety seat (specify): _____ (8) Other improper use of manual belt system (specify): _____ (9) Unknown</p> | O | <p>24. Automatic (Passive) Belt System Use</p> <p>(0) Not equipped/not available/destroyed or rendered inoperative (1) Automatic belt in use (2) Automatic belt not in use (manually disconnected, motorized track inoperative) (specify): _____ (3) Automatic belt use unknown (9) Unknown</p> | O |
| <p>21. Manual (Active) Belt Failure Modes During Accident</p> <p>(0) No manual belt used or not available (1) No manual belt failure(s) (2) Torn webbing (stretched webbing not included) (3) Broken buckle or latchplate (4) Upper anchorage separated (5) Other anchorage separated (specify): _____ (6) Broken retractor (7) Combination of above (specify): _____ (8) Other manual belt failure (specify): _____ (9) Unknown</p> | O | <p>25. Automatic (Passive) Belt System Type</p> <p>(0) Not equipped/not available (1) Non-motorized system (2) Motorized system (9) Unknown</p> | O |
| <p>26. Proper Use of Automatic (Passive) Belt System</p> <p>(0) Not equipped/not available/not used (1) Automatic belt used properly (2) Automatic belt used properly with child safety seat</p> <p><i>Automatic Belt Used Improperly</i></p> <p>(3) Automatic shoulder belt worn under arm (4) Automatic shoulder belt worn behind back (5) Automatic belt worn around more than one person (6) Lap portion of automatic belt worn on abdomen (7) Automatic lap and shoulder belt or automatic shoulder belt used improperly with child safety seat (specify): _____ (8) Other improper use of automatic belt system (specify): _____ (9) Unknown</p> | O | <p>27. Automatic (Passive) Belt Failure Modes During Accident</p> <p>(0) Not equipped/not available/not in use (1) No automatic belt failure(s) (2) Torn webbing (stretched webbing not included) (3) Broken buckle or latchplate (4) Upper anchorage separated (5) Other anchorage separated (specify): _____ (6) Broken retractor (7) Combination of above (specify): _____ (8) Other automatic belt failure (specify): _____ (9) Unknown</p> | O |

| POLICE REPORTED RESTRAINT USE | AIR BAG SYSTEM FUNCTION |
|---|--|
| <p>28. Police Reported Belt Use 3</p> <ul style="list-style-type: none"> (0) None used (1) Police did not indicate belt use (2) Shoulder belt (3) Lap belt (4) Lap and shoulder belt (5) Belt used, type not specified (6) Child safety seat (7) Automatic belt (8) Other type belt, (specify): _____ (9) Police indicated "unknown" <hr/> <p>29. Police Reported Air Bag Availability/Function 6</p> <ul style="list-style-type: none"> (0) No air bag available (1) Police did not indicate air bag availability/function (2) Deployed (3) Not deployed (4) Unknown if deployed (9) Police indicated "unknown" | <p>30. Frontal Air Bag System Availability/Function (This Occupant Position) 0</p> <ul style="list-style-type: none"> (0) Not equipped/not available (1) Air bag <p><i>Non-functional</i></p> <ul style="list-style-type: none"> (2) Air bag disconnected (specify): _____ (3) Air bag not reinstalled (9) Unknown <hr/> <p>31. Frontal Air Bag System Deployment (This Occupant Position) 0</p> <ul style="list-style-type: none"> (0) Not equipped/not available (1) Deployed during accident (as a result of impact) (2) Deployed inadvertently just prior to accident (3) Deployed, details unknown (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical) (5) Unknown if deployed (7) Nondeployed (9) Unknown <hr/> <p>32. Other Than First Seat Frontal Air Bag Availability/Function (This Occupant Position) 0</p> <ul style="list-style-type: none"> (0) Not equipped/not available (1) Air bag <p><i>Non-functional</i></p> <ul style="list-style-type: none"> (2) Air bag disconnected (specify): _____ (3) Air bag not reinstalled (9) Unknown <p><i>Specify type of "other" air bag present:</i> _____</p> <hr/> <p>33. Air Bag(s) Deployment, Other Than First Seat Frontal (This Occupant Position) 0</p> <ul style="list-style-type: none"> (0) Not equipped with an "other" air bag (1) Deployed during accident (as a result of impact) (2) Deployed inadvertently just prior to accident (3) Deployed, details unknown (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical) (5) Unknown if deployed (7) Nondeployed (9) Unknown <hr/> <p>34. Are There Indications of Air Bag System Failure? (This Occupant Position) 0</p> <ul style="list-style-type: none"> (0) Not equipped/not available (1) No (2) Yes (specify): _____ (9) Unknown |

FIRST SEAT FRONTAL AIR BAG SYSTEM EVALUATION

| | |
|--|---|
| <p>35. Had Vehicle Been in Previous Accident(s)? <u>0</u></p> <p>(0) Not equipped/not available (1) No previous accidents</p> | <p>40. Longitudinal Component of Delta V For Air Bag Deployment Impact <u>+ - 000</u></p> <p>(_000) Not equipped/not available <i>Code the value of the delta V for the impact that initiated the air bag deployment</i> (_996) Deployment, unknown longitudinal Delta V (_997) Not deployed (_998) Unknown if deployed (_999) Unknown</p> |
| <p>Yes (2) Previous accident(s) without deployment(s) (3) One previous accident with deployment (4) More than one previous accident with at least one deployment (8) Previous accidents, unknown deployment status (9) Unknown</p> | <p>41. Did Air Bag Module Cover Flap(s) Open At Designated Tear Points? <u>0</u></p> <p>(0) Not equipped/not available (1) No (2) Yes (3) Deployed, unknown if flap(s) opened at designated tear points (7) Not deployed (8) Unknown if deployed (9) Unknown</p> |
| <p>36. Type of Air Bag <u>0</u> (0) Not equipped/not available (1) Original manufacturer installed system (2) Retrofitted air bag (3) Replacement air bag (8) Unknown type of air bag (9) Unknown</p> | <p>42. Were Air Bag Module Cover Flap(s) Damaged? <u>0</u></p> <p>(0) Not equipped/not available (1) No (2) Yes (specify): _____ (3) Deployed, unknown if air bag module cover flap(s) damaged (7) Not deployed (8) Unknown if deployed (9) Unknown</p> |
| <p>37. Had Any Prior Maintenance/Service Been Performed On This Air Bag System? <u>0</u> (0) Not equipped/not available (1) No prior maintenance (2) Yes, prior maintenance (specify): _____ (9) Unknown</p> | <p>43. Was There Damage To The Air Bag? <u>0</u></p> <p>(00) Not equipped/not available (01) Not damaged</p> <p><i>Yes - Air Bag Damage</i></p> <p>(02) Ruptured (03) Cut (04) Torn (05) Holed (06) Burned (07) Abraded (88) Other damage (specify): _____</p> |
| <p>38. Air Bag Deployment Accident Event Sequence Number <u>00</u></p> <p>(00) Not equipped/not available _____ <i>Code the accident event sequence number that initiated the air bag deployment</i> (96) Deployed, unknown event (97) Not deployed (98) Unknown if deployed (99) Unknown</p> | <p>(95) Damaged, details unknown (96) Deployed, unknown if damaged (97) Not deployed (98) Unknown if deployed (99) Unknown</p> |
| <p>39. CDC For Air Bag Deployment Impact <u>0</u></p> <p>(0) Not equipped/not available (1) Highest delta V (2) Second highest delta V (3) Other non-coded delta V (specify): _____ _____ (6) Deployed, unknown event (7) Not deployed (8) Unknown if deployed (9) Unknown</p> | |

**FIRST SEAT FRONTAL AIR BAG SYSTEM
EVALUATION *continued***

44. Source of Air Bag Damage 00
 (00) Not equipped/not available
 (01) Not damaged
 (02) Object worn by occupant, (specify):

 (03) Object carried by occupant, (specify):

 (04) Adaptive/assistive controls, (specify):

 (05) Fire in vehicle
 (06) Thermal burns
 (07) Rescue or emergency efforts
 (08) Other damage source (specify):

 (95) Damaged, unknown source
 (96) Deployed, unknown if damaged
 (97) Not deployed
 (98) Unknown if deployed
 (99) Unknown
45. Was The Air Bag Tethered? 0
 (0) Not equipped/not available
 (1) No
 (2) Yes (specify number of tether straps):

 (3) Deployed, unknown if tethered
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown
46. Did The Air Bag Have Vent Ports? 0
 (0) Not equipped/not available
 (1) No
 (2) Yes (specify number of vent ports):

 (3) Deployed, unknown if vent ports present
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown
47. Was the Air Bag in this Occupant's Position
Contacted by Another Occupant? 0
 (0) Not equipped/not available
 (1) No
 (2) Yes (specify):

 (3) Deployed, unknown if other occupant contact
to air bag
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown
48. Was This Occupant Wearing Eye-wear? 0
 (0) Not air bag equipped/air bag not available
 (1) No
 (2) Eyeglasses/sunglasses
 (3) Contact lenses
 (4) Deployed, unknown if eyewear worn
 (7) Not deployed
 (8) Unknown if deployed
 (9) Unknown

HEAD RESTRAINT AND SEAT EVALUATION

49. Head Restraint Type/Damage by Occupant
at This Occupant Position 0
 (0) No head restraints
 (1) Integral—no damage
 (2) Integral—damaged during accident
 (3) Adjustable—no damage
 (4) Adjustable—damaged during accident
 (5) Add-on—no damage
 (6) Add-on—damaged during accident
 (8) Other (specify):

 (9) Unknown
50. Seat Type (this Occupant Position) 03
 (00) Occupant not seated or no seat
 (01) Bucket
 (02) Bucket with folding back
 (03) Bench
 (04) Bench with separate back cushions
 (05) Bench with folding back(s)
 (06) Split bench with separate back cushions
 (07) Split bench with folding back(s)
 (08) Pedestal (i.e., column supported)
 (09) Box mounted seat (i.e., van type)
 (10) Other seat type (specify):

 (99) Unknown
51. Seat Orientation (this Occupant Position) 1
 (0) Occupant not seated or no seat
 (1) Forward facing seat
 (2) Rear facing seat
 (3) Side facing seat (inward)
 (4) Side facing seat (outward)
 (8) Other (specify):


 (9) Unknown
52. Seat Track Adjusted Position Prior To Impact 1
 (0) Occupant not seated or no seat
 (1) Non-adjustable seat track
Adjustable Seat Track
 (2) Seat at forward most track position
 (3) Seat between forward most and middle track
positions
 (4) Seat at middle track position
 (5) Seat between middle and rear most track
positions
 (6) Seat at rear most track position
 (9) Unknown

HEAD RESTRAINT AND SEAT EVALUATION *continued*


53. Seat Back Incline Prior and Post Impact 0 / 1
- (00) Occupant not seated or no seat
 (01) Not adjustable

Upright prior to impact


- (11) Moved to completely rearward position
- (12) Moved to rearward midrange position
- (13) Moved to slightly rearward position
- (14) Retained pre-impact position
- (15) Moved to slightly forward position
- (16) Moved to forward midrange position
- (17) Moved to completely forward position

***Slightly reclined prior to impact***

- (21) Moved to completely rearward position
- (22) Moved to rearward midrange position
- (23) Retained pre-impact position
- (24) Moved to upright position
- (25) Moved to slightly forward position
- (26) Moved to forward midrange position
- (27) Moved to completely forward position

***Completely reclined prior to impact***

- (31) Retained pre-impact position
- (32) Moved to rearward midrange position
- (33) Moved to slightly rearward position
- (34) Moved to upright position
- (35) Moved to slightly forward position
- (36) Moved to forward midrange position
- (37) Moved to completely forward position
- (99) Unknown



54. Seat Performance (this Occupant Position) 1

- (0) Occupant not seated or no seat
- (1) No seat performance failure(s)
- (2) Seat adjusters failed
- (3) Seat back folding locks or "seat back" failed
 (specify): _____
- (4) Seat track/anchors failed
- (5) Deformed by impact of occupant
- (6) Deformed by passenger compartment intrusion, (specify): _____
- (7) Combination of above (specify): _____
- (8) Other (specify): _____
- (9) Unknown

CHILD SAFETY SEAT

| | |
|---|---|
| <p>55. Child Safety Seat Make/Model <u>OOO</u></p> <p>(000) No child safety seat Applicable codes are found in your NASS CDS Data Collection, Coding and Editing</p> <p>(950) Built-in child safety seat</p> <p>(997) Other make/model (specify): (998) Unknown make/model (999) Unknown if child safety seat used</p> <p>56. Type of Child Safety Seat <u>O</u></p> <p>(0) No child safety seat (1) Infant seat (2) Toddler seat (3) Convertible seat (4) Booster seat - with shield (5) Booster seat - without shield (7) Other type child safety seat (specify): (8) Unknown child safety seat type (9) Unknown if child safety seat used</p> <p>57. Child Safety Seat Orientation <u>OO</u></p> <p><i>Designed for Rear Facing for This Age/Weight</i></p> <p>(01) Rear facing (02) Forward facing (08) Other orientation (specify): (09) Unknown orientation</p> <p><i>Designed For Forward Facing for This Age/Weight</i></p> <p>(11) Rear facing (12) Forward facing (18) Other orientation (specify): (19) Unknown orientation</p> <p><i>Unknown Design or Orientation For This Age/Weight, or Unknown Age/Weight</i></p> <p>(21) Rear facing (22) Forward facing (28) Other orientation (specify): (29) Unknown orientation</p> <p>(99) Unknown if child safety seat used</p> | <p>58. Child Safety Seat Harness Usage <u>OO</u></p> <p>59. Child Safety Seat Shield Usage <u>OO</u></p> <p>60. Child Safety Seat Tether Usage <u>OO</u></p> <p>Note: Options below applicable to Variables OA58-OA60.</p> <p>(00) No child safety seat</p> <p><i>Not Designed With Harness/Shield/Tether</i></p> <p>(01) After market harness/shield/tether added, not used (02) After market harness/shield/tether used (03) Child safety seat used, but no after market harness/shield/tether added (09) Unknown if harness/shield/tether added or used</p> <p><i>Designed With Harness/Shield/Tether</i></p> <p>(11) Harness/shield/tether not used (12) Harness/shield/tether used (19) Unknown if harness/shield/tether used</p> <p><i>Unknown If Designed With Harness/Shield/Tether</i></p> <p>(21) Harness/shield/tether not used (22) Harness/shield/tether used (29) Unknown if harness/shield/tether used</p> <p>(99) Unknown if child safety seat used</p> |
|---|---|

INJURY CONSEQUENCES**61. Injury Severity (Police Rating)**

- (0) O - No injury
 (1) C - Possible injury
 (2) B - Nonincapacitating injury
 (3) A - Incapacitating injury
 (4) K - Killed
 (5) U - Injury, severity unknown
 (6) Died prior to accident
 (9) Unknown

62. Treatment - Mortality

- (0) No treatment
 (1) Fatal
 (2) Fatal - ruled disease (specify):

Nonfatal

- (3) Hospitalization
 (4) Transported and released
 (5) Treatment at scene - nontransported
 (6) Treatment later
 (7) Treatment - other (specify):

 (8) Transported to a medical facility-unknown if treated
 (9) Unknown

63. Type Of Medical Facility (for Initial Treatment)

- (0) Not treated at a medical facility
 (1) Trauma center
 (2) Hospital
 (3) Medical clinic
 (4) Physician's office
 (5) Treatment later at medical facility
 (8) Other (specify):

 (9) Unknown

64. Hospital Stay

- (00) Not Hospitalized
 _____ Code the number of days (up through 60) that the occupant stayed in hospital.
 (61) 61 days or more
 (99) Unknown

65. Working Days Lost

- _____ Code the number of days (up through 60) that the occupant lost from work due to the accident
 (00) No working days lost
 (61) 61 days or more
 (62) Fatally injured
 (97) Not working prior to accident
 (99) Unknown

EMERGENCY RESPONSE INFORMATION**EMS Notification**

- (1) Not notified
 (2) Notified
 (9) Unknown

ROAD VEHICLE

AIR VEHICLE

EMS Type

- (01) Fire department
 (02) Rescue squad
 (03) Police department
 (04) Trauma unit
 (05) Disaster unit
 (06) Ambulance service unit
 (07) Hospital
 (08) Mortuaries/funeral homes
 (98) Other, specify: _____
 (99) Unknown

FIRST UNIT

TRANSPORTING UNIT

ROAD VEHICLE

AIR VEHICLE

EMS Notification Time (first unit)
(9999) Unknown

ROAD VEHICLE

AIR VEHICLE

EMS Arrival Time (first unit)
(9998) EMS cancelled or did not arrive
(9999) Unknown

ROAD VEHICLE

AIR VEHICLE

EMS Care

- (01) No care administered
 (02) First aid
 (03) Resuscitation
 (04) CPR
 (05) Emergency cardiac care
 (06) Life support system monitoring (blood pressure, pulse rate, respiration, EKG)
 (07) Emergency burn care
 (08) Combination of above, specify: _____
 (98) Other, specify: _____
 (99) Unknown

ON-SCENE

DURING TRANSPORT

ROAD VEHICLE

AIR VEHICLE

EMS Departure Time To Treatment Facility (transporting unit)
(9997) EMS arrived, provided treatment, but did not transport
(9998) EMS arrived, but was not used
(9999) Unknown

ROAD VEHICLE

AIR VEHICLE

EMS Arrival Time At Treatment Facility
(9999) Unknown

ROAD VEHICLE

AIR VEHICLE

STOP WORK HERE VARIABLES 66-74 TO BE CODED BY THE ZONE CENTER

TO BE CODED BY THE ZONE CENTER

| INJURY CONSEQUENCES | | TRAUMA DATA | |
|---|-----|---|----|
| 66. Time to Death _____ Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, ... n days = 30 + n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown | 0 0 | 71. Glasgow Coma Scale (GCS) Score (at Medical Facility) _____ (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured | 02 |
| 67. 1st Medically Reported Cause of Death | 0 0 | 72. Was the Occupant Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): _____ (9) Unknown if blood given | 1 |
| 68. 2nd Medically Reported Cause of Death | 0 0 | | |
| 69. 3rd Medically Reported Cause of Death _____ Code the Occupant Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this occupant's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease) (specify): (99) Unknown | 0 V | 73. Arterial Blood Gases (ABG) - HCO ₃ _____ (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃ (96) ABGs reported , HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured | 01 |
| BELT USE DETERMINATION | | | |
| 70. Number of Recorded Injuries for This Occupant _____ Code the actual number of injuries recorded for this occupant. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured | 0 2 | 74. Primary Source of Belt Use Determination (0) Not equipped/not available/destroyed or rendered inoperative (1) Vehicle inspection (2) Official injury data (3) Driver/occupant interview (8) Other (specify): _____ (9) Unknown if belt used | 1 |



U.S. Department of Transportation
National Highway Traffic Safety
Administration

Form Approved
O.M.B. No. 2127-0021

OCCUPANT INJURY FORM

NATIONAL ACCIDENT SAMPLING SYSTEM
CRASHWORTHINESS DATA SYSTEM

1. Primary Sampling Unit Number 09

3. Vehicle Number 02

2. Case Number - Stratum 096D

4. Occupant Number 05

INJURY DATA

Record below the actual injuries sustained by this occupant that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than ten injuries have been documented, encode the balance on the Occupant Injury Supplement.

| A.I.S. - 90 | | | | | | | | | | Injury Source Confidence Level | Direct/Indirect Injury | Occupant Area Intrusion Number |
|-----------------------|-------------|----------------------------|-----------------------------|-----------------|-----------------|----------------|----------------|----------------|----------------|--------------------------------|------------------------|--------------------------------|
| Source of Injury Data | Body Region | Type of Anatomic Structure | Specific Anatomic Structure | Level of Injury | A.I.S. Severity | Aspect | Injury Source | | | | | |
| (L) head abr | 1st | 5. <u>3</u> | 6. <u>1</u> | 7. <u>9</u> | 8. <u>02</u> | 9. <u>02</u> | 10. <u>1</u> | 11. <u>2</u> | 12. <u>151</u> | 13. <u>3</u> | 14. <u>1</u> | 15. <u>00</u> |
| (R) chest cont | 2nd | 16. <u>7</u> | 17. <u>4</u> | 18. <u>9</u> | 19. <u>04</u> | 20. <u>02</u> | 21. <u>1</u> | 22. <u>1</u> | 23. <u>101</u> | 24. <u>1</u> | 25. <u>1</u> | 26. <u>02</u> |
| | 3rd | 27. <u> </u> | 28. <u> </u> | 29. <u> </u> | 30. <u> </u> | 31. <u> </u> | 32. <u> </u> | 33. <u> </u> | 34. <u> </u> | 35. <u> </u> | 36. <u> </u> | 37. <u> </u> |
| | 4th | 38. <u> </u> | 39. <u> </u> | 40. <u> </u> | 41. <u> </u> | 42. <u> </u> | 43. <u> </u> | 44. <u> </u> | 45. <u> </u> | 46. <u> </u> | 47. <u> </u> | 48. <u> </u> |
| | 5th | 49. <u> </u> | 50. <u> </u> | 51. <u> </u> | 52. <u> </u> | 53. <u> </u> | 54. <u> </u> | 55. <u> </u> | 56. <u> </u> | 57. <u> </u> | 58. <u> </u> | 59. <u> </u> |
| | 6th | 60. <u> </u> | 61. <u> </u> | 62. <u> </u> | 63. <u> </u> | 64. <u> </u> | 65. <u> </u> | 66. <u> </u> | 67. <u> </u> | 68. <u> </u> | 69. <u> </u> | 70. <u> </u> |
| | 7th | 71. <u> </u> | 72. <u> </u> | 73. <u> </u> | 74. <u> </u> | 75. <u> </u> | 76. <u> </u> | 77. <u> </u> | 78. <u> </u> | 79. <u> </u> | 80. <u> </u> | 81. <u> </u> |
| | 8th | 82. <u> </u> | 83. <u> </u> | 84. <u> </u> | 85. <u> </u> | 86. <u> </u> | 87. <u> </u> | 88. <u> </u> | 89. <u> </u> | 90. <u> </u> | 91. <u> </u> | 92. <u> </u> |
| | 9th | 93. <u> </u> | 94. <u> </u> | 95. <u> </u> | 96. <u> </u> | 97. <u> </u> | 98. <u> </u> | 99. <u> </u> | 100. <u> </u> | 101. <u> </u> | 102. <u> </u> | 103. <u> </u> |
| | 10th | 104. <u> </u> | 105. <u> </u> | 106. <u> </u> | 107. <u> </u> | 108. <u> </u> | 109. <u> </u> | 110. <u> </u> | 111. <u> </u> | 112. <u> </u> | 113. <u> </u> | 114. <u> </u> |

OCCUPANT INJURY DATA

OCCUPANT INJURY CLASSIFICATION

| Body Region | Specific Anatomic Structure | Level of Injury | Aspect |
|--|---|---|--|
| (1) Head (2) Face (3) Neck (4) Thorax (5) Abdomen (6) Spine (7) Upper Extremity (8) Lower Extremity (9) Unspecified | <u>Vessels, Nerves, Organs</u> <u>Bones, Joints</u> are assigned consecutive two digit numbers beginning with 02. The exceptions to this rule apply to: | Specific injuries are assigned consecutive two-digit numbers beginning with 02. To the extent possible, within the organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity. | (1) Right (2) Left (3) Bilateral (4) Central (5) Anterior (6) Posterior (7) Superior (8) Inferior (9) Unknown (0) Whole region |
| Type of Anatomic Structure | <u>Whole Area</u> (02) Skin - Abrasion (04) Skin - Contusion (06) Skin - Laceration (08) Skin - Avulsion (10) Amputation (20) Burn (30) Crush (40) Degloving (50) Injury - NFS (90) Trauma, other than mechanical | Whole Area (02) Skin - Abrasion (04) Skin - Contusion (06) Skin - Laceration (08) Skin - Avulsion (10) Amputation (20) Burn (30) Crush (40) Degloving (50) Injury - NFS (90) Trauma, other than mechanical | <u>Abbreviated Injury Scale</u> (1) Minor Injury (2) Moderate Injury (3) Serious Injury (4) Severe Injury (5) Critical Injury (6) Maximum (untreatable) (7) Injured, unknown severity |
| | <u>Head - LOC</u> (02) Length of LOC (04) Level (06) of (08) Consciousness (10) Concussion | | |
| | <u>Spine</u> (02) Cervical (04) Thoracic (06) Lumbar | | |
| SOURCE OF INJURY DATA | INJURY SOURCE CONFIDENCE LEVEL | DIRECT/INDIRECT INJURY | |
| <u>OFFICIAL RECORDS</u> (1) Autopsy records with or without hospital/medical records (2) Hospital/medical records other than emergency room (e.g., discharge summary) (3) Emergency room records only (including associated X-rays or other lab reports) (4) Private physician, walk-in or emergency clinic <u>UNOFFICIAL RECORDS</u> (5) Lay coroner report (6) E.M.S. personnel (7) Interviewee (8) Other source (specify): (9) Police | (1) Certain (2) Probable (3) Possible (9) Unknown | (1) Direct contact injury (2) Indirect contact injury (3) Noncontact injury (7) Injured, unknown source | |

INJURY SOURCES

| | | | |
|-------------------|--|---|--|
| FRONT | (102) Right side hardware or armrest (103) Right A (A1/A2)-pillar (104) Right B-pillar (105) Other right pillar (specify): _____ | (183) Air bag-passenger side and object held (184) Air bag-passenger side and object in mouth (185) Air bag compartment cover-passenger side (186) Air bag compartment cover-passenger side and eyewear (187) Air bag compartment cover-passenger side and jewelry (188) Air bag compartment cover-passenger side and object held (189) Air bag compartment cover-passenger side and object in mouth (190) Other air bag (specify) | (411) Wall mounted head rest (used behind wheel chair) (412) Other adaptive device (specify): _____ |
| INTERIOR | (151) Seat, back support (152) Belt restraint webbing/buckle (153) Belt restraint B-pillar or door frame attachment point (154) Other restraint system component (specify): _____ | (195) Other air bag compartment cover (specify) | EXTERIOR of OCCUPANT'S VEHICLE (451) Hood (452) Outside hardware (e.g., outside mirror, antenna) (453) Other exterior surface or tires (specify): _____ |
| ROOF | (201) Front header (202) Rear header (203) Roof left side rail (204) Roof right side rail (205) Roof or convertible top | | (454) Unknown exterior objects EXTERIOR OF OTHER MOTOR VEHICLE (501) Front bumper (502) Hood edge (503) Other front of vehicle (specify): _____ |
| FLOOR | (251) Floor (including toe pan) (252) Floor or console mounted transmission lever, including console (253) Parking brake handle (254) Foot controls including parking brake _____ | | (504) Hood (505) Hood ornament (506) Windshield, roof rail, A-pillar (507) Side surface (508) Side mirrors (509) Other side protrusions (specify): _____ |
| AIR BAG | (170) Air bag-driver side (171) Air bag-driver side and eyewear _____ | | (510) Rear surface (511) Undercarriage (512) Tires and wheels (513) Other exterior of other motor vehicle (specify): _____ |
| LEFT SIDE | (172) Air bag-driver side and jewelry (173) Air bag-driver side and object held (174) Air bag-driver side and object in mouth (175) Air bag compartment cover-driver side (176) Air bag compartment cover-driver side and eyewear _____ | | OTHER VEHICLE OR OBJECT IN THE ENVIRONMENT (551) Ground (598) Other vehicle or object (specify): _____ |
| RIGHT SIDE | (177) Air bag compartment cover-driver side and jewelry (178) Air bag compartment cover-driver side and object held (179) Air bag compartment cover-driver side and object in mouth (180) Air bag-passenger side (181) Air bag-passenger side and eyewear (182) Air bag-passenger side and jewelry _____ | | (599) Unknown vehicle or object NONCONTACT INJURY (601) Fire in vehicle (602) Flying glass (603) Other noncontact injury source (specify): _____ |
| | | | (604) Air bag exhaust gases (697) Injured, unknown source _____ |
| | | | (410) Raised roof |

OFFICIAL INJURY DATA – SOFT TISSUE INJURIES


Restrained?

 No YesBlood Alcohol Level
(mg/dl)BAL = NRGlasgow Coma
Scale ScoreGCSS = NRUnits of Blood
GivenUnits = 0

Arterial Blood Gases



pH = 7.4PO₂ = 400PCO₂ = 35HCO₃ = 24*No
ulc and*

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





OFFICIAL INJURY DATA – SKELETAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



OFFICIAL INJURY DATA – INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





SMASH PROGRAM SUMMARY

(All Measurements In Metric)

NATIONAL ACCIDENT SAMPLING SYSTEM
CRASHWORTHINESS DATA SYSTEM

Identifying Title

09

Primary Sampling Unit

096 D

Case No.-Stratum

01

Accident Event Sequence No.

196

Date (Month, day, year) of Run

GENERAL INFORMATION

VEHICLE 1

NASS Vehicle Number

Year

Make

Model

Body Style

CDC

Damaged Side

PDOF

Heading Angle

01

1980

TOYOTA

CELICA GT

3H

12 F DE W O 2

11

F

-30 ± 350 °

± 180 °

VEHICLE 2

NASS Vehicle Number

Year

Make

Model

Body Style

CDC

02

1988

DO DGE

B-250 VAN

V N

03 R P E W O 3

02

R

70 ± 080 °

± 270 °

VEHICLE SPECIFICATIONS

VEHICLE 1

Wheelbase

250 cm

Overall Length

446 cm

Overall Width ^p
_{per GVW-190}

164 cm

Weight

1148 + 80 + 45 = 1273 kg

Engine Displacement

2.2 L

Drive System

RWD

Size

2

Stiffness

2

VEHICLE 2

Wheelbase

278 cm

Overall Length

454 cm

Overall Width ^{MEASURED}

189 cm

Weight

1642 + 331 + 0 = 1973 kg

Engine Displacement

3.9 L

Drive System

RWD

Size

7

Stiffness

7

DAMAGE INFORMATION

VEHICLE 1

Damage known?

Y

Damage Length

150 cm

Damage Offset

± 000 cm

Crush Depth:

C1 044 cm

C2 022 cm

C3 021 cm

C4 022 cm

C5 020 cm

C6 014 cm

VEHICLE 2

Damage known?

Y

Damage Length

350 cm

Damage Offset

± 012 cm

Crush Depth:

C1 000 cm

C2 003 cm

C3 031 cm

C4 028 cm

C5 014 cm

C6 000 cm

National Accident Sampling System-Crashworthiness Data System: SMASH Program Summary

SCENE INFORMATION

Rest and Impact Positions [] No [] Yes

| | VEHICLE 1 | VEHICLE 2 | |
|---------------------------|------------------|---------------------------|------------------|
| Rest | X _____ . ____ m | Rest | X _____ . ____ m |
| Position | Y _____ . ____ m | Position | Y _____ . ____ m |
| | PSI _____ ° | | PSI _____ ° |
| Impact | X _____ . ____ m | Impact | X _____ . ____ m |
| Position | Y _____ . ____ m | Position | Y _____ . ____ m |
| | PSI _____ ° | | PSI _____ ° |
| Slip Angle (-180 to +180) | _____ ° | Slip Angle (-180 to +180) | _____ ° |

VEHICLE MOTION

Sustained Contact [] No [] Yes
VEHICLE 1

Vehicle Rotation [] No [] Yes
Rotation Stop Before Rest [] No [] Yes

End of Rotation X _____ . ____ m

Position Y _____ . ____ m

PSI _____ °

Curved Path [] No [] Yes

Point on Path
X _____ . ____ m Y _____ . ____ m

Rotation Direction [] None [] CW [] CCW

Rotation >360° [] No [] Yes

Sustained Contact [] No [] Yes
VEHICLE 2

Vehicle Rotation [] No [] Yes
Rotation Stop Before Rest [] No [] Yes

End of Rotation X _____ . ____ m

Position Y _____ . ____ m

PSI _____ °

Curved Path [] No [] Yes

Point on Path
X _____ . ____ m Y _____ . ____ m

Rotation Direction [] None [] CW [] CCW

Rotation >360° [] No [] Yes

FRICITION INFORMATION

Coefficient of Friction

Rolling Resistance Option

Vehicle 1 Rolling Resistance

LF _____ RF _____

LR _____ RR _____

Vehicle 2 Rolling Resistance

LF _____ RF _____

LR _____ RR _____

IF THIS COMMON IMPACT WAS WITH A CDS VEHICLE NOT IN TRANSPORT, FILL IN THE INFORMATION BELOW.

Model Year: _____

The Weight, CDC, Scene Data and Damage Information for this vehicle should be recorded above.

Make: _____

Complete and ATTACH the appropriate

Model: _____

damage sketch and dimensions to the form.

VIN: _____

Summary of Results Using Damage

09096d impact 1 smassh

Speed Change
(Damage)

Vehicle #1

Total 33 km/h (21 mph)
 Longitudinal -29 km/h (-18 mph)
 Latitudinal 17 km/h (10 mph)
 PDOF Angle -30 %
 Energy Dissipated = 45509 Joules (33561 Ft-Lb)
 Barrier Equivalent Speed = 24.5 km/h (15.2 mph)
 Calculated using size and stiffness categories.

Vehicle #2

Total 21 km/h (13 mph)
 Longitudinal -7 km/h (-5 mph)
 Latitudinal -20 km/h (-12 mph)
 PDOF Angle 70 %
 Energy Dissipated = 73469 Joules (54180 Ft-Lb)
 Barrier Equivalent Speed = 30.4 km/h (18.9 mph)
 Calculated using size and stiffness categories.

General Information

| | | |
|---------------|------------|------------|
| | Vehicle #1 | Vehicle #2 |
| Year | áááááááááá | áááááááááá |
| Make | 1980 | 1988 |
| Model | Toyota | Dodge |
| | Celica | B-250 van |
| CDC | 11FDEW2 | 02RPEW3 |
| Side Damaged | F | R |
| PDOF Angle | -30 % | 70 % |
| Heading Angle | 180 % | 270 % |

Calculation method: Size and Stiffness Size and Stiffness

| | | |
|--------------------|----------------------|----------------------|
| Size Category | 2 | 7 |
| Stiffness Category | 2 | 7 |
| Vehicle Weight | 1273 kgs (2806 lbs) | 1973 kgs (4350 lbs) |


Damage Information

| Vehicle Damage Known | Vehicle #1 | Vehicle #2 |
|----------------------|-------------------|--------------------|
| | áááááááááá | áááááááááá |
| | Yes | Yes |
| Crush Length | 150.0 cm (59 in) | 350.0 cm (138 in) |
| C1 | 22.0 cm (9 in) | 0.0 cm (0 in) |
| C2 | 22.0 cm (9 in) | 3.0 cm (1 in) |
| C3 | 21.0 cm (8 in) | 31.0 cm (12 in) |
| C4 | 22.0 cm (9 in) | 28.0 cm (11 in) |
| C5 | 20.0 cm (8 in) | 14.0 cm (6 in) |
| C6 | 14.0 cm (6 in) | 0.0 cm (0 in) |
| D | 0.0 cm (0 in) | -11.9 cm (-5 in) |
| D' | -3.3 cm (-1 in) | 1.9 cm (1 in) |


Vehicle Dimensions

| | Vehicle #1 | Vehicle #2 |
|---------------------|---------------------------|----------------------------|
| | áááááááááá | áááááááááá |
| Length | 447.5 cm (176 in) | 454.0 cm (179 in) |
| Width | 164.0 cm (65 in) | 189.0 cm (74 in) |
| Wheelbase | 250.0 cm (98 in) | 278.0 cm (109 in) |
| Weight | 1273 kgs (2806 lbs) | 1973 kgs (4350 lbs) |
| CG to Front of Veh | 211.6 cm (83 in) | 192.0 cm (76 in) |
| Engine Displacement | 2.2 liters | 3.9 liters |
| Moment of Inertia | 230482 kgs (20400 lbs) | 367398 kgs (32519 lbs) |
| Vehicle Mass | 1273 kgs (7.3 lb-s^2/in) | 1973 kgs (11.3 lb-s^2/in) |

1988 Dodge B-250 van



1980 Toyota Celica



09096d impact 1 smassh
1996

09096D00000011 969.0000000000002142600000020 96 96 96 96015612000
03724600058148508 0408
09096D00010012 969.001000000000101F0221R
09096D00020012 969.001000000000221L3100N
09096D01000021 9.00 00000000804903303RA42639386 01999089096002123092
1411211000990166082186
09096D01000022 9.00 00000000101010001150050000000000018027001001033-029+01
7045599810250301
09096D01000031 9.00 00000000010211FDEW02 150022022021022020014
000 15014725013601000301030101001000
09096D01000041 9.00 00000000000110010000122222001441110011111001111100
09096D01000042 9.00 000000000111821131811
220000006610010
09096D01010051 9.00 000000000361999999111900000940411000004000000000000 00
000000000003021614100000000000034300990000000002021011
09096D01010161 9.00 0000000003890402110101100
09096D01010261 9.00 0000000003890202110101100
09096D02000021 9.00 0000000008807461212B7HB23Y6JK 31999048096002071512
0214211022020117011187
09096D02000022 9.00 00000000105050001640000107101220027018000001021-007-02
0073599810300301
09096D02000031 9.00 000000000010102RPEW03023100LDA002350000003031028014000-
012 99817627817100000201010101001000
09096D02000041 9.00 0000000006330310000012202202144031022110110611101101
09096D02000042 9.00 000000000231821231113130713
1000000015010000
09096D02010051 9.00 000000004411800761110000004404111000004000000000000 00
000000000001091201100000000000200000000000000003011011
09096D02010161 9.00 0000000007790402120512100
09096D02010261 9.00 0000000007790602120512100
09096D02010361 9.00 0000000007890602126022300
09096D02020051 9.00 0000000005121570472130000003404111000003000000000000 00
000000000001091201100000000000243000000000000003021011
09096D02020161 9.00 0000000003890202111013100
09096D02020261 9.00 0000000003890800111013100
09096D02020361 9.00 0000000003190402111043103
09096D02030051 9.00 0000000004329999992210000003300000000003000000000000 00
00000000000003110110000000000028299990000000097979971
09096D02040051 9.00 0000000004029999992220000003300000000003000000000000 00
00000000000003110110000000000028299990000000097979971
09096D02050051 9.00 0000000003321650802230000003300000000003000000000000 00
0000000000000311011000000000002430000000000002021011
09096D02050161 9.00 0000000003190202121513100
09096D02050261 9.00 0000000007490402111011102

GENERAL VEHICLE Vehicle: 2

11

INTRA ERRORS

7 or 98, then BASIS FOR DELTA V GV58 OGG0421 2 If ROLLOVER GV45 equals 01-1
GG0422 should equal 04-10.

011

INTER ERRORS

then TYPE OGC0361 2 If BODY TYPE GV07 equals 04-06, 14-16, 20, 21 or 24,
GC0362 LEFT REAR IV18 should not equal 0. GV=02

01

PSU09

ERROR SUMMARY SCREEN

CASE 096D

CURRENT VERSION: 9.00

96

BEST AVAILABLE

| FORM NAME | NUMBER OF DOLLAR SIGNS | NUMBER OF LEVEL 1 ERRORS | NUMBER OF LEVEL 2 ERRORS | VERSION NUMBER CONSISTENT |
|---------------------|------------------------|--------------------------|--------------------------|---------------------------|
| Accident | 0 | 0 | 0 | Y |
| General Vehicle | 0 | 0 | 1 | Y |
| Vehicle Exterior | 0 | 0 | 0 | Y |
| Vehicle Interior | 0 | 0 | 0 | Y |
| Occupant Assessment | 0 | 0 | 0 | Y |
| Occupant Injury | 0 | 0 | 0 | Y |
| Total Inter Errors | | 0 | 1 | |
| Total Case Errors | 0 | 0 | 2 | |

0

Y



SLIDE INDEX

Primary Sampling Unit Number 09

Case Number—Stratum 0960



PSU 09-096D (1996) #1



PSU 09-0960 (1996) #2



PSU 09-096D (1996) #3



PSU 09-096D (1996) #4



PSU 09-0960 (1996) #5



PSU 09-096D (1996) #8



PSU 09-096D (1996) #7



PSU 09-096D (1996) #8



PSU 09-096D (1996) #9



PSU 09-098D (1996) #10



PSU 09-096D (1998) #11



PSU 09-096D (1996) #12



PSU 09-096D (1996) #13



PSU 09-096D (1996) #14
Best Available




PSU 09-096D (1996) #15



PSU 09-098D (1996) #18



PSU 09-096D (1936) #17
Best Available



PSU 09-096D (1996) #18



PSU 09-096D (1996) #19



PSU 09-096D (1996) \$20
Best Available



PSU 09-096D (1996) #21



PSU 09-096D (1996) #22



PSU 09-086D (1996) #23
Best Available



PSU 09-096D (1996) #24
Best Available



PSU 09-096D (1996) #25
Best Available



PSU 09-096D (1996) #26
Best Available



PSU 09-096D (1996) #27
Best Available



PSU 09-096D (1996) #28
Best Available



PSU 09-096D (1996) #29
Best Available



PSU 09-0960 (1996) #30
Best Available



PSU 08-086D (1986) #31
Best Available



PSU 09-0960 (1986) #32
Best Available



PSU 09-096D (1996) #33
Best Available



PSU 09-096D (1996) #34
Best Available



PSU 09-096D (1998) #35
Best Available



PSU 09-096D (1996) #36
Best Available



PSU 09-096D (1996) #37
Best Available



PSU 09-096D (1996) #38
Best Available



PSU 09-096D (1995) #30



PSU09-096D (1996) #40



PSU 09-096D (1996) #41



PSU 09-096D (1996) #42
Best Available



PSU 09-096D (1996) #43
Best Available



PSU09-098D (1996) #44
Best Available



PSU 09-096D (1996) #45
Best Available



PSU09-096D (1996) #46



PSU 09-096D (1996) #47
Best Available



PSU 09-096D (1996) #48



PSU 09-098D (1996) #49



PSU 09-0960 (1996) #50
Best Available



PSU 09-0960 (1996) #51
Best Available



PSU 09-096D (1996) #52



PSU 09-096D (1986) #53
Best Available



PSU 09-096D (1996) #54
Best Available



PSU 09-096D (1998) #55



PSU 09-086D (1996) #56
Best Available



PSU 09-096D (1996) #57
Best Available



PSU 09-096D (1996) #58
Best Available



PSU 09-096D (1996) #59



PSU 09-096D (1996) #60

PSU 09-0960 (1996) #61



PSU 09-098D (1996) #62



PSU 09-096D (1986) #63



PSU 09-0980 (1996) #84



PSU 09-096D (1996) #65



PSU 09-098D (1996) #66
Best Available



PSU 09-096D (1996) #67



PSU 09-096D (1996) #68
Best Available



PSU 09-096D (1996) #69



PSU 09-098D (1996) #70



PSU 09-096D (1996) #71
Best Available



PSU 09-0960 (1996) #72



PSU 09-096D (1996) #73



PSU 09-096D (1996) #74



PSU 09-096D (1996) #75
Best Available



PSU 09-096D (1996) #76



PSU 09-096D (1996) #77
Best Available



PSU 09-0960 (1996) #78
Best Available



PSU 09-098D (1996) #79
Best Available



PSU 09-096D (1996) #80



PSU 09-096D (1986) #81



PSU 09-0980 (1996) #82
Best Available



PSU 09-098D (1996) #83



PSU 09-096D (1996) #84



PSU09-096D (1996) #85



PSU 09-096D (1996) #86



PSU09-096D (1996) #87



PSU 09-0980 (1996) #88



PSU 09-0960 (1996) #89

Best Available



PSU 09-098D (1996) #90



PSU 09-086D (1996) #91
Best Available



PSU 09-096D (1996) #92
Best Available



PSU 09-0960 (1996) #93
Best Available



**PSU 08-096D (1996) #94
Best Available**



PSU 09-0960 (1996) #95
Best Available



PSU09-096D (1996) #96



PSU 09-096D (1996) #97



PSU09-096D (1996) #98
Best Available



PSU 09-086D (1996) #99
Best Available



PSU 09-096D (1996) #100
Best Available



PSU 08-096D (1996) #101
Best Available



PSU 09-096D (1996) #102



PSU09-096D (1996) #103
Best Available



PSU 09-096D (1996) #104
Best Available



PSU 09-096D (1996) #105
Best Available



PSU 09-096D (1996) #106
Best Available



PSU 09-096D (1996) #107
Best Available



PSU 09-0980 (1996) #109
Best Available



PSU 09-096D (1996) #109
Best Available



PSU 09-096D (1996) #110
Best Available



PSU 09-098D (1996) #111
Best Available



PSU09-096D (1986) #112
Best Available



PSU09-096D (1996) #113
Best Available




PSU 09-096D (1996) #114
Best Available

PSU 09-096D (1996) #115
Best Available



PSU 09-096D (1996) #116
Best Available



PSU 09-096D (1996) #117
Best Available



PSU09-096D (1996) #118
Best Available